



BOSCH



ACCESSORIES 2022

Introducing the new **EXPERT** range.

www.bosch-professional.com

The best your tool can get. Bosch Professional Accessories.




EXPERT

ACCESSORY RANGE

THE BEST YOUR TOOL CAN GET.

- ▶ Our new top performance range for all trades
- ▶ Longer, tougher, faster: Up to 100x better performance*
- ▶ Advanced technologies for the toughest applications






NEW PACKAGING

Distinctive blue and red packaging ensures you can quickly find EXPERT accessories on the shelf.


BENEFIT

Clear benefit icons with proven claims, so you know exactly what advantages you are getting.



TECHNOLOGY BEHIND THE BENEFIT

Each EXPERT accessory is backed by an innovative Bosch Technology that ensures it is the best your tool can get.



MATERIAL PICTURES

Clear pictograms show you exactly what materials an EXPERT accessory is designed for.



EXPERT STRIPE

The EXPERT stripe of our best performing range makes it easy to pick the best accessory for every job.



* Bosch EXPERT products vs. Bosch standard products

TABLE OF CONTENTS

1 DRILLING

6	Metal Drill Bits
45	Wood Drill Bits
64	Concrete Drill Bits
103	Masonry Drill Bits
104	Multi-Material and Tile Drill Bits

2 ACCESSORIES FOR SCREWDRIVING

114	Impact Control
127	Extra Hard
140	Universal holders
142	Adapters and Attachments
143	Depth stops

3 CHISELLING

146	Chisels with SDS plus Shank
152	Chisels with SDS max Shank
161	Chisels with Hex Shank

4 DIAMOND CUTTING, GRINDING AND DRILLING

170	Diamond cutting discs for angle grinders
190	Diamond cutting discs for tile cutting machines
197	Diamond cutting discs for table and petrol saws
203	Diamond cutting discs for joint cutters
207	Diamond grinding heads
215	Dry drill bits for drills
217	Wet drill bits
220	Dry drill bits for angle grinders
224	Dry core cutters
227	Accessories for the Bosch diamond drilling systems

5 CUTTING, GRINDING AND BRUSHING

230	Carbide Cutting wheels
233	Diamond Cutting Wheels
237	Cutting discs
253	Grinding discs
257	Bosch cordless angle grinders
258	Cup wheels and grinding rings
259	Grinding wheels
260	Wire brushes
274	Grinding points

6 CIRCULAR SAWING

280	Best for
285	Expert for
311	Standard for
328	Accessories

7 ROUTING AND PLANING

330	Standard for Wood Router Bits
339	Router Bit Sets
343	Accessories for Biscuit Joiners
344	Planer Knives

8 JIGSAWING

348	Single lug shank
382	Universal shank
385	Jigsaw blade sets
394	Accessories
395	Other saws

9 RECIPROCATING SAWING

405	Reciprocating Saw Blades
445	Other Saw Blades

10 HOLESAWING

452	Hole Saws for Power Change Plus System
471	Power Change Hole Saw Accessories
478	Hole Saws with Thread
483	Arbored Hole Saws

11 ACCESSORIES FOR MULTI-CUTTERS

486	Sawing
517	Cutting and Scraping
520	Sanding and Polishing
529	Routing and Rasping
537	Sets
540	Depth stops

12 SANDING AND POLISHING

542	Abrasives for Random Orbital Sanders
557	Abrasives for Delta Sanders and Multi Sanders
565	Abrasives for Orbital Sanders
574	Abrasives for Belt Sanders
583	Abrasives for Handsanding
596	Abrasives for Angle Grinders
621	Abrasives for Straight Grinders
622	Accessories for Polishers

TABLE OF CONTENTS

13 MACHINE ACCESSORIES

626	Accessories for Rotary Hammers and Impact Drills
632	Accessories for Drills
640	Accessories for Angle Grinders
663	Accessories for Concrete Grinders
664	Accessories for Straight Grinders
667	Accessories for Random Orbital Sanders
673	Accessories for Orbital Sanders
675	Accessories for Delta Sanders
677	Accessories for Belt Sanders
678	Accessories for Compact Belt Sanders
679	Accessories for Circular Saws
682	Accessories for Jigsaws
684	Accessories for Routers
691	Accessories for Planers
693	Nibbling and Cutting
697	Joining
708	Hot Air, Painting and Stripping
710	Dust Extraction
750	Carrying Cases

14 CORDLESS WORKING

756	Battery Packs
759	Chargers
763	Accessories for GDS, PLI, GLI

15 GENERAL INFORMATION

766	Part number index
789	Overview
794	Pictogram



METAL DRILLING

Precise performance for every application

The best your tool can get. Bosch Professional Accessories.



METAL DRILL BITS

Complete range for hand-held applications.



HSS PointTeQ



HSS Ground



HSS Impact



HSS Cobalt

Page number	10	19	28	31
Diameter mm	1.0 – 20.0	1.0 – 16.0	2.0 – 12.0	1.0 – 13.0
DIN standard	338	338 / 340	338	338
Shank type	Cylindrical	Cylindrical	¼" Hex	Cylindrical

MATERIALS

Non-alloyed structural steel	✓	✓	✓	-
Sheet steel	✓	✓	✓	-
Non-alloyed tool steel	✓	✓	✓	-
Alloyed tool steel	-	✓	✓	✓
Stainless steel	-	✓	✓	✓
Fire proof steel, Spring steel	-	-	-	✓
Cast iron, cast steel	✓	✓	✓	✓
Malleable cast iron	✓	✓	✓	✓
Alloyed aluminium	-	✓	✓	-
Bronze	✓	✓	✓	-
Brass	✓	✓	✓	-
PVC, polyamide	✓	✓	✓	-
Perspex, Bakelite	✓	✓	✓	-
Pertinax, Formica, Hard rubber	✓	✓	✓	-



HSS Titanium

HSS-R Stub

HSS Ground Double-ended

Step drill bits with spiral flute

Countersink bits

35

37

38

39

42

1.0 - 13.0

2.0 - 10.0

2.0 - 6.5

4.0 - 39.0

M3 - M12

338

1897

1897

-

335

Cylindrical

Cylindrical

Cylindrical

3-flat or ¼" Hex

Cylindrical or ¼" Hex

✓

✓

✓

-

-

✓

✓

✓

✓

-

✓

✓

✓

-

✓

✓

-

✓

-

-

✓

-

✓

-

✓

-

-

-

-

-

✓

✓

✓

-

✓

✓

✓

✓

-

-

-

-

✓

-

✓

✓

✓

✓

-

✓

-

-

-

-

✓

-

✓

✓

✓

-

✓

✓

✓

✓

-

-

✓

✓

✓

-

HSS POINTTEQ

Fast drilling in metal.

FAST CHIP REMOVAL

Supported by the black-oxide coated flute



FAST AND EASY START

The self-centering PointTeQ tip design allows an easy and efficient start

INCREASED LIFETIME

As a result of its fast drilling rate which leads to reduced wear



Metal drill bits HSS PointTeQ, DIN 338

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Shank equal to drill bit diameter
- ▶ Two-cutter, cylindrical, two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 2									
1	12	-	PC1a	2	5	906623	2 608 577 153	1.77 £	
1.5	18	-	PC1a	2	5	906630	2 608 577 154	1.84 £	
2	24	-	PC1a	2	5	906647	2 608 577 155	1.88 £	
2.5	30	-	PC1a	2	5	906654	2 608 577 156	2.19 £	
2.6	30	-	PC1a	2	5	906661	2 608 577 157	2.25 £	
3	33	-	PC1a	2	5	906678	2 608 577 158	2.35 £	
3.2	36	-	PC1a	2	5	906685	2 608 577 159	2.44 £	
3.5	39	-	PC1a	2	5	906692	2 608 577 160	2.54 £	
4	43	-	PC1a	2	5	906708	2 608 577 161	2.58 £	
Pack of 1									
4.2	43	-	PC1d	1	5	906715	2 608 577 162	1.81 £	
4.5	47	-	PC1d	1	5	906722	2 608 577 163	1.85 £	
4.8	52	-	PC1d	1	5	906739	2 608 577 164	1.94 £	



Metal drill bits HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5	52	-	PC1d	1	5	906746	2 608 577 165	1.95 £
5.5	57	-	PC1d	1	5	906753	2 608 577 166	2.28 £
6	57	-	PC1d	1	5	906760	2 608 577 167	2.44 £
6.5	63	-	PC1d	1	5	906777	2 608 577 168	2.52 £
7	69	-	PC1d	1	5	906784	2 608 577 169	2.92 £
7.5	69	-	PC1d	1	5	906791	2 608 577 170	3.37 £
8	75	-	PC1d	1	5	906807	2 608 577 171	3.85 £
8.5	75	-	PC1d	1	5	906814	2 608 577 172	4.37 £
9	81	-	PC1d	1	5	906821	2 608 577 173	4.68 £
10	87	-	PC1d	1	5	906838	2 608 577 174	5.64 £
11	94	-	PC1d	1	5	906845	2 608 577 175	7.35 £
12	101	-	PC1d	1	5	906852	2 608 577 176	8.53 £
13	101	-	PC1d	1	5	906869	2 608 577 177	9.69 £

Pack of 10

1	12	-	P2a	10	1	906876	2 608 577 178	6.78 £
1.1	14	-	P2a	10	1	906883	2 608 577 179	5.69 £
1.2	16	-	P2a	10	1	906890	2 608 577 180	6.88 £
1.3	16	-	P2a	10	1	906906	2 608 577 181	6.55 £
1.4	18	-	P2a	10	1	906913	2 608 577 182	6.69 £
1.5	18	-	P2a	10	1	906920	2 608 577 183	7.02 £
1.6	20	-	P2a	10	1	906937	2 608 577 184	7.02 £
1.7	20	-	P2a	10	1	906944	2 608 577 185	7.09 £
1.8	22	-	P2a	10	1	906951	2 608 577 186	7.09 £
1.9	22	-	P2a	10	1	906968	2 608 577 187	7.22 £
2	24	-	P2a	10	1	906975	2 608 577 188	7.22 £
2.1	24	-	P2a	10	1	906982	2 608 577 189	7.46 £
2.2	27	-	P2a	10	1	906999	2 608 577 190	7.46 £
2.3	27	-	P2a	10	1	907002	2 608 577 191	7.46 £
2.4	30	-	P2a	10	1	907019	2 608 577 192	7.65 £
2.5	30	-	P2a	10	1	907026	2 608 577 193	7.65 £
2.6	30	-	P2a	10	1	907033	2 608 577 194	7.9 £
2.7	33	-	P2a	10	1	907040	2 608 577 195	7.9 £
2.8	33	-	P2a	10	1	907057	2 608 577 196	8.11 £
2.9	33	-	P2a	10	1	907064	2 608 577 197	8.11 £
3	33	-	P2a	10	1	907071	2 608 577 198	8.11 £
3.1	36	-	P2a	10	1	907088	2 608 577 199	8.34 £
3.2	36	-	P2a	10	1	907095	2 608 577 200	8.34 £
3.3	36	-	P2a	10	1	907101	2 608 577 201	8.34 £
3.4	39	-	P2a	10	1	907118	2 608 577 202	9.39 £
3.5	39	-	P2a	10	1	907125	2 608 577 203	9.39 £
3.6	39	-	P2a	10	1	907132	2 608 577 204	9.39 £
3.7	39	-	P2a	10	1	907149	2 608 577 205	9.81 £
3.8	43	-	P2a	10	1	907156	2 608 577 206	10.26 £
3.9	43	-	P2a	10	1	907163	2 608 577 207	10.26 £
4	43	-	P1a	10	1	907170	2 608 577 208	10.28 £
4.1	43	-	P1a	10	1	907187	2 608 577 209	11.55 £
4.2	43	-	P1a	10	1	907194	2 608 577 210	11.55 £
4.3	47	-	P1a	10	1	907200	2 608 577 211	11.55 £
4.4	47	-	P1a	10	1	907217	2 608 577 212	12.01 £
4.5	47	-	P1a	10	1	907224	2 608 577 213	12.01 £
4.6	47	-	P1a	10	1	907231	2 608 577 214	12.01 £
4.7	47	-	P1a	10	1	907248	2 608 577 215	12.67 £
4.8	52	-	P1a	10	1	907255	2 608 577 216	13.31 £
4.9	52	-	P1a	10	1	907262	2 608 577 217	13.31 £
5	52	-	P1a	10	1	907279	2 608 577 218	13.31 £

Metal drill bits HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5.1	52	-	P1a	10	1	907286	2 608 577 219	14.83 £
5.2	52	-	P1a	10	1	907293	2 608 577 220	14.83 £
5.3	52	-	P1a	10	1	907309	2 608 577 221	15.39 £
5.4	57	-	P1a	10	1	907316	2 608 577 222	16.38 £
5.5	57	-	P1a	10	1	907323	2 608 577 223	16.38 £
5.6	57	-	P1a	10	1	907330	2 608 577 224	16.38 £
5.7	57	-	P1a	10	1	907347	2 608 577 225	17.25 £
5.8	57	-	P1a	10	1	907354	2 608 577 226	17.25 £
5.9	57	-	P1a	10	1	907361	2 608 577 227	18.1 £
6	57	-	P1a	10	1	907378	2 608 577 228	18.1 £
6.1	63	-	P1a	10	1	907385	2 608 577 229	18.1 £
6.2	63	-	P1a	10	1	907392	2 608 577 230	19.86 £
6.3	63	-	P1a	10	1	907408	2 608 577 231	19.86 £
6.4	63	-	P1a	10	1	907415	2 608 577 232	21.6 £
6.5	63	-	P1a	10	1	907422	2 608 577 233	21.6 £
6.6	63	-	P1a	10	1	907439	2 608 577 234	21.6 £
6.7	63	-	P1a	10	1	907446	2 608 577 235	22.54 £
6.8	69	-	P1a	10	1	907453	2 608 577 236	23.59 £
6.9	69	-	P1a	10	1	907460	2 608 577 237	23.59 £
7	69	-	P1a	10	1	907477	2 608 577 238	23.59 £
7.1	69	-	P1a	10	1	907484	2 608 577 239	23.59 £
7.2	69	-	P1a	10	1	907491	2 608 577 240	25.06 £
7.3	69	-	P1a	10	1	907507	2 608 577 241	25.06 £
7.4	69	-	P1a	10	1	907514	2 608 577 242	26.81 £
7.5	69	-	P1a	10	1	907521	2 608 577 243	26.81 £
7.6	75	-	P1a	10	1	907538	2 608 577 244	26.81 £
7.7	75	-	P1a	10	1	907545	2 608 577 245	28.35 £
7.8	75	-	P1a	10	1	907552	2 608 577 246	28.35 £
7.9	75	-	P1a	10	1	907569	2 608 577 247	29.87 £
8	75	-	P1a	10	1	907576	2 608 577 248	29.87 £
8.1	75	-	P1a	10	1	907583	2 608 577 249	29.87 £
8.2	75	-	P1a	10	1	907590	2 608 577 250	30.95 £
8.3	75	-	P1a	10	1	907606	2 608 577 251	30.95 £
8.4	75	-	P1a	10	1	907613	2 608 577 252	32.06 £
8.5	75	-	P1a	10	1	907620	2 608 577 253	32.06 £
8.6	81	-	P1a	10	1	907637	2 608 577 254	34 £
8.7	81	-	P1a	10	1	907644	2 608 577 255	35.96 £
8.8	81	-	P1a	10	1	907651	2 608 577 256	35.96 £
8.9	81	-	P1a	10	1	907668	2 608 577 257	37.04 £
9	81	-	P1a	10	1	907675	2 608 577 258	37.04 £
9.1	81	-	P1a	10	1	907682	2 608 577 259	37.04 £
9.2	81	-	P1a	10	1	907699	2 608 577 260	38.8 £
9.3	81	-	P1a	10	1	907705	2 608 577 261	38.8 £
9.4	81	-	P1a	10	1	907712	2 608 577 262	40.55 £
9.5	81	-	P1a	10	1	907729	2 608 577 263	40.55 £
9.6	87	-	P1a	10	1	907736	2 608 577 264	42.04 £
9.7	87	-	P1a	10	1	907743	2 608 577 265	42.04 £
9.8	87	-	P1a	10	1	907750	2 608 577 266	42.04 £
9.9	87	-	P1a	10	1	907767	2 608 577 267	42.04 £
10	87	-	P1a	10	1	907774	2 608 577 268	42.04 £
-	23	1/16	P2a	10	1	908252	2 608 577 316	6.56 £
-	26	5/64	P2a	10	1	908269	2 608 577 317	7.21 £
-	33	3/32	P2a	10	1	908276	2 608 577 318	7.64 £
-	39	7/64	P2a	10	1	908283	2 608 577 319	8.1 £
-	42	1/8	P2a	10	1	908290	2 608 577 320	8.33 £
-	45	9/64	P2a	10	1	908306	2 608 577 321	9.38 £

Metal drill bits HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	52	5/32	P1a	10	1	908313	2 608 577 322	10.26 £
-	55	11/64	P1a	10	1	908320	2 608 577 323	11.98 £
-	61	3/16	P1a	10	1	908337	2 608 577 324	13.31 £
-	64	13/64	P1a	10	1	908344	2 608 577 325	14.83 £
-	66	7/32	P1a	10	1	908351	2 608 577 326	16.37 £
-	69	15/64	P1a	10	1	908368	2 608 577 327	18.1 £
-	72	1/4	P1a	10	1	908375	2 608 577 328	21.57 £
-	75	17/64	P1a	10	1	908382	2 608 577 329	23.59 £
-	77	9/32	P1a	10	1	908399	2 608 577 330	25.06 £
-	80	19/64	P1a	10	1	908405	2 608 577 331	26.81 £
-	83	5/16	P1a	10	1	908412	2 608 577 332	29.87 £
-	87	21/64	P1a	10	1	908429	2 608 577 333	32.04 £
-	90	11/32	P1a	10	1	908436	2 608 577 334	35.77 £
-	92	23/64	P1a	10	1	908443	2 608 577 335	40.53 £
-	95	3/8	P1a	10	1	908450	2 608 577 336	40.53 £
-	98	25/64	P1a	10	1	908467	2 608 577 337	42.03 £
Pack of 5								
10.2	87	-	P1a	5	1	907798	2 608 577 270	27.78 £
10.5	87	-	P1a	5	1	907828	2 608 577 273	28.3 £
10.6	87	-	P1a	5	1	907835	2 608 577 274	28.59 £
10.7	94	-	P1a	5	1	907842	2 608 577 275	28.59 £
10.8	94	-	P1a	5	1	907859	2 608 577 276	28.59 £
10.9	94	-	P1a	5	1	907866	2 608 577 277	28.59 £
11	94	-	P1a	5	1	907873	2 608 577 278	29.12 £
11.1	94	-	P1a	5	1	907880	2 608 577 279	31.63 £
11.2	94	-	P1a	5	1	907897	2 608 577 280	31.63 £
11.3	94	-	P1a	5	1	907903	2 608 577 281	31.63 £
11.4	94	-	P1a	5	1	907910	2 608 577 282	31.63 £
11.5	94	-	P1a	5	1	907927	2 608 577 283	31.63 £
11.6	94	-	P1a	5	1	907934	2 608 577 284	33.57 £
11.8	94	-	P1a	5	1	907958	2 608 577 286	33.57 £
11.9	101	-	P1a	5	1	907965	2 608 577 287	33.57 £
12	101	-	P1a	5	1	907972	2 608 577 288	33.57 £
12.1	101	-	P1a	5	1	907989	2 608 577 289	36.52 £
12.2	101	-	P1a	5	1	907996	2 608 577 290	36.49 £
12.3	101	-	P1a	5	1	908009	2 608 577 291	36.52 £
12.4	101	-	P1a	5	1	908016	2 608 577 292	36.52 £
12.5	101	-	P1a	5	1	908023	2 608 577 293	36.52 £
12.6	101	-	P1a	5	1	908030	2 608 577 294	36.75 £
12.7	101	-	P1a	5	1	908047	2 608 577 295	36.75 £
12.8	101	-	P1a	5	1	908054	2 608 577 296	36.75 £
13	101	-	P1a	5	1	908078	2 608 577 298	36.75 £
-	101	13/32	P1a	5	1	908474	2 608 577 338	25.84 £
-	103	27/64	P1a	5	1	908481	2 608 577 339	27.99 £
-	106	7/16	P1a	5	1	908498	2 608 577 340	28.43 £
-	109	29/64	P1a	5	1	908504	2 608 577 341	33.55 £
-	114	15/32	P1a	5	1	908511	2 608 577 342	33.55 £
-	115	31/64	P1a	5	1	908528	2 608 577 343	36.71 £
-	118	1/2	P1a	5	1	908535	2 608 577 344	36.71 £

Metal drill bits HSS PointTeQ, DIN 338 with reduced shank

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Shank is reduced to 10mm for drill bits with diameter ≤ 13 mm and to 12mm for drill bits with diameter > 13 mm
- ▶ Two-cutter, cylindrical, two flutes



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Pack of 1								
10.5	87	PC1d	1	5	908085		2 608 577 299	8.72 £
11	94	PC1d	1	5	908092		2 608 577 300	8.81 £
11.5	94	PC1d	1	5	908108		2 608 577 301	8.93 £
12	101	PC1d	1	1	908115		2 608 577 302	9.3 £
12.5	101	PC1d	1	1	908122		2 608 577 303	9.73 £
13	101	PC1d	1	1	908139		2 608 577 304	10.17 £
13.5	108	PC1d	1	1	908146		2 608 577 305	13.55 £
14	108	PC1d	1	1	908153		2 608 577 306	14.22 £
14.5	114	P1c	1	1	908160		2 608 577 307	15.49 £
15	114	P1c	1	1	908177		2 608 577 308	16.38 £
15.5	120	P1c	1	1	908184		2 608 577 309	18.31 £
16	120	P1c	1	1	908191		2 608 577 310	19.33 £
16.5	125	P1c	1	1	908207		2 608 577 311	21.48 £
17	125	P1c	1	1	908214		2 608 577 312	22.7 £
18	130	P1c	1	1	908221		2 608 577 313	25.27 £
19	135	P1c	1	1	908238		2 608 577 314	28.11 £
20	140	P1c	1	1	908245		2 608 577 315	32.49 £

Metal drill bit sets HSS PointTeQ, DIN 338

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Shank equal to drill bit diameter
- ▶ Two-cutter, cylindrical, two flutes




PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
5-piece metal drill bit set, HSS PointTeQ								
2	24	P1c	5	1	917636		2 608 577 345	8.98 £
3	33							
4	43							
5	52							
6	57							

Metal drill bit sets HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Working length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
6-piece metal drill bit set, HSS PointTeQ								
2	24		P1k	6	1	917643	2 608 577 346	9.14 £
3	33							
4	43							
5	52							
6	57							
8	75							



7-piece metal drill bit set, HSS PointTeQ								
2	24		P1k	7	1	917650	2 608 577 347	18.65 £
3	33							
4	43							
5	52							
6	57							
8	75							
10	87							



10-piece metal drill bit set, HSS PointTeQ								
1	12		P1k	10	1	917667	2 608 577 348	21.57 £
2	24							
3	33							
4	43							
5	52							
6	57							
7	69							
8	75							
9	81							
10	87							



13-piece metal drill bit set, HSS PointTeQ								
1.5	18		P1k	13	1	917674	2 608 577 349	18.03 £
2	24							
2.5	30							
3	33							
3.2	36							
3.5	39							
4	43							
4.5	47							
4.8	52							
5	52							
5.5	57							
6	57							
6.5	63							



Metal drill bit sets HSS PointTeQ, DIN 338

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Working length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
side set, milled 18-piece ToughBox metal drill bit set, HSS PointTeQ								
1	34		P1k	18	1	917681	2 608 577 350	23.78 £
1.5	40							
2	49							
2	49							
2.5	57							
3	61							
3	61							
3.5	70							
4	75							
4	75							
4.5	80							
5	86							
5.5	93							
6	93							
7	109							
8	117							
9	125							
10	133							
19-piece ProBox metal drill bit set, HSS PointTeQ								
1	12		P1k	19	1	917698	2 608 577 351	32.91 £
1.5	18							
2	24							
2.5	30							
3	33							
3.5	39							
4	43							
4.5	47							
5	52							
5.5	57							
6	57							
6.5	63							
7	69							
7.5	69							
8	75							
8.5	75							
9	81							
9.5	81							
10	87							
25-piece ProBox metal drill bit set, HSS PointTeQ								
1	12		P1k	25	1	917704	2 608 577 352	42.44 £
1.5	18							
2	24							
2.5	30							
3	33							
3.5	39							
4	43							
4.5	47							
5	52							
5.5	57							
6	57							
6.5	63							
7	69							
7.5	69							
8	75							
8.5	75							
9	81							
9.5	81							
10	87							
10.5	87							
11	94							
11.5	94							
12	101							
12.5	101							
13	101							



Metal drill bits HSS PointTeQ, DIN 338 with hex shank



- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Two-cutter, hexagonal, two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION						Part number	Price without VAT
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...				
Pack of 1										
2	24	60	PC1a	1	5	231321	2 608 577 517	2.42 £		
2.5	30	69	PC1a	1	5	231338	2 608 577 518	2.46 £		
3	33	72	PC1a	1	5	231345	2 608 577 519	2.49 £		
3.2	36	75	PC1a	1	5	231352	2 608 577 520	2.52 £		
3.3	36	75	PC1a	1	5	231369	2 608 577 521	2.55 £		
3.5	39	79	PC1a	1	5	231376	2 608 577 522	2.59 £		
4	43	83	PC1d	1	5	231383	2 608 577 523	2.64 £		
4.2	43	83	PC1d	1	5	231390	2 608 577 524	2.67 £		
4.5	47	87	PC1d	1	5	231406	2 608 577 525	2.8 £		
5	52	91	PC1d	1	5	231413	2 608 577 526	2.88 £		
5.5	57	98	PC1d	1	5	231420	2 608 577 527	5.04 £		
6	57	98	PC1d	1	5	231437	2 608 577 528	5.01 £		
6.5	63	107	PC1d	1	5	231444	2 608 577 529	5.54 £		
6.8	69	109	PC1d	1	5	231451	2 608 577 530	5.53 £		
7	69	109	PC1d	1	5	231468	2 608 577 531	5.21 £		
7.5	69	109	PC1d	1	5	231475	2 608 577 532	5.26 £		
8	75	117	PC1d	1	5	231482	2 608 577 533	5.29 £		
8.5	75	117	PC1d	1	5	231499	2 608 577 534	5.44 £		
9	81	125	PC1d	1	5	231505	2 608 577 535	5.61 £		
9.5	81	125	PC1d	1	5	231512	2 608 577 536	5.78 £		
10	87	133	PC1d	1	5	231529	2 608 577 537	5.95 £		
11	94	142	PC1d	1	5	231536	2 608 577 538	7.75 £		
12	101	151	PC1d	1	5	231543	2 608 577 539	8.88 £		
Pack of 10										
2	24	60	P1a	10	1	231550	2 608 577 540	19.36 £		
3	33	72	P1a	10	1	231567	2 608 577 541	19.92 £		
3.5	39	79	P1a	10	1	231574	2 608 577 542	20.76 £		
4	43	83	P1a	10	1	231581	2 608 577 543	21.04 £		
4.2	43	83	P1a	10	1	231598	2 608 577 544	21.33 £		
5	52	91	P1a	10	1	231604	2 608 577 545	23.01 £		
6	57	98	P1a	10	1	231611	2 608 577 546	40.04 £		
Pack of 5										
8	75	117	P1a	5	1	231628	2 608 577 547	23.84 £		
10	87	133	P1a	5	1	231635	2 608 577 548	26.78 £		
12	101	151	P1a	5	1	231642	2 608 577 549	39.96 £		



Metal drill bit sets HSS PointTeQ, DIN 338 with hex shank

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip
- ▶ Two-cutter, hexagonal, two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
5-piece metal drill bit set, HSS PointTeQ								
2	24	60	P1k	5	1	231659	2 607 002 824	14.03 £
3	33	72						
4	43	83						
5	52	91						
6	57	98						



9-piece metal drill bit set, HSS PointTeQ								
2	24	60	P1k	9	1	231673	2 607 002 826	26.3 £
2.5	30	69						
3	33	72						
3.5	39	79						
4	43	83						
5	52	91						
6	57	98						
7	69	109						
8	75	117						



HSS GROUND

Highest-precision holes.



EXCELLENT CUTTING FEATURES

135° tip design enables up to 40% faster drilling rate and up to 50% lower feed pressure than standard HSS drills with chisel edge

QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES

As a result of its precision-ground drill bit body



Metal drill bits HSS-G

- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Shank equal to drill bit diameter, drill bit colour: polished
- ▶ Two-cutter, cylindrical, two flutes
- ▶ **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-G metal drill bits

PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 2										
1	12	34	-	PC1a	2	5	521413	2 608 585 906	2.25 £	
1.5	18	40	-	PC1a	2	5	521420	2 608 585 907	2.29 £	
2	24	49	-	PC1a	2	5	521437	2 608 585 908	2.42 £	
2.5	30	57	-	PC1a	2	5	521444	2 608 585 909	2.54 £	
3	33	61	-	PC1a	2	5	521468	2 608 585 911	2.65 £	
3.2	36	65	-	PC1a	2	5	521475	2 608 585 912	3.08 £	
3.3	36	65	-	PC1a	2	5	521482	2 608 585 913	3.26 £	
3.5	39	70	-	PC1a	2	5	521499	2 608 585 914	3.08 £	
4	43	75	-	PC1a	2	5	521512	2 608 585 916	3.37 £	



Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1									
4.2	43	75	-	PC1d	1	5	521536	2 608 585 918	1.94 £
4.5	47	80	-	PC1d	1	5	521550	2 608 585 920	1.94 £
4.8	52	86	-	PC1d	1	5	521567	2 608 585 921	2.19 £
5	52	86	-	PC1d	1	5	521574	2 608 585 922	2.19 £
5.2	52	86	-	PC1d	1	5	521598	2 608 585 924	2.54 £
5.5	57	93	-	PC1d	1	5	521604	2 608 585 925	2.54 £
6	57	93	-	PC1d	1	5	521611	2 608 585 926	2.85 £
6.5	63	101	-	PC1d	1	5	521628	2 608 585 927	3.53 £
6.8	69	109	-	PC1d	1	5	521635	2 608 585 928	4.1 £
7	69	109	-	PC1d	1	5	521642	2 608 585 929	4.1 £
7.5	69	109	-	PC1d	1	5	521659	2 608 585 930	4.55 £
8	75	117	-	PC1d	1	5	521673	2 608 585 932	5.7 £
8.5	75	117	-	PC1d	1	5	521680	2 608 585 933	6.32 £
9	81	125	-	PC1d	1	5	521697	2 608 585 934	7.26 £
9.5	81	125	-	PC1d	1	5	521703	2 608 585 935	8.01 £
10	87	133	-	PC1d	1	5	521710	2 608 585 936	9.21 £
10.5	87	133	-	PC1d	1	5	521727	2 608 585 937	10.19 £
11	94	142	-	PC1d	1	5	521734	2 608 585 938	11.68 £
11.5	94	142	-	PC1d	1	5	521741	2 608 585 939	12.58 £
12	101	151	-	PC1d	1	5	521758	2 608 585 940	14.33 £
12.5	101	151	-	PC1d	1	5	521765	2 608 585 941	15.46 £
13	101	151	-	PC1d	1	5	521772	2 608 585 942	16.49 £
Pack of 10									
1	12	34	-	P2a	10	1	290494	2 608 595 049	9.32 £
1.1	14	36	-	P2a	10	1	474726	2 608 585 467	9.48 £
1.2	16	38	-	P2a	10	1	474733	2 608 585 468	9.48 £
1.3	16	38	-	P2a	10	1	474740	2 608 585 469	9.48 £
1.4	18	40	-	P2a	10	1	474757	2 608 585 470	9.48 £
1.5	18	40	-	P2a	10	1	290500	2 608 595 050	9.48 £
1.6	20	43	-	P2a	10	1	474764	2 608 585 471	10.06 £
1.7	20	43	-	P2a	10	1	474771	2 608 585 472	10.06 £
1.8	22	46	-	P2a	10	1	474788	2 608 585 473	10.06 £
2	24	49	-	P2a	10	1	290517	2 608 595 051	10.06 £
2.1	24	49	-	P2a	10	1	474801	2 608 585 475	10.59 £
2.2	27	53	-	P2a	10	1	290524	2 608 595 052	10.59 £
2.3	27	53	-	P2a	10	1	474818	2 608 585 476	10.59 £
2.4	30	57	-	P2a	10	1	474825	2 608 585 477	10.59 £
2.5	30	57	-	P2a	10	1	290531	2 608 595 053	10.59 £
2.6	30	57	-	P2a	10	1	474832	2 608 585 478	10.96 £
2.7	33	61	-	P2a	10	1	474849	2 608 585 479	10.96 £
2.8	33	61	-	P2a	10	1	290548	2 608 595 054	10.96 £
2.9	33	61	-	P2a	10	1	474856	2 608 585 480	10.96 £
3	33	61	-	P2a	10	1	290555	2 608 595 055	10.96 £
3.1	36	65	-	P2a	10	1	474863	2 608 585 481	12.79 £
3.4	39	70	-	P2a	10	1	474870	2 608 585 482	12.79 £
3.5	39	70	-	P2a	10	1	290586	2 608 595 058	12.79 £
3.6	39	70	-	P2a	10	1	323499	2 608 595 332	14.06 £
3.7	39	70	-	P2a	10	1	474887	2 608 585 483	14.06 £
3.8	43	75	-	P2a	10	1	474894	2 608 585 484	14.06 £
3.9	43	75	-	P2a	10	1	474900	2 608 585 485	14.06 £
4	43	75	-	P1a	10	1	290593	2 608 595 059	14.06 £
4.1	43	75	-	P1a	10	1	474917	2 608 585 486	16.08 £
4.3	47	80	-	P1a	10	1	474924	2 608 585 487	16.08 £



Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
4.4	47	80	-	P1a	10	1	323505	2 608 595 333	16.08 £
4.5	47	80	-	P1a	10	1	290616	2 608 595 061	16.08 £
4.6	47	80	-	P1a	10	1	474931	2 608 585 488	18.27 £
4.7	47	80	-	P1a	10	1	474948	2 608 585 489	18.27 £
4.9	52	86	-	P1a	10	1	474955	2 608 585 490	18.27 £
5	52	86	-	P1a	10	1	290623	2 608 595 062	18.27 £
5.1	52	86	-	P1a	10	1	474962	2 608 585 491	21.18 £
5.3	52	86	-	P1a	10	1	474979	2 608 585 492	21.18 £
5.4	57	93	-	P1a	10	1	474986	2 608 585 493	21.18 £
5.5	57	93	-	P1a	10	1	290647	2 608 595 064	21.18 £
5.6	57	93	-	P1a	10	1	474993	2 608 585 494	23.74 £
5.7	57	93	-	P1a	10	1	475006	2 608 585 495	23.74 £
5.8	57	93	-	P1a	10	1	290654	2 608 595 065	23.74 £
5.9	57	93	-	P1a	10	1	475013	2 608 585 496	23.74 £
6	57	93	-	P1a	10	1	290661	2 608 595 066	23.74 £
6.1	63	101	-	P1a	10	1	475020	2 608 585 497	29.39 £
6.2	63	101	-	P1a	10	1	290678	2 608 595 067	29.39 £
6.3	63	101	-	P1a	10	1	475037	2 608 585 498	29.39 £
6.4	63	101	-	P1a	10	1	323529	2 608 595 335	29.39 £
6.5	63	101	-	P1a	10	1	290685	2 608 595 068	29.39 £
6.6	63	101	-	P1a	10	1	475044	2 608 585 499	34.15 £
6.7	63	101	-	P1a	10	1	323536	2 608 595 336	34.15 £
6.9	69	109	-	P1a	10	1	475051	2 608 585 500	34.15 £
7	69	109	-	P1a	10	1	290708	2 608 595 070	34.15 £
7.1	69	109	-	P1a	10	1	475068	2 608 585 501	37.73 £
7.2	69	109	-	P1a	10	1	323543	2 608 595 337	37.8 £
7.3	69	109	-	P1a	10	1	475075	2 608 585 502	37.8 £
7.4	69	109	-	P1a	10	1	475082	2 608 585 503	37.8 £
7.5	69	109	-	P1a	10	1	290715	2 608 595 071	37.8 £
7.6	75	117	-	P1a	10	1	475099	2 608 585 504	43.98 £
7.7	75	117	-	P1a	10	1	475105	2 608 585 505	43.98 £
7.8	75	117	-	P1a	10	1	475112	2 608 585 506	43.98 £
7.9	75	117	-	P1a	10	1	475129	2 608 585 507	43.98 £
-	5	20	1/64	P2a	10	1	474382	2 608 585 433	37.41 £
-	10	30	1/32	P2a	10	1	474399	2 608 585 434	22.73 £
-	16	38	3/64	P2a	10	1	474405	2 608 585 435	20.5 £
-	20	43	1/16	P2a	10	1	474412	2 608 585 436	14.27 £
-	24	49	5/64	P2a	10	1	474429	2 608 585 437	15.8 £
-	30	57	3/32	P2a	10	1	474436	2 608 585 438	12.76 £
-	33	61	7/64	P2a	10	1	474443	2 608 585 439	15.8 £
-	36	65	1/8	P2a	10	1	474450	2 608 585 440	13.44 £
-	39	70	9/64	P2a	10	1	474467	2 608 585 441	17.73 £
-	43	75	5/32	P2a	10	1	474474	2 608 585 442	16.22 £
-	47	80	11/64	P2a	10	1	474481	2 608 585 443	21.42 £
-	52	86	3/16	P2a	10	1	474498	2 608 585 444	19.69 £
-	52	86	13/64	P2a	10	1	474504	2 608 585 445	26.39 £
-	57	93	7/32	P2a	10	1	474511	2 608 585 446	24.47 £
-	57	93	15/64	P2a	10	1	474528	2 608 585 447	32.64 £
-	63	101	1/4	P2a	10	1	474535	2 608 585 448	30.26 £
-	69	109	17/64	P2a	10	1	474542	2 608 585 449	40.44 £
-	69	109	9/32	P2a	10	1	474559	2 608 585 450	37.4 £
-	75	117	19/64	P2a	10	1	474566	2 608 585 451	24.61 £
-	75	117	5/16	P2a	10	1	474573	2 608 585 452	22.83 £

Metal drill bits HSS-G



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 5									
8	75	117	-	P2a	5	1	290722	2 608 595 072	23.78 £
8.1	75	117	-	P2a	5	1	475136	2 608 585 508	26.25 £
8.2	75	117	-	P2a	5	1	475143	2 608 585 509	26.25 £
8.3	75	117	-	P2a	5	1	475150	2 608 585 510	26.25 £
8.4	75	117	-	P2a	5	1	475167	2 608 585 511	26.25 £
8.5	75	117	-	P2a	5	1	290739	2 608 595 073	26.25 £
8.6	81	125	-	P2a	5	1	475174	2 608 585 512	30.15 £
8.7	81	125	-	P2a	5	1	475181	2 608 585 513	30.2 £
8.8	81	125	-	P2a	5	1	290746	2 608 595 074	30.2 £
8.9	81	125	-	P2a	5	1	475198	2 608 585 514	30.2 £
9	81	125	-	P2a	5	1	290753	2 608 595 075	30.2 £
9.1	81	125	-	P2a	5	1	475204	2 608 585 515	33.35 £
9.2	81	125	-	P2a	5	1	475211	2 608 585 516	33.35 £
9.3	81	125	-	P2a	5	1	475228	2 608 585 517	33.35 £
9.4	81	125	-	P2a	5	1	475235	2 608 585 518	33.35 £
9.5	81	125	-	P2a	5	1	290760	2 608 595 076	33.35 £
9.6	87	133	-	P2a	5	1	475242	2 608 585 519	38.38 £
9.7	87	133	-	P2a	5	1	475259	2 608 585 520	38.38 £
9.8	87	133	-	P2a	5	1	323550	2 608 595 338	38.38 £
9.9	87	133	-	P2a	5	1	475266	2 608 585 521	38.38 £
10	87	133	-	P2a	5	1	290777	2 608 595 077	38.38 £
10.1	87	133	-	P2a	5	1	475273	2 608 585 522	42.43 £
10.2	87	133	-	P2a	5	1	475280	2 608 585 523	42.43 £
10.3	87	133	-	P2a	5	1	475297	2 608 585 524	42.03 £
10.4	87	133	-	P2a	5	1	475303	2 608 585 525	42.43 £
10.5	87	133	-	P2a	5	1	290784	2 608 595 078	42.44 £
10.6	87	133	-	P2a	5	1	475310	2 608 585 526	48.65 £
10.7	94	142	-	P2a	5	1	475327	2 608 585 527	48.65 £
10.8	94	142	-	P2a	5	1	475334	2 608 585 528	48.65 £
10.9	94	142	-	P2a	5	1	475341	2 608 585 529	48.55 £
11	94	142	-	P2a	5	1	290791	2 608 595 079	48.65 £
11.1	94	142	-	P2a	5	1	475358	2 608 585 530	52.36 £
11.2	94	142	-	P2a	5	1	475365	2 608 585 531	52.36 £
11.3	94	142	-	P2a	5	1	475372	2 608 585 532	52.27 £
11.4	94	142	-	P2a	5	1	475389	2 608 585 533	52.36 £
11.5	94	142	-	P2a	5	1	290807	2 608 595 080	52.36 £
11.6	94	142	-	P2a	5	1	475396	2 608 585 534	59.6 £
11.7	94	142	-	P2a	5	1	475402	2 608 585 535	59.7 £
11.8	94	142	-	P2a	5	1	475419	2 608 585 536	59.7 £
11.9	101	151	-	P2a	5	1	475426	2 608 585 537	59.6 £
12	101	151	-	P2a	5	1	290814	2 608 595 081	59.7 £
12.1	101	151	-	P2a	5	1	475433	2 608 585 538	64.35 £
12.2	101	151	-	P2a	5	1	475440	2 608 585 539	64.35 £
12.3	101	151	-	P2a	5	1	475457	2 608 585 540	64.23 £
12.4	101	151	-	P2a	5	1	475464	2 608 585 541	64.23 £
12.5	101	151	-	P2a	5	1	290821	2 608 595 082	64.35 £
12.6	101	151	-	P2a	5	1	475471	2 608 585 542	68.53 £
12.7	101	151	-	P2a	5	1	475488	2 608 585 543	68.66 £
12.8	101	151	-	P2a	5	1	475495	2 608 585 544	68.53 £
12.9	101	151	-	P2a	5	1	475501	2 608 585 545	68.53 £
13	101	151	-	P2a	5	1	290838	2 608 595 083	68.66 £
-	75	117	21/64	P2a	5	1	474580	2 608 585 453	30.18 £
-	81	125	11/32	P2a	5	1	474597	2 608 585 454	27.68 £
-	81	125	23/64	P2a	5	1	474603	2 608 585 455	36.45 £
-	87	133	3/8	P2a	5	1	474610	2 608 585 456	33.32 £

Metal drill bits HSS-G

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	87	133	25/64	P2a	5	1	474627	2 608 585 457	43.62 £
-	87	133	13/32	P2a	5	1	474634	2 608 585 458	39.81 £
-	94	142	27/64	P2a	5	1	474641	2 608 585 459	52.02 £
-	94	142	7/16	P2a	5	1	474658	2 608 585 460	46.94 £
-	94	142	29/64	P2a	5	1	474665	2 608 585 461	61.66 £
-	101	151	15/32	P2a	5	1	474672	2 608 585 462	55.69 £
-	101	151	31/64	P2a	5	1	474689	2 608 585 463	71.93 £
-	101	151	1/2	P2a	5	1	474696	2 608 585 464	64.89 £

Pack of 4 reduced shank to 13 mm

14	108	160	-	P2a	4	1	478786	2 608 585 593	96.32 £
15	114	169	-	P2a	4	1	478793	2 608 585 594	107.89 £
16	120	178	-	P2a	4	1	478809	2 608 585 595	123.3 £

Pack of 4 reduced shank to 1/2-inch

-	114	169	9/16	P2a	4	1	474702	2 608 585 465	97.63 £
-	120	178	5/8	P2a	4	1	474719	2 608 585 466	113.63 £



Robust Line metal drill bit sets HSS-G (ground), 135° drill bit tip

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
6-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°									
2	24	A	156.5 x 69.5 x 23	P1k	6	1	446136	2 607 010 529	21.38 £
3	33								
4	43								
5	52								
6	57								
8	75								



Robust Line metal drill bit sets HSS-G (ground), 135° drill bit tip

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
10-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°									
1	12	B	156.5 x 106.5	P1k	10	1	446198	2 607 010 535	37.71 £
2	24		x 23						
3	33								
4	43								
5	52								
6	57								
7	69								
8	75								
9	81								
10	87								



13-piece Robust Line metal drill bit set HSS-G, DIN 338, 135°									
1.5	18	C	124.0 x 106.5	P1k	13	1	446228	2 607 010 538	26.41 £
2	24		x 23						
2.5	30								
3	33								
3.2	36								
3.5	39								
4	43								
4.5	47								
4.8	52								
5	52								
5.5	57								
6	57								
6.5	63								



Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter mm	Diameter inches	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5-piece metal drill bit set HSS-G, 135° drill bit tip, 1/4" hex shank											
2	-	-	-	-	-	P1k	5	1	395427	2 608 595 517	20.04 £
3											
4											
5											
6											



Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter mm	Diameter inches	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
18-piece Toughbox metal drill bit set HSS-G, DIN 338, 135°											
1	-	12	34	-	180.0 x	P1k	18	1	430210	2 607 019 578	56.5 £
1.5		18	40		85.0 x 45						
2		24	49								
2		24	49								
2.5		30	57								
3		33	61								
3		33	61								
3.5		39	70								
4		43	75								
4		43	75								
4.5		47	80								
5		52	86								
5.5		57	93								
6		57	93								
7		69	109								
8		75	117								
9		81	125								
10		87	133								



19-piece metal drill bit set HSS-G, DIN 338, 135° in plastic tube											
1	-	12	34	-	-	P1k	19	1	061179	2 607 018 361	70.17 £
1.5		18	40								
2		24	49								
2.5		30	57								
3		33	61								
3.5		39	70								
4		43	75								
4.5		47	80								
5		52	86								
5.5		57	93								
6		57	93								
6.5		63	101								
7		69	109								
7.5		69	109								
8		75	117								
8.5		75	117								
9		81	125								
9.5		81	125								
10		87	133								



19-piece metal drill bit set HSS-G, DIN 338, 135° in metal cassette											
1	-	12	-	-	-	M1a	19	1	145893	2 607 018 726	68.31 £
1.5		18									
2		24									
2.5		30									
3		33									
3.5		39									
4		43									
4.5		47									
5		52									
5.5		57									
6		57									
6.5		63									
7		69									
7.5		69									
8		75									
8.5		75									
9		81									
9.5		81									
10		87									



Metal drill bit sets HSS-G, DIN 338

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter mm	Diameter inches	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
19-piece HSS-G ProBox metal drill bit set, DIN 338, 135°											
1	-	12	-	-	172.0 x	P1k	19	1	689779	2 608 587 013	48.65 £
1.5		18			115.0 x						
2		24			42						
2.5		30									
3		33									
3.5		39									
4		43									
4.5		47									
5		52									
5.5		57									
6		57									
6.5		63									
7		69									
7.5		69									
8		75									
8.5		75									
9		81									
9.5		81									
10		87									
25-piece metal drill bit set HSS-G, DIN 338, 135° in metal cassette											
1	-	12	-	-	-	M1a	25	1	145909	2 607 018 727	147.52 £
1.5		18									
2		24									
2.5		30									
3		33									
3.5		39									
4		43									
4.5		47									
5		52									
5.5		57									
6		57									
6.5		63									
7		69									
7.5		69									
8		75									
8.5		75									
9		81									
9.5		81									
10		87									
10.5		87									
11		94									
11.5		94									
12		101									
12.5		101									
13		101									
25-piece HSS-G ProBox metal drill bit set, DIN 338, 135°											
1	-	12	-	-	200.0 x	P1k	25	1	689816	2 608 587 017	98.95 £
1.5		18			115.0 x						
2		24			58						
2.5		30									
3		33									
3.5		39									
4		43									
4.5		47									
5		52									
5.5		57									
6		57									
6.5		63									
7		69									
7.5		69									
8		75									
8.5		75									
9		81									
9.5		81									
10		87									
10.5		87									
11		94									
11.5		94									
12		101									
12.5		101									
13		101									




Metal drill bits HSS-G, DIN 340

- ▶ Twist drill bit made of high speed steel manufactured to DIN 340
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Twist drill bit ground from solid metal
- ▶ Shank equal to drill bit diameter, drill bit colour: polished
- ▶ Two-cutter, cylindrical, two flutes

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1									
3	66	100	-	PC1d	1	5	417952	2 608 595 676	3.37 £
3.2	69	106	-	PC1d	1	5	417969	2 608 595 677	3.37 £
3.5	73	112	-	PC1d	1	5	417976	2 608 595 678	3.75 £
4	78	119	-	PC1d	1	5	417983	2 608 595 679	4.15 £
4.2	78	119	-	PC1d	1	5	417990	2 608 595 680	4.32 £
4.5	82	126	-	PC1d	1	5	418003	2 608 595 681	4.95 £
4.8	87	132	-	PC1d	1	5	418010	2 608 595 682	5.21 £
5	87	132	-	PC1d	1	5	418027	2 608 595 683	5.21 £
5.5	91	139	-	PC1d	1	5	418034	2 608 595 684	6.18 £
6	91	139	-	PC1d	1	5	418041	2 608 595 685	6.26 £
6.5	97	148	-	PC1d	1	5	418058	2 608 595 686	8.07 £
7	102	156	-	PC1d	1	5	418065	2 608 595 687	9.23 £
8	109	165	-	PC1d	1	5	418072	2 608 595 688	10.86 £
9	115	175	-	PC1d	1	5	418089	2 608 595 689	13.14 £
10	121	184	-	PC1d	1	5	418096	2 608 595 690	17.72 £
11	128	195	-	PC1d	1	5	418102	2 608 595 691	20.96 £
12	134	205	-	PC1d	1	5	418119	2 608 595 692	21.02 £
13	134	205	-	PC1d	1	5	418126	2 608 595 693	25.42 £
Pack of 5									
1.5	45	70	-	P0a	5	1	066983	2 608 596 808	18.14 £
2	56	85	-	P0a	5	1	066990	2 608 596 809	14.64 £
2.5	62	95	-	P0a	5	1	067003	2 608 596 810	15.92 £
3	66	100	-	P0a	5	1	067027	2 608 596 812	15.29 £
3.2	69	106	-	P0a	5	1	067034	2 608 596 813	15.38 £
3.5	73	112	-	P0a	5	1	067041	2 608 596 814	17.18 £
4	78	119	-	P0a	5	1	067065	2 608 596 816	18.89 £
4.2	78	119	-	P0a	5	1	067072	2 608 596 817	19.61 £
4.5	82	126	-	P0a	5	1	067089	2 608 596 818	22.38 £
4.8	87	132	-	P0a	5	1	067096	2 608 596 819	23.66 £
5	87	132	-	P0a	5	1	067102	2 608 596 820	23.66 £
5.5	91	139	-	P0a	5	1	067119	2 608 596 821	28.09 £
6	91	139	-	P0a	5	1	067126	2 608 596 822	28.44 £
6.5	97	148	-	P0a	5	1	067140	2 608 596 824	36.77 £
7	102	156	-	P0a	5	1	067157	2 608 596 825	41.99 £
7.5	102	156	-	P0a	5	1	067164	2 608 596 826	44.64 £
8	109	165	-	P0a	5	1	067171	2 608 596 827	49.26 £
8.5	109	165	-	P0a	5	1	067188	2 608 596 828	54.99 £
9	115	175	-	P0a	5	1	067195	2 608 596 829	59.66 £
9.5	115	175	-	P0a	5	1	067201	2 608 596 830	60.4 £
10	121	184	-	P0a	5	1	067225	2 608 596 832	80.49 £
11	128	195	-	P0a	5	1	067232	2 608 596 833	95.31 £
12	134	205	-	P0a	5	1	067249	2 608 596 834	108.49 £
13	134	205	-	P0a	5	1	067256	2 608 596 835	131.16 £



A-tip



HSS IMPACT

Highly robust with impact drivers.



EXTREME ROBUSTNESS

Due to high strength body. Drill bit designed to perform with impact drivers

QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter



UNIVERSAL USE AND EXCELLENT FIXING

1/4" hex-shank fitting all power tools. No spinning of the drill


Impact Control HSS twist drill bits



- ▶ Highly robust drilling in metal, especially with impact drivers
- ▶ Very strong body provides extreme robustness
- ▶ Precision-ground from solid metal with an oxide coated flute for slicing through materials with reduced Wear
- ▶ Manufactured to DIN 338, drill bit Type N (flute angle) with tip of 135 degrees
- ▶ Active cutting and perfect centering due to pointed split point tip. 1/4-inch hex shank for universal use




PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1									
2	24	60	6.35	PC1a	1	5	858731	2 608 577 045	3.41 £
2.5	30	69	6.35	PC1a	1	5	858755	2 608 577 047	3.2 £
3	33	72	6.35	PC1a	1	5	858786	2 608 577 048	3.74 £
3.2	36	75	6.35	PC1a	1	5	858762	2 608 577 049	3.52 £
3.3	36	75	6.35	PC1a	1	5	858779	2 608 577 050	3.55 £
3.5	39	79	6.35	PC1a	1	5	858793	2 608 577 051	3.74 £
4	43	83	6.35	PC1d	1	5	858809	2 608 577 052	4.44 £
4.2	43	83	6.35	PC1d	1	5	858823	2 608 577 054	4.1 £
4.5	47	87	6.35	PC1d	1	5	858830	2 608 577 055	4.26 £
5	52	91	6.35	PC1d	1	5	858847	2 608 577 056	4.75 £
5.5	57	98	6.35	PC1d	1	5	858854	2 608 577 057	4.97 £
6	57	98	6.35	PC1d	1	5	858861	2 608 577 058	5.6 £
6.5	63	107	6.35	PC1d	1	5	858878	2 608 577 059	5.72 £



Impact Control HSS twist drill bits

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
6.8	69	109	6.35	PC1d	1	5	883603	2 608 577 149	6.55 £
7	69	109	6.35	PC1d	1	5	858885	2 608 577 060	6.23 £
7.5	69	109	6.35	PC1d	1	5	872157	2 608 577 128	6.38 £
8	75	117	6.35	PC1d	1	5	858892	2 608 577 061	7.04 £
8.5	75	117	6.35	PC1d	1	5	872164	2 608 577 129	7.1 £
9	81	125	6.35	PC1d	1	5	858908	2 608 577 062	8.36 £
10	87	133	6.35	PC1d	1	5	858915	2 608 577 063	9.42 £
11	94	142	6.35	PC1d	1	5	858922	2 608 577 064	12.41 £
12	101	151	6.35	PC1d	1	5	858939	2 608 577 065	15.25 £

Impact Control HSS twist drill bits sets



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 8 (Index) - tap hole diameters for M3 - M10								
2	60	22.0 x 115.0 x 235	PC1a	8	5	881692	2 608 577 139	40.81 £
3	72							
4	83							
5	91							
6	98							
7	109							
8	117							
10	133							



Pack of 8 (Index) - tap hole diameters for M3-M10								
2.5	69	22.0 x 115.0 x 210	PC1a	8	5	881708	2 608 577 140	35.75 £
3.3	75							
4.2	83							
4.2	83							
5	91							
5	91							
6.8	109							
8.5	117							



Impact Control HSS twist drill bits sets



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
8-piece set									
2	60	41.0 x 110.0 x	P1k	8	6	881760	2 608 577 146		47.95 £
3	72	200							
4	83								
5	91								
6	98								
7	109								
8	117								
10	133								

HSS COBALT

Long lifetime when drilling stainless steel.



LONG LIFETIME IN STAINLESS STEEL


Heat and wear resistant drill bit with 5 % cobalt alloying

QUICK START AND PERFECT CENTERING

Self-centering split point drills precisely where it is positioned. No need to pre-punch up to 10 mm diameter

TIGHT TOLERANCES AND ACCURATE HOLES

As a result of its precision-ground drill bit body




Metal drill bits HSS-Co, DIN 338



- ▶ Twist drill bit made of alloyed high speed steel to DIN 338, cobalt content 5%
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Twist drill bit ground from solid metal with excellent surface quality manufactured to special factory standards
- ▶ Shank equal to drill bit diameter, except when diameter >10 mm shank is 10 mm, drill bit colour: bronze
- ▶ Two-cutter, cylindrical, two flutes
- ▶ **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-Co metal drill bits

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1									
1	12	34	-	PC1a	1	5	520737	2 608 585 838	1.97 £
1.5	18	40	-	PC1a	1	5	520744	2 608 585 839	2.08 £
2	29	49	-	PC1a	1	5	520751	2 608 585 840	2.3 £
2.5	30	57	-	PC1a	1	5	520768	2 608 585 841	2.4 £
3	33	61	-	PC1a	1	5	520775	2 608 585 842	2.69 £
3.2	36	65	-	PC1a	1	5	520782	2 608 585 843	3.06 £
3.3	36	65	-	PC1a	1	5	520799	2 608 585 844	3.17 £
3.5	39	70	-	PC1a	1	5	520805	2 608 585 845	3.17 £
4	43	75	-	PC1d	1	5	520812	2 608 585 846	3.42 £
4.1	43	75	-	PC1d	1	5	520829	2 608 585 847	3.84 £



Metal drill bits HSS-Co, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
4.2	43	75	-	PC1d	1	5	520836	2 608 585 848	3.84 £
4.5	47	80	-	PC1d	1	5	520843	2 608 585 849	4.06 £
4.8	52	86	-	PC1d	1	5	520850	2 608 585 850	4.6 £
5	52	86	-	PC1d	1	5	520867	2 608 585 851	4.35 £
5.1	52	86	-	PC1d	1	1	520874	2 608 585 852	5.25 £
5.2	52	86	-	PC1d	1	1	520881	2 608 585 853	5.25 £
5.5	57	93	-	PC1d	1	1	520898	2 608 585 854	4.94 £
6	57	93	-	PC1d	1	1	520904	2 608 585 855	5.13 £
6.5	63	101	-	PC1d	1	1	520911	2 608 585 856	6.02 £
6.8	69	109	-	PC1d	1	1	520928	2 608 585 857	7.85 £
7	69	109	-	PC1d	1	1	520935	2 608 585 858	7.17 £
7.5	69	109	-	PC1d	1	1	520942	2 608 585 859	8.09 £
8	75	117	-	PC1d	1	1	520959	2 608 585 860	10.33 £
8.5	75	117	-	PC1d	1	1	520966	2 608 585 861	11.38 £
9	81	125	-	PC1d	1	1	520973	2 608 585 862	12.36 £
9.5	81	125	-	PC1d	1	1	520980	2 608 585 863	14 £
10	87	133	-	PC1d	1	1	520997	2 608 585 864	16.22 £
10.2	87	133	-	PC1d	1	1	521000	2 608 585 865	17.83 £
10.5	87	133	-	PC1d	1	1	521017	2 608 585 866	17.83 £
11	94	142	-	PC1d	1	1	521024	2 608 585 867	19.47 £
11.5	94	142	-	PC1d	1	1	521031	2 608 585 868	21.65 £
12	101	151	-	PC1d	1	1	521048	2 608 585 869	25.15 £
12.5	101	151	-	PC1d	1	1	521055	2 608 585 870	26.9 £
13	101	151	-	PC1d	1	1	521062	2 608 585 871	29.52 £

Pack of 10

3	33	61	-	P2a	10	1	521116	2 608 585 876	22.41 £
3.5	39	70	-	P2a	10	1	521147	2 608 585 879	26.43 £
4	43	75	-	P1a	10	1	521154	2 608 585 880	28.59 £
4.5	47	80	-	P1a	10	1	521185	2 608 585 883	33.72 £
5	52	86	-	P1a	10	1	521208	2 608 585 885	36.27 £
5.5	57	93	-	P1a	10	1	521239	2 608 585 888	41 £
6	57	93	-	P1a	10	1	521246	2 608 585 889	42.82 £
6.5	63	101	-	P1a	10	1	521253	2 608 585 890	50.12 £
7	69	109	-	P1a	10	1	521277	2 608 585 892	59.76 £
7.5	69	109	-	P1a	10	1	521284	2 608 585 893	67.44 £

Pack of 5

8	75	117	-	P1a	5	1	521291	2 608 585 894	47.4 £
9	81	125	-	P1a	5	1	521314	2 608 585 896	47.4 £
9.5	81	125	-	P1a	5	1	521321	2 608 585 897	51.49 £
10	87	133	-	P1a	5	1	521338	2 608 585 898	58.31 £
11	94	142	-	P1a	5	1	521369	2 608 585 901	81.09 £
12	101	151	-	P1a	5	1	521383	2 608 585 903	104.79 £
13	101	151	-	P1a	5	1	521406	2 608 585 905	123.03 £



Metal drill bit sets HSS-Co, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
6-piece Robust Line metal drill bit set HSS-Co, DIN 338, 135°									
2	29	- 156.5 x 69.5 x	23	P1k	6	1	517041	2 607 019 924	42.2 £
3	33								
4	43								
5	52								
6	57								
8	75								
10-piece Robust Line metal drill bit set HSS-Co, DIN 338, 135°									
1	12	- 156.5 x 107.0	x 23	P1k	10	1	517058	2 607 019 925	98.49 £
2	24								
3	33								
4	43								
5	52								
6	57								
7	59								
8	75								
9	81								
10	87								
13-piece Robust Line metal drill bit set HSS-Co, DIN 338, 135°									
1.5	18	- 124.0 x 107.0	x 23	P1k	13	1	517065	2 607 019 926	71.9 £
2	30								
2.5	30								
3	33								
3.2	36								
3.5	39								
4	43								
4.5	47								
4.8	52								
5	52								
5.5	57								
6	57								
6.5	63								
18-piece Toughbox metal drill bit set HSS-Co, DIN 338, 135°									
1	12	34 180.0 x 85.0 x	45	P1k	18	1	574730	2 607 017 047	72.59 £
1.5	18	40							
2	24	49							
2	24	49							
2.5	30	57							
3	33	61							
3	33	61							
3.5	39	70							
4	43	75							
4	43	75							
4.5	47	80							
5	52	86							
5.5	57	93							
6	57	93							
7	69	109							
8	75	117							
9	81	125							
10	87	133							



Metal drill bit sets HSS-Co, DIN 338

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
19-piece ProBox metal drill bit set HSS-Co, DIN 338 (cobalt alloy)									
1	12	- 172.0 x 115.0		P1k	19	1	689786	2 608 587 014	85.54 £
1.5	18		x 42						
2	24								
2.5	30								
3	33								
3.5	39								
4	43								
4.5	47								
5	52								
5.5	57								
6	57								
6.5	63								
7	69								
7.5	69								
8	75								
8.5	75								
9	81								
9.5	81								
10	87								
25-piece ProBox metal drill bit set HSS-Co, DIN 338 (cobalt alloy)									
1	12	- 200.0 x 115.0		P1k	25	1	689823	2 608 587 018	172.77 £
1.5	18		x 58						
2	24								
2.5	30								
3	33								
3.5	39								
4	43								
4.5	47								
5	52								
5.5	57								
6	57								
6.5	63								
7	69								
7.5	69								
8	75								
8.5	75								
9	81								
9.5	81								
10	87								
10.5	87								
11	94								
11.5	94								
12	101								
12.5	101								
13	101								



Metal drill bits HSS-TiN

Metal drill bits HSS-TiN, DIN 338



- ▶ Twist drill bit made of high speed steel manufactured to DIN 338
- ▶ Right-hand cutting twist drill bit, Type N, 135° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Twist drill bit ground from solid metal with high surface quality due to titanium-nitride coating
- ▶ Shank equal to drill bit diameter, drill bit colour: golden
- ▶ Two-cutter, cylindrical, two flutes
- ▶ **Note:** Use the universal cutting oil 2 607 001 409 when working with HSS-TiN metal drill bits



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1								
1.5	18	40	P1c	1	5	060776	2 608 596 666	7.1 £
2	24	49	P1c	1	5	060783	2 608 596 671	6.04 £
2.5	30	57	P1c	1	5	060790	2 608 596 676	6.3 £
3	33	61	PC1d	1	5	060806	2 608 596 681	6.26 £
3.2	36	65	PC1d	1	5	060813	2 608 596 683	6.3 £
3.5	39	70	PC1d	1	5	060820	2 608 596 686	6.93 £
4	43	75	PC1d	1	5	060837	2 608 596 691	7.18 £
4.5	47	80	PC1d	1	5	060844	2 608 596 696	8.26 £
5	52	86	PC1d	1	5	060851	2 608 596 701	8.3 £
5.5	57	93	PC1d	1	1	060868	2 608 596 706	9 £
6	57	93	PC1d	1	1	060875	2 608 596 711	11.08 £
6.5	63	101	PC1d	1	1	060882	2 608 596 716	14.44 £
7	69	109	PC1d	1	1	060899	2 608 596 721	14.78 £
7.5	69	109	PC1d	1	1	060905	2 608 596 726	16.56 £
8	75	117	PC1d	1	1	060912	2 608 596 731	17 £
8.5	75	117	PC1d	1	1	060929	2 608 596 736	16.21 £
9	81	125	PC1d	1	1	060936	2 608 596 741	19.02 £
9.5	81	125	PC1d	1	1	060943	2 608 596 746	23.23 £
10	87	133	PC1d	1	1	060950	2 608 596 751	24.56 £
11	94	142	PC1d	1	1	060967	2 608 596 761	36.19 £
12	101	151	PC1d	1	1	060974	2 608 596 771	37.53 £
13	101	151	PC1d	1	1	060981	2 608 596 781	42.17 £

Metal drill bit sets HSS-TiN



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Working length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
6-piece Robust Line metal drill bit set HSS-TiN, 135°								
2	24	156.5 x 69.5 x 23	P1k	6	1	446143	2 607 010 530	61.56 £
3	33							
4	43							
5	52							
6	57							
8	75							

Metal drill bit sets HSS-TiN

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Working length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
13-piece Robust Line metal drill bit set HSS-TiN, 135°									
1.5	18	124.0 x 106.5	P1k	13	1	446235	2 607 010 539	113.07 £	
2	24	x 23							
2.5	30								
3	33								
3.2	36								
3.5	39								
4	43								
4.5	47								
4.8	52								
5	52								
5.5	57								
6	57								
6.5	63								
19-piece ProBox metal drill bit set HSS-TiN (titanium coating)									
1	12	172.0 x 115.0	P1k	19	1	689793	2 608 587 015	75.04 £	
1.5	18	x 42							
2	24								
2.5	30								
3	33								
3.5	39								
4	43								
4.5	47								
5	52								
5.5	57								
6	57								
6.5	63								
7	69								
7.5	69								
8	75								
8.5	75								
9	81								
9.5	81								
10	87								
25-piece ProBox metal drill bit set HSS-TiN (titanium coating)									
1	12	200.0 x 115.0	P1k	25	1	689830	2 608 587 019	142.57 £	
1.5	18	x 58							
2	24								
2.5	30								
3	33								
3.5	39								
4	43								
4.5	47								
5	52								
5.5	57								
6	57								
6.5	63								
7	69								
7.5	69								
8	75								
8.5	75								
9	81								
9.5	81								
10	87								
10.5	87								
11	94								
11.5	94								
12	101								
12.5	101								
13	101								




Stub drill bits HSS-R

Stub drill bits, HSS-R, DIN 1897

- ▶ Twist drill bit made of high speed steel manufactured to DIN 1897
- ▶ Right-hand cutting twist drill bit, Type N, 118° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Rolled spiral flute with ground point, vapour-plated
- ▶ Shank equal to drill bit diameter, drill bit colour: black
- ▶ Two-cutter, cylindrical, two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 10								
2	12	38	P2a	10	1	099769	2 608 597 209	11.59 £
2.5	14	43	P2a	10	1	099813	2 608 597 214	9.89 £
3	16	46	P2a	10	1	099868	2 608 597 219	13.21 £
3.2	18	49	P2a	10	1	099882	2 608 597 221	13.21 £
3.3	18	49	P2a	10	1	099905	2 608 597 223	14.15 £
3.5	20	52	P2a	10	1	099929	2 608 597 225	13.21 £
3.8	22	55	P2a	10	1	099967	2 608 597 229	15.48 £
4	22	55	P1a	10	1	099981	2 608 597 231	15.51 £
4.1	22	55	P1a	10	1	099998	2 608 597 232	15.51 £
4.2	22	55	P1a	10	1	100007	2 608 597 233	15.51 £
4.5	24	58	P1a	10	1	100038	2 608 597 236	17.79 £
4.8	26	62	P1a	10	1	100069	2 608 597 239	18.67 £
4.9	26	62	P1a	10	1	100076	2 608 597 240	20.44 £
5	26	62	P1a	10	1	100083	2 608 597 241	20.64 £
5.6	28	66	P1a	10	1	100144	2 608 597 247	22.18 £
5.7	28	66	P1a	10	1	100151	2 608 597 248	22.84 £
6	28	66	P1a	10	1	100182	2 608 597 251	26.73 £
6.5	31	70	P1a	10	1	100199	2 608 597 252	31 £
Pack of 5								
8	37	79	P1a	5	1	100229	2 608 597 255	26.18 £
9	40	84	P1a	5	1	100243	2 608 597 257	35.29 £
10	43	89	P1a	5	1	100267	2 608 597 259	59.89 £



Double-ended drill bits HSS-G

Double-ended drill bits HSS-G

- ▶ Ground HSS drill bit, similar to DIN 1897
- ▶ Right-hand cutting twist drill bit, Type N, 118° drill bit tip, split point manufactured to DIN 1412 C, diameter tolerance h8
- ▶ Two flutes

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Pack of 10									
2	8	38	P2a	10	1	148009		2 608 597 580	21.22 £
2.5	10	43	P2a	10	1	148016		2 608 597 581	19.74 £
3	11	46	P2a	10	1	148023		2 608 597 582	28.3 £
3.1	11	49	P2a	10	1	148030		2 608 597 583	20.64 £
3.2	11	49	P2a	10	1	148047		2 608 597 584	20.64 £
3.3	11	49	P2a	10	1	148054		2 608 597 585	21.78 £
3.5	14	52	P2a	10	1	148078		2 608 597 587	31.26 £
4	14	55	P1a	10	1	148085		2 608 597 588	36.9 £
4.1	14	55	P1a	10	1	148092		2 608 597 589	23.74 £
4.2	14	55	P1a	10	1	148108		2 608 597 590	24.19 £
4.5	17	58	P1a	10	1	148115		2 608 597 591	27.17 £
4.8	17	62	P1a	10	1	148122		2 608 597 592	37.89 £
4.9	17	62	P1a	10	1	148139		2 608 597 593	28.32 £
5	17	62	P1a	10	1	148146		2 608 597 594	40.04 £
5.1	17	62	P1a	10	1	148153		2 608 597 595	38.78 £
5.5	19	66	P1a	10	1	182300		2 608 597 597	53.19 £
6	19	66	P1a	10	1	182324		2 608 597 599	54.71 £



A-tip

STEP DRILL BIT WITH SPIRAL FLUTE

Drilling several diameters with one drill bit.

3-FLAT SHANK

To prevent slipping in the chuck

SPLIT-POINT TIP


Allows for an easy start, no need for pre-punching

SPIRAL FLUTE

Enables optimized chip removal and less vibration for even drilling



Step drill bit, hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION					
Version	Step diameter (range) mm	Step height mm	Total length mm	Shank diameter inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
9 steps, diameter 4-6-8-10-12-14-16-18-20 mm										
HSS	4-20	4	70.5	1/4	P1a	1	1	107396	2 608 597 524	82.37 £
HSS-TiN	4-20	4	70.5	1/4	P1a	1	1	630276	2 608 587 433	93.94 £
HSS-AlTiN	4-20	4	70.5	1/4	P1a	1	1	666503	2 608 588 070	105.91 £

Step drill bit, 3-flat shank




PRODUCT PROPERTIES					ORDERING INFORMATION					
Version	Step diameter (range) mm	Step height mm	Shank diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
9 steps, diameter 4-5-6-7-8-9-10-11-12 mm										
HSS	4-12	4	6	66.5	P1a	1	1	630191	2 608 587 425	51.26 £
HSS-TiN	4-12	4	6	66.5	P1a	1	1	107402	2 608 597 525	78.4 £
HSS-AITiN	4-12	4	6	66.5	P1a	1	1	666459	2 608 588 065	66.92 £



5 steps, diameter 4-6-8-10-12 mm										
HSS	4-12	4	6	50	P1a	1	1	107334	2 608 597 518	46.21 £
HSS-TiN	4-12	4	6	50	P1a	1	1	630238	2 608 587 429	45.71 £
HSS-AITiN	4-12	4	6	50	P1a	1	1	666442	2 608 588 064	53.53 £



13 steps, diameter 6-8-10-12-14-16-18-20-22-24-26-28-30 mm										
HSS	6-30	4	10	93.5	P1a	1	1	107358	2 608 597 520	119.58 £
HSS-TiN	6-30	4	10	93.5	P1a	1	1	630245	2 608 587 430	133.65 £
HSS-AITiN	6-30	4	10	93.5	P1a	1	1	666473	2 608 588 067	142.78 £



12 steps, diameter 6-9-12-15-18-21-24-27-30-33-36-39 mm										
HSS	6-39	4	10	93.5	P1a	1	1	107365	2 608 597 521	145.52 £
HSS-TiN	6-39	4	10	93.5	P1a	1	1	630252	2 608 587 431	185.02 £
HSS-AITiN	6-39	4	10	93.5	P1a	1	1	666480	2 608 588 068	195.53 £



9 steps, diameter 4-6-8-10-12-14-16-18-20 mm										
HSS	4-20	4	8	70.5	P1a	1	1	107341	2 608 597 519	77.96 £
HSS-TiN	4-20	4	8	70.5	P1a	1	1	107419	2 608 597 526	95.4 £
HSS-AITiN	4-20	4	8	70.5	P1a	1	1	666466	2 608 588 066	96.53 £



Step drill bit, 3-flat shank, for cable fittings



Tapping drill holes for cable fittings:

Diameter 6-8.5-10.5-14.5-18.5-23.5-30.5-38.5 mm;

M10x1.5-M12x1.5-M16x1.5-M20x1.5-M25x1.5-M32x1.5-M40x1.5

Clearance holes for cable fittings:

Diameter 6-10.5-12.5-16.5-20.5-25.5-28-32.5-35.5-40.5 mm;

M10x1.5-M12x1.5-M16x1.5-M20x1.5-M25x1.5-M32x1.5-M40x1.5

HSS	M10-M40	6/4	10	125.5	P1a	1	1	630214	2 608 587 427	200.3 £
HSS-TiN	M10-M40	6/4	10	125.5	P1a	1	1	630283	2 608 587 434	222.86 £
HSS-AITiN	M10-M40	6/4	10	125.5	P1a	1	1	666510	2 608 588 071	236.02 £



Step drill bit, 3-flat shank, for cable fittings



PRODUCT PROPERTIES					ORDERING INFORMATION					
Version	Step diameter (range) mm	Step height mm	Shank diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
12 steps, diameter 6-9-12.5-15.2-18.6-20.4-22.5-26-28.3-30.5-34-37; PG7-PG9-PG11-PG13.5-PG16-PG21-PG29										
HSS	6-37	4	10	93	P1a	1	1	630221	2 608 587 428	159.39 £
HSS-TiN	6-37	4	10	93	P1a	1	1	630290	2 608 587 435	183.55 £

Step drill bit sets, 3-flat shank



PRODUCT PROPERTIES					ORDERING INFORMATION					
Version	Step diameter (range) mm	Shank diameter mm	Step height mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3-piece step drill bit set Diameter 4-12 mm (9 steps), 4-20 mm (9 steps), 6-30 mm (13 steps)										
HSS	4-12	6	4	66.5	P1k	3	1	630207	2 608 587 426	206.2 £
	4-20	8	4	70.5						
	6-30	10	4	93.5						



3-piece step drill bit set Diameter 4-12 mm (9 steps), 4-20 mm (9 steps), 6-30 mm (13 steps)										
HSS-TiN	4-12	6	4	66.5	P1k	3	1	630269	2 608 587 432	232.98 £
	4-20	8	4	70.5						
	6-30	10	4	93.5						



3-piece step drill bit set Diameter 4-12 mm (9 steps), 4-20 mm (9 steps), 6-30 mm (13 steps)										
HSS-AITiN	4-12	6	4	66.5	P1k	3	1	666497	2 608 588 069	276.54 £
	4-20	8	4	70.5						
	6-30	10	4	93.5						

Countersink bits, sheet metal cone drill bits

Countersink bits, tool steel, hex shank



- ▶ Suitable for non-ferrous metals, wood, plastics
- ▶ Ground countersink made of tool steel to factory standard
- ▶ With seven 90° cutting edges

PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Step height	Total length mm	Shank diameter inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
13	90°	50	1/4	P1c	1	1	004626	1 609 200 315	7 £	



Countersink bits HSS, hex shank




- ▶ Suitable for non-ferrous metals, alloyed and non-alloyed steel, cast iron
- ▶ Ground countersink manufactured to DIN 335 with hexagonal shank suitable for screwdrivers to ISO 1173 C6.3
- ▶ With three 90° cutting edges

8.3	M 4	31	1/4	P1c	1	1	060110	2 608 596 405	34.55 £
12.4	M 6	35	1/4	P1c	1	1	060127	2 608 596 407	39.09 £
16.5	M 8	40	1/4	P1c	1	1	067409	2 608 596 408	44.75 £



HSS countersink bit, cylindrical shank with five 90° cutting edges



- ▶ Suitable for non-ferrous metals, steel, wood, plastics
- ▶ Ground countersink manufactured to DIN 335
- ▶ With five 90° cutting edges

PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Step height	Total length mm	Shank diameter inch	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
6	M 3	48	1/4	6	P1c	1	1	107150	2 608 597 500	13.83 £
8	M 4	48	1/4	8	P1c	1	1	085687	2 608 596 664	14.99 £
10	M 5	40	1/4	8	P1c	1	1	085694	2 608 596 665	16.41 £
12	M 6	40	1/4	8	P1c	1	1	059770	2 608 596 371	20.01 £
16	M 8	43	1/4	8	P1c	1	1	059787	2 608 596 372	22.69 £
20	M 10	45	1/4	8	P1c	1	1	059794	2 608 596 373	24.49 £



Countersink bit set, cylindrical shank



PRODUCT PROPERTIES			ORDERING INFORMATION					
Total length mm	Shank diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
50	6 8		P1c	3	1	085700	2 608 596 667	11.15 £

3-piece countersink bit set
1 cutting edge 90°, diameter 8-10-12 mm
Suitable for wood, plastic, non-ferrous metals

Slanting hole countersink bits HSS-E, cylindrical shank



- ▶ **Suitable for** non-ferrous metals, alloyed and non-alloyed steel, cast iron, stainless steel
- ▶ Ground countersink made of HSS-E with 5% cobalt content
- ▶ Slanting hole to factory standard



PRODUCT PROPERTIES				ORDERING INFORMATION					
Step height	Total length mm	Shank diameter inch	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
2-5	45	1/4	6	P1c	1	1	107266	2 608 597 511	22.17 £
5-10	48	1/4	8	P1c	1	1	107273	2 608 597 512	26.01 £
10-15	65	1/4	10	P1c	1	1	107280	2 608 597 513	42.7 £

Sheet metal cone drill bits HSS, cylindrical shank



- ▶ **Suitable for** non-ferrous metals, sheet steel, plastic
- ▶ Without pilot drilling in the thinnest sheet metals, burr-free, without friction deposit
- ▶ Ground bit



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
16-30.5	76	9	P2h	1	1	060073	2 608 596 401	68.48 £
3-14	58	6	P2h	1	1	060059	2 608 596 399	31.49 £
5-20	71	8	P2h	1	1	060066	2 608 596 400	41.12 £

Accessories for metal drill bits

Drill Bit Sharpener S 41

- ▶ **Appropriate for** drills with spindle collar diameter of 43 mm, optimum speed of 2000 to 3000 rpm
- ▶ For drill bits with diameters of 2.5 mm to 10 mm and point angle of 118°

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Drill bit sharpener S 41	C0a	1	1	070249	2 607 990 050	74 £



Replacement grinding disc for drill bit sharpener

	C0a	1	1	070256	2 608 600 029	21.86 £
--	-----	---	---	--------	----------------------	---------



Universal Cutting Oil

Universal cutting oil

Use of the universal cutting oil increases the operational life several times over when cutting metal

	M0b	1	1	271240	2 607 001 409	10.33 £
--	-----	---	---	--------	----------------------	---------





WOOD DRILLING

Versatile products for all applications



The best your tool can get. Bosch Professional Accessories.



WOOD DRILL BITS

Versatile products for all applications.



	SelfCut Speed Spade Bits	Brad point drill bits	Machine wood drill bits M-tip	Brad point drill bits with 90° countersink	HSS brad point drill bits
	EXPERT				
Page number	50	52	52	54	55
Diameter mm	6.0 – 40.0	3.0 – 30.0	6.0 – 20.0	3.0 – 12.0	2.0 – 10.0
Working length mm	115 / 370	33 – 145	190 / 340	33 – 56	24 – 87
Shank type	¼" Hex	Cylindrical	Cylindrical	Cylindrical	¼" Hex
	 				

MATERIALS

Softwood	✓	✓	✓	✓	✓
Tropical wood	-	✓	✓	✓	✓
Plywood	✓	✓	✓	✓	✓
Veneered chipboard	✓	✓	✓	✓	✓
Laminated chipboard and fibre board	✓	✓	✓	✓	✓
Formica	-	✓	✓	✓	✓
Zementgebundene Spanplatte	-	-	-	-	-
Profiles, pipes, thickwalled	✓	-	-	-	-
Rockwool boards	✓	-	-	-	-
Porous concrete	✓	-	-	-	-
Thermoplasts	-	-	-	-	-
Duroplasts	-	✓	✓	✓	✓
Hard foam materials	✓	✓	✓	✓	✓



Spur auger bits

Hinge cutting bits

Forstner bits

Cantilever hinge bits

Disc / shank cutter

Formwork and installation drill bits

57

60

61

62

62

63

6.0 – 32.0

15.0 – 50.0

10.0 – 50.0

26.0 – 35.0

10.0 – 40.0

6.0 – 30.0

95 – 470

-

-

-

-

400 / 600

Various Hex

Cylindrical \varnothing 8 / 10 mm

Cylindrical \varnothing 8 / 10 mm

Cylindrical \varnothing 8 mm

Cylindrical \varnothing 13 mm

Cylindrical or SDS plus

✓

✓

✓

-

✓

✓

✓

✓

✓

✓

-

-

✓

✓

✓

✓

-

✓

-

✓

✓

-

-

-

-

✓

-

✓

-

✓

-

✓

-

✓

-

-

-

✓

-

✓

-

-

-

-

-

-

-

✓

-

-

-

-

-

✓

-

-

-

-

-

✓

-

✓

-

✓

-

-

-

✓

-

✓

-

-

-

✓

-

✓

-

✓

-

✓

-

✓

-

✓

MAXIMUM SPEED DRILLING IN WOOD

EXPERT SelfCut Speed Spade Bits

ASSORTMENT: Ø 6mm - 40mm

EXPERT

- 1 Fast drilling is easy with Bosch Tip Technology
- 2 Self-feeding thread for effortless drilling and speed
- 3 Clever wave-shaped spade designed for fast chip removal



EXPERT SelfCut Speed Spade Drill Bits

EXPERT



- ▶ Ideal for making fast holes in softwoods, chipboard and particleboard, such as drilling single studs for cabling; or dowel installation on railings. Easy to use in tight niches.
- ▶ Best for electricians and other installation workers: maximum speed and efficiency.
- ▶ Up to 3x faster than a standard drill bit.
- ▶ Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Total length 152 mm									
6	152	1/4	PC1d	1	5	533834	2 608 900 309	6.78 £	
8	152	1/4	PC1d	1	5	533841	2 608 900 310	6.78 £	
10	152	1/4	PC1d	1	5	533858	2 608 900 311	7.83 £	

EXPERT SelfCut Speed Spade Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT
12	152	1/4	PC1d	1	5	533865		2 608 900 312	7.83 £
13	152	1/4	PC1d	1	5	533872		2 608 900 313	7.83 £
14	152	1/4	PC1d	1	5	533889		2 608 900 314	7.83 £
16	152	1/4	PC1d	1	5	533896		2 608 900 315	7.83 £
17	152	1/4	PC1d	1	5	533902		2 608 900 316	8.07 £
18	152	1/4	PC1d	1	5	533919		2 608 900 317	8.12 £
19	152	1/4	PC1d	1	5	533926		2 608 900 318	8.19 £
20	152	1/4	PC1d	1	5	533933		2 608 900 319	8.19 £
22	152	1/4	PC1d	1	5	533940		2 608 900 320	8.93 £
24	152	1/4	PC1d	1	5	533957		2 608 900 321	8.93 £
25	152	1/4	PC1d	1	5	533964		2 608 900 322	9.62 £
26	152	1/4	PC1d	1	5	533971		2 608 900 323	9.94 £
28	152	1/4	PC1d	1	5	533988		2 608 900 324	10.19 £
30	152	1/4	PC1d	1	5	533995		2 608 900 325	10.77 £
32	152	1/4	PC1d	1	5	534008		2 608 900 326	11.12 £
35	152	1/4	PC1d	1	5	534015		2 608 900 327	12.39 £
36	152	1/4	PC1d	1	5	534022		2 608 900 328	12.84 £
38	152	1/4	PC1d	1	5	534039		2 608 900 329	12.84 £
40	152	1/4	PC1d	1	5	534046		2 608 900 330	12.84 £
Total length 400 mm									
6	400	1/4	PC1d	1	5	534114		2 608 900 337	11.38 £
8	400	1/4	PC1d	1	5	534121		2 608 900 338	11.38 £
10	400	1/4	PC1d	1	5	534138		2 608 900 339	13.2 £
12	400	1/4	PC1d	1	5	534145		2 608 900 340	13.2 £
13	400	1/4	PC1d	1	5	534152		2 608 900 341	13.2 £
14	400	1/4	PC1d	1	5	534169		2 608 900 342	13.2 £
16	400	1/4	PC1d	1	5	534176		2 608 900 343	13.2 £
17	400	1/4	PC1d	1	5	534183		2 608 900 344	13.51 £
18	400	1/4	PC1d	1	5	534190		2 608 900 345	13.69 £
19	400	1/4	PC1d	1	5	534206		2 608 900 346	13.77 £
20	400	1/4	PC1d	1	5	534213		2 608 900 347	13.77 £
22	400	1/4	PC1d	1	5	534220		2 608 900 348	14.97 £
24	400	1/4	PC1d	1	5	534237		2 608 900 349	14.97 £
25	400	1/4	PC1d	1	5	534244		2 608 900 350	16.17 £
26	400	1/4	PC1d	1	5	534251		2 608 900 351	16.76 £
28	400	1/4	PC1d	1	5	534268		2 608 900 352	17.1 £
30	400	1/4	PC1d	1	5	534275		2 608 900 353	18.11 £
32	400	1/4	PC1d	1	5	534282		2 608 900 354	18.68 £
35	400	1/4	PC1d	1	5	534299		2 608 900 355	20.82 £
36	400	1/4	PC1d	1	5	534305		2 608 900 356	21.54 £
38	400	1/4	PC1d	1	5	534312		2 608 900 357	21.54 £
40	400	1/4	PC1d	1	5	534329		2 608 900 358	21.54 £

EXPERT SelfCut Speed Spade Drill Bit Sets

EXPERT



- ▶ Ideal for making fast holes in softwoods, chipboard and particleboard, such as drilling single studs for cabling; or dowel installation on railings. Easy to use in tight niches.
- ▶ Best for electricians and other installation workers: maximum speed and efficiency.
- ▶ Up to 3x faster than a standard drill bit.
- ▶ Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Set dimension(s) mm	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
3-piece Self Cut Speed spade bit set									
20	232.0 x 115.0 x 20	3	PC1a	3	5	534053	2 608 900 331	28.06 £	
22									
25									
6-piece Self Cut Speed spade bit set in a roll-up case									
14	195.0 x 185.0 x 15	6	PC1a	6	1	534060	2 608 900 332	50.51 £	
16									
18									
20									
22									
24									
13	195.0 x 185.0 x 15	6	PC1a	6	1	534077	2 608 900 333	50.51 £	
16									
19									
20									
22									
25									
7-piece Self Cut Speed spade bit set including extension (152 mm)									
16	215.0 x 235.0 x 20	7	PC1a	7	5	534084	2 608 900 334	56.5 £	
18									
20									
22									
25									
32									
13-piece Self Cut Speed spade bit set in a roll-up case									
10	300.0 x 345.0 x 20	13	PC1a	13	5	534107	2 608 900 336	120.79 £	
12									
13									
14									
16									
18									
20									
22									
24									
25									
28									
30									
32									

Extension for spade bits



PRODUCT PROPERTIES		ORDERING INFORMATION						
Length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Quick-change 1/4" hex shank extension for Self Cut Speed spade bits								
152		PC1a	1	1	638821	2 608 587 520	28.82 £	

Extension for spade bits

PRODUCT PROPERTIES		ORDERING INFORMATION					
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
305	PC1a	1	1	638838	2 608 587 521	40.48 £	
1/4" (6.35 mm) hex shank extension for Self Cut Speed spade bits							
152	PC1a	1	1	346450	2 608 595 422	11.22 £	
305	PC1a	1	1	346467	2 608 595 423	15.52 £	




Adjustable spade bit

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
Adjustable spade bit, 15 - 25 mm diameter, 25 - 45 mm diameter							
120	P1c	1	1	059398	2 608 596 333	45.63 £	




Brad point drill bits

Standard brad point drill bits




- ▶ Suitable for hard and soft wood
- ▶ Drill bit with centring tip and shoulder cutter
- ▶ Drill bit colour: black, ground point
- ▶ Two flutes


PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 1										
3	33	61	3	PC1d	1	5	059060	2 608 596 300	1.76 £	
4	43	75	4	PC1d	1	5	059077	2 608 596 301	1.95 £	
5	52	86	5	PC1d	1	5	059084	2 608 596 302	2.12 £	
6	57	93	6	PC1d	1	5	059091	2 608 596 303	2.31 £	
7	69	109	7	PC1d	1	5	059107	2 608 596 304	2.52 £	
8	75	117	8	PC1d	1	5	059114	2 608 596 305	3.07 £	
9	80	120	9	PC1d	1	5	059121	2 608 596 306	3.27 £	
10	80	120	10	PC1d	1	5	059138	2 608 596 307	3.75 £	
11	89	142	10	PC1d	1	5	059145	2 608 596 308	5.37 £	
12	96	151	10	PC1d	1	5	059152	2 608 596 309	5.54 £	
13	96	151	10	PC1d	1	1	059169	2 608 596 310	6.16 £	
14	96	151	10	PC1d	1	1	059176	2 608 596 311	6.68 £	
15	100	160	10	P1c	1	1	059183	2 608 596 312	7.63 £	
16	100	160	10	P1c	1	1	059190	2 608 596 313	8.97 £	
18	130	180	10	P1c	1	1	099684	2 608 597 202	16.78 £	
20	140	200	10	P1c	1	1	099691	2 608 597 203	17.97 £	
22	140	210	13	P1c	1	1	099707	2 608 597 204	22.41 £	
24	140	215	13	P1c	1	1	099714	2 608 597 205	23.71 £	
26	140	215	13	P1c	1	1	099721	2 608 597 206	29.26 £	
28	140	220	13	P1c	1	1	099738	2 608 597 207	32.78 £	
30	145	220	13	P1c	1	1	099745	2 608 597 208	33.64 £	



Machine wood drill bits with M-tip (2 scoring spurs)



- ▶ Drill bits with CBN-ground M-tip
- ▶ Special flute shape prevents jamming and ensures speedy chip extraction
- ▶ Drill bit colour: polished, black
- ▶ Two-cutter, cylindrical, two flutes



Total length 250 mm									
6	190	250	6	P1c	1	1	099530	2 608 597 187	13.38 £
8	190	250	8	P1c	1	1	099547	2 608 597 188	14.13 £
10	190	250	10	P1c	1	1	099554	2 608 597 189	15.45 £
12	190	250	10	P1c	1	1	099561	2 608 597 190	16.3 £
14	190	250	10	P1c	1	1	099578	2 608 597 191	17.29 £
16	190	250	10	P1c	1	1	099585	2 608 597 192	18.96 £
18	190	250	10	P1c	1	1	099592	2 608 597 193	22.55 £
20	190	250	10	P1c	1	1	099608	2 608 597 194	24.75 £
Total length 400 mm									
8	340	400	8	P1c	1	1	099615	2 608 597 195	18.96 £
10	340	400	10	P1c	1	1	099622	2 608 597 196	20.41 £
12	340	400	10	P1c	1	1	099639	2 608 597 197	21.75 £

Machine wood drill bits with M-tip (2 scoring spurs)

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
14	340	400	10	P1c	1	1	099646	2 608 597 198	22.89 £
16	340	400	10	P1c	1	1	099653	2 608 597 199	25.07 £
18	340	400	10	P1c	1	1	099660	2 608 597 200	28.27 £
20	340	400	10	P1c	1	1	099677	2 608 597 201	30.63 £

Brad point drill bit sets

PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5-piece Robust Line brad point drill bit set										
4	43	75	A	156.5 x 69.5 x 23	P1k	5	1	446112	2 607 010 527	14.72 £
5	52	86								
6	57	93								
8	75	117								
10	80	120								




7-piece wood drill bit set										
3	30	60	-	-	P1k	7	1	557351	2 607 017 034	11.95 £
4	40	70								
5	45	85								
6	50	90								
7	60	105								
8	65	110								
10	75	120								




8-piece Robust Line brad point drill bit set										
3	33	61	B	156.5 x 106.5 x 23	P1k	8	5	446174	2 607 010 533	23.51 £
4	43	75								
5	52	86								
6	57	93								
7	69	109								
8	75	117								
9	80	120								
10	80	120								



Brad point drill bits with 90° countersink




- ▶ **Suitable for** hard and soft wood, laminated and non-laminated chipboard, plywood
- ▶ Drilling and countersinking in one operation
- ▶ Countersink can also be used as a depth stop
- ▶ Cylindrical, two flutes



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Outer diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3	16		P1c	1	1	323666	2 608 595 345	17.61 £
4	16		P1c	1	1	059978	2 608 596 391	19.22 £
5	16		P1c	1	1	059985	2 608 596 392	19.08 £
6	16		P1c	1	1	059992	2 608 596 393	18.82 £
8	20		P1c	1	1	060011	2 608 596 395	19.71 £
10	20		P1c	1	1	060028	2 608 596 396	19.45 £
12	20		P1c	1	1	060035	2 608 596 397	19.87 £


Arbour-mounted countersink for brad point drill bits

- ▶ **Suitable for** hard and soft wood, laminated and non-laminated chipboard, plywood
- ▶ Countersink can also be used as a depth stop




PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Outer diameter mm	Step height	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3	16	M 5	P1c	1	1	510998	2 608 585 737	11.78 £
4	16	M 5	P1c	1	1	511001	2 608 585 738	13.15 £
5	16	M 5	P1c	1	1	511018	2 608 585 739	12.56 £
6	16	M 5	P1c	1	1	511025	2 608 585 740	13.07 £
8	19	M 6	P1c	1	1	511032	2 608 585 741	13.63 £
10	19	M 6	P1c	1	1	511049	2 608 585 742	13.2 £

Brad point drill bits HSS with 1/4" hex shank



- ▶ Suitable for hard and soft wood
- ▶ HSS precision brad point drill bit ground from solid metal with centring tip and cutting edges
- ▶ With hex shank manufactured to ISO 1173 E6.3
- ▶ Fast, tool-free drill bit changes
- ▶ Drill bit colour: polished
- ▶ Two flutes



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
2	24	62	PC1d	1	5	395434	2 608 595 518	3.89 £	
3	33	74	PC1d	1	5	395441	2 608 595 519	4.37 £	
4	43	88	PC1d	1	5	395458	2 608 595 520	4.56 £	
5	52	99	PC1d	1	5	395465	2 608 595 521	4.78 £	
6	63	106	PC1d	1	5	395472	2 608 595 522	5 £	
8	75	117	PC1d	1	5	395489	2 608 595 523	6.26 £	
10	87	133	PC1d	1	5	395496	2 608 595 524	7.63 £	

Wood drill bit sets with hex shank

PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5-piece brad point drill bit set, 1/4" hex shank										
2	24	62	-	56.0 x 18.0	P1k	5	1	395472	2 608 595 525	20.2 £
3	33	74		x 163						
4	43	88								
5	52	99								
6	63	106								



Wood drill bit sets with hex shank



PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
7-piece Robust Line brad point drill bit set, 1/4" hex shank										
2	24	-	A	156.5 x	P1k	7	1	517034	2 607 019 923	55.98 £
3	33			107.0 x 23						
3	33									
4	43									
5	52									
6	63									
8	75									

SPUR AUGER BITS

Precise and clean drilled holes.

HEAVY-DUTY SELF-FEEDING TIP

Pulls the bit through all the way

NEW DESIGNED SCORING SPUR


Clean and fast holes

SOLID CENTRE, LOW-FRICTION FLUTE

Straight holes, high chip removal




Spur auger bits, hex shank



- ▶ **Suitable** for all soft and hard woods, even wet wood
- ▶ Ideal for use in ancillary building trade, for joiners and roofers
- ▶ Can be used in all drills with 13 mm chuck
- ▶ For through-holes, pre-drilling for rafter nails and for deep dowel holes
- ▶ Precision-ground for accurate dimensional stability when drilling
- ▶ Fast drilling rate due to optimised flute geometry
- ▶ High break resistance, fine surface finish

PRODUCT PROPERTIES					ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Total length 160 mm											
6	95	4.8	-	3/16	P1h	1	1	488648		2 608 585 694	7.44 £
7	95	5.6	-	7/32	P1h	1	1	488655		2 608 585 695	8.78 £
8	95	6.35	-	1/4	P1h	1	1	488662		2 608 585 696	7.56 £
10	95	6.35	-	1/4	P1h	1	1	488679		2 608 585 697	9.07 £
11	95	6.35	-	1/4	P1h	1	1	488686		2 608 585 698	10 £
12	95	6.35	-	1/4	P1h	1	1	488693		2 608 585 699	9.96 £
13	95	7.9	-	5/16	P1h	1	1	488709		2 608 585 700	9.71 £
14	95	11.1	-	7/16	P1h	1	1	488716		2 608 585 701	11.67 £
15	95	11.1	-	7/16	P1h	1	1	488723		2 608 585 702	10.74 £
16	95	11.1	-	7/16	P1h	1	1	488730		2 608 585 703	12.89 £
18	95	11.1	-	7/16	P1h	1	1	488747		2 608 585 704	15.48 £



Spur auger bits, hex shank

PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
20	95	11.1	-	7/16	P1h	1	1	488754	2 608 585 705	15.48 £
22	95	11.1	-	7/16	P1h	1	1	488761	2 608 585 706	16.52 £
24	95	11.1	-	7/16	P1h	1	1	488778	2 608 585 707	18.49 £
25	100	11.1	-	7/16	P1h	1	1	488785	2 608 585 708	19.66 £
26	95	11.1	-	7/16	P1h	1	1	488792	2 608 585 709	24.3 £
28	95	11.1	-	7/16	P1h	1	1	488808	2 608 585 710	27.04 £
30	95	11.1	-	7/16	P1h	1	1	488815	2 608 585 711	31.82 £
32	95	11.1	-	7/16	P1h	1	1	488822	2 608 585 712	29.18 £
Total length 235 mm										
6	170	4.8	3/16	3/16	P1h	1	1	183314	2 608 597 622	12 £
7	170	5.6	-	7/32	P1h	1	1	488839	2 608 585 713	10.89 £
8	170	6.35	1/4	1/4	P1h	1	1	183321	2 608 597 623	12.04 £
10	170	6.35	1/4	1/4	P1h	1	1	183338	2 608 597 624	12.98 £
11	170	6.35	1/4	1/4	P1h	1	1	183345	2 608 597 625	13.78 £
12	170	6.35	1/4	1/4	P1h	1	1	183352	2 608 597 626	13.67 £
13	170	7.9	5/16	5/16	P1h	1	1	183369	2 608 597 627	13.87 £
14	170	11.1	7/16	7/16	P1h	1	1	183376	2 608 597 628	15.59 £
15	170	11.1	7/16	7/16	P1h	1	1	183383	2 608 597 629	16.37 £
16	170	11.1	7/16	7/16	P1h	1	1	183390	2 608 597 630	16.95 £
18	170	11.1	7/16	7/16	P1h	1	1	183406	2 608 597 631	22.11 £
20	170	11.1	7/16	7/16	P1h	1	1	183413	2 608 597 632	22.11 £
22	170	11.1	7/16	7/16	P1h	1	1	183420	2 608 597 633	24.12 £
24	170	11.1	7/16	7/16	P1h	1	1	183437	2 608 597 634	26.42 £
25	170	11.1	7/16	7/16	P1h	1	1	183444	2 608 597 635	28.08 £
26	170	11.1	7/16	7/16	P1h	1	1	183451	2 608 597 636	29.55 £
28	170	11.1	7/16	7/16	P1h	1	1	183468	2 608 597 637	33.55 £
30	170	11.1	7/16	7/16	P1h	1	1	183475	2 608 597 638	37.79 £
32	170	11.1	7/16	7/16	P1h	1	1	183482	2 608 597 639	41.7 £
Total length 450 mm										
7	385	5.6	-	7/32	P1h	1	1	488846	2 608 585 714	33.81 £
8	385	6.35	1/4	1/4	P1h	1	1	183499	2 608 597 640	33.81 £
10	385	6.35	1/4	1/4	P1h	1	1	183505	2 608 597 641	34.44 £
12	385	6.35	1/4	1/4	P1h	1	1	183512	2 608 597 642	34.99 £
14	385	11.1	7/16	7/16	P1h	1	1	183529	2 608 597 643	34.99 £
16	385	11.1	7/16	7/16	P1h	1	1	183536	2 608 597 644	42.41 £
18	385	11.1	7/16	7/16	P1h	1	1	183543	2 608 597 645	47.08 £
20	385	11.1	7/16	7/16	P1h	1	1	183550	2 608 597 646	56.44 £
22	385	11.1	7/16	7/16	P1h	1	1	183567	2 608 597 647	59.15 £
24	385	11.1	7/16	7/16	P1h	1	1	183574	2 608 597 648	61.53 £
25	385	11.1	7/16	7/16	P1h	1	1	505925	2 608 585 730	63.95 £
26	385	11.1	7/16	7/16	P1h	1	1	183581	2 608 597 649	66.5 £
28	385	11.1	7/16	7/16	P1h	1	1	183598	2 608 597 650	73.77 £
30	385	11.1	7/16	7/16	P1h	1	1	183604	2 608 597 651	80.79 £
32	385	11.1	7/16	7/16	P1h	1	1	183611	2 608 597 652	87.12 £
Total length 600 mm										
10	470	7.9	-	5/16	P1h	1	1	488860	2 608 585 716	44.77 £
12	470	7.9	-	5/16	P1h	1	1	488877	2 608 585 717	45.49 £
14	470	11.1	-	7/16	P1h	1	1	488884	2 608 585 718	45.49 £
16	470	11.1	-	7/16	P1h	1	1	488891	2 608 585 719	55.1 £
18	470	11.1	-	7/16	P1h	1	1	488907	2 608 585 720	61.22 £
20	470	11.1	-	7/16	P1h	1	1	488914	2 608 585 721	73.37 £
22	470	11.1	-	7/16	P1h	1	1	488921	2 608 585 722	76.88 £

Spur auger bits, hex shank

PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Width across flats (d) mm	Diameter (D) Inch	Width across flats (d) inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
24	470	11.1	-	7/16	P1h	1	1	488938	2 608 585 723	80.01 £
26	470	11.1	-	7/16	P1h	1	1	488945	2 608 585 724	86.48 £
28	470	11.1	-	7/16	P1h	1	1	488952	2 608 585 725	95.9 £
30	470	11.1	-	7/16	P1h	1	1	488969	2 608 585 726	105.06 £
32	470	11.1	-	7/16	P1h	1	1	488976	2 608 585 727	113.25 £

Spur auger bit sets, hex shank

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
6-piece spur auger bit set									
10	170	235	W0a	6	1	379090	2 607 019 322		97.5 £
12									
14									
16									
18									
20									
6-piece spur auger bit set									
10	385	450	W0a	6	1	379106	2 607 019 323		239.85 £
12									
14									
16									
18									
20									




Hinge cutting and Forstner bits

Hinge cutting bits, tungsten carbide tipped



- Suitable for abrasive materials such as plywood, hardwood, chipboard, wood fibreboard, plastic laminated wood
- Ideal for use by joiners and carpenters, especially for window, door and kitchen building




PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 1									
15	90	8	P1p	1	1	148177	2 608 597 601	24.51 £	
20	90	8	P1p	1	1	148207	2 608 597 604	30.12 £	
25	90	8	P1p	1	1	148238	2 608 597 607	36.6 £	
30	90	8	P1p	1	1	148269	2 608 597 610	41.71 £	
35	90	10	P1p	1	1	148290	2 608 597 613	47.44 £	
40	90	10	P1p	1	1	148320	2 608 597 616	54.16 £	
50	90	10	P1p	1	1	148344	2 608 597 618	75.12 £	

Hinge cutting bit sets, tungsten carbide tipped



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
5-piece tungsten carbide hinge cutting bit set								
15		W0a	5	1	148375	2 607 018 750	157.43 £	
20								
25								
30								
35								


Forstner drill bits, DIN 7483 G



- ▶ Suitable for hard and soft wood, veneered wood
- ▶ Precision drill bit with main and side cutting spurs, and short centre tip
- ▶ Made of tempered special steel according to factory standard, cutter hardness of minimum 50 HRC
- ▶ Forged and ground drilling head, polished with black flutes
- ▶ Meets high requirements with regard to cutting quality and tear-free drilled hole edges
- ▶ Can be used in all drills with 10 mm chuck

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 1									
10	90	8	P1p	1	1	857901	2 608 577 000	20.61 £	
12	90	8	P1p	1	1	857918	2 608 577 001	19.48 £	
14	90	8	P1p	1	1	857925	2 608 577 002	19.48 £	
15	90	8	P1p	1	1	857932	2 608 577 003	20.75 £	
16	90	8	P1p	1	1	857949	2 608 577 004	21.37 £	
18	90	8	P1p	1	1	857956	2 608 577 005	22.37 £	
20	90	8	P1p	1	1	857963	2 608 577 006	23.23 £	
22	90	8	P1p	1	1	857970	2 608 577 007	23.96 £	
24	90	8	P1p	1	1	857987	2 608 577 008	24.97 £	
25	90	8	P1p	1	1	857994	2 608 577 009	26.23 £	
26	90	8	P1p	1	1	858007	2 608 577 010	27.35 £	
27	90	8	P1p	1	1	858014	2 608 577 011	28.36 £	
28	90	8	P1p	1	1	858021	2 608 577 012	28.95 £	
30	90	8	P1p	1	1	858038	2 608 577 013	29.87 £	
32	90	10	P1p	1	1	858045	2 608 577 014	30.95 £	
34	90	10	P1p	1	1	858052	2 608 577 015	32.95 £	
35	90	10	P1p	1	1	858069	2 608 577 016	34.84 £	
36	90	10	P1p	1	1	858076	2 608 577 017	35.95 £	
38	90	10	P1p	1	1	858083	2 608 577 018	37.94 £	
40	90	10	P1p	1	1	858090	2 608 577 019	40.7 £	
45	90	10	P1p	1	1	858106	2 608 577 020	41.94 £	
50	90	10	P1p	1	1	858113	2 608 577 021	43.94 £	

Forstner drill bit set



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
5-piece Forstner drill bit set									
15 20 25 30 35	90	8 10	W0a	5	1	858120	2 608 577 022	123.82 £	



Cantilever hinge cutting bits




- ▶ **Suitable for** soft and hard wood, treated woods such as pressed laminated wood, plastic laminated chipboards, abrasive materials with mineral content also for medium density tiles
- ▶ Ideal for pre-drilling for fittings
- ▶ Versions with and without tungsten carbide
- ▶ For use in bench drills only



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Cantilever hinge cutter bit, tungsten carbide tipped									
26	56	8	C1a	1	1	076128	2 608 596 979	21.45 £	
30	56	8	C1a	1	1	076142	2 608 596 980	23.23 £	
35	56	8	C1a	1	1	076159	2 608 596 981	23.11 £	

Disc cutters/Shank cutters




- ▶ **Suitable for** soft and hard wood such as pine, beech, oak
- ▶ Especially for joiners, carpenters, exhibition stand builders
- ▶ Plugcutter with high performance and long life thanks to high-quality tool steel and solid structure
- ▶ Precision-ground drilling head for precise, cylindrical, accurately fitting tenons
- ▶ Low friction thanks to high concentricity and optimum geometry with multiple relief grinding
- ▶ The extra-long body with open sides enables extra-long tenons to be cut and easily removed
- ▶ The 13 mm cylindrical shank fits all standard drills



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Total length mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
10	140	13	P1a	1	1	511056	2 608 585 743	64.62 £	
15	140	13	P1a	1	1	511063	2 608 585 744	68.1 £	
20	140	13	P1a	1	1	511070	2 608 585 745	83.8 £	
25	140	13	P1a	1	1	511087	2 608 585 746	87.28 £	
30	140	13	P1a	1	1	511094	2 608 585 747	90.79 £	
35	160	13	P1a	1	1	511100	2 608 585 748	104.75 £	
40	160	13	P1a	1	1	511117	2 608 585 749	122.2 £	

Formwork and installation drill bits

Formwork and installation drill bits



- **Suitable for** formwork, interior fitting work, plumbing, heating, electrical installation, also for metals, e.g. sandwich material with steel, aluminium or profile sheeting, wood, plasterboard, light building materials, insulation
- Can be used in all drills with 13 mm chuck
- HSS twist drill bit with long shank, drill bit tip with chisel edge 118°, manufactured to DIN 7490
- Drill bit meets the safety standards of the “Berufsgenossenschaft Holz” (German Timber Trade Association)
- Drill bit colour: black, polished
- **Note:** Only drill with rotary function, without impact


PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Total length 400 mm									
6	400	5	P1c	1	1	099318	2 608 597 165	11.89 £	
8	400	6	P1c	1	1	059411	2 608 596 335	13.72 £	
10	400	8	P1c	1	1	059428	2 608 596 336	15.68 £	
12	400	8	P1c	1	1	059435	2 608 596 337	17.15 £	
14	400	8	P1c	1	1	059442	2 608 596 338	18.26 £	
16	400	10	P1c	1	1	059459	2 608 596 339	30.44 £	
18	400	10	P1c	1	1	059466	2 608 596 340	43.51 £	
20	400	10	P1c	1	1	059473	2 608 596 341	47.19 £	
22	400	10	P1c	1	1	099332	2 608 597 167	48.73 £	
24	400	11	P1c	1	1	099349	2 608 597 168	49.86 £	
25	400	11	P1c	1	1	099356	2 608 597 169	57.71 £	
26	400	11	P1c	1	1	099363	2 608 597 170	58.63 £	
28	400	11	P1c	1	1	099370	2 608 597 171	70.31 £	
30	400	11	P1c	1	1	099387	2 608 597 172	71.2 £	
Total length 600 mm									
6	600	5	P1c	1	1	099394	2 608 597 173	12.15 £	
8	600	6	P1c	1	1	059480	2 608 596 342	14.16 £	
10	600	8	P1c	1	1	059497	2 608 596 343	16.38 £	
12	600	8	P1c	1	1	059503	2 608 596 344	24.87 £	
14	600	8	P1c	1	1	059510	2 608 596 345	24.87 £	
16	600	10	P1c	1	1	059527	2 608 596 346	31.77 £	
18	600	10	P1c	1	1	059534	2 608 596 347	45.66 £	
20	600	10	P1c	1	1	059541	2 608 596 348	49.69 £	
22	600	10	P1c	1	1	099400	2 608 597 174	51.07 £	
24	600	11	P1c	1	1	099417	2 608 597 175	51.6 £	
26	600	11	P1c	1	1	099424	2 608 597 176	61.94 £	
30	600	11	P1c	1	1	099448	2 608 597 178	76.37 £	



HAMMER DRILL BITS

Top performance in concrete

The best your tool can get. Bosch Professional Accessories.



THE SDS PLUS DRILL BIT RANGE

Quick mounting and 100% power transfer.



	SDS plus-7X EXPERT	SDS plus-5X	SDS plus-5	SDS plus-3
Page number	70	74	78	79
Diameter mm	3.5 – 30.0	4.0 – 26.0	3.0 – 26.0	4.0 – 25.0
Working length mm	50 – 950	50 – 550	50 – 950	50 – 400
Head design				
PGM certification	✓	✓	✓	✓

MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓
Reinforced concrete	✓	✓	-	-
Natural stone	✓	-	-	-

HEAD DESIGNS



4-cutter full carbide head



4-cutter



Tungsten carbide teeth²



Asymmetrical carbide teeth



2-cutter




*Bosch EXPERT products vs. Bosch standard products



SDS plus-9 Speed Clean

SDS plus-9 Rebar Cutter

SDS plus-9 Core Cutter

Page number	83	84	85
Diameter mm	6.0 – 24.0	16.0 – 32.0	25.0 – 112.0
Working length mm	100 – 320	120	50 – 54
Head design			
PGM certification	✓	-	-
MATERIALS			
Masonry	✓	-	✓
Concrete	✓	-	✓
Reinforced concrete	-	✓	-
Natural stone	-	-	-

THE SDS MAX DRILL BIT RANGE

Quick mounting and 100% power transfer.



	SDS max-8X EXPERT	SDS max-7	SDS max-4
Page number	87	89	90
Diameter mm	12.0 – 32.0	10.5 – 52	12.0 – 40.0
Working length mm	200 – 800	200 – 1200	200 – 400
Head design			
PGM certification			

MATERIALS

Masonry			
Concrete			
Reinforced concrete			
Natural stone			-

HEAD DESIGNS



4-cutter full carbide head



2-cutter



Asymmetrical carbide teeth



4-cutter



Multi-cutter

* Bosch EXPERT products vs. Bosch standard products







SDS max-9 Natural Stone

SDS max-9 Break Through

SDS max-9 Core Cutter

SDS max-9 Speed Clean

Page number	93	94	95	91
Diameter mm	28.0 – 32.0	45.0 – 80.0	45.0 – 150.0	14.0 – 35.0
Working length mm	400 – 800	450 – 850	80	400 – 650
Head design				
PGM certification	✓	-	-	✓

MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓
Reinforced concrete	-	-	-	-
Natural stone	✓	-	-	-

LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS plus-7X Hammer Drill Bits

ASSORTMENT: Ø 3.5 mm - 30 mm

EXPERT

- 1 Extremely durable drill bit tip with Bosch Carbide Technology
- 2 Punch through reinforced concrete with a 4-cutter Full Carbide Head
- 3 Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT



- ▶ Ideal for drilling holes in reinforced concrete, e.g. to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- ▶ Best for electricians: long lasting and powerful.
- ▶ Lasts up to 3x longer than a standard drill bit.
- ▶ Fits all SDS plus rotary hammer drills.



CARBIDE TECHNOLOGY UP TO **3*** LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Pack of 1								
3.5	50	115	P1e	1	1	531281	2 608 900 055	8.43 £
3.5	100	165	P1e	1	1	531298	2 608 900 056	10.24 £
4	50	115	P1e	1	1	531304	2 608 900 057	12.05 £
4	100	165	P1e	1	1	531311	2 608 900 058	16.87 £
5	50	115	P1e	1	5	531328	2 608 900 059	9.71 £

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
5	100	165	P1e	1	5	531335	2 608 900 060	9.91 £
5	150	215	P1e	1	5	531342	2 608 900 061	13.39 £
5	200	265	P1e	1	5	531359	2 608 900 062	16.86 £
5	250	315	P1e	1	5	531366	2 608 900 063	21.92 £
5	400	465	P1e	1	1	531373	2 608 900 064	30.35 £
5.5	50	115	P1e	1	5	531380	2 608 900 065	10.42 £
5.5	100	165	P1e	1	5	531397	2 608 900 066	10.52 £
5.5	150	215	P1e	1	5	531403	2 608 900 067	15.16 £
5.5	200	265	P1e	1	5	531410	2 608 900 068	16.86 £
5.5	250	315	P1e	1	1	531427	2 608 900 069	23.59 £
5.5	400	465	P1e	1	1	531434	2 608 900 070	32.02 £
6	50	115	P1e	1	5	531441	2 608 900 071	10.56 £
6	100	165	P1e	1	5	531458	2 608 900 072	10.83 £
6	150	215	P1e	1	5	531465	2 608 900 073	12.47 £
6	200	265	P1e	1	5	531472	2 608 900 074	14.75 £
6	250	315	P1e	1	5	531489	2 608 900 075	19.23 £
6	400	465	P1e	1	1	531496	2 608 900 076	30.35 £
6.5	50	115	P1e	1	1	531502	2 608 900 077	10.74 £
6.5	100	165	P1e	1	5	531519	2 608 900 078	11.09 £
6.5	150	215	P1e	1	5	531526	2 608 900 079	15.16 £
6.5	200	265	P1e	1	5	531533	2 608 900 080	18.98 £
6.5	250	315	P1e	1	1	531540	2 608 900 081	22.94 £
6.5	400	465	P1e	1	1	531557	2 608 900 082	51.27 £
7	50	115	P1e	1	1	531564	2 608 900 083	10.95 £
7	100	165	P1e	1	1	531571	2 608 900 084	11.49 £
7	150	215	P1e	1	1	531588	2 608 900 085	19.28 £
7	200	265	P1e	1	1	531595	2 608 900 086	20.18 £
8	50	115	P1e	1	5	531601	2 608 900 087	11.37 £
8	100	165	P1e	1	5	531618	2 608 900 088	11.91 £
8	150	215	P1e	1	5	531625	2 608 900 089	13.94 £
8	200	265	P1e	1	5	531632	2 608 900 090	21.72 £
8	250	315	P1e	1	1	531649	2 608 900 091	39.56 £
8	300	365	P1e	1	5	531656	2 608 900 092	24.43 £
8	400	465	P1e	1	1	531663	2 608 900 093	29.86 £
9	100	165	P1e	1	1	531670	2 608 900 094	11.89 £
9	150	215	P1e	1	1	531687	2 608 900 095	13.7 £
10	50	115	P1e	1	1	531694	2 608 900 096	12.4 £
10	100	165	P1e	1	5	531700	2 608 900 097	13.41 £
10	150	215	P1e	1	5	531717	2 608 900 098	15.99 £
10	200	265	P1e	1	5	531724	2 608 900 099	20.41 £
10	250	315	P1e	1	1	531731	2 608 900 100	24.26 £
10	300	365	P1e	1	5	531748	2 608 900 101	28.78 £
10	400	465	P1e	1	1	531755	2 608 900 102	34.22 £
10	550	600	P1e	1	1	531762	2 608 900 103	53.25 £
10	950	1,000	P1e	1	1	531779	2 608 900 104	128.33 £
11	100	165	P1e	1	1	531786	2 608 900 105	13.48 £
11	150	215	P1e	1	1	531793	2 608 900 106	19.55 £
11	200	265	P1e	1	1	531809	2 608 900 107	20.21 £
12	100	165	P1e	1	5	531816	2 608 900 108	16.54 £
12	150	215	P1e	1	5	531823	2 608 900 109	19.8 £
12	200	265	P1e	1	5	531830	2 608 900 110	26.32 £
12	250	315	P1e	1	5	531847	2 608 900 111	22.57 £
12	300	365	P1e	1	5	531854	2 608 900 112	32.87 £
12	400	465	P1e	1	1	531861	2 608 900 113	38.58 £
12	550	600	P1e	1	1	531878	2 608 900 114	61.52 £
12	950	1,000	P1e	1	1	531885	2 608 900 115	143.88 £
13	100	165	P1e	1	1	531892	2 608 900 116	18.54 £
13	150	215	P1e	1	1	531908	2 608 900 117	22.93 £
13	200	265	P1e	1	1	531915	2 608 900 118	25.3 £
14	100	165	P1e	1	5	531922	2 608 900 119	31.42 £
14	150	215	P1e	1	5	531939	2 608 900 120	36.3 £
14	200	265	P1e	1	5	531946	2 608 900 121	41.11 £
14	250	315	P1e	1	5	531953	2 608 900 122	28.64 £
14	300	365	P1e	1	1	531960	2 608 900 123	55.59 £
14	400	465	P1e	1	1	531977	2 608 900 124	67.22 £
14	550	600	P1e	1	1	531984	2 608 900 125	65.82 £

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
14	950	1,000	P1e	1	1	531991	2 608 900 126	158.76 £
15	100	165	P1e	1	1	532004	2 608 900 127	33.02 £
15	200	265	P1e	1	1	532011	2 608 900 128	44.86 £
15	400	465	P1e	1	1	532028	2 608 900 129	48.89 £
16	150	215	P1e	1	5	532035	2 608 900 130	39.7 £
16	200	265	P1e	1	5	532042	2 608 900 131	44.32 £
16	250	315	P1e	1	1	532059	2 608 900 132	35.41 £
16	400	465	P1e	1	1	532066	2 608 900 133	79.36 £
16	550	600	P1e	1	1	532073	2 608 900 134	65.82 £
16	950	1,000	P1e	1	1	532080	2 608 900 135	162.07 £
17	150	215	P1e	1	1	532097	2 608 900 136	44.65 £
17	250	315	P1e	1	1	532103	2 608 900 137	62.84 £
18	200	250	P1e	1	1	532110	2 608 900 138	51.27 £
18	400	450	P1e	1	1	532127	2 608 900 139	63.5 £
18	550	600	P1e	1	1	532134	2 608 900 140	82.69 £
18	950	1,000	P1e	1	1	532141	2 608 900 141	167.03 £
20	200	250	P1e	1	1	532158	2 608 900 142	57.88 £
20	400	450	P1e	1	1	532165	2 608 900 143	65.82 £
20	550	600	P1e	1	1	532172	2 608 900 144	95.92 £
20	950	1,000	P1e	1	1	532189	2 608 900 145	201.1 £
22	200	250	P1e	1	1	532196	2 608 900 146	71.11 £
22	400	450	P1e	1	1	532202	2 608 900 147	92.61 £
22	550	600	P1e	1	1	532219	2 608 900 148	137.26 £
22	950	1,000	P1e	1	1	532226	2 608 900 149	211.68 £
24	400	450	P1e	1	1	532233	2 608 900 150	99.23 £
25	400	450	P1e	1	1	532240	2 608 900 151	109.15 £
25	550	600	P1e	1	1	532257	2 608 900 152	168.68 £
25	950	1,000	P1e	1	1	532264	2 608 900 153	234.83 £
28	400	450	P1e	1	1	532271	2 608 900 154	178.7 £
30	400	450	P1e	1	1	532288	2 608 900 155	122.38 £
Pack of 10								
4	50	115	P1a	10	1	532295	2 608 900 156	117.27 £
5	50	115	P1a	10	1	532301	2 608 900 157	92.44 £
5	100	165	P1a	10	1	532318	2 608 900 158	92.39 £
6	50	115	P1a	10	1	532325	2 608 900 159	98.74 £
6	100	165	P1a	10	1	532332	2 608 900 160	102.88 £
6	150	215	P1a	10	1	532349	2 608 900 161	116.59 £
6	200	265	P1a	10	1	532356	2 608 900 162	136.64 £
6.5	100	165	P1a	10	1	532363	2 608 900 163	106.33 £
6.5	150	215	P1a	10	1	532370	2 608 900 164	128.71 £
6.5	200	265	P1a	10	1	532387	2 608 900 165	178.94 £
7	100	165	P1a	10	1	532394	2 608 900 166	110.28 £
8	100	165	P1a	10	1	532400	2 608 900 167	111.49 £
8	150	215	P1a	10	1	532417	2 608 900 168	132.52 £
8	200	265	P1a	10	1	532424	2 608 900 169	206.21 £
10	100	165	P1a	10	1	532431	2 608 900 170	127.34 £
10	150	215	P1a	10	1	532448	2 608 900 171	151.88 £
10	200	265	P1a	10	1	532455	2 608 900 172	195.75 £
12	100	165	P1a	10	1	532462	2 608 900 173	154.81 £
12	150	215	P1a	10	1	532479	2 608 900 174	189.9 £
12	200	265	P1a	10	1	532486	2 608 900 175	222.73 £
14	200	265	P1a	10	1	532493	2 608 900 176	227.42 £
16	200	265	P1a	10	1	532509	2 608 900 177	303.33 £
Pack of 30								
5	50	115	P0a	30	1	532516	2 608 900 178	235.29 £
5	100	165	P0a	30	1	532523	2 608 900 179	284.5 £
6	50	115	P0a	30	1	532530	2 608 900 180	240.19 £
6	100	165	P0a	30	1	532547	2 608 900 181	259.64 £
6	150	215	P0a	30	1	532554	2 608 900 182	327.92 £
8	100	165	P0a	30	1	532561	2 608 900 183	281.76 £
8	150	215	P0a	30	1	532578	2 608 900 184	329.98 £
8	200	265	P0a	30	1	532585	2 608 900 185	368.91 £
10	100	165	P0a	30	1	532592	2 608 900 186	321.7 £
10	150	215	P0a	30	1	532608	2 608 900 187	378.23 £
10	200	265	P0a	30	1	532615	2 608 900 188	480.67 £
12	150	215	P0a	30	1	532622	2 608 900 189	368.91 £

EXPERT SDS plus-7X Hammer Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT
12	200	265	P0a	30	1	532639		2 608 900 190	491.07 £
Pack of 50									
6	100	165	P0a	50	1	532646		2 608 900 191	307.42 £
8	100	165	P0a	50	1	532653		2 608 900 192	356.85 £
10	100	165	P0a	50	1	532660		2 608 900 193	405.08 £
10	150	215	P0a	50	1	532677		2 608 900 194	491.88 £

EXPERT SDS plus-7X Hammer Drill Bit Sets

EXPERT



- ▶ Ideal for drilling holes in reinforced concrete, eg to anchor interior installations such as air conditioning, heating pipes, electrical wiring and lights.
- ▶ Best for electricians: long lasting and powerful.
- ▶ Lasts up to 3x longer than a standard drill bit.
- ▶ Fits all SDS plus rotary hammer drills.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT
3-piece SDS plus-7X hammer drill bit set									
6	100	165	P1a	3	1	532707		2 608 900 196	27.87 £
8	100	165							
10	100	165							
5-piece Robust Line SDS plus-7X hammer drill bit set									
5	50	115	P1k	5	1	532714		2 608 900 197	54.09 £
6	50	115							
6	100	165							
8	100	165							
10	100	165							
6	100	165	P1k	5	1	532721		2 608 900 198	62.7 £
6	100	165							
8	100	165							
8	100	165							
10	100	165							
7-piece SDS plus-7X hammer drill bit set									
5	50	115	P1k	7	1	532691		2 608 900 195	66.33 £
6	50	115							
8	50	115							
6	100	165							
8	100	165							
10	100	165							
12	100	165							

SDS PLUS-5X

Efficient drilling and resistant to rebar.

CENTRING TIP

Active and accurate centring in concrete thanks to the centering tip



NO JAMMING IN REBAR

Thanks to 4-cutter geometry. Tip does not break off




HIGH DRILLING SPEED

Thanks to 4-flute design which ensures fast dust removal and less wear




SDS plus-5X hammer drill bits



- ▶ Suitable for masonry, concrete and reinforced concrete
- ▶ Appropriate for all rotary hammers with SDS plus holder
- ▶ www.pgm.eu

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
Pack of 1											
4	50	110	-	-	-	P2e	1	5	227461	2 608 836 604	4.66 £
4	100	160	-	-	-	P2e	1	5	227478	2 608 836 605	7.99 £
5	50	110	-	-	-	P1e	1	10	223241	2 608 833 771	4.66 £
5	100	160	-	-	-	P1e	1	10	223258	2 608 833 772	5.27 £
5	150	210	-	-	-	P1e	1	5	223265	2 608 833 773	6.91 £
5	200	260	-	-	-	P2e	1	5	227485	2 608 836 606	17.03 £
5	250	310	-	-	-	P2e	1	5	227492	2 608 836 607	22.92 £
5	400	460	-	-	-	P2e	1	5	227508	2 608 836 608	38.72 £
5.5	50	110	-	-	-	P1e	1	10	223272	2 608 833 774	4.66 £
5.5	100	160	-	-	-	P1e	1	5	223289	2 608 833 775	5 £
5.5	150	210	-	-	-	P1e	1	1	223296	2 608 833 776	11.11 £
5.5	250	310	-	-	-	P2e	1	5	227522	2 608 836 610	22.92 £
5.5	400	460	-	-	-	P2e	1	5	227539	2 608 836 611	38.72 £
6	50	110	-	-	-	P1e	1	10	223302	2 608 833 777	4.66 £
6	100	160	-	-	-	P1e	1	10	223319	2 608 833 778	5.3 £
6	150	210	-	-	-	P1e	1	10	223326	2 608 833 779	6.49 £



SDS plus-5X hammer drill bits

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
6	200	260	-	-	-	P1e	1	10	223333	2 608 833 780	14.13 £
6	250	310	-	-	-	P2e	1	5	227546	2 608 836 612	22.92 £
6	400	460	-	-	-	P2e	1	5	227553	2 608 836 613	38.72 £
6.5	50	110	-	-	-	P1e	1	10	223340	2 608 833 781	5.08 £
6.5	100	160	-	-	-	P1e	1	10	223357	2 608 833 782	5.51 £
6.5	150	210	-	-	-	P1e	1	5	223364	2 608 833 783	10.37 £
6.5	200	260	-	-	-	P1e	1	5	223371	2 608 833 784	12.31 £
6.5	250	310	-	-	-	P2e	1	5	227560	2 608 836 614	22.94 £
7	50	110	-	-	-	P1e	1	10	223388	2 608 833 785	5.6 £
7	100	160	-	-	-	P1e	1	10	223395	2 608 833 786	5.91 £
7	150	210	-	-	-	P1e	1	5	223401	2 608 833 787	9.2 £
7	200	260	-	-	-	P2e	1	5	227577	2 608 836 615	11.64 £
8	50	110	-	-	-	P1e	1	10	223418	2 608 833 788	5.81 £
8	100	160	-	-	-	P1e	1	10	223425	2 608 833 789	6.14 £
8	150	210	-	-	-	P1e	1	10	223432	2 608 833 790	6.76 £
8	200	260	-	-	-	P1e	1	10	223449	2 608 833 791	8.3 £
8	250	310	-	-	-	P1e	1	5	223456	2 608 833 792	15.71 £
8	300	360	-	-	-	P1e	1	5	223463	2 608 833 793	16.22 £
8	400	460	-	-	-	P1e	1	5	223470	2 608 833 794	16.95 £
8	550	610	-	-	-	P2e	1	1	227584	2 608 836 616	38.21 £
9	100	160	-	-	-	P1e	1	5	223487	2 608 833 795	9.75 £
9	150	210	-	-	-	P1e	1	5	223494	2 608 833 796	7.56 £
10	50	110	-	-	-	P1e	1	10	223500	2 608 833 797	6.24 £
10	100	160	-	-	-	P1e	1	10	223517	2 608 833 798	6.76 £
10	150	210	-	-	-	P1e	1	10	223524	2 608 833 799	7.88 £
10	200	260	-	-	-	P1e	1	10	223531	2 608 833 800	8.53 £
10	250	310	-	-	-	P1e	1	5	223548	2 608 833 801	9.45 £
10	300	360	-	-	-	P1e	1	5	223555	2 608 833 802	12.25 £
10	400	460	-	-	-	P1e	1	5	223562	2 608 833 803	17.25 £
10	550	610	-	-	-	P2e	1	1	227607	2 608 836 618	26.27 £
11	100	160	-	-	-	P1e	1	5	223579	2 608 833 804	8.57 £
11	150	210	-	-	-	P1e	1	1	223586	2 608 833 805	9.68 £
11	200	260	-	-	-	P1e	1	5	223593	2 608 833 806	10.78 £
12	100	160	-	-	-	P1e	1	10	223609	2 608 833 807	8.43 £
12	150	210	-	-	-	P1e	1	10	223616	2 608 833 808	9.53 £
12	200	260	-	-	-	P1e	1	10	223623	2 608 833 809	10.16 £
12	250	310	-	-	-	P1e	1	5	223630	2 608 833 810	11.27 £
12	300	360	-	-	-	P1e	1	5	223647	2 608 833 811	14.51 £
12	400	460	-	-	-	P1e	1	5	223654	2 608 833 812	16.39 £
12	550	610	-	-	-	P2e	1	1	227614	2 608 836 620	27.05 £
13	100	160	-	-	-	P1e	1	5	223661	2 608 833 813	10.85 £
13	150	210	-	-	-	P1e	1	1	223678	2 608 833 814	11.6 £
13	200	260	-	-	-	P1e	1	5	223685	2 608 833 815	12.29 £
14	100	160	-	-	-	P1e	1	10	223692	2 608 833 816	11.5 £
14	150	210	-	-	-	P1e	1	10	223708	2 608 833 817	12.1 £
14	200	260	-	-	-	P1e	1	10	223715	2 608 833 818	13.6 £
14	250	310	-	-	-	P1e	1	5	223722	2 608 833 819	14.63 £
14	300	360	-	-	-	P1e	1	5	223739	2 608 833 820	15.85 £
14	400	460	-	-	-	P1e	1	5	223746	2 608 833 821	21.9 £
14	550	610	-	-	-	P2e	1	1	227638	2 608 836 623	29.63 £
15	100	160	-	-	-	P1e	1	5	223753	2 608 833 822	10.76 £
15	200	260	-	-	-	P1e	1	5	223760	2 608 833 823	14.46 £
15	400	460	-	-	-	P1e	1	1	223777	2 608 833 824	24.3 £
16	150	210	-	-	-	P1e	1	10	223784	2 608 833 825	14.24 £
16	200	260	-	-	-	P1e	1	5	223791	2 608 833 826	17.49 £
16	250	310	-	-	-	P1e	1	5	223807	2 608 833 827	18.69 £

SDS plus-5X hammer drill bits

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
16	300	360	-	-	-	P1e	1	5	223814	2 608 833 828	21.38 £
16	400	460	-	-	-	P1e	1	5	223821	2 608 833 829	24.44 £
16	550	610	-	-	-	P2e	1	1	227652	2 608 836 626	36.56 £
17	150	210	-	-	-	P2e	1	5	227669	2 608 836 628	26.04 £
17	250	310	-	-	-	P2e	1	5	227676	2 608 836 629	32.93 £
18	150	200	-	-	-	P1e	1	5	227690	2 608 836 631	21.68 £
18	250	300	-	-	-	P1e	1	1	227706	2 608 836 632	26.52 £
18	400	450	-	-	-	P1e	1	1	227713	2 608 836 633	34.42 £
18	550	600	-	-	-	P1e	1	1	227720	2 608 836 634	54.56 £
19	150	200	-	-	-	P1e	1	5	227737	2 608 836 636	25.95 £
19	250	300	-	-	-	P1e	1	1	227744	2 608 836 637	37.76 £
19	400	450	-	-	-	P1e	1	1	227751	2 608 836 638	40.62 £
20	150	200	-	-	-	P1e	1	5	227768	2 608 836 639	28.12 £
20	250	300	-	-	-	P1e	1	1	227775	2 608 836 640	36.94 £
20	400	450	-	-	-	P1e	1	1	227782	2 608 836 641	41.09 £
20	550	600	-	-	-	P1e	1	1	227799	2 608 836 642	53.79 £
22	200	250	-	-	-	P1e	1	5	227805	2 608 836 644	41.19 £
22	400	450	-	-	-	P1e	1	1	227812	2 608 836 645	48.36 £
22	550	600	-	-	-	P1e	1	1	227829	2 608 836 646	62.69 £
24	200	250	-	-	-	P1e	1	1	227836	2 608 836 647	44.54 £
24	400	450	-	-	-	P1e	1	1	227843	2 608 836 648	50.31 £
25	200	250	-	-	-	P1e	1	1	227850	2 608 836 649	45.63 £
25	400	450	-	-	-	P1e	1	1	227867	2 608 836 650	52.06 £
26	200	250	-	-	-	P1e	1	1	227874	2 608 836 651	49.04 £
26	400	450	-	-	-	P1e	1	1	227881	2 608 836 652	54 £



Pack of 10

5	50	110	-	-	-	P1a	10	1	223838	2 608 833 889	45.12 £
5	100	160	-	-	-	P1a	10	1	223845	2 608 833 890	50.66 £
6	50	110	-	-	-	P1a	10	5	223852	2 608 833 891	45.12 £
6	100	160	-	-	-	P1a	10	5	223869	2 608 833 892	50.98 £
6	150	210	-	-	-	P1a	10	1	223876	2 608 833 893	62.69 £
6.5	100	160	-	-	-	P1a	10	1	223883	2 608 833 894	53.22 £
6.5	150	210	-	-	-	P1a	10	1	223890	2 608 833 895	100.11 £
6.5	200	260	-	-	-	P1a	10	1	223906	2 608 833 896	116.87 £
7	100	160	-	-	-	P1a	10	1	223913	2 608 833 897	57.25 £
8	50	110	-	-	-	P1a	10	1	223920	2 608 833 898	55.31 £
8	100	160	-	-	-	P1a	10	1	223937	2 608 833 899	59.23 £
8	150	210	-	-	-	P1a	10	1	223944	2 608 833 900	65.24 £
8	200	260	-	-	-	P1a	10	1	223951	2 608 833 901	80.07 £
10	100	160	-	-	-	P1a	10	1	223968	2 608 833 902	65.24 £
10	150	210	-	-	-	P1a	10	1	223975	2 608 833 903	76.22 £
10	200	260	-	-	-	P1a	10	1	223982	2 608 833 904	81.06 £
12	100	160	-	-	-	P1a	10	1	223999	2 608 833 905	81.5 £
12	150	210	-	-	-	P1a	10	1	224002	2 608 833 906	91.97 £
12	200	260	-	-	-	P1a	10	1	224019	2 608 833 907	98.16 £
14	100	160	-	-	-	P1a	10	1	224026	2 608 833 908	102.56 £
16	150	210	-	-	-	P1a	10	1	224033	2 608 833 909	128.88 £

Hammer drill bit sets SDS plus-5X

SDS plus-5X

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT	
5-piece SDS plus-5X hammer drill bit set									
5	50	110	P1a	5	5	224040	2 608 833 910	30.58 £	
6	50	110							
6	100	160							
8	100	160							
10	100	160							
5.5	50	110	P1a	5	1	941457	2 608 837 138	30.6 £	
6	50	110							
7	100	160							
8	100	160							
10	100	160							
6	100	160	P1a	5	5	224057	2 608 833 911	41.78 £	
6	100	160							
8	100	160							
8	100	160							
10	100	160							
3-piece SDS plus-5X hammer drill bit set									
6	100	160	P1c	3	10	224064	2 608 833 912	18.49 £	
8	100	160							
10	100	160							



SDS plus-5 hammer drill bits



- Suitable for masonry, concrete and reinforced concrete
- Appropriate for all rotary hammers with SDS plus holder
- www.pgm.eu

PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Diameter (D) Inch	Working length (L1) Inch	Total length (L2) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1											
3.5	50	110	-	-	-	P1e	1	5	189057	2 608 597 773	8.63 £
3.5	100	160	-	-	-	P1e	1	1	483308	2 608 585 596	10.78 £
6.5	400	465	-	-	-	P1e	1	1	656726	2 608 587 830	28.58 £
7	250	315	-	-	-	P1e	1	1	656771	2 608 587 835	14.94 £
7	400	465	-	-	-	P1e	1	1	656788	2 608 587 836	30.02 £
8.5	150	215	-	-	-	P1e	1	1	483391	2 608 585 605	11.21 £
10	950	1,005	-	-	-	P1e	1	1	098502	2 608 597 122	60.96 £
12	950	1,005	-	-	-	P1e	1	1	098519	2 608 597 123	68.48 £
14	950	1,005	-	-	-	P1e	1	1	098526	2 608 597 124	75.08 £
16	950	1,005	-	-	-	P1e	1	1	098533	2 608 597 125	79.21 £
18	950	1,000	-	-	-	P1e	1	1	098540	2 608 597 126	100.24 £
20	950	1,000	-	-	-	P1e	1	1	098557	2 608 597 127	103.58 £
22	950	1,000	-	-	-	P1e	1	1	098564	2 608 597 128	117.6 £
25	550	600	-	-	-	P1e	1	1	657525	2 608 587 910	121.33 £
25	950	1,000	-	-	-	P1e	1	1	098571	2 608 597 129	132.73 £
Pack of 10											
5.5	100	165	-	-	-	P1a	10	1	483490	2 608 585 615	48.33 £



Hammer drill bit sets SDS plus-5




PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5-piece Robust Line SDS plus-5 hammer drill bit set									
5.5	100	165	197.0 x 87.5 x 23	P1k	5	1	517102	2 607 019 929	41.49 £
6	100	165							
7	100	165							
8	100	165							
10	100	165							

SDS plus-3 hammer drill bits



- Suitable for masonry and concrete
- Appropriate for all rotary hammers with SDS plus holder
- www.pgm.eu

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
Pack of 1								
4	50	110	P1e	1	5	209313	2 608 831 000	4.04 £
4	100	160	P1e	1	5	209320	2 608 831 001	4.04 £
5	50	110	P1e	1	5	209337	2 608 831 002	2.8 £
5	100	160	P1e	1	5	209344	2 608 831 003	3.05 £
5	150	210	P1e	1	5	209351	2 608 831 004	4.04 £
5.5	50	110	P1e	1	5	209368	2 608 831 005	2.81 £
5.5	100	160	P1e	1	5	209375	2 608 831 006	2.91 £
6	50	110	P1e	1	5	209382	2 608 831 007	2.79 £
6	100	160	P1e	1	5	209399	2 608 831 008	2.91 £
6	150	210	P1e	1	5	209405	2 608 831 009	4.04 £
6	200	260	P1e	1	5	209412	2 608 831 010	5.41 £
6.5	50	110	P1e	1	1	209429	2 608 831 011	3.24 £
6.5	100	160	P1e	1	5	209436	2 608 831 012	3.35 £
6.5	150	210	P1e	1	5	209443	2 608 831 013	4.8 £
6.5	200	260	P1e	1	5	209450	2 608 831 014	5.8 £
7	50	110	P1e	1	5	209467	2 608 831 015	3.34 £
7	100	160	P1e	1	5	209474	2 608 831 016	3.35 £
7	150	210	P1h	1	5	209481	2 608 831 017	5.63 £
8	50	110	P1e	1	5	209498	2 608 831 018	4.04 £
8	100	160	P1e	1	5	209504	2 608 831 019	3.61 £
8	150	210	P1e	1	5	209511	2 608 831 020	4.04 £
8	200	260	P1e	1	5	209528	2 608 831 021	5.41 £
8	400	460	P1e	1	1	209535	2 608 831 022	12.15 £
9	100	160	P1e	1	5	209542	2 608 831 023	5.41 £
10	50	110	P1e	1	5	209559	2 608 831 024	4.63 £
10	100	160	P1e	1	5	209566	2 608 831 025	4.04 £
10	150	210	P1e	1	5	209573	2 608 831 026	4.63 £
10	200	260	P1e	1	5	209580	2 608 831 027	5.72 £
10	250	310	P1e	1	5	209597	2 608 831 028	7.1 £
10	300	360	P1e	1	5	209603	2 608 831 029	8.32 £
10	400	460	P1e	1	1	209610	2 608 831 030	11.22 £
11	100	160	P1e	1	5	209627	2 608 831 031	6.67 £
12	100	160	P1e	1	5	209634	2 608 831 032	4.8 £
12	150	210	P1e	1	5	209641	2 608 831 033	5.73 £
12	200	260	P1e	1	5	209658	2 608 831 034	6.74 £
12	300	360	P1e	1	5	209665	2 608 831 035	12.12 £
12	400	460	P1e	1	1	209672	2 608 831 036	10.78 £
13	100	160	P1e	1	5	209689	2 608 831 037	6.67 £
14	100	160	P1e	1	5	209696	2 608 831 038	7.11 £
14	150	210	P1e	1	5	209702	2 608 831 039	7.83 £
14	200	260	P1e	1	5	209719	2 608 831 040	8.51 £
14	300	360	P1e	1	5	209726	2 608 831 041	12.55 £
14	400	460	P1e	1	1	209733	2 608 831 042	14.82 £
15	100	160	P1e	1	5	209740	2 608 831 043	8.14 £
16	150	210	P1e	1	5	209757	2 608 831 044	9.33 £
16	250	310	P1e	1	5	209764	2 608 831 045	12.95 £
16	300	360	P1e	1	1	209771	2 608 831 046	14.32 £
16	400	460	P1e	1	1	209788	2 608 831 047	18.65 £
18	150	200	P1e	1	1	209795	2 608 831 048	15.44 £
18	250	300	P1e	1	1	209801	2 608 831 049	20.9 £
18	300	350	P1e	1	1	209818	2 608 831 050	17.58 £



SDS plus-3 hammer drill bits

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
18	400	450	P1e	1	1	209825	2 608 831 051	22.65 £
20	150	200	P1e	1	1	209832	2 608 831 052	19.07 £
20	250	300	P1e	1	1	209849	2 608 831 053	23.72 £
20	300	350	P1e	1	1	209856	2 608 831 054	24.87 £
20	400	450	P1e	1	1	209863	2 608 831 055	28.25 £
22	200	250	P1e	1	1	209870	2 608 831 056	29.69 £
22	300	350	P1e	1	1	209887	2 608 831 057	32.38 £
22	400	450	P1e	1	1	209894	2 608 831 058	39.14 £
24	200	250	P1e	1	1	209900	2 608 831 059	33.29 £
24	400	450	P1e	1	1	209917	2 608 831 060	38.56 £
25	200	250	P1e	1	1	209924	2 608 831 061	35.14 £
25	300	350	P1e	1	1	209931	2 608 831 062	37.64 £
25	400	450	P1e	1	1	209948	2 608 831 063	42.19 £

Pack of 8

16	150	210	P1a	8	1	210180	2 608 831 126	71.96 £
----	-----	-----	-----	---	---	--------	---------------	---------



Pack of 10

5	50	110	P1a	10	1	209955	2 608 831 103	26.64 £
5	100	160	P1a	10	1	209962	2 608 831 104	29.3 £
5.5	50	110	P1a	10	1	209979	2 608 831 105	27.11 £
5.5	100	160	P1a	10	1	209986	2 608 831 106	28.16 £
6	50	110	P1a	10	1	209993	2 608 831 107	26.96 £
6	100	160	P1a	10	1	210005	2 608 831 108	28.16 £
6	150	210	P1a	10	1	210012	2 608 831 109	36.41 £
6.5	100	160	P1a	10	1	210029	2 608 831 110	32.28 £
6.5	150	210	P1a	10	1	210036	2 608 831 111	46.25 £
6.5	200	260	P1a	10	1	210043	2 608 831 112	53.18 £
7	100	160	P1a	10	1	210050	2 608 831 113	32.35 £
7	150	210	P1a	10	1	210067	2 608 831 114	53.77 £
8	50	110	P1a	10	1	210074	2 608 831 115	33.97 £
8	100	160	P1a	10	1	210081	2 608 831 116	34.89 £
8	150	210	P1a	10	1	210098	2 608 831 117	39.08 £
8	200	260	P1a	10	1	210104	2 608 831 118	49.2 £
10	50	110	P1a	10	1	210111	2 608 831 119	44.03 £
10	100	160	P1a	10	1	210128	2 608 831 120	36.97 £
10	150	210	P1a	10	1	210135	2 608 831 121	44.55 £
12	100	160	P1a	10	1	210142	2 608 831 122	46.28 £
12	150	210	P1a	10	1	210159	2 608 831 123	55.36 £
12	200	260	P1a	10	1	210166	2 608 831 124	62.37 £
14	100	160	P1a	10	1	210173	2 608 831 125	67.41 £



Hammer drill bit sets SDS plus-3

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
4-piece SDS plus-3 drill bit set									
5.5	100	160	-	P1a	4	1	944267	2 608 578 738	26.9 £
7	100	160							
8	100	160							
10	100	160							




5	100	160	5x160 (1x)	P1k	8	1	509558	2 607 019 904	48.98 £
5.5	100	160	5.5x160 (2x)						
6	100	160	6x160 (1x)						
7	100	160	7x160 (2x)						
8	100	160	8x160 (1x)						
10	100	160	10x160 (1x)						



Hammer drill bit sets SDS plus-1

SDS plus-1



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
-	-	-	W0a	11	1	227911	2 608 578 765	59.46 £


SDS plus Pointed Chisel 250 mm
 SDS plus Flat Chisel 250 mm
 SDS plus-1 hammer drill bit 5X50X110mm
 SDS plus-1 hammer drill bit 6X50X110mm
 SDS plus-1 hammer drill bit 6X100X160mm
 SDS plus-1 hammer drill bit 7X50X110mm
 SDS plus-1 hammer drill bit 7X100X160mm
 SDS plus-1 hammer drill bit 8X50X110mm
 SDS plus-1 hammer drill bit 8X100X160mm
 SDS plus-1 hammer drill bit 10X100X160mm
 SDS plus-1 hammer drill bit 12X100X160mm

SDS PLUS-9 SPEED CLEAN

Drilling and cleaning in one step.

ACCURATE CENTRING

Centring tip for active cutting in concrete



EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with extremely robust and aggressive carbide blades

SDS plus-9 Speed Clean

SDS plus-9 SpeedClean

- **Suitable for** drilling holes in concrete
- **System:** The best result is achieved in combination with an SDS plus rotary hammer, e.g. Bosch GBH 2-28 DV Professional (0 611 267 201), and a dust class M dust extractor, e.g. Bosch GAS 35 M AFC Professional (0 601 9C3 100).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1								
6	100	230	PC1b	1	1	976534	2 608 579 291	63 £
8	100	230	PC1b	1	1	976541	2 608 579 292	63 £
10	100	230	PC1b	1	1	976558	2 608 579 293	63 £
12	200	330	PC1b	1	1	954006	2 608 578 962	78.75 £
14	250	380	PC1b	1	1	954013	2 608 578 963	91.35 £
15	250	380	PC1b	1	1	954020	2 608 578 964	94.5 £
16	250	380	PC1b	1	1	857352	2 608 576 286	103.95 £
18	150	280	PC1b	1	1	976565	2 608 579 294	107.1 £
18	320	450	PC1b	1	1	857369	2 608 576 287	122.85 £
20	150	280	PC1b	1	1	976572	2 608 579 295	126 £
20	320	450	PC1b	1	1	857376	2 608 576 288	154.35 £
22	320	450	PC1b	1	1	857383	2 608 576 289	169.65 £
24	320	450	PC1b	1	1	857390	2 608 576 290	179.55 £




SDS plus-9 hammer drill bits Rebar Cutter

SDS plus-9 RebarCutter

- ▶ Suitable for rebar in concrete
- ▶ For non-impact use in rotary hammers with SDS plus holder.
- ▶ Only cut through rebar if approval has been issued by a stress analyst.
- ▶ Only use the Rebar Cutter without impact.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1									
16	120	300	10	P1h	1	1	576673	2 608 586 994	95.71 £
18	120	300	10	P1h	1	1	576680	2 608 586 995	102.66 £
20	120	300	10	P1h	1	1	576697	2 608 586 996	106.83 £
22	120	300	10	P1h	1	1	576703	2 608 586 997	110.99 £
25	120	300	10	P1h	1	1	576710	2 608 586 998	120.71 £
28	120	300	10	P1h	1	1	576727	2 608 586 999	124.87 £
32	120	300	10	P1h	1	1	576734	2 608 587 100	133.2 £



SDS plus-9 Core Cutters

SDS plus-9
CoreCutter

- Suitable for concrete, masonry, limestone
- For use with SDS plus or hex shank



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Core cutter depth (L1) mm	Working length mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1									
25	50	72	4	P1e	1	1	605328	2 608 550 612	81.54 £
30	50	72	6	P1e	1	1	605335	2 608 550 613	89.5 £
35	50	72	6	P1e	1	1	605342	2 608 550 614	98.97 £
40	50	72	6	P1e	1	1	084642	2 608 550 074	93.95 £
50	50	72	6	P1e	1	1	084659	2 608 550 075	107.12 £
68	50	72	6	P1e	1	1	084666	2 608 550 076	111.7 £
82	50	72	6	P1e	1	1	084673	2 608 550 077	127.64 £

Core cutter sets

SDS plus-9
CoreCutter

3-piece core cutter set, SDS plus
SDS plus shank and pilot drill bit



68	54	72	6	PC1b	3	1	046206	2 608 550 064	115.94 £
82	54	72	6	PC1b	3	1	046213	2 608 550 065	210.7 £

Accessories for core cutters

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter/key width mm	Total length mm	Shank		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Hex shank for core cutters with M16									
11	80	Hexagon		P1e	1	1	084680	2 608 550 078	24.05 £
11	220	Hexagon		P1e	1	1	096744	2 608 598 109	42.29 £
SDS plus shank for core cutters with M16									
-	105	SDS plus		P1e	1	1	046138	2 608 550 057	27.1 £
-	220	SDS plus		P1e	1	1	096751	2 608 598 110	48.43 £
Pilot drill bit for shank for hex adapter and SDS plus									
8	120	Cylindrical		PC1d	1	5	046114	2 608 596 157	7.41 £
SDS plus shank for core cutters with M16 one piece									
-	175	SDS plus		P1e	1	1	332224	2 608 598 046	76.27 £



Accessories for core cutters

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter/key width mm	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
SDS plus shank for core cutters with M16, one piece									
-	340	SDS plus	P1e	1	1	332231		2 608 598 047	107.26 £

LONG LIFE DRILLING REINFORCED CONCRETE

EXPERT SDS max-8X Hammer Drill Bits

ASSORTMENT: Ø 12mm - 32mm

EXPERT

- 1 Extremely durable drill bit tip with Bosch Carbide Technology
- 2 Punch through reinforced concrete with a 4-cutter Full Carbide Head
- 3 Highly resistant drill tip connection with Bosch's welding technology



CARBIDE TECHNOLOGY

EXPERT SDS max-8X Hammer Drill Bits

EXPERT



- ▶ Ideal for drilling holes in reinforced concrete, e.g. for chemical anchor setting and/or rebar connections.
- ▶ Best for construction workers: long lasting and powerful.
- ▶ Lasts up to 3x longer than a standard drill bit.
- ▶ Fits all SDS max rotary hammer drills.



CARBIDE TECHNOLOGY

UP TO
3x*
LONG LIFE


PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Pack of 1								
12	200	340	P1h	1	1	532752	2 608 900 201	77.11 £
12	400	540	P1h	1	1	532769	2 608 900 202	93.18 £
12	600	740	P1h	1	1	532776	2 608 900 203	131.73 £
12	800	940	P1h	1	1	532783	2 608 900 204	176.72 £
14	200	340	P1h	1	1	532813	2 608 900 207	86.75 £
14	400	540	P1h	1	1	532820	2 608 900 208	106.03 £

EXPERT SDS max-8X Hammer Drill Bits

EXPERT


PRODUCT PROPERTIES			ORDERING INFORMATION							
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT	
14	600	740	P1h	1	1	532837		2 608 900 209	141.37 £	
14	800	940	P1h	1	1	532844		2 608 900 210	179.93 £	
16	200	340	P1h	1	1	532882		2 608 900 214	93.18 £	
16	400	540	P1h	1	1	532899		2 608 900 215	109.24 £	
16	600	740	P1h	1	1	532905		2 608 900 216	144.59 £	
16	800	940	P1h	1	1	532912		2 608 900 217	179.93 £	
18	200	340	P1h	1	1	532950		2 608 900 221	96.39 £	
18	400	540	P1h	1	1	532967		2 608 900 222	115.67 £	
18	600	740	P1h	1	1	532974		2 608 900 223	147.8 £	
18	800	940	P1h	1	1	532981		2 608 900 224	183.14 £	
20	200	320	P1h	1	1	533025		2 608 900 228	102.82 £	
20	400	520	P1h	1	1	533032		2 608 900 229	118.88 £	
20	600	720	P1h	1	1	533049		2 608 900 230	151.01 £	
20	800	920	P1h	1	1	533056		2 608 900 231	186.35 £	
22	200	320	P1h	1	1	533070		2 608 900 233	109.24 £	
22	400	520	P1h	1	1	533087		2 608 900 234	125.31 £	
22	600	720	P1h	1	1	533094		2 608 900 235	157.44 £	
22	800	920	P1h	1	1	533100		2 608 900 236	189.57 £	
24	200	320	P1h	1	1	533124		2 608 900 238	118.88 £	
24	400	520	P1h	1	1	533131		2 608 900 239	138.16 £	
25	200	320	P1h	1	1	533148		2 608 900 240	118.88 £	
25	400	520	P1h	1	1	533155		2 608 900 241	138.16 £	
25	600	720	P1h	1	1	533162		2 608 900 242	179.93 £	
25	800	920	P1h	1	1	533179		2 608 900 243	224.91 £	
26	200	320	P1h	1	1	533193		2 608 900 245	138.16 £	
26	400	520	P1h	1	1	533209		2 608 900 246	157.44 £	
28	200	320	P1h	1	1	533216		2 608 900 247	138.16 £	
28	400	520	P1h	1	1	533223		2 608 900 248	157.44 £	
28	600	720	P1h	1	1	533230		2 608 900 249	202.42 £	
28	800	920	P1h	1	1	533247		2 608 900 250	250.61 £	
30	200	320	P1h	1	1	533261		2 608 900 252	144.59 £	
30	400	520	P1h	1	1	533278		2 608 900 253	170.29 £	
32	200	320	P1h	1	1	533285		2 608 900 254	154.22 £	
32	400	520	P1h	1	1	533292		2 608 900 255	183.14 £	
32	600	720	P1h	1	1	533308		2 608 900 256	231.34 £	
32	800	920	P1h	1	1	533315		2 608 900 257	276.32 £	
Pack of 5										
12	200	340	P0h	5	1	533346		2 608 900 260	308.45 £	
16	200	340	P0h	5	1	533353		2 608 900 261	372.71 £	
16	400	540	P0h	5	1	533360		2 608 900 262	436.97 £	
18	200	340	P0h	5	1	533377		2 608 900 263	385.56 £	
18	400	540	P0h	5	1	533384		2 608 900 264	462.67 £	
20	200	320	P0h	5	1	533391		2 608 900 265	411.26 £	
20	400	520	P0h	5	1	533407		2 608 900 266	475.52 £	
22	400	520	P0h	5	1	533414		2 608 900 267	501.23 £	
24	400	520	P0h	5	1	533421		2 608 900 268	552.64 £	
25	400	520	P0h	5	1	533438		2 608 900 269	552.64 £	
32	400	520	P0h	5	1	533445		2 608 900 270	668.82 £	

SDS max-7 hammer drill bits



- ▶ Suitable for concrete and reinforced concrete, limestone, masonry
- ▶ For use in rotary hammers with SDS max holder
- ▶ Working lengths of 200, 400, 600, 800 and 1200 mm
- ▶ * 12 to 15 mm diameters are 2-cutters
- ▶ Re-closable packaging for professionals
- ▶ www.pgm.eu

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Pack of 1									
35	400	520	P1h	1	1	565790		2 608 586 796	190.9 £
35	600	720	P1h	1	1	565806		2 608 586 797	269.79 £
35	800	920	P1h	1	1	565813		2 608 586 798	362.55 £
35	1,200	1,320	P1h	1	1	565820		2 608 586 799	481.99 £
38	400	520	P1h	1	1	565462		2 608 586 800	227.13 £
38	600	720	P1h	1	1	565837		2 608 586 801	268.73 £
40	400	520	P1h	1	1	565844		2 608 586 802	275.11 £
40	600	720	P1h	1	1	565851		2 608 586 803	328.47 £
40	800	920	P1h	1	1	565868		2 608 586 804	371.09 £
40	1,200	1,320	P1h	1	1	565875		2 608 586 805	534.24 £
45	400	520	P1h	1	1	565882		2 608 586 806	335.9 £
52	400	520	P1h	1	1	565899		2 608 586 807	439.35 £




SDS max-4 hammer drill bits



- ▶ Suitable for concrete and reinforced concrete, masonry
- ▶ Can be used in all rotary hammers with SDS max holder
- ▶ Price/performance optimised 4-cutter
- ▶ www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 1									
12	200	340	P1e	1	1	833684	2 608 833 959	69.56 £	
12	400	540	P1e	1	1	833691	2 608 833 960	82.87 £	
14	200	340	P1e	1	1	833707	2 608 833 961	69.56 £	
14	400	540	P1e	1	1	833714	2 608 833 962	82.87 £	
16	200	340	P1e	1	1	564113	2 608 685 860	51.25 £	
16	400	540	P1e	1	1	564120	2 608 685 861	59.85 £	
18	200	340	P1e	1	1	564137	2 608 685 862	52.85 £	
18	400	540	P1e	1	1	564144	2 608 685 863	62.59 £	
20	200	320	P1e	1	1	564151	2 608 685 864	53.29 £	
20	400	520	P1e	1	1	564168	2 608 685 865	61.99 £	
22	200	320	P1e	1	1	564175	2 608 685 866	62.86 £	
22	400	520	P1e	1	1	564182	2 608 685 867	69.08 £	
24	200	320	P1e	1	1	833721	2 608 833 963	106.4 £	
24	400	520	P1e	1	1	833738	2 608 833 964	123.75 £	
25	200	320	P1e	1	1	564199	2 608 685 868	64.68 £	
25	400	520	P1e	1	1	564205	2 608 685 869	75.32 £	
28	200	320	P1e	1	1	564229	2 608 685 870	88.76 £	
28	400	520	P1e	1	1	564236	2 608 685 871	98.91 £	
30	200	320	P1e	1	1	564243	2 608 685 872	98.7 £	
30	400	520	P1e	1	1	564250	2 608 685 873	112.48 £	
32	200	320	P1e	1	1	564267	2 608 685 874	133.78 £	
32	400	520	P1e	1	1	564274	2 608 685 875	136.29 £	
35	400	520	P1e	1	1	564281	2 608 685 876	145.61 £	
40	400	520	P1e	1	1	564298	2 608 685 877	202.53 £	




SDS MAX-9 SPEED CLEAN

Drilling and cleaning in one step.

ACCURATE CENTRING

Centring tip for active cutting in concrete



EFFICIENT DUST REMOVAL

2 extraction holes

HIGH WEAR RESISTANCE

4-cutter with extremely robust and aggressive carbide blades

SDS max-9 Speed Clean

SDS max-9 SpeedClean

- **Suitable for** drilling holes in concrete
- **System:** The best result is achieved in combination with an SDS max rotary hammer, e.g. Bosch GBH 8-45 DV Professional (0 611 265 000), and a dust class M dust extractor, e.g. Bosch GAS 55 M AFC Professional (0 601 9C3 300).
- **Note:** Always follow the instructions provided by the fixings manufacturer regarding the fitting of fixings.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1								
14	400	620	PC1b	1	1	954037	2 608 578 965	189 £
16	400	620	PC1b	1	1	857420	2 608 576 293	217.35 £
18	400	620	PC1b	1	1	857437	2 608 576 294	217.35 £
22	400	620	PC1b	1	1	857451	2 608 576 296	232.79 £
24	400	620	PC1b	1	1	893893	2 608 576 779	240.6 £
25	400	590	PC1b	1	1	976589	2 608 579 296	245.12 £
25	500	720	PC1b	1	1	857468	2 608 576 297	287.81 £
28	400	590	PC1b	1	1	976596	2 608 579 297	263.82 £
28	600	820	PC1b	1	1	857475	2 608 576 298	313.66 £
30	600	820	PC1b	1	1	857482	2 608 576 299	333.9 £
32	400	590	PC1b	1	1	976602	2 608 579 298	339.72 £
32	600	820	PC1b	1	1	857499	2 608 576 300	378 £
35	400	590	PC1b	1	1	976619	2 608 579 299	403.2 £



SDS max-9 Speed Clean


PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
35	650	870	PC1b	1	1	857819	2 608 576 301	583.64 £

SDS max-9 Natural Stone

- SDS max-9 NaturalStone**
- ▶ Suitable for natural stone
 - ▶ Fits all rotary hammers with SDS max holder
 - ▶ Re-closable packaging for professionals
 - ▶ www.pgm.eu



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1 "Ram X Design"								
28	400	520	P1h	1	1	560115	1 618 596 502	184.23 £
28	600	720	P1h	1	1	560122	1 618 596 503	238.04 £
28	800	920	P1h	1	1	560139	1 618 596 504	293.15 £
32	400	520	P1h	1	1	560146	1 618 596 505	215.15 £
32	800	920	P1h	1	1	560160	1 618 596 507	322.47 £




SDS max-9 Break Through

SDS max-9 BreakThrough

- ▶ **Suitable for** breakthroughs with diameters from 45 mm to 80 mm in concrete, masonry, limestone, e.g. for fixing cables and pipes outside
- ▶ One-piece tool, bell shaped head with asymmetrically positioned carbide pins and centre cutter
- ▶ Large-volume spiral flute, tapered shank
- ▶ **Note:** Always ensure you use hammer drills with suitable capacity for breakthrough drill bits to avoid overload. Observe the operating instructions of the rotary hammer.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Pack of 1									
45	450	600	P1h	1	1	021951		1 618 596 455	350.57 £
45	850	1,000	P1h	1	1	021968		1 618 596 456	455.44 £
55	450	600	P0h	1	1	021975		1 618 596 457	354.95 £
55	850	1,000	P0h	1	1	021982		1 618 596 458	422.88 £
65	450	600	P0h	1	1	021999		1 618 596 459	440.45 £
65	850	1,000	P0h	1	1	022002		1 618 596 460	462.99 £
80	450	600	P0h	1	1	022019		1 618 596 461	676.27 £
80	850	1,000	P0h	1	1	022026		1 618 596 462	812.19 £




SDS max-9 Core Cutters, one-piece

SDS max-9 CoreCutter

- ▶ Suitable for concrete, masonry and limestone
- ▶ One-piece design guarantees optimum power transfer of the machine
- ▶ Aggressive work progress and simultaneously very quiet during operation thanks to the asymmetric teeth arrangement
- ▶ Pilot drill bit included



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Core cutter depth (L1) mm	Working length mm	Cutters, number	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1									
45	80	160	6	P0h	1	1	145510	F 00Y 145 188	410.46 £
45	80	420	6	P0h	1	1	145527	F 00Y 145 189	456.54 £
50	80	160	6	P0h	1	1	145534	F 00Y 145 190	425.93 £
50	80	420	6	P0h	1	1	145541	F 00Y 145 191	472.04 £
55	80	160	6	P0h	1	1	145558	F 00Y 145 192	441.43 £
55	80	420	6	P0h	1	1	145565	F 00Y 145 193	487.52 £
68	80	160	6	P0h	1	1	145572	F 00Y 145 194	456.54 £
68	80	420	6	P0h	1	1	145589	F 00Y 145 195	502.99 £
82	80	160	8	P0h	1	1	145596	F 00Y 145 196	503.4 £
82	80	420	8	P0h	1	1	145602	F 00Y 145 197	549.4 £
90	80	160	8	P0h	1	1	145619	F 00Y 145 198	549.4 £
90	80	420	8	P0h	1	1	145626	F 00Y 145 199	611.31 £
100	80	300	11	P0h	1	1	145633	F 00Y 145 200	688.71 £
125	80	300	11	P0h	1	1	145640	F 00Y 145 201	766.07 £
150	80	300	13	P0h	1	1	145657	F 00Y 145 202	1,153.93 £




SDS max-9 Core Cutters, two-piece, with thread

SDS max-9 CoreCutter

- ▶ Suitable for concrete, masonry, limestone
- ▶ Pilot drill bit included



Pack of 1									
45	80	112	6	P0h	1	1	557733	2 608 580 518	348.52 £
50	80	111	6	P0h	1	1	557740	2 608 580 519	363.7 £
55	80	109	6	P0h	1	1	557757	2 608 580 520	379.49 £
82	80	102	8	P0h	1	1	557771	2 608 580 522	456.54 £
90	80	100	8	P0h	1	1	557788	2 608 580 523	502.99 £
100	80	96	11	P0h	1	1	557795	2 608 580 524	549.4 £
125	80	97	11	P0h	1	1	557801	2 608 580 525	642.27 £
150	80	92	13	P0h	1	1	557818	2 608 580 526	982.75 £



Accessories for SDS max core cutters



PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Adapter for machine side	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Adapter for two-piece max-9 Core Cutters								
200	SDS max	P1e	1	1	560030		2 608 580 527	138.52 £
460	SDS max	P1e	1	1	560047		2 608 580 528	184.16 £

Fixing set: pilot drill bit with fixing pin and rubber ring

-	-	P1b	1	5	145664		F 00Y 145 203	34.98 £
---	---	-----	---	---	--------	--	----------------------	---------

Fixing set: fixing pin and rubber ring

-	-	P0b	2	1	145671		F 00Y 145 204	4.43 £
---	---	-----	---	---	--------	--	----------------------	--------






IMPACT AND ROTARY DRILL BITS

Tough and precise

The best your tool can get. Bosch Professional Accessories.



IMPACT AND ROTARY DRILL BITS

Drilling all kinds of materials.



	CYL-9 Multi Construction	HEX-9 Multi Construction	HEX-9 HardCeramic	CYL-5 for concrete	CYL-3 for concrete	CYL-9 SoftCeramic
	EXPERT	EXPERT	EXPERT			
Page number	107	104	110	99	101	109
Shank type						
Diameter mm	3.0 – 16.0	3.0 – 12.0	3.0 – 12.0	3.0 – 14.0	3.0 – 16.0	3.0 – 16.0
Total length mm	70 – 250	90 – 150	90	90 – 250	70 – 400	70 – 90
PGM certification			-			-

MATERIALS


Hard concrete	-	-	-		-	-
Soft concrete			-			-
Marble			-			-
Solid brick			-			-
Hollow brick			-			-
Wood			-	-	-	-
Soft tile				-	-	
Hard tile / roof tile	-	-		-	-	-
Stone tiles	-	-		-	-	-
Steel			-	-	-	-
Sheet metal			-	-	-	-

* Bosch EXPERT products vs. Bosch standard products

CYL-5 concrete drill bits

CYL-5

- ▶ Suitable for drilling holes in concrete, masonry, limestone, light natural and artificial stone
- ▶ Heavy duty drill bit, suitable for all impact drills
- ▶ PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings
- ▶ Drill bit colour: blue, polished



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1								
3	50	90	PC1d	1	5	690270	2 608 588 136	4.59 £
3.5	50	90	PC1d	1	5	690287	2 608 588 137	4.06 £
4	50	90	PC1d	1	5	690294	2 608 588 138	4.06 £
5	50	100	PC1d	1	5	690317	2 608 588 140	4.04 £
5	100	150	PC1d	1	5	690324	2 608 588 141	6.21 £
5.5	50	100	PC1d	1	5	690331	2 608 588 142	3.8 £
6	50	100	PC1d	1	5	690355	2 608 588 144	4.29 £
6	100	150	PC1d	1	5	690362	2 608 588 145	6.13 £
6	200	250	PC1d	1	1	690379	2 608 588 146	8.89 £
6.5	50	100	PC1d	1	5	690386	2 608 588 147	4.76 £
7	50	100	PC1d	1	5	690409	2 608 588 149	4.76 £
8	50	100	PC1d	1	5	690423	2 608 588 151	5.41 £
8	100	150	PC1d	1	5	690430	2 608 588 152	7.92 £
8	200	250	PC1d	1	5	690447	2 608 588 153	9.99 £
9	50	100	PC1d	1	5	691239	2 608 588 154	7.49 £
10	100	150	PC1d	1	5	690454	2 608 588 155	7.56 £
10	200	250	PC1d	1	1	690461	2 608 588 156	10.68 £
12	90	150	PC1d	1	5	690478	2 608 588 157	9.29 £
12	190	250	PC1d	1	1	690485	2 608 588 158	13.43 £
14	90	150	PC1d	1	5	690492	2 608 588 159	15.97 £

CYL-5 concrete drill bit sets


CYL-5



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3-piece CYL-5 concrete drill bit set									
5	50	100	-	P1c	3	1	690546	2 608 588 164	16.21 £
6	50	100							
8	50	100							

CYL-5 concrete drill bit sets

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5-piece Robust Line CYL-5 concrete drill bit set									
4	50	90	156.5 x 69.5 x	P1k	5	1	690553	2 608 588 165	24.95 £
5	50	100	21.5						
6	50	100							
6	50	100							
8	50	100							



7-piece Robust Line CYL-5 concrete drill bit set									
4	50	90	197.0 x 87.5 x	P1k	7	1	690577	2 608 588 167	36.3 £
5	50	100	21.5						
5	50	100							
6	50	100							
6	50	100							
8	50	100							
10	100	150							



CYL-3 concrete drill bits

CYL-3

- Suitable for drilling holes in concrete, masonry, limestone, brick
- Heavy duty drill bit, suitable for all impact drills
- PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings
- Drill bit colour: silver-grey, sand-blasted

long
LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1								
3	40	70	PC1d	1	5	186674	2 608 597 655	2.71 £
3.5	40	70	PC1d	1	1	462266	2 608 585 225	2.71 £
4	40	75	PC1d	1	5	186681	2 608 597 656	2.71 £
4.5	40	75	PC1d	1	5	186698	2 608 597 657	2.71 £
5	50	85	PC1d	1	5	186704	2 608 597 658	2.61 £
5	90	150	PC1d	1	5	186896	2 608 597 677	3.36 £
5.5	50	85	PC1d	1	5	186711	2 608 597 659	2.71 £
5.5	90	150	PC1d	1	5	186902	2 608 597 678	3.73 £
6	60	100	PC1d	1	5	186728	2 608 597 660	3.01 £
6	90	150	PC1d	1	5	186919	2 608 597 679	4.08 £
6	350	400	P1c	1	1	484428	2 608 585 634	22.44 £
6.5	60	100	PC1d	1	5	186735	2 608 597 661	3.01 £
6.5	90	150	PC1d	1	5	186926	2 608 597 680	4.24 £
6.5	350	400	P1c	1	1	187015	2 608 597 689	12.22 £
7	60	100	PC1d	1	5	186742	2 608 597 662	3.14 £
7	90	150	PC1d	1	5	186933	2 608 597 681	4.58 £
8	80	120	PC1d	1	5	186759	2 608 597 663	3.68 £
8	90	150	PC1d	1	5	212878	2 608 597 898	5.37 £
8	150	200	PC1d	1	5	186940	2 608 597 682	6.09 £
8	350	400	P1c	1	1	187022	2 608 597 690	13.24 £
9	80	120	PC1d	1	5	186766	2 608 597 664	4.53 £
10	80	120	PC1d	1	5	186773	2 608 597 665	5.42 £
10	90	150	PC1d	1	5	212885	2 608 597 899	6.52 £
10	150	200	PC1d	1	5	186957	2 608 597 683	8.25 £
10	250	300	P1c	1	5	186971	2 608 597 685	11.22 £
10	350	400	P1c	1	1	187039	2 608 597 691	15.8 £
11	90	150	PC1d	1	5	186780	2 608 597 666	6.38 £
12	90	150	PC1d	1	5	186797	2 608 597 667	7.25 £
12	150	200	PC1d	1	5	186964	2 608 597 684	8.79 £
12	250	300	P1c	1	5	186988	2 608 597 686	14.75 £
12	350	400	P1c	1	1	187046	2 608 597 692	18.47 £
13	90	150	PC1d	1	5	186803	2 608 597 668	8.19 £
14	90	150	PC1d	1	5	186810	2 608 597 669	10.42 £
14	250	300	P1c	1	1	187008	2 608 597 688	18 £
14	350	400	P1c	1	1	187053	2 608 597 693	21.4 £
15	100	160	P1c	1	1	186827	2 608 597 670	12.3 £
16	100	160	P1c	1	5	186834	2 608 597 671	13.48 £
16	350	400	P1c	1	1	187060	2 608 597 694	22.94 £
Pack of 3								
4	40	75	P1c	3	1	187169	2 608 597 704	9.94 £
5	50	85	P1c	3	5	187176	2 608 597 705	9.94 £
6	60	100	P1c	3	1	187183	2 608 597 706	8.74 £
Pack of 10								
6	60	100	COF	10	1	187282	2 608 597 716	28.57 £
8	80	120	COF	10	1	187312	2 608 597 719	34.88 £
10	80	120	COF	10	1	187329	2 608 597 720	51.36 £



CYL-3 concrete drill bit sets

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
3-piece CYL-3 concrete drill bit set									
5	50	85	P1c	3	1	187213		2 608 597 709	8.69 £
6	60	100							
8	80	120							



7-piece CYL-3 concrete drill bit set									
4	40	75	P1k	7	1	601375		2 607 017 083	23.45 £
5	50	85							
5.5	50	85							
6	60	100							
7	60	100							
8	80	120							
10	80	120							



5-piece CYL-3 concrete drill bit set									
4	40	75	P1k	5	1	601344		2 607 017 080	15.6 £
5	50	85							
6	60	100							
6	60	100							
8	80	120							
5	50	85	P1k	5	1	601351		2 607 017 081	15.6 £
5.5	50	85							
6	60	100							
7	60	100							
8	80	120							



5-piece Robust Line CYL-3 concrete drill bit set									
5	50	85	P1k	5	1	446105		2 607 010 526	16.34 £
5.5	50	85							
6	60	100							
7	60	100							
8	80	120							



CYL-1 masonry drill bit sets



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
7-piece CYL-1 masonry drill bit set								
3	30	60	P1k	7	1	557368	2 607 017 035	16.6 £
4	40	75						
5	50	85						
5.5	50	85						
6	60	100						
7	60	100						
8	80	120						


MAXIMUM PRECISION DRILLING MULTIPLE MATERIALS

EXPERT CYL-9/HEX-9 MultiConstruction Drill Bits

ASSORTMENT: Ø 3mm - 16mm

EXPERT

- 1 Accurate drilling is easy with patented Bosch Centering Geometry
- 2 Start holes accurately with a specially-designed centering tip
- 3 High-performance carbide tip manufactured by fine grinding
- 4 Optimised dust extraction channel for fast, efficient drilling



EXPERT HEX-9 MultiConstruction Drill Bits

EXPERT




- ▶ Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, tile, sheet metal, wood and plastic.
- ▶ Best for building trades: maximum precision and highly versatile.
- ▶ Up to 5x more precise than a standard drill bit.
- ▶ Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Pack of 1								
3	45	90	PC1d	1	5	538624	2 608 900 569	5.01 £
4	45	90	PC1d	1	5	538631	2 608 900 570	5.01 £
5	50	100	PC1d	1	5	538648	2 608 900 571	5.29 £
5.5	60	100	PC1d	1	5	538655	2 608 900 572	4.99 £

HEX-9 MultiConstruction Drill Bit Sets





PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
8-piece HEX-9 MultiConstruction multi-purpose drill bit set								
3	90	22.0 x 105.0 x	PC1a	1		881715	2 608 577 141	42.85 £
4	90	200						
5	100							
5	100							
6	100							
6	100							
8	100							
8	100							

EXPERT CYL-9 MultiConstruction Drill Bits

EXPERT




- ▶ Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, tile, sheet metal, wood and plastic.
- ▶ Best for building trades: maximum precision and highly versatile.
- ▶ Up to 5x more precise than a standard drill bit.
- ▶ Cylindrical shank compatible with three-jaw drill chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION					Part number	Price without VAT
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...			
Pack of 1									
3	40	70	PC1d	1	5	538938	2 608 900 600	4.87 £	
3.5	40	70	PC1d	1	1	538952	2 608 900 602	5.1 £	
4	45	75	PC1d	1	5	538976	2 608 900 604	5 £	
4	80	130	PC1d	1	5	538983	2 608 900 605	6.83 £	
5	50	85	PC1d	1	5	538990	2 608 900 606	5.28 £	
5	90	150	PC1d	1	5	539003	2 608 900 607	6.95 £	
5.5	50	85	PC1d	1	5	539027	2 608 900 609	4.99 £	
5.5	100	150	PC1d	1	5	539034	2 608 900 610	6.78 £	
6	60	100	PC1d	1	5	539041	2 608 900 611	5.58 £	
6	90	150	PC1d	1	5	539058	2 608 900 612	7.27 £	
6	200	250	PC1d	1	1	596488	2 608 901 481	11.66 £	
6.5	60	100	PC1d	1	5	539089	2 608 900 615	5.6 £	
6.5	90	150	PC1d	1	5	539096	2 608 900 616	7.27 £	
6.5	200	250	PC1d	1	1	596495	2 608 901 482	11.66 £	
7	60	100	PC1d	1	5	539119	2 608 900 618	6.55 £	
7	90	150	PC1d	1	5	539126	2 608 900 619	8 £	
7	200	250	PC1d	1	1	596501	2 608 901 483	11.66 £	
8	80	120	PC1d	1	5	539140	2 608 900 621	6.91 £	
8	90	150	PC1d	1	5	539157	2 608 900 622	8.14 £	
8	200	250	PC1d	1	1	596518	2 608 901 484	11.06 £	
9	80	120	PC1d	1	5	539188	2 608 900 625	7.52 £	
10	80	120	PC1d	1	5	539195	2 608 900 626	9.04 £	
10	90	150	PC1d	1	5	539201	2 608 900 627	9.79 £	
10	200	250	PC1d	1	1	596525	2 608 901 485	12.99 £	
11	90	150	PC1d	1	5	539232	2 608 900 630	12.8 £	
12	90	150	PC1d	1	5	539249	2 608 900 631	12.93 £	
12	200	250	PC1d	1	1	596549	2 608 901 486	12.76 £	
14	150	200	PC1d	1	1	596556	2 608 901 487	16.87 £	
14	200	250	PC1d	1	1	596570	2 608 901 488	14.79 £	
16	150	200	P1c	1	1	596594	2 608 901 489	29.67 £	
Pack of 8									
10	80	120	P1a	8	1	539379	2 608 900 644	68.71 £	
Pack of 10									
4	40	75	P1a	10	1	539300	2 608 900 637	44.93 £	
5	50	85	P1a	10	1	539317	2 608 900 638	47.58 £	
5.5	50	85	P1a	10	1	539324	2 608 900 639	47.48 £	
6	60	100	P1a	10	1	539331	2 608 900 640	50.22 £	
7	60	100	P1a	10	1	539355	2 608 900 642	61.98 £	
8	80	120	P1a	10	1	539362	2 608 900 643	61.98 £	

EXPERT CYL-9 MultiConstruction Drill Bit Sets

EXPERT



- ▶ Ideal for drilling holes into multiple materials. Can be used in impact mode on concrete and stone, and on rotary setting for brick, tile, sheet metal, wood and plastic.
- ▶ Best for building trades: maximum precision and highly versatile.
- ▶ Up to 5x more precise than a standard drill bit.
- ▶ Cylindrical shank compatible with three-jaw drill chucks.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Working length mm	Total length mm	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
4-piece Robust Line CYL-9 MultiConstruction drill bit set										
4	40	75	156.5 x 69.5 x 23	P1k	4	1	539386	2 608 900 645	24.35 £	
5	50	85								
6	60	100								
8	80	120								
5.5	50	85	156.5 x 69.5 x 23	P1k	4	1	539393	2 608 900 646	24.54 £	
6	60	100								
7	60	100								
8	80	120								
4-piece CYL-9 MultiConstruction drill bit set										
4	40	75	158.0 x 57.0 x 16	P1k	4	1	539423	2 608 900 649	25.81 £	
5	50	85								
6	60	100								
8	80	120								
5.5	50	85	158.0 x 57.0 x 16	P1k	4	1	539430	2 608 900 650	25.81 £	
6	60	100								
7	60	100								
8	80	120								
7-piece Robust Line CYL-9 MultiConstruction drill bit set										
4	40	75	197.0 x 87.5 x 23	P1k	7	1	539409	2 608 900 647	53.79 £	
5	50	85								
6	60	100								
6	60	100								
8	80	120								
10	80	120								
12	90	150								
5	50	85	197.0 x 87.5 x 23	P1k	7	1	539416	2 608 900 648	45.81 £	
5.5	50	85								
6	60	100								
6	90	150								
7	90	150								
8	90	150								
10	90	150								

CYL-9 SoftCeramic Tile Drill Bits



- ▶ Suitable for all soft density tiles and non-toughened glass
- ▶ Drill bit colour: white
- ▶ **Note:** Use with low speeds and without impact. No cooling required.

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Pack of 1								
3	70	PC1a	1	5	599184		2 608 587 157	7.44 £
4	70	PC1a	1	5	599191		2 608 587 158	7.44 £
5	70	PC1a	1	5	599207		2 608 587 159	8.31 £
5.5	70	PC1a	1	5	599214		2 608 587 160	8.31 £
6	80	PC1a	1	5	599221		2 608 587 161	8.31 £
6.5	80	PC1a	1	5	599238		2 608 587 162	8.31 £
7	80	PC1a	1	5	599245		2 608 587 163	10.8 £
8	80	PC1a	1	5	599252		2 608 587 164	10.8 £
10	90	PC1a	1	5	599269		2 608 587 165	12.48 £
12	90	PC1a	1	5	599276		2 608 587 166	14.15 £
14	90	PC1a	1	5	599283		2 608 587 167	15 £
16	90	PC1a	1	5	599290		2 608 587 168	15.84 £



CYL-9 SoftCeramic Tile Drill Bit Sets

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
5-piece CYL-9 SoftCeramic tile drill bit set								
4	70	P1k	5	1	599306		2 608 587 169	44.99 £
5	70							
6	80							
8	80							
10	90							
5.5	70	P1k	5	1	599863		2 608 587 170	48.13 £
6	80							
7	80							
8	80							
10	90							



LONG LIFE DRILLING HARD TILES

EXPERT HEX-9 HardCeramic Drill Bits


ASSORTMENT: Ø 3mm - 12mm

EXPERT

- 1 Extremely durable drill bit tip with Bosch Carbide Technology
- 2 High-performance carbide tip manufactured by fine grinding
- 3 Efficient drilling in hard materials with a patented multi-faceted design
- 4 Start holes accurately with a specially-designed centering tip

**CARBIDE TECHNOLOGY****EXPERT HEX-9 HardCeramic Drill Bits****EXPERT**

- ▶ Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- ▶ Best for interior fitters and roofers: long lasting and practical.
- ▶ Lasts up to 10x longer than a standard tile drill bit.
- ▶ Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter (D) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
Pack of 1							
3	90	PC1d	1	1	232397	2 608 900 587	14.2 £
4	90	PC1d	1	1	232403	2 608 900 588	14.51 £
5	90	PC1d	1	1	232410	2 608 900 589	14.82 £
6	90	PC1d	1	1	232427	2 608 900 590	15.44 £


EXPERT HEX-9 HardCeramic Drill Bits

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Total length (L2) mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
7	90		PC1d	1	1	232434	2 608 900 591	16.05 £
8	90		PC1d	1	1	232441	2 608 900 592	20.99 £
10	90		PC1d	1	1	232458	2 608 900 593	24.7 £
12	90		PC1d	1	1	232465	2 608 900 594	26.54 £

EXPERT HEX-9 HardCeramic Drill Bit Sets

EXPERT



- ▶ Ideal for drilling holes in bathroom tiles, e.g. to install a shower partition wall; and drilling in roof tiles, without the need for cooling. Drills comfortably in tiles up to a hardness of PEI 5.
- ▶ Best for interior fitters and roofers: long lasting and practical.
- ▶ Lasts up to 10x longer than a standard tile drill bit.
- ▶ Hex shank for maximum power transfer in standard three-jaw drills and hexagonal drill driver chucks.

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Working length mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
3-piece HEX-9 HardCeramic tile drill bit set								
5	-	90	P1c	3	1	232472	2 608 900 595	48.68 £
6								
8								
5-piece HEX-9 Ceramic tile drill bit mixed set 2x CYL-3 Concrete drill bits 3x HEX-9 HardCeramic drill bits								
6	60	100	P1a	5	1	232489	2 608 900 596	56.13 £
6	60	100						
6		90						
6		90						
6		90						
5-piece HEX-9 HardCeramic tile drill bit set								
4	-	90	P1a	5	1	232496	2 608 900 597	85.93 £
5								
6								
8								
10								
5-piece HEX-9 HardCeramic roof tile drill bit set								
5	-	90	P1a	5	1	232502	2 608 900 598	75.41 £
5								
5								
5								
5								
6	-	90	P1a	5	1	232519	2 608 900 599	78.55 £
6								
6								
6								
6								

CYL-9 Natural Stone Masonry Drill Bit


CYL-9


NaturalStone

- ▶ Suitable for drilling holes in natural stone, concrete and masonry
- ▶ Robust performance, impact-resistant, suitable for all drills
- ▶ PGM guarantee in compliance with tight tolerances, exactly drilled holes and firm hold of fixings



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Total length (L2) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 1								
6	90	150	PC1d	1	5	805261	2 608 589 550	7 £
6	60	100	PC1d	1	5	804271	2 608 589 546	5.18 £
7	60	100	PC1d	1	5	804202	2 608 589 539	9.48 £
8	80	120	PC1d	1	5	804288	2 608 589 547	7.78 £





PICK AND CLICK


Customised screwdriver sets

The best your tool can get. Bosch Professional Accessories.



SCREWDRIVER BITS FROM BOSCH

Equipped for any application.



Page number	119	127
Available bit types		
Length mm	25 - 150	25 - 152
Customizable sets	✓	-

SET CONTENTS


Insert bits	✓	✓
Power bits	✓	✓
Double ended bits	✓	✓
Twist drill bits with hex shank	✓	✓
Multi Construcion drill bits with hex shank	✓	✓
Concrete drill bits with hex shank	✓	✓
Brad point drill bits with hex shank	-	✓
Nut setters	✓	✓
Universal holder	✓	✓

BIT TYPES

- Phillips®
- Sec Torx®
- Slotted
- Pozidriv
- Internal hex
- Internal square
- Internal Torx®

BUILD YOUR OWN SET

A system for individually customized sets.



ROBUST CASE
Rubber bumpers for tough environments

CUSTOMIZABLE PACKS
Allows you to buy the right bits for the job

EASY CLICK
Allows packs to be easily installed or removed from case

PICK & CLICK

Sets you compile yourself



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pick and Click Empty Case M Customisable with bit packs	P1k	5	851527	2 608 522 362		5.43 £
Pick and Click Empty Case L Customisable with bit packs	P1k	5	851534	2 608 522 363		6.5 £




Sets you compile yourself



PRODUCT PROPERTIES		ORDERING INFORMATION					
Pick and Click Storage Box Customizable with Bits, Screws or Dowels		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
		PC1a	5	851541	3 165 140...	2 608 522 364	3.49 £

Impact Control Screwdriver Bit Sets




PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
36-Piece screwdriver bit and nutsetter set with double-ended bits, Universal Holder Quick Release and Standard Magnetic		PC1b	36	6	851558	2 608 522 365	75.37 £
<ul style="list-style-type: none"> ◆ PH2 (2x) 60 ◆ PZ2 (2x) 60 ○ T20, T25, T30 50 ◆ PH1, PH2 (3x), PH3 50 ○ PZ2 (2x), PZ3 25 ○ T15, T20 (2x), T25 (2x), T30 (2x), T40 25 ◆ PH1-PH2 ◆ PH2-PH3 ◆ PH2-PZ2 (2x) ◆ SL1x5.5 ○ T15-T20 (2x) ○ T25-T30 Nutsetter 8/10/13 mm Universal Holder Quick Release Universal Holder Standard Magnetic 							

Impact Control Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
31-Piece screwdriver bit set with double-ended bits and Universal Holder Quick Release							
PH2	60	PC1b	31	6	851565	2 608 522 366	58.23 £
PZ2	50						
T15, T20, T25, T30	50						
PH1, PH2 (2x), PH3	25						
PZ2 (2x), PZ3	25						
T15, T20 (2x), T25 (2x), T30 (2x), T40	60						
PH1-PH2	60						
PH2-PH3	60						
PH2-PZ2 (2x)	60						
SL1x5.5	60						
T15-T20 (2x)	60						
T25-T30	60						
Universal Holder Quick Release	60						
Storage Box							

Impact Control Mixed Sets



35-Piece drill and screwdriver bit set with HSS Twist drill bits and Universal Holder Quick Release							
HSS 2.0/3.0/4.0/5.0/6.0/7.0/8.0/10.0 mm	25	PC1b	35	6	881784	2 608 577 148	85.66 £
PH1, PH2 (4x), PH3	25						
PZ2 (2x), PZ3	25						
T15, T20 (3x), T25 (3x), T30 (2x), T40	60						
PH2	50						
PZ2	50						
T15, T20, T25, T30	50						
Universal Holder Quick Release							

Impact Control Mixed Sets




PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
35-Piece drill and screwdriver bit set with HEX-9 MultiConstruction drill bits and Universal Holder Quick Release							
HEX-9 MultiConstruction 3.0/4.0/5.0 (2x)/6.0 (2x)/8.0 (2x) mm	25	PC1b	35	6	881777	2 608 577 147	85.66 £
PH1, PH2 (4x), PH3	25						
	25						
PH1, PH2 (4x), PH3	60						
PZ2 (2x), PZ3	50						
	50						
T15, T20 (3x), T25 (3x), T30 (2x), T40	50						
	50						
PH2							
PZ2							
T15, T20, T25, T30							
Universal Holder Quick Release							

IMPACT CONTROL BITS

Highly robust – even withstand impact drivers.

EXTENDED TORSION ZONE

For extreme robustness



DOUBLE ENDED TIP DESIGN

For increased user value

LASER MARKING

For improved visibility of bit type

Impact Control Screwdriver Bit Packs

PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
Pack of 8 (Index)							
PH2 (8x)	50	PC1a	8	5	851206	2 608 522 330	13.67 £
PZ2 (8x)	50	PC1a	8	5	851213	2 608 522 331	13.67 £
PZ3 (8x)	25	PC1a	8	5	912136	2 608 522 378	12.2 £
PH1, PH2 (3x), PH3	50	PC1a	8	5	851183	2 608 522 328	15.37 £
PZ2 (2x), PZ3	50						
T15, T20 (2x), T25 (2x), T30 (2x), T40	50	PC1a	8	5	851190	2 608 522 329	16.22 £
H5 (4x), H6 (4x)	50	PC1a	8	5	851220	2 608 522 332	16.44 £
Universal Holder Magnetic	60	PC1a	8	5	851169	2 608 522 326	17.82 £
PH2 (2x)	50						
PZ2 (2x)	50						
T20, T25, T30	50						
	50						

Impact Control



highly ROBUST
PICK CLICK



Impact Control Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION						
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT	
Pack of 8 (Index)								
PH2 (8x)	25	PC1a	8	5	851145	2 608 522 324	10.12 £	
PZ2 (8x)	25	PC1a	8	5	851152	2 608 522 325	10.12 £	
PH1, PH2 (3x), PH3	25	PC1a	8	5	851138	2 608 522 323	10.33 £	
PZ2 (2x), PZ3	25							
T30 (8x)	25	PC1a	8	5	912174	2 608 522 382	11.7 £	
T15, T20 (2x), T25 (2x), T30 (2x), T40	25	PC1a	8	5	851121	2 608 522 322	11.15 £	



Pack of 7 (Index)							
Universal Holder Quick Release	60	PC1a	7	5	851176	2 608 522 327	18.86 £
PH2	50						
PZ2	50						
T15, T20, T25, T30	50						

Impact Control Screwdriver Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
Pack of 5 (Index)							
○ Nutsetter 8/10/13 mm	50	PC1a	5	5	851404	2 608 522 350	23.11 £
⊕ PH2	50						
⊕ PZ2	50						
Pack of 3 (Index)							
⊕ PH1, PH2, PH3	50	PC1d	3	5	233165	2 608 522 491	7.84 £
Pack of 3 (Index)							
⊕ PH1, PH2, PH3	25	PC1d	3	5	233370	2 608 522 470	4.63 £
⊕ PZ1, PZ2, PZ3	25	PC1d	3	5	233363	2 608 522 471	4.63 £
○ T20, T25, T30	25	PC1d	3	5	233288	2 608 522 479	4.63 £

Impact Control Screwdriver Bit Packs

PRODUCT PROPERTIES		ORDERING INFORMATION						
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT	
Pack of 2 (Index)								
PH1	25	PC1d	2	5	233394	2 608 522 468	3.12 £	
PH2 (2x)	25	PC1d	2	5	920018	2 608 522 403	4.52 £	
PH3 (2x)	25	PC1d	2	5	233387	2 608 522 469	3.12 £	
PZ1 (2x)	25	PC1d	2	5	919982	2 608 522 400	4.52 £	
PZ2 (2x)	25	PC1d	2	5	920001	2 608 522 401	4.52 £	
PZ3 (2x)	25	PC1d	2	5	920001	2 608 522 402	4.52 £	
T10 (2x)	25	PC1d	2	5	233356	2 608 522 472	3.12 £	
T15 (2x)	25	PC1d	2	5	233349	2 608 522 473	3.12 £	
T25	25	PC1d	2	5	233325	2 608 522 475	3.12 £	
T27 (2x)	25	PC1d	2	5	233318	2 608 522 476	3.12 £	
T30 (2x)	25	PC1d	2	5	233301	2 608 522 477	3.12 £	
T40 (2x)	25	PC1d	2	5	233295	2 608 522 478	3.12 £	
Pack of 2 (Index)								
T20 (2x)	25	PC1d	2	5	233332	2 608 522 474	3.12 £	
Pack of 1 (Index)								
PH1	50	PC1d	1	5	233271	2 608 522 480	2.8 £	
PH2	50	PC1d	1	5	233264	2 608 522 481	2.8 £	
PH3	50	PC1d	1	5	233257	2 608 522 482	2.8 £	
PZ2	50	PC1d	1	5	233240	2 608 522 483	2.8 £	
PZ3	50	PC1d	1	5	233233	2 608 522 484	2.8 £	
T10	50	PC1d	1	5	233226	2 608 522 485	2.8 £	
T15	50	PC1d	1	5	233219	2 608 522 486	2.8 £	
T20	50	PC1d	1	5	233202	2 608 522 487	2.8 £	
T25	50	PC1d	1	5	233196	2 608 522 488	2.8 £	
T30	50	PC1d	1	5	233189	2 608 522 489	2.8 £	
T40	50	PC1d	1	5	233172	2 608 522 490	2.8 £	



Impact Control Screwdriver Bit Displays



PRODUCT PROPERTIES			ORDERING INFORMATION					
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Display								
PH2	25	P1a	25	10	980227	2 607 002 803	15.96 £	
PZ2	25	P1a	25	10	980234	2 607 002 804	15.96 £	
T20	25	P1a	25	10	980241	2 607 002 805	15.96 £	
T25	25	P1a	25	10	980258	2 607 002 806	15.96 £	
T30	25	P1a	25	10	980265	2 607 002 807	15.96 £	
T40	25	P1a	25	10	980272	2 607 002 808	15.96 £	

Impact Control Double-Ended Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 8 (Index)							
8 double-ended Screwdriver Bits							
◆ PH2-PZ2 (8x)	65	PC1a	8	5	851237	2 608 522 333	18.45 £
◆ PH2-T20 (8x)	65	PC1a	8	5	851251	2 608 522 335	20.63 £
◆ PH2-PH2 (8x)	65	PC1a	8	5	851275	2 608 522 337	18.41 £
○ PZ2-PZ2 (8x)	65	PC1a	8	5	851282	2 608 522 338	17.97 £
○ T20-T20 (8x)	65	PC1a	8	5	851299	2 608 522 339	17.29 £
○ T25-T25 (8x)	65	PC1a	8	5	851305	2 608 522 340	17.85 £
○ T30-T30 (8x)	65	PC1a	8	5	851312	2 608 522 341	17.22 £
○ T15-T15 (8x)	65	PC1a	8	5	851329	2 608 522 342	17.56 £
○ T15-T20 (8x)	65	PC1a	8	5	851336	2 608 522 343	20.78 £
◆ PH1-PH2	65	PC1a	8	5	851343	2 608 522 344	19.41 £
◆ PH2-PH3							
◆ PH2-PZ2 (2x)							
◆ SL1x5.5							
○ T15-T20 (2x)							
○ T25-T30							
◆ PH2 (2x)	110	PC1a	8	5	851367	2 608 522 346	24.63 £
○ PZ2 (2x)							
○ T15, T20, T25, T30							
◆ PH2 (4x)	110	PC1a	8	5	851381	2 608 522 348	20.53 £
○ PZ2 (4x)							
○ T20 (4x)	110	PC1a	8	5	851398	2 608 522 349	23.78 £
○ T25 (4x)							

Impact Control Double-Ended Bit Packs



PRODUCT PROPERTIES		ORDERING INFORMATION						
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 9 (Index) 8 double-ended Screwdriver Bits and Magnetic Sleeve								
PH2-PZ2 (8x)	65	PC1a	9	5	851244	2 608 522 334	21.12 £	
PH2-T20 (8x)	65	PC1a	9	5	851268	2 608 522 336	21.92 £	
PH1-PH2	65	PC1a	9	5	851350	2 608 522 345	21.48 £	
PH2-PH3								
PH2-PZ2 (2x)								
SL1x5.5								
T15-T20 (2x)								
T25-T30								
PH2 (2x)	110	PC1a	9	5	851374	2 608 522 347	26 £	
PZ2 (2x)								
T15, T20, T25, T30								




Pack of 3 (Index) 3 double-ended Screwdriver Bits							
PH2-PH2	150	PC1a	3	5	851480	2 608 522 358	14.63 £
PZ2-PZ2	150	PC1a	3	5	851497	2 608 522 359	13.22 £
T20-T20	150	PC1a	3	5	851503	2 608 522 360	16.26 £
T25-T25	150	PC1a	3	5	851510	2 608 522 361	16.08 £

Impact Control Mixed Packs



Pick and Click MultiConstruction Drill and Screwdriver Bit Pack



PH2	50	PC1a	5	881746	2 608 577 144	22.28 £
PZ2	50					
T20, T25, T30	50					
HEX-9 MultiConstruction 5.0/6.0/8.0 mm						



Impact Control Nutsetters



PRODUCT PROPERTIES				ORDERING INFORMATION						
Length mm	Key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT			
Nutsetter with permanent magnet										
50	8	PC1a	1	5	851411	2 608 522 351	8 £			
50	10	PC1a	1	5	851428	2 608 522 352	7.93 £			
50	13	PC1a	1	5	851435	2 608 522 353	9.48 £			

Impact Control Sockets



PRODUCT PROPERTIES					ORDERING INFORMATION						
Key width mm	Outer diameter (D1) mm	Outer diameter (D2) mm	For thread	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Internal square drive 1/2", ISO 1174-1											
10	25	17.6	M 6	40	P1e	1	1	025768	1 608 552 012	22 £	
11	25	18.9	M 7	40	P1e	1	1	088060	1 608 552 013	25.75 £	
13	25	21.4	M 8	40	P1e	1	1	025775	1 608 552 015	23.78 £	
17	30	26.6	M 10	40	P1e	1	1	025782	1 608 552 019	25 £	
19	30	29.1	M 12	40	P1e	1	1	025799	1 608 552 021	24.66 £	
21	19.5	27.8	-	77	P1e	1	1	813952	2 608 522 308	12.99 £	
22	30	32.9	M 14	40	P1e	1	1	025805	1 608 555 024	35.01 £	
24	30	35.4	M 16	45	P1e	1	1	088084	1 608 555 053	40.41 £	
27	30	39.3	M 18	50	P1e	1	1	025812	1 608 555 059	51.74 £	
30	30	43	M 20	50	P1e	1	1	088091	1 608 555 065	57.34 £	

Socket Sets

PRODUCT PROPERTIES				ORDERING INFORMATION						
Key width mm	Length mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
3-piece socket set										
17 19 21	85	1/2	P0h	3	1	704168	2 608 551 102	67.58 £		



Socket Sets



PRODUCT PROPERTIES				ORDERING INFORMATION					
Key width mm	Length mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
9-piece socket set									
6 7 8 9 10 11 12 13 14	25	1/4	P0h	9	1	704113		2 608 551 096	29.04 £
6 7 8 9 10 11 12 13 14	50	1/4	P0h	9	1	704120		2 608 551 097	44.49 £
7 8 10 12 13 15 16 17 19	30	3/8	P0h	9	1	704137		2 608 551 098	65.58 £
7 8 10 12 13 15 16 17 19	63	3/8	P0h	9	1	704144		2 608 551 099	62.31 £
10 11 13 17 19 21 22 24 27	38	1/2	P0h	9	1	701075		2 608 551 100	89.43 £
10 11 13 17 19 21 22 24 27	77	1/2	P0h	9	1	704151		2 608 551 101	111.29 £

Extra Hard for Phillips cross head screws



PRODUCT PROPERTIES			ORDERING INFORMATION					
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Drive ISO 1173 C6.3, 1/4" external hex shank								
PH0	25	PC1d	3	5	300322	2 607 001 506	5.28 £	
PH1	25	PC1d	3	5	300346	2 607 001 508	5.28 £	
PH2	25	PC1d	3	5	300377	2 607 001 511	5.28 £	
PH3	25	PC1d	3	5	300414	2 607 001 515	5.28 £	
PH4	32	PC1d	3	10	300445	2 607 001 518	16.41 £	
Drive ISO 1173-C6.3, 1/4" external hex shank								
PH2	25	P0a	25	25	720229	2 608 522 186	9.83 £	
Display								
PH2	25	P1a	25	10	980166	2 607 002 797	12.53 £	
Drive ISO 1173 C6.3, 1/4" external hex shank with reduced diameter bit drive end, suitable for countersinking screws								
PH2R	25	P0b	25	1	354462	2 607 002 519	34.9 £	
Drive ISO 1173 C6.3, 1/4" external hex shank								
PH1	51	PC1d	3	5	300469	2 607 001 520	9.23 £	
PH2	51	PC1d	3	5	300483	2 607 001 522	9.23 £	
PH3	51	PC1d	3	5	300506	2 607 001 524	9.23 £	
Drive ISO 1173 E6.3, 1/4" external hex shank								
PH1	49	PC1d	3	5	300520	2 607 001 526	9.92 £	
PH2	49	PC1d	3	5	300544	2 607 001 528	9.92 £	
PH3	49	PC1d	3	5	300575	2 607 001 531	9.92 £	
PH2	49	P0b	25	1	354301	2 607 002 503	57.52 £	
Drive ISO 1173 E6.3, 1/4" external hex shank								
PH1	89	PC1d	3	5	300599	2 607 001 533	23.04 £	
PH2	89	PC1d	3	5	300612	2 607 001 535	23.04 £	
PH3	89	PC1d	3	5	300636	2 607 001 537	23.04 £	
Drive ISO 1173 E6.3, 1/4" hex shank with spring ring for screw gun MA55								
PH2	145	PC1d	1	5	632850	2 608 522 068	9.67 £	
Drive ISO 1173 E6.3, 1/4" hex shank								
PH1	152	PC1d	1	5	300650	2 607 001 539	16.79 £	
PH2	152	PC1d	1	5	300667	2 607 001 540	16.79 £	
PH3	152	PC1d	1	5	300681	2 607 001 542	16.79 £	



Extra Hard for Pozidriv cross head screws



PRODUCT PROPERTIES			ORDERING INFORMATION					
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Drive ISO 1173 C6.3, 1/4" external hex shank								
PZ1	25	PC1d	3	5	300803	2 607 001 554	5.28 £	
PZ2	25	PC1d	3	5	300841	2 607 001 558	5.28 £	
PZ3	25	PC1d	3	5	300889	2 607 001 562	5.28 £	
PZ4	32	PC1d	3	5	300926	2 607 001 566	16.41 £	
Drive ISO 1173 C6.3, 1/4" external hex shank								
PZ2	25	P0a	25	25	720236	2 608 522 187	12.53 £	
Drive ISO 1173 C6.3, 1/4" external hex shank with reduced diameter								
PZ2R	25	P0b	25	1	354448	2 607 002 517	35.63 £	
Drive ISO 1173 C6.3, 1/4" external hex shank								
PZ1	51	PC1d	3	5	300957	2 607 001 569	9.23 £	
PZ2	51	PC1d	3	5	300971	2 607 001 571	9.23 £	
PZ3	51	PC1d	3	5	300995	2 607 001 573	9.23 £	
Drive ISO 1173 E6.3, 1/4" external hex shank								
PZ1	49	PC1d	3	5	301015	2 607 001 575	9.92 £	
PZ2	49	PC1d	3	5	301039	2 607 001 577	9.92 £	
PZ3	49	PC1d	3	5	301053	2 607 001 579	9.92 £	
PZ2	49	P0b	25	1	354332	2 607 002 506	57.52 £	
PZ3	49	P0b	25	1	354349	2 607 002 507	55.11 £	
Drive ISO 1173 E6.3, 1/4" external hex shank								
PZ1	89	PC1d	3	5	301077	2 607 001 581	23.04 £	
PZ2	89	PC1d	3	5	301091	2 607 001 583	23.04 £	
PZ3	89	PC1d	3	5	301114	2 607 001 585	23.04 £	
Drive ISO 1173 E6.3, 1/4" external hex shank with spring ring for screw gun MA55								
PZ2	145	PC1d	1	5	632867	2 608 522 069	9.67 £	
Drive ISO 1173 E6.3, 1/4" external hex shank								
PZ1	152	PC1d	1	5	301138	2 607 001 587	16.79 £	
PZ2	152	PC1d	1	5	301145	2 607 001 588	16.79 £	
PZ3	152	PC1d	1	5	301169	2 607 001 590	16.79 £	
Display								
PZ2	25	P1a	25	10	980173	2 607 002 798	12.53 £	



Extra Hard for internal Torx® screws



PRODUCT PROPERTIES		ORDERING INFORMATION						
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	



Drive ISO 1173 C6.3, 1/4" external hex shank

T8	25	PC1d	3	5	301275	2 607 001 601	12.11 £
T10	25	PC1d	3	5	301305	2 607 001 604	12.11 £
T15	25	PC1d	3	5	301336	2 607 001 607	12.11 £
T20	25	PC1d	3	5	301374	2 607 001 611	12.11 £
T25	25	PC1d	3	5	301411	2 607 001 615	12.11 £
T27	25	PC1d	3	5	301459	2 607 001 619	12.11 £
T30	25	PC1d	3	5	301480	2 607 001 622	12.11 £
T40	25	PC1d	3	5	301510	2 607 001 625	12.11 £



Drive ISO 1173 C6.3, 1/4" external hex shank

T25	25	P0a	25	25	798174	2 608 522 271	15.89 £
------------	----	-----	----	----	--------	----------------------	---------



Drive ISO 1173 E6.3, 1/4" external hex shank

T8	49	PC1d	1	5	301541	2 607 001 628	12.5 £
T9	49	PC1d	1	5	301565	2 607 001 630	12.5 £
T10	49	PC1d	1	5	301596	2 607 001 632	12.5 £
T15	49	PC1d	1	5	301602	2 607 001 634	12.5 £
T20	49	PC1d	1	5	301626	2 607 001 636	12.5 £
T25	49	PC1d	1	5	301640	2 607 001 638	12.5 £
T27	49	PC1d	1	5	301664	2 607 001 640	12.5 £
T30	49	PC1d	1	5	301688	2 607 001 642	12.5 £
T40	49	PC1d	1	5	301701	2 607 001 644	12.5 £



Drive ISO 1173 E6.3, 1/4" external hex shank

T8	89	PC1d	1	5	301725	2 607 001 646	12.5 £
T10	89	PC1d	1	5	301749	2 607 001 648	12.5 £
T15	89	PC1d	1	5	301763	2 607 001 650	12.5 £
T20	89	PC1d	1	5	301787	2 607 001 652	12.5 £
T25	89	PC1d	1	5	301800	2 607 001 654	12.5 £
T27	89	PC1d	1	5	301824	2 607 001 656	12.5 £
T30	89	PC1d	1	5	301848	2 607 001 658	12.5 £
T40	89	PC1d	1	5	301862	2 607 001 660	12.5 £



Drive ISO 1173 E6.3, 1/4" external hex shank

T8	152	PC1d	1	5	301886	2 607 001 662	22.27 £
T10	152	PC1d	1	5	301909	2 607 001 664	22.27 £
T15	152	PC1d	1	5	301923	2 607 001 666	22.27 £
T20	152	PC1d	1	5	301947	2 607 001 668	22.27 £
T25	152	PC1d	1	5	301961	2 607 001 670	22.27 £
T27	152	PC1d	1	5	301985	2 607 001 672	22.27 £
T30	152	PC1d	1	5	302005	2 607 001 674	22.27 £
T40	152	PC1d	1	5	302029	2 607 001 676	22.27 £

Extra Hard for internal Torx® screws



PRODUCT PROPERTIES		ORDERING INFORMATION						
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Display								
T20	25	P1a	25	10	980180	2 607 002 799	12.53 £	
T25	25	P1a	25	10	980197	2 607 002 800	12.53 £	
T30	25	P1a	25	10	980203	2 607 002 801	12.53 £	
T40	25	P1a	25	10	980210	2 607 002 802	12.53 £	

Extra Hard for internal hex screws



Drive ISO 1173 C6.3, 1/4" external hex shank



HEX1.5	25	PC1d	3	5	302418	2 607 001 716	9.59 £
HEX2	25	PC1d	3	5	302432	2 607 001 718	9.59 £
HEX2.5	25	PC1d	3	5	302456	2 607 001 720	9.59 £
HEX3	25	PC1d	3	5	302470	2 607 001 722	9.59 £
HEX4	25	PC1d	3	5	302494	2 607 001 724	9.59 £
HEX5	25	PC1d	3	5	302517	2 607 001 726	9.59 £
HEX6	25	PC1d	3	5	302531	2 607 001 728	9.59 £
HEX8	25	P1c	3	10	302555	2 607 001 730	9.59 £



Drive ISO 1173 E6.3, 1/4" external hex shank

HEX3	49	PC1d	3	5	302579	2 607 001 732	32.58 £
HEX4	49	PC1d	3	5	302586	2 607 001 733	32.58 £
HEX5	49	PC1d	3	5	302593	2 607 001 734	32.58 £
HEX6	49	PC1d	3	5	302609	2 607 001 735	32.58 £

Extra Hard for internal square screws



Drive ISO 1173 C6.3, 1/4" external hex shank



R1	25	PC1d	3	5	447256	2 608 521 108	6.55 £
R2	25	PC1d	3	5	447263	2 608 521 109	7.11 £
R3	25	P0b	25	1	447300	2 608 521 113	49.34 £



Drive ISO 1173 E6.3, 1/4" external hex shank

R1	49	PC1d	3	5	447317	2 608 521 114	15.78 £
R2	49	PC1d	3	5	447324	2 608 521 115	14.52 £
R3	49	PC1d	3	5	447331	2 608 521 116	14.45 £

Extra Hard for slotted screws



Drive ISO 1173 C6.3, 1/4" external hex shank



S0.5x4.0	25	PC1d	3	5	299794	2 607 001 457	6.16 £
S0.6x4.5	25	PC1d	3	5	299817	2 607 001 459	6.16 £
S0.8x5.5	25	PC1d	3	5	299862	2 607 001 461	6.16 £
S1.0x5.5	25	PC1d	3	5	299893	2 607 001 464	6.16 £
S1.2x6.5	25	PC1d	3	5	299916	2 607 001 466	6.16 £

Extra Hard for slotted screws

PRODUCT PROPERTIES		ORDERING INFORMATION						
Dimensions	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
S1.2x8.0	25	PC1d	3	5	299930		2 607 001 468	6.16 £
S1.6x8.0	25	PC1d	3	10	299978		2 607 001 471	6.16 £



Drive ISO 1173 E6.3, 1/4" external hex shank

S0.5x3.0	49	PC1d	3	5	299992		2 607 001 473	18.27 £
S0.5x4.0	49	PC1d	3	5	300018		2 607 001 475	18.26 £
S0.6x4.5	49	PC1d	3	5	300032		2 607 001 477	19.01 £
S0.8x5.5	49	PC1d	3	5	300056		2 607 001 479	18.27 £
S1.0x5.5	49	PC1d	3	5	300070		2 607 001 481	18.27 £
S1.2x6.5	49	PC1d	3	5	300094		2 607 001 483	18.27 £
S1.2x8.0	49	PC1d	3	5	300117		2 607 001 485	18.27 £
S1.6x8.0	49	PC1d	3	5	300131		2 607 001 487	18.27 £

Extra Hard 3-piece Screwdriver Bit Packs

▶ Slotted screw = S; Phillips = PH; Pozidriv = PZ; Torx® = T

PRODUCT PROPERTIES		ORDERING INFORMATION						
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
3-piece screwdriver bit pack, Extra Hard version (PH)								
PH1, PH2, PH3	25	PC1d	3	5	302777	2 607 001 752	5.04 £	
PH1, PH2, PH3	89	PC1d	3	5	302821	2 607 001 757	18.59 £	
PH1, PH2, PH3	152	PC1d	3	5	302838	2 607 001 758	43.91 £	
3-piece screwdriver bit pack, Extra Hard version (PZ)								
PZ1, PZ2, PZ3	25	PC1d	3	5	302784	2 607 001 753	5.04 £	
PZ1, PZ2, PZ3	89	PC1d	3	5	302869	2 607 001 761	18.59 £	
PZ1, PZ2, PZ3	152	PC1d	3	5	302876	2 607 001 762	40.35 £	
3-piece screwdriver bit pack, Extra Hard version (S)								
S0.6x4.5, S0.8x5.5, S1.2x8.0	25	PC1d	3	5	302753	2 607 001 750	6.2 £	
3-piece screwdriver bit pack, Extra Hard version (Torx®)								
T8, T10, T15	89	PC1d	3	5	302845	2 607 001 759	31.02 £	
T8, T10, T15	152	PC1d	3	5	302883	2 607 001 763	67.32 £	
3-piece screwdriver bit pack, Extra Hard version (mixed)								
PH2	89	PC1d	3	5	302920	2 607 001 767	31.02 £	
PZ2								
T25								



Extra Hard 5-piece Screwdriver Bit Packs


▶ Torx® = T

5-piece screwdriver bit pack, Extra Hard version (Torx®)							
T10, T15, T20, T25, T30	25	PC1d	5	5	302937	2 607 001 768	12.42 £







Extra Hard Double-Ended Bit Packs

▶ Slotted screw = S, Phillips = PH, Pozidriv = PZ




PRODUCT PROPERTIES				ORDERING INFORMATION					
Dimensions, 1st bit	Dimensions, 2nd bit	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
PH2	PH2	45	PC1d	1	5	302654	2 607 001 740	4.4 £	
PH2	PZ2	45	PC1d	1	5	302685	2 607 001 743	5.51 £	
PZ1	PZ1	45	PC1d	1	5	302661	2 607 001 741	5.1 £	
PZ2	PZ2	45	PC1d	1	5	302678	2 607 001 742	5.1 £	
S0.6x4.0	S0.6x4.0	45	PC1d	1	10	302616	2 607 001 736	5.51 £	
S1.0x6.0	S1.0x6.0	45	PC1d	1	10	302623	2 607 001 737	5.51 £	
PH2	S1.0x5.5	45	PC1d	1	5	302630	2 607 001 738	6.73 £	
PZ1, PZ2, PZ3	PZ1, PZ2, PZ3	60	PC1d	3	5	302746	2 607 001 749	14.63 £	
S0.6x4.5, S0.8x5.5, S1.2x6.5	PH1, PH2, PH3	60	PC1d	3	5	302715	2 607 001 746	14.63 £	
S1.2x6.5, S0.6x4.5, S0.8x5.5	PZ1, PZ2, PZ3	60	PC1d	3	5	302722	2 607 001 747	14.63 £	

Extra Hard Robust Line Screwdriver Bit Sets

PRODUCT PROPERTIES		ORDERING INFORMATION						
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
 <p>8-piece Robust Line screwdriver bit set Sx, Extra Hard version Bit length 49 mm, ISO 1173 E6.3, without universal holder</p> <p>⚙️ PH1 (2x), PH2 (4x), PH3 (2x)</p>	49	P1k	8	5	401395	2 607 002 556	28.82 £	
 <p>8+1-piece Robust Line screwdriver bit set S, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder</p> <p>⚙️ PH1 (2x), PH2 (4x), PH3 (2x) + QC UH</p>	25	P1k	9	5	401432	2 607 002 560	28.82 £	
 <p>12+1-piece Robust Line screwdriver bit set M, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder</p> <p>⚙️ PH1, PH2, PH3</p> <p>⚙️ PZ1, PZ2, PZ3</p> <p>⚙️ T10, T15, T20, T25, T30, T40 + QC UH</p>	25	P1k	13	5	401463	2 607 002 563	37.02 £	
 <p>18+1-piece Robust Line screwdriver bit set L, Extra Hard version Bit length 25 mm, ISO 1173 C6.3, with quick-change universal holder</p> <p>⚙️ PH1, PH2 (3x), PH3</p> <p>⚙️ PZ1, PZ2 (3x), PZ3</p> <p>⚙️ T8, T10, T15, T20, T25, T27, T30, T40 + QC UH</p>	25	P1k	19	5	401500	2 607 002 567	50.44 £	

Extra Hard 11+1-piece Screwdriver Bit Sets

 <p>11+1-piece screwdriver bit set, Extra Hard Bits, length 25 mm, ISO 1173 C6.3, with quick-change universal holder</p> <p>⚙️ PH1, PH2, PH3</p> <p>⚙️ PZ1, PZ2, PZ3</p> <p>⚙️ T10, T15, T20, T25, T30</p>	25	P0a	12	12	704281	2 608 522 129	24.65 £
---	----	-----	----	----	--------	---------------	---------

Extra Hard 25-piece Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
25-piece screwdriver bit set, with magnetic universal holder							
PH1, PH2 (2x), PH3	25	P1k	25	1	557382	2 607 017 037	43.54 £
PZ1, PZ2 (2x), PZ3	25						
T10, T15, T20 (2x), T25, T27, T30, T40	49						
PH2	49						
PZ2	49						
T10, T15, T20, T25, T30, T40 + UH	49						

Extra Hard 32-piece Screwdriver Bit Sets



32-piece screwdriver bit set with quick-change universal holder							
PH1, PH2 (2x), PH3	25	P1k	32	10	761734	2 607 017 319	27.83 £
PZ1, PZ2 (2x), PZ3							
HEX 3/4/5/6							
T10, T15, T20 (2x), T25, T27, T30, T40							
S 3/4/5/6							
Th 10/15/20/25/27/30/40							

Extra Hard 37-piece Screwdriver Bit Sets



PH1, PH2, PH3	75	C1d	37	1	761987	2 607 017 320	84.66 £
PZ1, PZ2, PZ3							
SL6							
Th 10/15/20/25/27/30/40							
HEX 3/4/5/6							
TW1, TW2, TW3, TW4							
SP6, SP8, SP10							

Extra Hard 43-piece Screwdriver Bit Sets



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
43-piece screwdriver bit set with quick-change universal holder as well as magnetic universal holder							
◆ PH1, PH2 (2x), PH3	25	P1a	43	6	669702	2 607 017 164	55.35 £
◆ PZ1, PZ2 (2x), PZ3	25						
◆ SL3, SL4, SL5, SL6	25						
○ H3, H4, H5, H6	25						
○ T10, T15, T20 (2x), T25, T27, T30, T40	25						
◆ TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40	75						
◆ PH2	75						
◆ PZ2	75						
◆ SL6	48-50						
○ T15, T20, T25							
Nutsetter with permanent magnet for hex screws 6 mm, 8 mm, 10 mm							

Extra Hard Mixed Sets





35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder							
◆ PH1, PH2, PH3	25	P1a	35	6	771474	2 607 017 326	72.58 £
◆ PZ1, PZ2, PZ3	25						
◆ S 3/4/5/6	25						
○ HEX 3/4/5/6	50						
	70; 75; 85; 85; 100						
◆ TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40	150						
Nutsetter 8/10/13 mm	60						
CYL-3 3.0/4.0/5.0/5.5/6.0/8.0 mm	60						
Double blade PH2/PZ2							
Double blade Th20/Th25							



35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder							
◆ PH1, PH2, PH3	25	P1a	35	6	771481	2 607 017 327	72.58 £
◆ PZ1, PZ2, PZ3	25						
◆ S 3/4/5/6	25						
○ HEX 3/4/5/6	50						
	67; 72; 87; 97;						
◆ TH10, TH15, TH20 (2x), TH25, TH27, TH30, TH40	102; 112						
Nutsetter 6/8/10 mm	60						
HSS 2.0/3.0/4.0/5.0/6.0/8.0 mm	60						
Double blade PH2/PZ2							
Double blade Th20/Th25							

Extra Hard Mixed Sets

PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
35-piece drill and screwdriver bit set with quick-change universal holder as well as magnetic universal holder							
 PH1, PH2, PH3	25	P1a	35	6	771498	2 607 017 328	72.58 £
	25						
PH1, PH2, PH3	25						
PZ1, PZ2, PZ3	25						
	25						
S 3/4/5/6	25						
	50						
H3, H4, H5, H6	70; 74; 83; 88; 99;						
	105						
T10, T15, T20 (2x), T25, T27, T30, T40	60						
	60						
Nutsetter 8/10/13 mm							
HSS-G 2.5/3.0/3.5/4.0/5.0/6.0 mm							
Double blade PH2/PZ2							
Double blade Th20/Th25							
20-piece drill and screwdriver bit set, with HSS drill bits and spanner							
 PH2 (2x)	25	PC1b	20	6	792820	2 607 002 786	46.46 £
	25						
PZ2	25						
	25						
S5	25						
	25						
HEX4, HEX5	16; 20; 24; 30						
	85						
T15, T20, T25	27						
	39						
HSS 2.0/2.5/3.0/3.5 mm	107						
Tool holder							
Sleeve with countersink							
Shank							
Wrench							

Extra Hard Nutsetters for Hex Screws



PRODUCT PROPERTIES					ORDERING INFORMATION					
Length mm	Key width mm	Width across flat inches	Diameter (D1) mm	For thread	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Nutsetter with permanent magnet										
50	5.5	-	-	M 3	C1b	1	1	081467	2 608 550 068	14.18 £
50	6	-	-	M 3.5	C1b	1	5	081474	2 608 550 069	14.18 £
50	7	-	-	M 4	C1b	1	5	081481	2 608 550 070	14.18 £
50	8	-	-	M 5	C1b	1	5	084987	2 608 550 080	13.87 £
50	10	-	-	M 6	C1b	1	5	084994	2 608 550 081	14.69 £
50	12	-	-	M 7	C1b	1	5	103251	2 608 550 090	15.59 £
50	13	-	-	M 8	C1b	1	5	081498	2 608 550 071	15.67 £
50	17	-	-	M 10	C1b	1	5	081504	2 608 550 072	21.35 £
50	-	1/4	-	-	C1b	1	5	081511	2 608 550 073	13.87 £
50	-	3/8	-	-	C1b	1	5	085007	2 608 550 082	10.08 £



Nutsetter with permanent magnet

In conjunction with depth stops 3 600 552 506 and 3 600 552 507

Suitable for GSR 6-25 TE Professional

65	6	-	10	M 3.5	C1b	1	5	044530	2 608 550 040	25.64 £
65	7	-	11.6	M 4	C1b	1	5	044547	2 608 550 041	25.64 £
65	8	-	12.6	M 5	C1b	1	5	044509	2 608 550 037	25.64 £
65	10	-	14.5	M 6	C1b	1	5	044523	2 608 550 039	25.64 £
65	-	1/4	11	-	C1b	1	5	044479	3 608 550 503	21.64 £
65	-	5/16	12.6	-	C1b	1	5	044486	3 608 550 504	21.65 £
65	-	3/8	14.1	-	C1b	1	5	044493	3 608 550 505	22.19 £



Nutsetter with permanent magnet

In conjunction with depth stop 2 607 002 586

Suitable for GSR 6-25 TE (0 601 441 3..) Professional

65	5.5	-	11	M 3	PC1a	1	1	409926	2 608 550 557	26.26 £
65	6	-	11	M 3.5	PC1a	1	5	409933	2 608 550 558	28.63 £
65	7	-	12	M 4	PC1a	1	5	409940	2 608 550 559	26.38 £
65	8	-	13	M 5	PC1a	1	5	409957	2 608 550 560	25.64 £
65	10	-	14	M 6	PC1a	1	5	409964	2 608 550 561	25.64 £
65	-	1/4	12	-	PC1a	1	5	409971	2 608 550 562	26.63 £
65	-	5/16	13	-	PC1a	1	5	409988	2 608 550 563	25.64 £
65	-	3/8	14	-	PC1a	1	5	409995	2 608 550 564	25.64 £

Extra Hard Nutsetter Sets for Hex Screws



PRODUCT PROPERTIES				ORDERING INFORMATION						
Length mm	Key width mm	Shank inch		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
3-piece nutsetter pack										
Nutsetter with permanent magnet										
50	8 10 13	1/4		PC1d	3	5	700955	2 608 551 078	18.41 £	

Extra Hard Nutsetter Sets for Hex Screws



PRODUCT PROPERTIES			ORDERING INFORMATION					
Length mm	Key width mm	Shank inch	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
6-piece nutsetter set								
Nutsetter with permanent magnet								
50	6 7 8 10 12 13	1/4	P1k	6	10	700962	2 608 551 079	47.69 £

Universal holders with 1/4" external hex shank

► Universal holders with 1/4" external hex shank manufactured to ISO 1173 E6.3

PRODUCT PROPERTIES			ORDERING INFORMATION						
Drive end Inch	Total length mm	Diameter (D1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode		Part number	Price without VAT



Universal Holder
with quick-change chuck and permanent magnet



1/4	60	-	PC1a	1	5	851107		2 608 522 320	14.26 £
-----	----	---	------	---	---	--------	--	----------------------	---------



Universal Holder
with permanent magnet



1/4	60	-	PC1a	1	5	851114		2 608 522 321	10.48 £
-----	----	---	------	---	---	--------	--	----------------------	---------



Universal Holder
with one-click function and permanent magnet

1/4	60	14	PC1a	1	1	818049		2 608 522 318	19.31 £
			P0b	10	1	818056		2 608 522 319	160.88 £



Universal holder with permanent magnet, without spring ring

1/4	55	10	PC1a	1	1	818025		2 608 522 316	6.44 £
			P0b	10	1	818032		2 608 522 317	54.71 £



Universal holder
with permanent magnet and spring ring

In conjunction with depth stop T9 (2 607 002 586) for bits with 1/4" external hex shank manufactured to ISO 1173 C6.3
Suitable for GSR 6-25 TE (0 601 441 3..) Professional

1/4	57	11	PC1a	1	5	409896		2 607 002 584	12.8 £
-----	----	----	------	---	---	--------	--	----------------------	--------



Universal holder
with permanent magnet and spring ring

In conjunction with depth stop T8 (2 607 002 585) or depth stop T4 (2 607 000 156) for bits with 1/4" external hex shank manufactured to ISO 1173 C6.3

Suitable for GSR 6-25 TE (0 601 441 3..); GSR 6-45 TE (0 601 440 3..); GSR 18 V-EC TE (0 601 9C8 0..); GTB 12V-11 (0 601 9E4 0..) Professional

1/4	75	11	PC1a	1	5	039000		2 607 000 157	11.3 £
-----	----	----	------	---	---	--------	--	----------------------	--------

Universal holders with SDS plus shank



PRODUCT PROPERTIES			ORDERING INFORMATION					
Drive end Inch	Total length mm	Diameter (D1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT



Universal holder

with permanent magnet and spring ring

Suitable for GBH 24 V; GBH 24 VF; GBH 24 VFR; GBH 24 VR; GBH 36 V-EC Compact; GBH 36 V-LI; GBH 36 VF-LI

Professional; PBH 2 R; PBH 160 R; PBH 200 RE

1/4	78	11	PC1a	1	5	043373	2 607 000 206	64 £
-----	----	----	------	---	---	--------	----------------------	------

Adapters and Attachments



PRODUCT PROPERTIES				ORDERING INFORMATION					
Length mm	Shank	External square drive end, inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Magnetic Sleeve provides firm hold of screws to screwdriver bit Suitable for Impact Control double-ended bits									
-	-	-	PC1a	5	851442		2 608 522 354	6.67 £	



Adapter for sockets SDS plus shank								
-	SDS plus	1/2	C1b	1	1	080026	2 608 598 037	35.11 £





Adapter for sockets 1/4" external hex shank drive, ISO 1173 C6.3								
50	1/4" external hex	1/4	PC1a	1	5	704236	2 608 551 109	15.9 £
50	1/4" external hex	3/8	PC1a	1	5	704229	2 608 551 108	15.9 £
50	1/4" external hex	1/2	PC1a	1	5	704212	2 608 551 107	15.9 £



Adapter for screwdriver bits 1/2" internal square drive								
50	1/2" internal square	1/2	PC1a	1	5	704243	2 608 551 110	29.81 £

Depth stops for Bosch drill/drivers

PRODUCT PROPERTIES	ORDERING INFORMATION						
	Packaging type	Pack quantity	Minimum order quantity	Barcode		Part number	Price without VAT
 <p>Depth stop with sealing ring In conjunction with universal holder 2 607 000 157 Suitable for GSR 6-25 TE (0 601 441 3..); GSR 6-45 TE (0 601 440 3../0 601 445 1..) Professional</p>							
	C1b	1	1	409902		2 607 002 585	8.89 £
 <p>Depth stop without sealing ring In conjunction with nutsetter 2 608 550 557 - 2 608 550 563. In conjunction with universal holder 2 607 002 584. Suitable for GSR 6-25 TE (0 601 441 3..); GSR 6-45 TE (0 601 440 3../0 601 445 1..) Professional</p>							
	C1b	1	1	409919		2 607 002 586	8.3 £

SDS CHISELS

Maximum removal rate


The best your tool can get. Bosch Professional Accessories.



CHISEL WITH SDS PLUS SHANK

The right chisel for any application.

146
3



	Self-sharpening Pointed chisel	Pointed chisel	Self-sharpening Flat chisel	Flat chisel
Page number	148	148	149	149
Total length mm	250	140 / 250	250	140 / 250
Cutting edge mm	-	-	20	20


MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓

POINTED CHISEL WITH SDS-PLUS SHANK

High demolition power.

148
3



Pointed Chisels with SDS plus Shank



► For use via SDS plus chisel attachment or directly in SDS plus hammers with rotation stop.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pointed chisel, Long Life with 30% longer lifetime and 15% higher material removal rate SDS plus pointed chisel is ideal for precision jobs in concrete without any work interruptions and with less jamming							
250	P1e	1	1	370936	2 608 390 576	34.55 £	
	C0a	5	1	293136	2 607 019 051	117.06 £	
Pointed chisel SDS plus pointed chisel provides standard chiselling in concrete and brick for various renovation and restoration jobs							
140	P1e	1	1	608398	2 608 690 176	20.15 £	
250	P1e	1	1	506489	2 608 690 145	18.29 £	
	U0	10	1	462792	2 608 690 132	154.36 £	
Pointed chisel for rotary hammers without rotation stop SDS plus pointed chisel without Rotation stop for standard chiselling in concrete and brick							
250	P1e	1	1	006347	1 618 600 005	51.11 £	



Flat Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Flat chisel, Long Life with 30% longer lifetime and 15% higher material removal rate SDS plus flat chisel is ideal for various applications in concrete with less jamming and more progress							
250	20	P1e	1	1	308908	2 609 390 394	34.55 £
		C0a	5	1	293143	2 607 019 052	117.06 £



Flat chisel SDS plus flat chisel provides standard chiselling for various renovation and restoration jobs							
140	20	P1e	1	1	608404	2 608 690 177	20.15 £
250	20	P1e	1	1	506472	2 608 690 144	18.29 £
		U0	10	1	462785	2 608 690 131	154.36 £

Spade Chisels with SDS plus Shank



Spade chisel, self-sharpening, Long Life with 30% higher material removal rate The SDS plus spade chisel delivers a high material removal rate in masonry and mortar							
250	40	P1e	1	1	425940	2 608 690 101	37.22 £
250	60	P1e	1	1	425957	2 608 690 102	41.2 £



Spade chisel SDS plus spade chisel offers standard chiselling for various renovation and restoration jobs							
140	40	P1e	1	1	608411	2 608 690 178	40.45 £
250	40	P1e	1	1	506496	2 608 690 146	36.71 £
		U0	5	1	462808	2 608 690 133	104.56 £

Tile Chisels with SDS plus Shank



Tile chisel, angled, self-sharpening, Long Life with 30% higher material removal rate SDS plus tile chisel delivers clean and fast removal of wall and floor tiles							
260	40	P1e	1	1	328012	2 608 690 091	48.75 £



Hollow Gouging Chisels with SDS plus Shank



Hollow gouging chisel Hollow gouging capabilities allow chiselling through concrete and brick							
250	22	P1e	1	1	015844	1 618 601 004	52.59 £



Winged Gouging Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Winged gouging chisel/Gouging chisel SDS plus winged gouging chisel is ideal for cutting narrow channels with precise depth guidance in concrete and brick							
250	22	P1e	1	1	086738	2 608 690 007	73.31 £

Pointing Chisels with SDS plus Shank



Pointing chisel, carbide-tipped
SDS plus carbide-tipped pointing chisel provides easy mortar removal with an extremely long lifetime

Total length mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
130	32	P1e	1	1	045803	1 608 690 014	171.75 £
200	32	P1e	1	1	045810	1 608 690 015	182.95 £

Wood Chisels with SDS plus Shank



Wood chisel
SDS plus wood chisel delivers fast chiselling in soft wood

Total length mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
175	20	P1e	1	1	086721	2 608 690 006	45.3 £

Mortar Raking Chisels with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Mortar Raking Chisel For removing mortar between bricks							
200	6.5	P1e	1	1	790505	2 608 690 200	26.95 £
200	9.5	P1e	1	1	790512	2 608 690 201	32.27 £

Rod Drivers with SDS plus Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Rod driver, 13 mm diameter SDS plus rod driver is ideal for easily driving nails into wood or the ground with a power tool							
58		P1e	1	1	086769	2 608 690 010	28.74 £

CHISEL WITH SDS MAX SHANK

The right chisel for any application.

152
3



Self-sharpening
Pointed chisel



Pointed chisel



Self-sharpening
Flat chisel



Flat chisel

Page number	156	156	156	156
Total length mm	400	280 / 300 / 400 / 600	400	280 / 300 / 400 / 600
Cutting edge mm	-	-	25	25

MATERIALS

Masonry	✓	✓	✓	✓
Concrete	✓	✓	✓	✓



Toothed chisel	Excavation chisel	Asphalt cutter	Earth rod driver	Tamping plate	Steel teeth bush hammer head	Carbide teeth bush hammer head	Toolholder head
----------------	-------------------	----------------	------------------	---------------	------------------------------	--------------------------------	-----------------

158	158	159	159	159	160	160	159
-----	-----	-----	-----	-----	-----	-----	-----

300	400	400	260	-	-	-	220
-----	-----	-----	-----	---	---	---	-----

32	110	90	13 / 16.5	-	-	-	-
----	-----	----	-----------	---	---	---	---

-	-	-	-	120 x 120 / 150 x 150	60 x 60	50 x 50	-
---	---	---	---	--------------------------	---------	---------	---

-	-	-	-	-	-	-	-
---	---	---	---	---	---	---	---

-	-	-	-	-	✓	✓	-
---	---	---	---	---	---	---	---

-	-	-	-	-	-	-	-
---	---	---	---	---	---	---	---

-	-	-	-	-	-	-	-
---	---	---	---	---	---	---	---

-	✓	-	-	✓	-	-	-
---	---	---	---	---	---	---	---

-	-	✓	-	-	✓	✓	-
---	---	---	---	---	---	---	---

-	-	-	✓	-	-	-	-
---	---	---	---	---	---	---	---

✓	-	-	-	-	-	-	-
---	---	---	---	---	---	---	---

Chisels for heavy rotary and demolition hammers

156
3

Pointed Chisels RTec Speed with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
RTec Speed pointed chisel, self-sharpening with 30% higher material removal rate SDS max RTec Speed pointed chisel is ideal for precision jobs in concrete							
400		P1e	1	1	533621	2 608 690 167	36.06 £
		C0a	10	1	533638	2 608 690 168	325.03 £



Pointed Chisels with SDS max Shank



Pointed chisel
SDS max pointed chisel delivers standard chiselling in concrete and brick for various demolition applications

280		P1e	1	1	047272	1 618 600 023	22.51 £
		U0	10	1	462778	2 608 690 130	156.83 £
300		P1e	1	1	038942	1 618 600 015	20.66 £
		U0	10	1	462754	2 608 690 128	156.83 £
400		P1e	1	1	506458	2 608 690 142	24.9 £
		U0	10	1	462754	2 608 690 128	156.83 £
600		P1e	1	1	022118	1 618 600 012	35.44 £
		U0	5	1	462761	2 608 690 129	134.43 £

Pointed chisel SDS max
SDS max pointed chisel delivers standard chiselling in concrete and brick for various demolition applications

600		C0a	10	1	855457	2 608 690 236	193.36 £
-----	--	-----	----	---	--------	----------------------	----------



Flat Chisels RTec Sharp with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
RTec Sharp flat chisel, self-sharpening, Long Life with 100% higher material removal rate SDS max RTec Sharp flat chisel is ideal for various applications in concrete							
400	25	P1e	1	1	460385	2 608 690 124	36.06 £
		C0a	10	1	530200	2 608 690 166	325.03 £



Flat Chisels with SDS max Shank



Flat chisel
SDS max flat chisel provides standard chiselling for various demolition applications in concrete and brick

280	25	P1e	1	1	047296	1 618 600 210	22.51 £
		U0	10	1	462747	2 608 690 127	156.83 £
300	25	P1e	1	1	038966	1 618 600 204	21.5 £
400	25	P1e	1	1	506441	2 608 690 141	24.9 £



Flat Chisels with SDS max Shank

PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
400	25	U0	10	1	462723		2 608 690 125	156.83 £
600	25	P1e	1	1	022132		1 618 600 203	35.44 £
		U0	5	1	462730		2 608 690 126	134.43 £

Flat chisel SDS max

SDS max flat chisel provides standard chiselling for various demolition applications in concrete and brick

400	25	C0a	10	1	855464		2 608 690 237	120.63 £
600	25	C0a	10	1	855471		2 608 690 238	193.36 £

Spade Chisels with SDS max Shank



Spade chisel, self-sharpening, Long Life with 30% higher material removal rate

The SDS max spade chisel delivers a high material removal rate in masonry and mortar

350	50	P1e	1	1	397315		2 608 690 097	44.36 £
		C0a	5	1	402996		2 608 690 099	206.3 £
400	80	P1e	1	1	670135		2 608 690 198	71.9 £
400	115	P1e	1	1	670142		2 608 690 199	115.19 £



Spade chisel

SDS max spade chisel offers standard chiselling for various demolition applications in concrete and brick

300	80	P1e	1	1	033398		1 618 601 008	50.43 £
350	115	P1e	1	1	022156		1 618 601 007	100.84 £
400	50	P1e	1	1	506465		2 608 690 143	49.16 £
		U0	5	1	605786		2 608 587 184	196.63 £

Tile Chisels with SDS max Shank



Tile chisel, self-sharpening, Long Life with 30% higher material removal rate

SDS max tile chisel is ideal for the clean removal of wall and floor tiles

300	50	P1e	1	1	397322		2 608 690 098	58.37 £
		C0a	5	1	403009		2 608 690 100	271.48 £



Tile chisel

SDS max tile chisel is equipped for the standard removal of wall and floor tiles

300	80	P1e	1	1	052979		1 618 601 019	87.12 £
-----	----	-----	---	---	--------	--	----------------------	---------

Hollow Gouging Chisel with SDS max Shank



Hollow gouging chisel

SDS max hollow gouging chisel is ideal for easily cutting narrow channels in concrete

300	26	P1e	1	1	022163		1 618 601 101	50.19 £
-----	----	-----	---	---	--------	--	----------------------	---------



Gouging Chisels with SDS max Shank



PRODUCT PROPERTIES			ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Gouging chisel SDS max gouging chisel is ideal for easily cutting narrow channels in brick								
300	32		P1e	1	1	022170	1 618 601 102	65.93 £



Winged Gouging Chisel with SDS max Shank



Winged gouging chisel SDS max winged gouging chisel is ideal for cutting narrow channels with precise depth guidance in concrete and brick								
380	35		P1e	1	1	069380	2 608 690 000	146.44 £



Pointing Chisels, Carbide-tipped with SDS max Shank



Pointing chisel, carbide-tipped SDS max carbide-tipped pointed chisel offers easy mortar removal with an extremely long lifetime								
280	38		P1e	1	1	058414	2 607 990 010	197.76 £



Toothed Chisels with SDS max Shank



PRODUCT PROPERTIES			ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Toothed chisel SDS max toothed chisel provides easy removal of mortar and plaster								
300	32	6.5	P1e	1	1	022194	1 618 601 302	55.81 £



Excavation Chisels with SDS max Shank



PRODUCT PROPERTIES			ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Excavation chisel SDS max excavation chisel delivers easy loosening of heavily compacted soil and ground to make digging possible								
400	110		P1e	1	1	049283	1 618 601 017	144.05 £



Asphalt Cutters with SDS max Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Asphalt cutter							
SDS max asphalt cutter is ideal for the targeted breaking up of road surfaces to restore asphalt covering							
400	90	P1e	1	1	079761	2 608 690 003	143.39 £



Earth Rod Drivers with SDS max Shank



Earth rod driver							
The SDS max earth rod driver is intended for use in soil and the ground							
260	13	P1e	1	1	079778	2 608 690 004	113 £
260	16.5	P1e	1	1	079785	2 608 690 005	121.94 £



Toolholders for Tamping Plates and Bush Hammer Heads with SDS max Shank




PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Toolholder for tamping plate and bush hammer head with SDS max shank							
220		P1e	1	1	022200	1 618 609 003	62.93 £



Tamping Plates



PRODUCT PROPERTIES		ORDERING INFORMATION					
Dimensions mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Tamping plate for toolholder 1 618 609 003							
120 x 120		PC1c	1	1	029339	1 618 633 101	153.1 £
150 x 150		PC1c	1	1	029346	1 618 633 102	183.48 £



Bush Hammer Heads



160
3



PRODUCT PROPERTIES		ORDERING INFORMATION						
Dimensions mm	Number of teeth	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT

Steel Teeth Bush hammer head for toolholder 1 618 609 003

The SDS max bush hammer head is ideal for roughing up stone, concrete and asphalt

60 x 60	7 x 7	PC1c	1	1	029032		1 618 623 206	101.86 £
60 x 60	5 x 5	PC1c	1	1	029025		1 618 623 205	101.86 £


Carbide Teeth Bush Hammer Head for toolholder 1 618 609 003

The SDS max bush hammer head is ideal for roughing up stone, concrete and asphalt


50 x 50	5 x 5	C0a	1	1	608428		2 608 690 179	345.93 £
---------	-------	-----	---	---	--------	--	----------------------	----------

Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm)

Flat Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm diameter)

PRODUCT PROPERTIES		ORDERING INFORMATION						Price without VAT
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
	Flat chisel for various demolition applications in concrete and brick							
400	22	P0b	1	1	029070	1 618 630 003	36.71 £	

Spade Chisels with 19 mm Hex Shank with Turned Down Collar (17 mm diameter)

	Spade chisel offers standard chiselling for various demolition applications in concrete and brick						
400	50	P0b	1	1	029117	1 618 630 007	69.7 £

Chisels with 19 mm Hex Shank

Pointed Chisels with 19 mm hex shank

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Pointed chisel delivers standard chiselling for various demolition applications in concrete and brick							
300		P0b	1	1	029049	1 618 630 000	29.27 £
400		P0b	1	1	029056	1 618 630 001	31.75 £

Flat Chisels with 19 mm Hex Shank

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Flat chisel provides standard chiselling for various demolition applications in concrete and brick							
300	25	P0b	1	1	029193	1 618 630 200	29.27 £
400	25	P0b	1	1	029209	1 618 630 201	31.74 £

Spade Chisels with 19 mm Hex Shank

Spade chisel offers standard chiselling for various demolition applications in masonry and mortar

450	60	P0b	1	1	029247	1 618 631 001	77.14 £
-----	----	-----	---	---	--------	----------------------	---------



162

3

Chisels with 22 mm Hex Shank

3

163

Pointed Chisels with 22 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
Self-sharpening pointed chisel Pointed chisel delivers a constantly high material removal rate and an efficient work flow								
400		U0	1	1	670036	2 608 690 188	50.48 £	



Flat Chisels with 22 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
Self-sharpening flat chisel SDS hex flat chisel is ideal for various applications in concrete with less jamming and more progress								
400	25	U0	1	1	670050	2 608 690 190	50.96 £	



Spade Chisels with 22 mm Hex Shank



► **Appropriate for HILTI TE-S system**

Self-sharpening spade chisel

The spade chisel delivers a high material removal rate in masonry and mortar

400	80	U0	1	1	670081	2 608 690 193	95.9 £
400	115	U0	1	1	670098	2 608 690 194	125.85 £



Excavation Chisels with 22 mm Hex Shank



Excavation chisel delivers easy loosening of heavily compacted soil and ground to make digging possible

400	125	U0	1	1	670104	2 608 690 195	202.2 £
-----	-----	----	---	---	--------	---------------	---------



Earth Rod Drivers with 22 mm Hex Shank



Earth rod driver is ideal for driving earth rods for lightning conductors or tent anchors


300	25	U0	1	1	670111	2 608 690 196	92.89 £
-----	----	----	---	---	--------	---------------	---------



Tamping Plates



164
3





PRODUCT PROPERTIES		ORDERING INFORMATION					
Dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Tamping plate for toolholder 1 618 609 003							
120 x 120	PC1c	1	1	029339		1 618 633 101	153.1 £
150 x 150	PC1c	1	1	029346		1 618 633 102	183.48 £

Chisels with 28 mm Hex Shank


Pointed Chisels with 28 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
 Pointed chisel, self-sharpening Pointed chisel delivers a constantly high material removal rate							
400		U0	1	1	425995	2 608 690 106	74.06 £
 Pointed chisel has a pointed tip for precise adjustment work in concrete							
400		U0	1	1	029407	1 618 660 000	64.1 £
520		U0	1	1	042543	1 618 600 019	64.1 £



Flat Chisels with 28 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
 Flat chisel provides standard chiselling for various demolition applications in concrete and brick							
400	35	U0	1	1	426015	2 608 690 108	64.1 £
520	35	U0	1	1	042550	1 618 600 206	64.1 £


Spade Chisels with 28 mm Hex Shank



 Spade chisel offers standard chiselling for various demolition applications in concrete and brick							
400	80	U0	1	1	029414	1 618 661 000	116.6 £
 Spade chisel, rounded Rounded spade chisel offers standard chiselling for various demolition applications in masonry and mortar							
400	135	U0	1	1	029421	1 618 662 000	247.63 £

Asphalt Cutters with 28 mm Hex Shank



 Asphalt cutter is ideal for the targeted breaking up of road surfaces							
500	125	U0	1	1	042574	1 618 601 011	191.75 £

Earth Rod Drivers with 28 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
300		U0	1	1	042604	1 618 609 005	247.63 £

Earth rod driver
for hammering in rods and rings up to 1" (25.4 mm) head diameter.

Transport Carts



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
		C0a	1	1	042642	1 610 795 007	141.9 £

Transport cart for USH/GSH 27
Suitable for USH/GSH 27 Professional

Chisels with 30 mm Hex Shank

Pointed Chisels with 30 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	Pointed chisel, self-sharpening Pointed chisel delivers a constantly high material removal rate						
400		U0	1	1	426046	2 608 690 111	79.03 £



Flat Chisels with 30 mm Hex Shank



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Chisel cutting edge mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
400	35	U0	1	1	426053	2 608 690 112	79.03 £



Spade Chisels with 30 mm Hex Shank



	Spade chisel offers standard chiselling for various demolition applications in concrete and brick						
450	75	U0	1	1	426060	2 608 690 113	176.72 £



	Spade chisel, rounded Rounded spade chisel offers standard chiselling for various demolition applications in masonry and mortar						
400	135	U0	1	1	426039	2 608 690 110	322.31 £

Asphalt Cutters with 30 mm Hex Shank



	Asphalt cutter is ideal for the targeted breaking up of road surfaces						
450	125	U0	1	1	426077	2 608 690 114	297.51 £



DIAMOND CUTTING, GRINDING AND DRILLING

For the toughest materials

The best your tool can get. Bosch Professional Accessories.



DIAMOND CUTTING DISCS CERAMIC

For angle grinders.

170
4

	Hard Ceramic EXPERT	Best for Ceramic Extraclean Turbo	Standard for Ceramic
Page number	177	179	180
Diameter mm	76 - 125	115 - 125	110 - 230
Cutting width mm	1.4 - 1.9	1.4 - 1.8	1.6
Bore diameter	10.0 / 22.23	22.23	22.23
X-LOCK	✓	✓	✓
	 		

MATERIALS

Hard Ceramic (Porcelain tiles)	✓	-	-
Drywall board, fiber cement board	✓	✓	✓
Ceramic tiles	✓	✓	✓
Polystyrene, cardboard	✓	✓	✓

DIAMOND CUTTING DISCS STONE

For angle grinders.



Best for Stone



Standard for Stone

Page number	181	181
Diameter mm	115 - 300	115 - 300
Cutting width mm	2.2 - 2.8	1.6 - 3.1
Bore diameter	22.23	22.23

MATERIALS



Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL

For angle grinders.

172
4



	Multi Material Discs EXPERT	Best for Universal Turbo	Standard for Universal
Page number	182	183	184
Diameter mm	115 – 300	115 – 230	115 – 300
Cutting width mm	2.2 – 2.8	2.2 – 2.5	2.0 – 3.3
Bore diameter	22.23	22.23	22.23
X-LOCK	✓	-	✓
	 		

MATERIALS

Building site material	✓	✓	✓
Concrete	✓	✓	✓
Reinforced concrete	✓	-	✓
Brick	✓	✓	✓
Sand-, limestone	✓	✓	✓
Rooftile	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products



Standard for Universal Turbo



Eco for Universal



Eco for Universal Turbo

185	185	186
115 - 300	115 - 230	115 - 230
2.0 - 3.0	2.0 - 3.3	2.0 - 3.0
22.23	22.23	22.23
-	-	-
✓	✓	✓
✓	✓	✓
-	✓	-
✓	✓	✓
✓	✓	✓
✓	✓	✓

DIAMOND CUTTING DISCS CONCRETE

For angle grinders.

174
4



Best for Concrete



Standard for Concrete

Page number	187	187
Diameter mm	115 - 300	115 - 300
Cutting width mm	2.2 - 2.8	1.6 - 3.1
Bore diameter	22.23	22.23

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

* Only cut through reinforcement if approval has been given by a structural engineer.

DIAMOND CUTTING DISCS MARBLE

For angle grinders.



Best for Marble



Standard for Marble

Page number	188	188
Diameter mm	115 – 230	115 / 230
Cutting width mm	2.2	2.2 / 2.8
Bore diameter	22.23	22.23

MATERIALS

Marble	✓	✓
Limestone	✓	✓
Perspex	✓	✓

DIAMOND CUTTING DISCS ABRASIVE

For angle grinders.

176
4



Best for Abrasives



Standard for Abrasives

Page number	189	189
Diameter mm	115 - 230	115 - 230
Cutting width mm	2.2 - 2.4	1.6 / 2.3
Bore diameter	22.23	22.23

MATERIALS

Limestone / sandstone	✓	✓
Brick	✓	✓
Fresh concrete	✓	✓
Porous concrete	✓	✓
Rooftile	✓	✓


MAXIMUM PRECISION CUTTING TILES

EXPERT HardCeramic X-LOCK Discs

ASSORTMENT: Ø 85 mm – 125 mm


EXPERT

- 1 Clean, high quality cutting with Bosch Diamond Technology
- 2 Efficient thin blade cuts smoothly and stays cool
- 3 Chip-free cut with purpose-designed Continuous Rim
- 4 Reinforced centre reduces vibration for cleaner cut



EXPERT HardCeramic X-LOCK Diamond Cutting Discs

EXPERT



- ▶ Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- ▶ Best for tilers: top precision and quality finish.
- ▶ Up to 3x more precise than a standard ceramic diamond disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
85	22.23	1.6	7	●	C1a	1	1	539911	2 608 900 656	35.27 £
115	22.23	1.4	10	●	C1a	1	1	539928	2 608 900 657	73.04 £
125	22.23	1.4	10	●	C1a	1	1	539935	2 608 900 658	78.87 £

EXPERT HardCeramic Diamond Cutting Discs

EXPERT



- ▶ Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- ▶ Best for tilers: top precision and quality finish.
- ▶ Up to 3x more precise than a standard ceramic diamond disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.




PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
85	22.23	1.6	7	C1a	1	1	539881	2 608 900 653	35.27 £	
115	22.23	1.4	10	C1a	1	1	539898	2 608 900 654	73.04 £	
125	22.23	1.4	10	C1a	1	1	539904	2 608 900 655	78.87 £	

EXPERT HardCeramic 76 mm Diamond Cutting Discs

EXPERT




- ▶ Ideal for clean, straight cuts in hard ceramic tiles; cuts wall tiles in bathrooms and kitchens; and floor tiles such as those used in patios and gardens, as well as indoors.
- ▶ Best for tilers: top precision and quality finish.
- ▶ Up to 3x more precise than a standard ceramic diamond disc.
- ▶ With 10 mm bore for mini grinder.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
76	10.00	1.5	10	PC1b	1	1	539874	2 608 900 652	25.8 £	

BEST FOR CERAMIC EXTRACLEAN TURBO

Focus on cutting speed.



FAST CUT

Sintered cutting rim

REDUCED CHIPPING

Turbo design

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Diamond cutting discs Best for Ceramic Extraclean Turbo

best **Ceramic** extraclean

X-LOCK	✓
M14/Ø 22,23	✓



- ▶ Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK diamond discs also fit on standard angle grinders.
- ▶ The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- ▶ High cutting speed in all tiles.
- ▶ Sintered cutting rim.

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
115	22.23	1.4	7	C1c	1	1	933292	2 608 615 131	45.23 £
125	22.23	1.4	7	C1c	1	1	933308	2 608 615 132	48.98 £



Diamond cutting discs Best for Ceramic Extraclean Turbo

best  Ceramic extraclean

- ▶ The diamond cutting disc for the highest demands with regard to accurate, chip-free cuts in hard materials such as hard porcelain, extremely hard fine stoneware and natural stone.
- ▶ High cutting speed in all tiles.
- ▶ Sintered cutting rim.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
115	22.23	1.4	7	C1c	1	1	518086		2 608 602 478	45.23 £
125	22.23	1.4	7	C1c	1	1	518093		2 608 602 479	48.98 £



X-LOCK Diamond cutting discs Standard for Ceramic

standard  Ceramic

- ▶ Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK diamond discs also fit on standard angle grinder.
- ▶ For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- ▶ Sintered cutting rim.

XLOCK	✓
M14/∅ 22,23	✓



Pack of 1										
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
110	22.23	1.6	7.5	C1c	1	1	933346		2 608 615 136	13.3 £
115	22.23	1.6	7	C1c	1	1	933353		2 608 615 137	13.62 £
125	22.23	1.6	7	C1c	1	1	933360		2 608 615 138	15.81 £



Diamond cutting discs Standard for Ceramic

standard  Ceramic

- ▶ For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- ▶ Sintered cutting rim.



Pack of 1										
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
110	22.23	1.6	7.5	C1c	1	1	576390		2 608 602 535	13.3 £
115	22.23	1.6	7	C1c	1	1	441292		2 608 602 201	13.62 £
125	22.23	1.6	7	C1c	1	1	441308		2 608 602 202	15.81 £
150	22.23	1.6	7	C1c	1	1	441315		2 608 602 203	24.17 £
180	22.23	1.6	7	C1c	1	1	441322		2 608 602 204	28.31 £
230	22.23	1.9	7	C1c	1	1	441339		2 608 602 205	45.51 £



Pack of 10										
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
115	22.23	1.6	7	C0a	10	1	665735		2 608 603 231	122.57 £
125	22.23	1.6	7	C0a	10	1	665742		2 608 603 232	138.77 £

Diamond cutting discs Best for Stone

best ^{for} Stone



long LIFE fast CUT



- ▶ For extremely hard stone such as granite.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Up to 15 mm segment height enables a long lifetime, even in the most demanding materials (valid for 230 mm and 300 mm diameter discs).
- ▶ Excellent cutting speed thanks to the “Speed Stripes” for less side friction.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
115	22.23	2.2	12	C1c	1	1	581479	2 608 602 641	80.28 £
125	22.23	2.2	12	C1c	1	1	581486	2 608 602 642	89.2 £
150	22.23	2.4	12	C1c	1	1	581493	2 608 602 643	107.03 £
180	22.23	2.4	12	C1c	1	1	581509	2 608 602 644	151.64 £
230	22.23	2.4	15	C1c	1	1	581516	2 608 602 645	178.38 £

4 181

Diamond cutting discs Standard for Stone

standard ^{for} Stone



- ▶ For hard materials such as granite, natural stone.
- ▶ Sintered diamond cutting segments.



Pack of 1									
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
115	22.23	1.6	10	C1c	1	1	581035	2 608 602 597	24.11 £
125	22.23	1.6	10	C1c	1	1	581042	2 608 602 598	26.75 £
150	22.23	2	10	C1c	1	1	581059	2 608 602 599	32.09 £
180	22.23	2	10	C1c	1	1	581066	2 608 602 600	45.54 £
230	22.23	2.3	10	C1c	1	1	581073	2 608 602 601	53.52 £
300	22.23	3.1	10	C1a	1	1	586412	2 608 602 698	102.01 £
Pack of 10									
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
180	22.23	2	10	C0a	10	1	665797	2 608 603 237	409.77 £
230	22.23	2.3	10	C0a	10	1	665803	2 608 603 238	481.64 £

LONG LIFE CUTTING CONSTRUCTION MATERIALS

EXPERT MultiMaterial Discs

ASSORTMENT: Ø 115mm - 450mm


EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Low Friction Segments designed to minimise wear on sides
- 3 Segments laser-welded to steel body for the strongest connection



EXPERT MultiMaterial X-LOCK Diamond Cutting Discs

EXPERT




- ▶ Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- ▶ Best for construction workers: long lasting and highly versatile.
- ▶ Lasts up to 4x longer than a standard multi material diamond disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
115	22.23	2.4	12	●	C1a	1	1	540047	2 608 900 669	76.53 £
125	22.23	2.4	12	●	C1a	1	1	540054	2 608 900 670	84.97 £

EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- ▶ Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- ▶ Best for construction workers: long lasting and highly versatile.
- ▶ Lasts up to 4x longer than a standard multi material diamond disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



4
183

PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
115	22.23	2.2	12	C1c	1	1	539942	2 608 900 659	76.53 £	
125	22.23	2.2	12	C1c	1	1	539959	2 608 900 660	84.97 £	
150	22.23	2.4	12	C1c	1	1	539966	2 608 900 661	104.42 £	
180	22.23	2.4	12	C1c	1	1	539973	2 608 900 662	144.42 £	
230	22.23	2.4	15	C1c	1	1	539980	2 608 900 663	169.93 £	
300	22.23	2.8	15	C1d	1	1	539997	2 608 900 664	305.77 £	

Diamond cutting discs Best for Universal Turbo

best **Universal**

- ▶ Excellent cutting performance in all building materials, particularly suitable for clean cut edges without material break out thanks to continuous cutting rim.
- ▶ Our best Turbo diamond cutting disc.
- ▶ Sintered cutting rim.




PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
115	22.23	2.2	12	C1a	1	1	581776	2 608 602 671	68.86 £	



STANDARD FOR UNIVERSAL

Focus on cutting speed.

184
4



OUTSTANDING LIFETIME AND SPEED

10 mm segment height with homogenous diamond distribution

HIGH SPEED

Unique segment design allows low friction between segment and material

HIGH PERFORMANCE

In reinforced concrete and masonry thanks to optimized diamond quality and grit size.

X-LOCK	✓
M14/Ø 22,23	✓

X-LOCK Standard for Universal diamond cutting discs

standard **Universal**

- ▶ Changing diamond discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK diamond discs also fit on standard angle grinder.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Sintered diamond cutting segments.

X-LOCK	✓
M14/Ø 22,23	✓



PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Pack of 1										
115	22.23	2	10	C1c	1	1	933827		2 608 615 165	23.01 £
125	22.23	2	10	C1c	1	1	933834		2 608 615 166	25.49 £



Diamond cutting discs Standard for Universal

standard **Universal**

- ▶ The diamond cutting disc that is a problem solver in all building materials.
- ▶ Sintered diamond cutting segments.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 1										
115	22.23	2	10	C1c	1	1	869676	2 608 615 057	23.01 £	
125	22.23	2	10	C1c	1	1	869690	2 608 615 059	25.49 £	
150	22.23	2.4	10	C1c	1	1	869713	2 608 615 061	30.5 £	
180	22.23	2.4	10	C1c	1	1	869737	2 608 615 063	43.35 £	
230	22.23	2.6	10	C1c	1	1	869751	2 608 615 065	51.01 £	
300	22.23	3.3	10	C1a	1	1	869775	2 608 615 067	102.01 £	
Pack of 10										
115	22.23	2	10	C0a	10	1	869683	2 608 615 058	207.08 £	
125	22.23	2	10	C0a	10	1	869706	2 608 615 060	229.53 £	
150	22.23	2.4	10	C0a	10	1	869720	2 608 615 062	274.62 £	
180	22.23	2.4	10	C0a	10	1	869744	2 608 615 064	390.03 £	
230	22.23	2.6	10	C0a	10	1	869768	2 608 615 066	459.05 £	

Diamond cutting discs Standard for Universal Turbo

standard **Universal**

- ▶ The solution in all building materials with clean cut edges.
- ▶ Sintered cutting rim.



Pack of 1									
115	22.23	2	10	C1c	1	1	510004	2 608 602 393	20.66 £
125	22.23	2	10	C1c	1	1	510011	2 608 602 394	23.01 £
150	22.23	2.5	10	C1c	1	1	510028	2 608 602 395	27.53 £
180	22.23	2.5	10	C1c	1	1	510035	2 608 602 396	40.82 £
230	22.23	2.5	10	C1c	1	1	510042	2 608 602 397	46.99 £
Pack of 10									
115	22.23	2	10	C0a	10	1	665902	2 608 603 249	185.92 £
125	22.23	2	10	C0a	10	1	665919	2 608 603 250	207.08 £
180	22.23	2.5	10	C0a	10	1	665926	2 608 603 251	367.37 £
230	22.23	2.5	10	C0a	10	1	665933	2 608 603 252	412.53 £

ECO for Universal Segmented diamond cutting discs

eco **Universal**

- ▶ The affordable diamond cutting disc that is a problem solver in all building materials.
- ▶ The Eco for Universal Turbo Diamond Disc is the preferred choice for reliable cuts in general construction materials. It is appropriate for cutting a variety of construction materials including concrete, brick, limestone and roofing tile.




Pack of 1									
115	22.23	2	7	C1a	1	10	857048	2 608 615 027	12.84 £
125	22.23	2	7	C1a	1	10	857055	2 608 615 028	14.54 £
150	22.23	2.1	7	C1a	1	10	857062	2 608 615 029	22.26 £
180	22.23	2.2	7	C1a	1	10	857079	2 608 615 030	31.52 £
230	22.23	2.6	7	C1a	1	10	857086	2 608 615 031	28.89 £
pack of 10									
115	22.23	2	7	C1a	10	1	857178	2 608 615 040	115.5 £

ECO for Universal Segmented diamond cutting discs

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
125	22.23	2	7	C1a	10	1	857185	2 608 615 041	130.82 £
150	22.23	2.1	7	C1a	10	1	857192	2 608 615 042	193.89 £
180	22.23	2.2	7	C1a	10	1	857208	2 608 615 043	274.41 £
230	22.23	2.6	7	C1a	10	1	857215	2 608 615 044	259.97 £

ECO for Universal Turbo diamond cutting discs

eco  **Universal** ▶ The Eco for Universal Turbo Diamond Disc is the preferred choice for reliable cuts in general construction materials. It is appropriate for cutting a variety of construction materials including concrete, brick, limestone and roofing tile.



Pack of 1

115	22.23	2	7	C1a	1	10	857130	2 608 615 036	15.23 £
125	22.23	2.4	7	C1a	1	10	857147	2 608 615 037	16.84 £
180	22.23	2.6	7	C1a	1	10	857154	2 608 615 038	29.1 £
230	22.23	3	7	C1a	1	10	857161	2 608 615 039	37.68 £

pack of 10

115	22.23	2	7	C1a	10	1	857222	2 608 615 045	132.57 £
125	22.23	2.4	7	C1a	10	1	857239	2 608 615 046	146.6 £
180	22.23	2.6	7	C1a	10	1	857246	2 608 615 047	253.5 £
230	22.23	3	7	C1a	10	1	857253	2 608 615 048	329.27 £

Diamond cutting discs Best for Concrete

best  Concrete



long
LIFE



- ▶ Ideal for all types of hardened concrete and reinforced concrete.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- ▶ Up to 15 mm segment height for a long lifetime, even in demanding materials.
- ▶ Laser-welded diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
115	22.23	2.2	12	C1c	1	1	581578	2 608 602 651	76.53 £
125	22.23	2.2	12	C1c	1	1	581585	2 608 602 652	84.97 £
150	22.23	2.4	12	C1c	1	1	581592	2 608 602 653	101.87 £
180	22.23	2.4	12	C1c	1	1	581608	2 608 602 654	144.44 £
230	22.23	2.4	15	C1c	1	1	581615	2 608 602 655	169.93 £
300	22.23	2.8	15	C1a	1	1	581622	2 608 602 656	305.73 £

Diamond cutting discs Standard for Concrete

standard  Concrete



- ▶ The affordable diamond cutting disc that is a problem solver in concrete.
- ▶ Sintered diamond cutting segments.

Pack of 1

115	22.23	1.6	10	C1c	1	1	441247	2 608 602 196	21.91 £
125	22.23	1.6	10	C1c	1	1	441254	2 608 602 197	24.29 £
150	22.23	2	10	C1c	1	1	441261	2 608 602 198	29.05 £
230	22.23	2.3	10	C1c	1	1	441285	2 608 602 200	48.58 £
300	22.23	3.1	10	C1a	1	1	576468	2 608 602 542	102.01 £

Pack of 10

115	22.23	1.6	10	C0a	10	1	665711	2 608 603 239	197.21 £
125	22.23	1.6	10	C0a	10	1	665810	2 608 603 240	218.57 £
150	22.23	2	10	C0a	10	1	665827	2 608 603 241	261.49 £
180	22.23	2	10	C0a	10	1	665834	2 608 603 242	371.54 £
230	22.23	2.3	10	C0a	10	1	665841	2 608 603 243	437.18 £



Diamond cutting discs Best for Marble

best  **Marble**


- ▶ Perfectly clean cut edges without material break out in marble, limestone and perspex thanks to electroplated cutting rim.
- ▶ For the highest demands on speed and cut quality.

fast
CUT **clean**
CUT



PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
115	22.23	2.2	3	C1c	1	1	581950		2 608 602 689	76.53 £
125	22.23	2.2	3	C1c	1	1	581967		2 608 602 690	84.97 £
150	22.23	2.2	3	C1c	1	1	581974		2 608 602 691	101.87 £
180	22.23	2.2	3	C1c	1	1	581981		2 608 602 692	144.42 £
230	22.23	2.2	3	C1a	1	1	581998		2 608 602 693	169.93 £

Diamond cutting discs Standard for Marble

standard  **Marble**


- ▶ The affordable solution for marble, limestone and perspex with clean cut edges.
- ▶ Electroplated cutting rim.



115	22.23	2.2	3	C1c	1	1	484336		2 608 602 282	25.78 £
230	22.23	2.8	3	C1c	1	1	484343		2 608 602 283	59.3 £

Diamond cutting discs Best for Abrasive

best **Abrasive**



long
LIFE **fast**
CUT



- ▶ For all softer and abrasive materials such as brick, sandstone or limestone. The hard bond ensures cutting speed in abrasive materials as well as maximum lifetime with up to 15 mm segment height.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- ▶ Laser-welded diamond segments.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
115	22.23	2.2	12	C1c	1	1	581851	2 608 602 679	80.27 £
125	22.23	2.2	12	C1c	1	1	581868	2 608 602 680	89.19 £
230	22.23	2.4	15	C1c	1	1	581899	2 608 602 683	178.38 £

Diamond cutting discs Standard for Abrasive

standard **Abrasive**



- ▶ The affordable solution for soft and abrasive materials.
- ▶ Sintered diamond cutting segments.



115	22.23	1.6	10	C1c	1	1	581219	2 608 602 615	24.11 £
125	22.23	1.6	10	C1c	1	1	581226	2 608 602 616	26.75 £
150	22.23	2	10	C1c	1	1	581233	2 608 602 617	32.09 £
180	22.23	2	10	C1c	1	1	581240	2 608 602 618	45.54 £
230	22.23	2.3	10	C1c	1	1	581257	2 608 602 619	53.52 £

DIAMOND CUTTING DISCS CERAMIC

For tile cutting machines and table saws.

190
4



Best for Ceramic



Standard for Ceramic

Page number	196	196
Diameter mm	180 - 350	180 - 350
Cutting width mm	2.2 - 3.0	1.6 - 2.0
Bore diameter	25.40 / 30.00	25.40 / 30.00

MATERIALS


Ceramic tiles	✓	✓
---------------	---	---

DIAMOND CUTTING DISCS STONE

For table saws and petrol saws.



Best for Stone



Standard for Stone

Page number	197	197
Diameter mm	300 – 450	300 – 450
Cutting width mm	2.8 – 3.8	3.1 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Granite	✓	✓
Natural stone	✓	✓
Concrete	✓	✓
Pavement / garden slabs	✓	✓

DIAMOND CUTTING DISCS CONCRETE

For table saws and petrol saws.

192
4



Best for Concrete



Standard for Concrete

Page number	198	198
Diameter mm	300 - 450	300 - 500
Cutting width mm	2.8 - 3.6	2.8 - 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40



MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Garden slabs	✓	✓

DIAMOND CUTTING DISCS UNIVERSAL

For table saws and petrol saws.



	Multi Material Discs EXPERT	Standard for Universal	Standard for Universal Turbo	Eco for Universal
Page number	199	200	200	200
Diameter mm	300 – 450	300 – 450	300 – 350	300 – 350
Cutting width mm	2.8 – 3.3	3.3 – 3.6	3.0	3.0
Bore diameter	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40
	 			

MATERIALS

Building site material	✓	✓	✓	✓
Concrete	✓	✓	✓	✓
Reinforced concrete	✓	✓	-	✓
Brick	✓	✓	✓	✓
Sand-, limestone, Rooftile	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products

DIAMOND CUTTING DISCS MARBLE

For table saws and petrol saws.

194
4



Best for Marble

Page number	201
Diameter mm	300 / 350
Cutting width mm	2.6
Bore diameter	25.40

MATERIALS

Marble	✓
Limestone	✓
Perspex	✓

DIAMOND CUTTING DISCS ABRASIVE AND ASPHALT

For table saws and petrol saws.



Best for Abrasives



Standard for Abrasives



Standard for Asphalt

Page number	202	202	202
Diameter mm	300 – 450	300 – 450	300 – 400
Cutting width mm	2.8 – 3.6	2.8 – 3.2	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40	20.00 / 25.40

MATERIALS

Asphalt	-	-	✓
Bitumen	-	-	✓
Limestone / sandstone	✓	✓	-
Brick	✓	✓	-
Fresh concrete	✓	✓	✓
Porous concrete	✓	✓	-
Rooftile	✓	✓	-

Diamond cutting discs Best for Ceramic

best **Ceramic**



- ▶ The right disc for the highest demands on lifetime with 10 mm segment height.
- ▶ Good cutting quality without rough edges, even in extra-hard fine stone slabs and marble.
- ▶ Sintered cutting rim.
- ▶ * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
180	25.40	2.2	10	C1c	1	1	581417	2 608 602 635	73.87 £
200	25.40	2.2	10	C1c	1	1	581424	2 608 602 636	85.29 £
230	25.40	2.4	10	C1c	1	1	581431	2 608 602 637	110.79 £
250	30.00/25.40*	2.4	10	C1c	1	1	581448	2 608 602 638	147.65 £
300	30.00/25.40*	2.8	10	C1c	1	1	581455	2 608 602 639	202.95 £
350	30.00/25.40*	3	10	C1a	1	1	581462	2 608 602 640	258.25 £



Diamond cutting discs Standard for Ceramic

standard **Ceramic**



- ▶ For clean cut edges in ceramic tiles. The affordable solution for all-round use in tiles.
- ▶ Sintered cutting rim.
- ▶ * With reduction ring.



180	25.40	1.6	7	C1c	1	1	576406	2 608 602 536	28.2 £
200	25.40	1.6	7	C1c	1	1	576413	2 608 602 537	32.01 £
230	25.40	1.6	7	C1c	1	1	576420	2 608 602 538	45.85 £
250	30.00/25.40*	1.6	7	C1c	1	1	576437	2 608 602 539	61.2 £
300	30.00/25.40*	2	7	C1a	1	1	576444	2 608 602 540	85.59 £
350	30.00/25.40*	2	7	C1a	1	1	576451	2 608 602 541	108.88 £




Diamond cutting discs Best for Stone

best ^{10x} Stone



long
LIFE

- ▶ For extremely hard stone such as granite.
- ▶ Laser-welded diamond cutting segments.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Excellent cutting speed thanks to the “Speed Stripes” for less side friction.
- ▶ Up to 15 mm segment height enables a long lifetime, even in the most demanding materials.
- ▶ * With reduction ring.




PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
300	20.00/25.40*	2.8	15	C1a	1	1	581530		2 608 602 647	321.11 £
350	20.00/25.40*	3.2	15	C1a	1	1	581547		2 608 602 648	419.23 £
400	20.00/25.40*	3.2	12	C1a	1	1	581554		2 608 602 649	553.01 £
450	25.40	3.8	12	C1a	1	1	581561		2 608 602 650	731.33 £

Diamond cutting discs Standard for Stone

standard ^{10x} Stone



- ▶ For hard materials such as granite, natural stone.
- ▶ Laser-welded diamond cutting segments for large diameters.
- ▶ The affordable diamond cutting disc that is a problem solver in hard materials.
- ▶ Sintered diamond cutting segments.
- ▶ * with reduction ring



300	20.00/25.40*	3.1	10	C1a	1	1	581080		2 608 602 602	105.57 £
350	20.00/25.40*	3.1	10	C1a	1	1	581097		2 608 602 603	131.82 £
400	20.00/25.40*	3.2	10	C1a	1	1	581103		2 608 602 604	173.76 £
450	25.40	3.6	10	C1a	1	1	581110		2 608 602 605	224.18 £

Diamond cutting discs Best for Concrete

best **Concrete**




- ▶ Ideal for all types of hardened concrete and reinforced concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ Low friction segments: designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Up to 15 mm segment height for a long lifetime, even in demanding materials.
- ▶ * With reduction ring.

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
300	20.00/25.40*	2.8	15	C1a	1	1	581639	2 608 602 657	305.73 £
350	20.00/25.40*	3.2	15	C1a	1	1	581646	2 608 602 658	380.17 £
400	20.00/25.40*	3.2	12	C1a	1	1	581653	2 608 602 659	501.57 £
450	25.40	3.6	12	C1a	1	1	581660	2 608 602 660	663.34 £



Diamond cutting discs Standard for Concrete

standard **Concrete**



- ▶ The affordable diamond cutting disc that is a problem solver in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.

350	20.00/25.40*	2.8	10	C1a	1	1	576482	2 608 602 544	119.71 £
400	20.00/25.40*	3.2	10	C1a	1	1	576499	2 608 602 545	173.27 £
450	25.40	3.6	10	C1a	1	1	576505	2 608 602 546	224.18 £




EXPERT MultiMaterial Diamond Cutting Discs

EXPERT



- ▶ Ideal for cutting construction materials, such as bricks and reinforced concrete; makes straight cuts in paving slabs; cutting bricks to size for bricklaying; cuts common materials used in housebuilding.
- ▶ Best for construction workers: long lasting and highly versatile.
- ▶ Lasts up to 4x longer than a standard multi material diamond disc.
- ▶ With 25.4 mm bore, fits 20 mm bores with reduction rings.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
300	20.00+25.40*	3	15	C1d	1	1	540009	2 608 900 665	291.21 £	
350	20.00/25.40*	3.3	15	C1d	1	1	540016	2 608 900 666	380.17 £	
400	20.00/25.40*	3.3	12	C1d	1	1	540023	2 608 900 667	501.64 £	
450	25.40	3.3	12	C1d	1	1	540030	2 608 900 668	663.34 £	

Diamond cutting discs Standard for Universal

standard  **Universal**
 

- ▶ The diamond cutting disc that is a problem solver in all building materials.
- ▶ Sintered diamond cutting segments.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT



Pack of 1										
300	20.00	3.3	10	C1a	1	1	869782		2 608 615 068	102.01 £
350	20.00	3.3	10	C1a	1	1	869805		2 608 615 070	119.71 £
350	25.40	3.3	10	C1a	1	1	869812		2 608 615 071	119.71 £
450	25.40	3.6	10	C0a	1	1	869843		2 608 615 074	224.18 £

Diamond cutting discs Standard for Universal Turbo

standard  **Universal**
 

- ▶ The solution in all building materials with clean cut edges.
- ▶ Sintered cutting rim.
- ▶ * With reduction ring.



300	20.00/25.40*	3	10	C1a	1	1	580922		2 608 602 586	112.19 £
350	20.00/25.40*	3	10	C1a	1	1	580939		2 608 602 587	123.24 £



Diamond cutting discs Eco for Universal

eco  **Universal**

- ▶ The affordable diamond cutting disc that is a problem solver in all building materials.
- ▶ The Eco for Universal Turbo Diamond Disc is the preferred choice for reliable cuts in general construction materials. It is appropriate for cutting a variety of construction materials including concrete, brick, limestone and roofing tile.



Pack of 1										
300	20.00	3.2	8	C1a	1	1	857093		2 608 615 032	51.1 £
300	25.40	3.2	8	C1a	1	1	857109		2 608 615 033	84.23 £
350	20.00	3.2	8	C1a	1	1	857116		2 608 615 034	101.19 £
350	25.40	3.2	8	C1a	1	1	857123		2 608 615 035	98.32 £



Diamond cutting discs Best for Marble

best **Marble**


- ▶ Perfectly clean cut edges without material breaks in marble, limestone and perspex thanks to electroplated cutting rim.
- ▶ For the highest demands on speed and cut quality.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
350	25.40*	2.6	5	C1a	1	1	586900	2 608 602 702	399.18 £

Diamond cutting discs Best for Abrasive


best  **Abrasive**
  

- ▶ For all softer and abrasive materials such as fresh concrete, sandstone or limestone. The hard bond ensures cutting speed in abrasive materials as well as maximum lifetime with up to 15 mm segment height.
- ▶ Laser-welded diamond segments.
- ▶ Low friction segments: designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ * With reduction ring.



long
LIFE

fast
CUT



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
400	20.00/25.40*	3.2	12	C1a	1	1	581936	2 608 602 687	552.94 £
450	25.40	3.6	12	C1a	1	1	581943	2 608 602 688	731.33 £

Diamond cutting discs Standard for Abrasive

standard  **Abrasive**
  

- ▶ The affordable solution for soft and abrasive materials.
- ▶ Sintered diamond cutting segments.
- ▶ * With reduction ring.
- ▶ ** Laser-welded diamond cutting segments for large diameters.



300	20.00/25.40*	2.8	10	C1a	1	1	581264	2 608 602 620	112.19 £
350	20.00/25.40*	2.8	10	C1a	1	1	581271	2 608 602 621	125.83 £
400**	20.00/25.40*	3.2	12	C1a	1	1	581288	2 608 602 622	192.52 £
450**	25.40	3.6	12	C1a	1	1	581295	2 608 602 623	235.23 £

Diamond cutting discs Standard for Asphalt

standard  **Asphalt**
  

- ▶ Ideal for asphalt and occasional work in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.



300	20.00/25.40*	2.8	10	C1a	1	1	581301	2 608 602 624	189.26 £
350	20.00/25.40*	3.2	10	C1a	1	1	581318	2 608 602 625	247.1 £
400	20.00/25.40*	3.6	10	C1a	1	1	581325	2 608 602 626	326.05 £

DIAMOND CUTTING DISCS CONCRETE

For joint cutters.



Best for Concrete



Standard for Concrete


Page number	204	204
Diameter mm	300 – 450	300 – 450
Cutting width mm	2.8 – 3.6	2.8 – 3.6
Bore diameter	20.00 / 25.40	20.00 / 25.40

MATERIALS

Concrete	✓	✓
Reinforced concrete	✓	✓
Pavement / garden slabs	✓	✓

Diamond cutting discs Best for Concrete

best  Concrete



- ▶ Ideal for all types of hardened concrete and reinforced concrete.
- ▶ Laser-welded diamond cutting segments up to a diameter of 450 mm. Diamond cutting segments for diameters of 800 and 900 mm.
- ▶ Low friction segments designed to minimise wear. The fluting removes dust and reduces unnecessary grinding on the sides of the disc.
- ▶ Up to 15 mm segment height for a long lifetime, even in demanding materials.
- ▶ * With reduction ring.


204
4




PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
300	20.00/25.40*	2.8	15	C1a	1	1	581639	2 608 602 657	305.73 £	
350	20.00/25.40*	3.2	15	C1a	1	1	581646	2 608 602 658	380.17 £	
400	20.00/25.40*	3.2	12	C1a	1	1	581653	2 608 602 659	501.57 £	
450	25.40	3.6	12	C1a	1	1	581660	2 608 602 660	663.34 £	

Diamond cutting discs Standard for Concrete

standard  Concrete



- ▶ The affordable diamond cutting disc that is a problem solver in concrete.
- ▶ Laser-welded diamond cutting segments.
- ▶ * With reduction ring.



350	20.00/25.40*	2.8	10	C1a	1	1	576482	2 608 602 544	119.71 £
400	20.00/25.40*	3.2	10	C1a	1	1	576499	2 608 602 545	173.27 £
450	25.40	3.6	10	C1a	1	1	576505	2 608 602 546	224.18 £

DIAMOND CUTTING DISCS ASPHALT

For joint cutters.



Standard for Asphalt

Page number	206
Diameter mm	300 – 450
Cutting width mm	2.8 – 3.6
Bore diameter	20.00 / 25.40

MATERIALS

Asphalt	✓
Fresh concrete	✓
Bitumen	✓

Diamond cutting discs Standard for Asphalt

standard **Asphalt** ▶ Ideal for asphalt and occasional work in concrete.



▶ Laser-welded diamond cutting segments.

▶ * With reduction ring.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Cutting width mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
300	20.00/25.40*	2.8	10	C1a	1	1	581301		2 608 602 624	189.26 £
350	20.00/25.40*	3.2	10	C1a	1	1	581318		2 608 602 625	247.1 £
400	20.00/25.40*	3.6	10	C1a	1	1	581325		2 608 602 626	326.05 £
450	25.40	3.2	10	C1a	1	1	581332		2 608 602 627	431.09 £

DIAMOND GRINDING WHEELS

Especially suitable for concrete grinders.

208
4



Expert Concrete

Best for Concrete

Expert for Concrete

EXPERT

Page number	210	211	211
Diameter mm	125	125	115 - 125

MATERIALS

Concrete	✓	✓	✓
Build materials	-	-	-
Brick	-	-	-
Natural stone	-	-	-
Abrasive materials	-	-	-
Thermo-plastic protective coatings	-	-	-

*Bosch EXPERT products vs. Bosch standard products



Standard for Concrete



Best for Universal



Expert for Abrasive

212

213

214

125 - 180

125

125

✓

✓

✓

-

✓

-

-

✓

✓

-

✓

-

-

-

✓

-

-

-

MAXIMUM SPEED GRINDING CONCRETE

EXPERT Concrete Grinding Heads

ASSORTMENT: Ø 125 mm

EXPERT

- 1 Very fast grinding with Bosch Diamond Technology
- 2 L-shaped segments are designed to remove material fast
- 3 Waste material efficiently extracted through Large Dust Slots



EXPERT Concrete Diamond Grinding Heads

EXPERT



- ▶ Ideal for grinding concrete surfaces; to grind out irregularities in concrete walls, floors and ceilings; and to smooth the way for the next phase of construction.
- ▶ Best for construction workers: maximum speed and efficiency.
- ▶ 3x faster than a standard concrete grinding head.
- ▶ With 22.23 mm bore for concrete grinders and angle grinders with locking nut.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
125	22.23	4.5	C1a	1	1	539867	2 608 900 651	184.08 £

Diamond grinding head Best for Concrete

best **for Concrete**



- ▶ Suitable for grinding of thick concrete layers cup wheel with outstanding lifetime
- ▶ This cup wheel provides very high lifetime with 18 segments
- ▶ Smooth grinding by increasing the surface area contact
- ▶ The low unbalance ensures vibration-free work and protects the lifetime of the concrete grinder
- ▶ Less gouging (swirl mark) than the single row cup wheels


PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
125	22.23	4.5	C1a	1	1	772150		2 608 201 228	159.76 £



4 211

Diamond grinding head Expert for Concrete

expert **for Concrete**



- ▶ Suitable for grinding down thick concrete layers
- ▶ Segments brazed
- ▶ Two rows of segments for even grinding
- ▶ Maximum unbalance of 50 g/mm for vibration-free working

125	22.23	5	C1a	1	1	993470		2 608 601 762	66.15 £
-----	-------	---	-----	---	---	--------	--	----------------------	---------



125	22.23	5	C1a	1	1	993487		2 608 601 763	66.15 £
-----	-------	---	-----	---	---	--------	--	----------------------	---------



Diamond grinding head Standard for Concrete

standard  **Concrete**



- ▶ Suitable for grinding down thick concrete layers
- ▶ Segments sintered
- ▶ One segment row
- ▶ Maximum unbalance of 50 g*mm for vibration-free working

PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
125	22.23	5	C1a	1	1	871433		2 608 601 573	102.46 £
180	22.23	5	C1a	1	1	871457		2 608 601 575	127.54 £



212
4

Universal

Diamond grinding head Best for Universal Turbo

best **Universal**



- ▶ Suitable for fine surfaces on granite (hard and soft), building materials, artificial stone, concrete and for working on edges without breakage
- ▶ The continuous turbo grinding ring produces fine grinding results for finishing work on natural stone such as granite and building materials such as concrete
- ▶ Maximum unbalance of 50 g/mm for vibration-free working



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
125	22.23	5	C1a	1	1	772181	2 608 201 231	185.83 €

Abrasive materials

Diamond grinding head Expert for Abrasive

expert  Abrasive



- ▶ **Suitable for** large-area removal of abrasive materials such as lime plaster, hard finish plaster (floor subsurface), sandstone or very abrasive concrete – Not suitable for grinding hard materials
- ▶ Segments brazed
- ▶ Two rows of segments for even grinding
- ▶ Maximum unbalance of 50 g/mm for vibration-free working




214
4



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
125	22.23	4.5	C1a	1	1	578844	2 608 602 553	138.63 £

DIAMOND CORE CUTTERS AND CORE EDGE SINKERS

For universal use.



Page number	216	217	217	220
Shank	13 mm or Hex	Power-Change	13 mm	M 14
Water cooling	-	✓	✓	-
Diameter mm	6.0 – 14.0	19.0 – 83.0	5.0 – 14.0	14.0 – 83.0
Drilling depth mm	33	39	33	30 – 35
X-LOCK	-	-	-	✓

MATERIALS

Tiles, porcelain	✓	✓	✓	✓
Stoneware	✓	✓	✓	✓
Marble	✓	✓	✓	✓
Concrete	-	-	-	-
Reinforced concrete	-	-	-	-
Limestone	-	-	-	-
Brick	-	-	-	-

Diamond dry drill bits

Diamond drill bits Easy Dry

best  Ceramic

- ▶ Suitable for soft wall tiles through to very hard floor tiles such as fine stoneware.
- ▶ For use in cordless screwdrivers and drills with **13 mm chuck**.
- ▶ **Note:** drill without impact. Optimum speed: 1500 rpm.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
6	15/64	33	P1p	1	1	577915	2 608 587 139	62.59 £	
7	9/32	33	P1p	1	1	577922	2 608 587 140	62.59 £	
8	5/16	33	P1p	1	1	577939	2 608 587 141	67.02 £	
10	25/64	33	P1p	1	1	577946	2 608 587 142	80.44 £	
12	15/32	33	P1p	1	1	577953	2 608 587 143	85.93 £	
14	9/16	33	P1p	1	1	577960	2 608 587 144	90.21 £	

Robust Line diamond drill bit set Easy Dry

best  Ceramic

PRODUCT PROPERTIES					ORDERING INFORMATION						
Diameter mm	Diameter inches	Working length mm	Set size	Set dimension(s) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
3-piece diamond cutter set											
6	15/64	33	A	156.5 x	P1k	3	1	577977	2 608 587 145	212 £	
8	5/16			69.5 x 23							
10	25/64										



Diamond wet drill bits and holesaws

4

217

Diamond wet drill bits Diamond for Hard Ceramics

- Suitable for soft wall tiles through to very hard floor tiles such as fine stoneware.
- Note: Drill without impact. Always work with water cooling. Only work with cordless drills.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
5	30	P1a	1	1	495721	2 608 550 605	31.88 £	
6	35	P1a	1	1	495738	2 608 550 606	33.29 £	
7	35	P1a	1	1	495745	2 608 550 607	34.71 £	
8	35	P1a	1	1	495752	2 608 550 608	36.81 £	
10	35	P1a	1	1	495769	2 608 550 609	40.31 £	
12	35	P1a	1	1	495776	2 608 550 610	44.16 £	
14	35	P1a	1	1	495783	2 608 550 611	44.53 £	

Diamond holesaws Diamond for Hard Ceramics



- The cutting quality depends on the correct speed and the coolant used (see operating instructions).
- Note: drill without impact. Always work with water cooling. Only work with cordless drills.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
19	3/4	39	PC1b	1	1	488990	2 608 580 301	47.47 £
20	25/32	39	PC1b	1	1	489003	2 608 580 302	47.47 £
22	7/8	39	PC1b	1	1	489010	2 608 580 303	49.69 £
25	1	39	PC1b	1	1	489027	2 608 580 304	60.85 £
29	1 1/8	39	PC1b	1	1	489034	2 608 580 305	67.45 £
32	1 1/4	39	PC1b	1	1	489041	2 608 580 306	70.73 £
35	1 1/2	39	PC1b	1	1	489058	2 608 580 307	77.4 £
38	1 1/2	39	PC1b	1	1	489065	2 608 580 308	77.4 £
41	1 3/4	39	PC1b	1	1	515160	2 608 580 394	84.05 £
44	1 3/4	39	PC1b	1	1	489072	2 608 580 309	87.28 £
51	2	39	PC1b	1	1	489089	2 608 580 310	87.59 £
54	2 1/4	39	PC1b	1	1	489096	2 608 580 311	94.21 £
57	2 1/4	39	PC1b	1	1	489102	2 608 580 312	99.7 £
60	2 1/2	39	PC1b	1	1	489119	2 608 580 313	102.82 £
64	2 1/2	39	PC1b	1	1	489126	2 608 580 314	100.71 £
65	2 1/2	39	PC1b	1	1	489133	2 608 580 315	104.45 £
67	2 3/4	39	PC1b	1	1	489157	2 608 580 316	106.04 £
68	2 3/4	39	PC1b	1	1	489164	2 608 580 317	106.35 £
70	2 3/4	39	PC1b	1	1	489171	2 608 580 318	106.35 £
76	3	39	PC1b	1	1	489188	2 608 580 319	110.86 £

Diamond holesaws Diamond for Hard Ceramics

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
79	3 1/4	39	PC1b	1	1	489195	2 608 580 320	120.42 £
83	3 1/4	39	PC1b	1	1	489201	2 608 580 321	125.01 £

Robust Line diamond wet drill bit set Diamond for Hard Ceramics

- Suitable for soft wall tiles through to very hard floor tiles such as fine stoneware.
- Note: drill without impact. Always work with water cooling. Only work with cordless drills.

PRODUCT PROPERTIES					ORDERING INFORMATION						
Diameter mm	Working length mm	Total length mm	Set size	Set dimension(s) mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
4-piece Robust Line diamond wet drill bit set											
6	35	65	A	156.5 x 69.5 x 23	7.8	P1k	4	1	495790	2 607 019 880	170.53 £
8	35										
10	35										
14	35										



Accessories for diamond wet drill bits and diamond holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pressurised water bottle For water cooling of the diamond wet drill bits and holesaws max. filling volume 0.9 l Including hose (1.8 m long)							
-		C1a	1	1	495820	2 608 190 048	22.81 £



Accessories for diamond wet drill bits and diamond holesaws


PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT	
Centring aid for diamond wet drill bits and holesaws								
230	C1a	1	1	489683		2 608 580 327	47.59 £	
Centring aid for diamond drill bits								
-	PC1a	1	1	495813		2 608 598 142	27.78 £	



X-LOCK Diamond cutters Dry Speed

best **Ceramic**

- ▶ Changing diamond cutters is fast and convenient thanks to the keyless X-LOCK system.
- ▶ **Suitable for** soft wall tiles through to very hard floor tiles and natural stone.
- ▶ For use on X-LOCK angle grinders.



220
4



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
14	9/16	30	P1h	1	1	933636		2 608 599 027	80.34 £
16	5/8	30	P1h	1	1	933643		2 608 599 028	89.05 £
20	25/32	35	P1h	1	1	933650		2 608 599 029	106.54 £
22	7/8	35	P1h	1	1	933667		2 608 599 030	107.5 £
25	1	35	P1h	1	1	933674		2 608 599 031	109.01 £
27	1 1/16	35	P1h	1	1	933681		2 608 599 032	110.53 £
30	1 3/16	35	P1h	1	1	933698		2 608 599 033	113.97 £
32	1 1/4	35	P1h	1	1	933704		2 608 599 034	115.57 £
35	1 3/8	35	P1h	1	1	933711		2 608 599 035	119.77 £
38	1 1/2	35	P1h	1	1	933728		2 608 599 036	124.04 £
40	1 9/16	35	P1h	1	1	925501		2 608 599 014	124.04 £
45	1 49/64	35	P1h	1	1	925518		2 608 599 015	126.43 £
51	2	35	P1h	1	1	925525		2 608 599 016	135.91 £
55	2 11/64	35	P1h	1	1	925532		2 608 599 017	155.68 £
57	2 1/4	35	P1h	1	1	925549		2 608 599 018	164.39 £
60	2 3/8	35	P1h	1	1	925556		2 608 599 019	179.25 £
65	2 9/16	35	P1h	1	1	925563		2 608 599 020	203.9 £
67	2 5/8	35	P1h	1	1	925570		2 608 599 021	215.02 £
68	2 11/16	35	P1h	1	1	925587		2 608 599 022	219 £
70	2 3/4	35	P1h	1	1	925594		2 608 599 023	223.05 £
75	2 61/64	35	P1h	1	1	925600		2 608 599 024	230.76 £
80	3 5/32	35	P1h	1	1	925617		2 608 599 025	243.71 £
83	3 1/4	35	P1h	1	1	925624		2 608 599 026	256.63 £

Milling Cutter


20	7/8	35	P1p	1	1	933742		2 608 599 038	109.52 £
----	-----	----	-----	---	---	--------	--	----------------------	----------



Diamond cutters Dry Speed

best  Ceramic

- Suitable for soft wall tiles through to very hard floor tiles and natural stone.
- For use on angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter (D) mm	Diameter (D) Inch	Working length (L1) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
14	9/16	30	P1h	1	1	577656	2 608 587 113	80.34 £	
16	5/8	30	P1h	1	1	577663	2 608 587 114	89.05 £	
20	25/32	35	P1h	1	1	577670	2 608 587 115	106.54 £	
22	7/8	35	P1h	1	1	577687	2 608 587 116	107.5 £	
25	1	35	P1h	1	1	577694	2 608 587 117	109.01 £	
27	1 1/16	35	P1h	1	1	577700	2 608 587 118	110.53 £	
30	1 3/16	35	P1h	1	1	577717	2 608 587 119	113.97 £	
32	1 1/4	35	P1h	1	1	577724	2 608 587 120	115.57 £	
35	1 3/8	35	P1h	1	1	577731	2 608 587 121	119.77 £	
38	1 1/2	35	P1h	1	1	577748	2 608 587 122	124.04 £	
40	1 9/16	35	P1h	1	1	577755	2 608 587 123	124.04 £	
45	1 49/64	35	P1h	1	1	577762	2 608 587 124	126.43 £	
51	2	35	P1h	1	1	577779	2 608 587 125	135.91 £	
55	2 11/64	35	P1h	1	1	577786	2 608 587 126	155.68 £	
57	2 1/4	35	P1h	1	1	577793	2 608 587 127	164.39 £	
60	2 3/8	35	P1h	1	1	577809	2 608 587 128	179.25 £	
65	2 9/16	35	P1h	1	1	577816	2 608 587 129	203.9 £	
67	2 5/8	35	P1h	1	1	577823	2 608 587 130	215.02 £	
68	2 11/16	35	P1h	1	1	577830	2 608 587 131	219 £	
70	2 3/4	35	P1h	1	1	577847	2 608 587 132	223.05 £	
75	2 61/64	35	P1h	1	1	577854	2 608 587 133	230.76 £	
80	3 5/32	35	P1h	1	1	577861	2 608 587 134	243.71 £	
83	3 1/4	35	P1h	1	1	577878	2 608 587 135	256.63 £	



Milling Cutter

20	7/8	35	P1p	1	1	879026	2 608 599 011	109.52 £
----	-----	----	-----	---	---	--------	----------------------	----------



X-LOCK Diamond cutter set Dry Speed

best Ceramic



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
5-piece diamond cutter set including 20mm milling cutter								
68	33	C0a	5	1	933735	2 608 599 037		409.05 £
51	33							
35	33							
25	33							
20	33							

5-piece diamond cutter set including 20mm milling cutter

68	33	C0a	5	1	933735	2 608 599 037		409.05 £
51	33							
35	33							
25	33							
20	33							



222
4

Diamond cutter set Dry Speed

best for **Ceramic**




PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
4-piece Set X-LOCK DrySpeed. Best for Ceramic								
68	-	33	C0a	5	1	888660	2 608 576 669	399.07 £
51								
35								
25								
20								

G 1/2" Best for Universal diamond dry core cutter

best  **Universal**



- ▶ Universal segment for limestone, brick and sandstone.
- ▶ **Note:** Use Bosch Extractor GAS 25 or GAS 50 Professional for extraction.
- ▶ Very high cutting performance and long life in masonry.

PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Diamond dry core cutter G 1/2"										
28	350	3	7	C0a	1	1	623773		2 608 587 314	111.78 £
32	350	3	7	C0a	1	1	623780		2 608 587 315	116.08 £
38	150	3	7	C0a	1	1	623797		2 608 587 316	120.38 £
42	150	3	7	C0a	1	1	623803		2 608 587 317	121.23 £
48	150	3	7	C0a	1	1	623810		2 608 587 318	122.51 £
52	150	4	7	C0a	1	1	623827		2 608 587 319	126.83 £
60	150	4	7	C0a	1	1	623834		2 608 587 320	133.27 £
68	150	4	7	C0a	1	1	623858		2 608 587 322	148.31 £
72	150	4	7	C0a	1	1	623865		2 608 587 323	154.74 £
78	150	5	7	C0a	1	1	623872		2 608 587 324	163.36 £
82	150	5	7	C0a	1	1	623889		2 608 587 325	206.36 £
92	150	5	7	C0a	1	1	623896		2 608 587 326	214.96 £
107	150	6	7	C0a	1	1	623919		2 608 587 328	223.51 £
117	150	6	7	C0a	1	1	623926		2 608 587 329	266.54 £
127	150	6	7	C0a	1	1	623933		2 608 587 330	296.64 £
132	150	6	7	C0a	1	1	623940		2 608 587 331	305.24 £
142	150	7	7	C0a	1	1	623957		2 608 587 332	309.52 £
152	150	7	7	C0a	1	1	623964		2 608 587 333	313.82 £
202	150	9	7	C0a	1	1	623988		2 608 587 335	494.38 £

G 1/2" Standard for Universal diamond dry core cutter

standard  **Universal**




- ▶ Universal segment for limestone, brick and sandstone.
- ▶ High cutting performance and long life in masonry.

Diamond dry core cutter G 1/2"										
28	350	3	7	C0a	1	1	623995		2 608 587 336	59.12 £
38	150	3	7	C0a	1	1	624008		2 608 587 337	63.42 £
48	150	3	7	C0a	1	1	624015		2 608 587 338	72.02 £
52	150	4	7	C0a	1	1	624022		2 608 587 339	77.39 £
65	150	4	7	C0a	1	1	624039		2 608 587 340	81.69 £
107	150	6	7	C0a	1	1	624046		2 608 587 341	101.04 £
117	150	6	7	C0a	1	1	624053		2 608 587 342	119.31 £
127	150	6	7	C0a	1	1	624060		2 608 587 343	124.68 £




5-piece diamond dry core cutter set G 1/2" Standard for Universal

- standard  **Universal**
- ▶ Universal segment for limestone, brick and sandstone.
 - ▶ High cutting performance and long life in masonry.





PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Working length mm	Number of segments	Segment height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5-piece diamond dry core cutter set G 1/2"									
including:									
1 x ejector drift									
1 x hex adapter – G 1/2"									
1 x SDS plus adapter – G 1/2"									
1 x hex extension – G 1/2" (240 mm)									
1 x SDS plus extension – G 1/2" (240 mm)									
1 x 200 mm pilot drill bit									
38	150	4	7	U0	5	1	625081	2 608 587 007	365.41 £
52									
65									
117									
127									

Accessories for diamond core edge sinkers with Power-Change adapter

PRODUCT PROPERTIES					ORDERING INFORMATION				
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
 <p>Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips</p>									
7.15	120	PC1d	1	1	375924	2 608 584 777	16.61 £		

Accessories for Diamond Socket Core Cutters with M16 Shank

PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Diameter/key width mm	Adapter for machine side	Total length mm	Shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
 <p>Hex shank for core cutters with M16</p>										
-	11	-	80	Hexagon	P1e	1	1	084680	2 608 550 078	24.05 £
-	11	-	220	Hexagon	P1e	1	1	096744	2 608 598 109	42.29 £
 <p>SDS plus shank for core cutters with M16</p>										
-	-	-	105	SDS plus	P1e	1	1	046138	2 608 550 057	27.1 £
-	-	-	220	SDS plus	P1e	1	1	096751	2 608 598 110	48.43 £

Accessories for Bosch diamond drilling systems

4

227

Drilling crosses for 1 1/4" UNC and SDS-DI dry core cutters and SDS-DI core edge sinkers



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter/key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
32	C0a	1	1	110013	2 608 597 475	56.92 £		
42	C0a	1	1	110020	2 608 597 476	57.47 £		
52	C0a	1	1	110037	2 608 597 477	58.03 £		
62	C0a	1	1	220057	2 608 597 904	61.44 £		
68	C0a	1	1	110044	2 608 597 478	60.74 £		
87	C0a	1	1	110051	2 608 597 479	61.34 £		
102	C0a	1	1	110068	2 608 597 480	112.36 £		
112	C0a	1	1	110075	2 608 597 481	117.17 £		
122	C0a	1	1	220064	2 608 597 905	117.47 £		
132	C0a	1	1	110082	2 608 597 482	117.76 £		

Adapter for diamond core cutters



PRODUCT PROPERTIES			ORDERING INFORMATION					
Adapter for machine side	Adapter for core side	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
1 1/4" UNC	G 1/2"	-	P0h	1	1	116169	2 608 598 043	193.64 £
SDS plus	G 1/2"	115	C0a	1	1	230445	2 608 598 123	35.81 £
Hexagonal	G 1/2"	88	C0a	1	1	230438	2 608 598 122	26.46 £

Extensions for diamond core cutters



PRODUCT PROPERTIES		ORDERING INFORMATION					
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
300	P0h	1	1	116176	2 608 598 044	69.9 £	

Extension for core cutters with G 1/2" fitting as of diameter 32 mm

Extensions for diamond core cutters



PRODUCT PROPERTIES		ORDERING INFORMATION					
Length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
300		P0h	1	1	116183	2 608 598 045	99.04 £

Extension for core cutters with 1 1/4" UNC fitting as of diameter 45 mm

Vacuum set, flushing head and dust extraction head



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
		C0a	1	1	230629	2 609 390 380	314.69 £

Dust extraction outlet

Suitable for diamond dry core cutters with G 1/2" BSP connection

Pilot drill bit



PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
200		C0a	1	1	230551	2 608 597 921	19.24 £

Pilot drill bit for short diamond dry core cutters

CUTTING, GRINDING AND BRUSHING

With the innovative X-LOCK changing system

The best your tool can get. Bosch Professional Accessories.

5

229



CARBIDE MULTI WHEEL

Make your angle grinder more versatile.

230
5



Carbide Multi Wheel

EXPERT

231

Diameter mm 115 – 125

Thickness mm 1

Fitting tool Angle grinder

X-LOCK




Softwood / hardwood	<input checked="" type="checkbox"/>
Construction timber	<input checked="" type="checkbox"/>
Plywood/Chipboard	<input checked="" type="checkbox"/>
MDF/Laminate board	<input checked="" type="checkbox"/>
Wood with nails	<input checked="" type="checkbox"/>
Plastic	<input checked="" type="checkbox"/>
Plaster	<input checked="" type="checkbox"/>
Copper pipe	<input checked="" type="checkbox"/>

*Bosch EXPERT products vs. Bosch standard products


LONG LIFE CUTTING MULTIPLE MATERIALS

EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

ASSORTMENT: \varnothing 76 – 125 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Advanced steel body keeps constant speed and depth
- 3 Extra strong laser bonding of carbide grit and steel body



5
231

EXPERT Carbide Multi Wheel X-LOCK Cutting Discs

EXPERT




- ▶ Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- ▶ Best for shopfitters: long lasting and highly versatile.
- ▶ Cuts materials that angle grinders previously couldn't.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
115	22,23	PC1d	1	1	567501	2 608 901 192	21.53 £
		C1a	10	1	567525	2 608 901 194	211.28 £
125	22,23	PC1d	1	1	567518	2 608 901 193	25.82 £
		C1a	10	1	567532	2 608 901 195	301.53 £

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- ▶ Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- ▶ Best for shopfitters: long lasting and highly versatile.
- ▶ Cuts materials that angle grinders previously couldn't.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
115	22,23	PC1d	1	1	567464	2 608 901 188	21.53 £	
		C1a	10	1	567488	2 608 901 190	211.28 £	
125	22,23	PC1d	1	1	567471	2 608 901 189	25.82 £	
		C1a	10	1	567495	2 608 901 191	301.53 £	

EXPERT Carbide Multi Wheel Cutting Discs

EXPERT



- ▶ Ideal for cutting multiple materials with an angle grinder. Cuts wood and embedded screws and nails; plastic pipes; and makes accurate cut-outs in tough panels such as laminates and drywall.
- ▶ Best for shopfitters: long lasting and highly versatile.
- ▶ Cuts materials that angle grinders previously couldn't.
- ▶ With 10 mm bore for mini grinder.

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
For cordless angle grinders with 10 mm fitting								
76	10,00	PC1a	1	1	567549	2 608 901 196	17.83 £	

DIAMOND METAL WHEEL

The new way of cutting metal.



Diamond for metal wheel

EXPERT

Page number	234
Diameter mm	105 - 355
Fitting tool	Angle grinder, marble cutter, chop saw, petrol saw
X-LOCK	✓

5

233

MATERIALS

Cast iron	✓
Steel profiles	✓
Stainless steel	✓
Brass, bronze	✓
Copper	✓
Fiber glass	✓

LONG LIFE CUTTING METAL

EXPERT Diamond Metal Wheel X-LOCK Cutting Discs

ASSORTMENT: \varnothing 105 – 355 mm

EXPERT

234
5

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Advanced steel body keeps constant speed and depth
- 3 Does not shatter, no chemical smell, no expiry date



EXPERT Diamond Metal Wheel X-LOCK Cutting Discs

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel and stainless steel. Recommend to cut profiles and sheets; also cuts non-ferrous metal including copper, brass etc, and fiber glass; not designed for aluminium & concrete/stone cutting.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 100x longer than a bonded cutting disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.


PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Bore diameter mm	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
115	22,23	●	C1b	1	1	536811	2 608 900 532	45.99 £
125	22,23	●	C1b	1	1	536828	2 608 900 533	59.85 £

EXPERT Diamond Metal Wheel Cutting Discs

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel and stainless steel. Recommend to cut profiles and sheets; also cuts non-ferrous metal including copper, brass etc, and fiber glass; not designed for aluminium & concrete/stone cutting.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 50x longer than a bonded cutting disc.
- ▶ With 20 mm bore for marble cutter.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
105	20/16	PC1a	1	1	536804	2 608 900 531	28.44 £	

5

235

EXPERT Diamond Metal Wheel Large Size Cutting Discs

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel and stainless steel. Recommend to cut profiles and sheets; also cuts non-ferrous metal including copper, brass etc, and fiber glass; not designed for aluminium & concrete/stone cutting.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 30x longer than a bonded cutting disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
180	22,23	C1b	1	1	536842	2 608 900 535	82.69 £	
230	22,23	C1b	1	1	536859	2 608 900 536	105.84 £	

EXPERT Diamond Metal Wheel Large Size Cutting Discs

EXPERT



- ▶ Ideal for cutting cast iron, rebar, steel and stainless steel. Recommend to cut profiles and sheets; also cuts non-ferrous metal including copper, brass etc, and fiber glass; not designed for aluminium & concrete/stone cutting.
- ▶ Best for construction and rescue workers: long lasting and efficient.
- ▶ Lasts up to 30x Longer than a bonded cutting disc.
- ▶ With 25.4 mm bore.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Bore diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
355	25,40	C1b	1	1	536866	2 608 900 537	294.37 £	

236
5

CUTTING DISCS

For angle grinders and petrol saws.



3-in-1 disc

Best for Inox








Expert for Inox

Standard for
Inox

Best for Metal

Expert for Metal

Standard for
Metal

Page number	239	240	242	244	247	248	249
Diameter mm	115 / 125	115 - 230	115 - 230	115 - 230	115 - 230	115 - 400	115 - 230
Thickness mm	2.5	0.8 - 2.5	1.0 - 3.0	1.0 - 1.9	1.0 - 2.5	1.0 - 3.5	1.6 - 3.1
Disc types							
Grit	60	46 / 60	30 - 60	36 - 60	30 - 60	30 - 60	30 / 60
Fitting tool	Angle grinder	Angle grinder	Angle grinder	Angle grinder	Angle grinder	Angle grinder, cut-off saw	Angle grinder
X-LOCK	-	✓	-	✓	-	✓	-

MATERIALS

Non-alloyed and alloyed structural steel	✓	✓	✓	✓	✓	✓	✓
Square-edged steel profiles	✓	✓	✓	✓	✓	✓	✓
Tool steel	✓	✓	✓	✓	✓	✓	✓
Stainless and acid-resistant steel	✓	✓	✓	✓	-	-	-
Square-edged stainless steel profiles	✓	✓	✓	✓	-	-	-
Cast iron	-	✓	✓	-	✓	✓	✓

DISC TYPES



Straight

With depressed
centre






Expert for Stone



Standard for Stone



Multi construction

Page number	251	251	252
Diameter mm	115-230	115-230	115-230
Thickness mm	2.5-3.0	2.5-3.0	1.0-1.9
Disc types			
Grit	24	30	46/60
Fitting tool	Angle grinder	Angle grinder	Angle grinder
X-LOCK	-	-	✓

MATERIALS

Non-alloyed and alloyed steel	-	-	✓
Stainless and acid-resistant steel	-	-	✓
Rail	-	-	-
Aluminium alloy	-	-	✓
Brass, bronze	-	-	✓
Cast iron	-	-	✓
Copper	-	-	✓
Slate	✓	✓	✓
Tiles	✓	✓	✓
Brick	✓	✓	✓
Concrete	✓	✓	-
Marble	✓	✓	✓
Limestone	✓	✓	-
Plastics	-	-	✓

3-in-1 disc

3 in 1
Cut • Grind • Finish

- ▶ Cutting, grinding and finishing with one disc
- ▶ **Suitable for** metal and Inox
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
With depressed centre									
A 46 S BF	115	22,23	2.5	U0	1	25	505253	2 608 602 388	4.24 £
A 46 S BF	125	22,23	2.5	U0	1	25	505260	2 608 602 389	4.41 £

THE MASTERS IN INOX AND METAL

Perfect for cutting.

FAST AND PRECISION CUTTING

Thanks to the 1 mm disc thickness

HIGH DISC STABILITY

Because of the precision manufactured glass fibre net



PERFECT SURFACE QUALITY AFTER CUTTING

Due to high quality abrasive grains and functional fillers

XLOCK	✓
M14/∅ 22,23	✓

Best for INOX cutting discs



- ▶ Top-class cutting discs for INOX for the highest requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Straight									
Rapido , extremely long lifetime, fast and clean cuts without burr formation or blue discolouration									
A 60 W INOX BF	115	22,23	1	U0	1	25	733427	2 608 603 490	2.81 £

Rapido



Best for INOX cutting discs

PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

Rapido

Straight

Rapido Long Life, extremely long life for Inox and metal

AS 60 V BF	115	22,23	1	U0	1	25	449236	2 608 602 220	2.81 £
AS 60 V BF	125	22,23	1	U0	1	25	449243	2 608 602 221	3.35 £



Rapido

With depressed centre

Rapido, extremely long lifetime, fast and clean cuts without burr formation and blue discolouration


A 46 V INOX BF	180	22,23	1.6	U0	1	25	733519	2 608 603 499	5.74 £
A 46 V INOX BF	230	22,23	1.9	U0	1	25	733533	2 608 603 501	3.96 £



Straight

A 46 V INOX BF	115	22,23	1.5	U0	1	25	733465	2 608 603 494	3.49 £
-------------------	-----	-------	-----	----	---	----	--------	---------------	--------

X-LOCK Expert for INOX+Metal cutting discs

expert  **Inox+Metal** ▶ Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.

Rapido

- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for both stainless steel and metal for high requirements
- ▶ Maximum circumferential speed: 80 m/s
- ▶ Fe/S/Cl < 0.1%


XLOCK	✓
M14/ø 22,23	✓



PRODUCT PROPERTIES				ORDERING INFORMATION						
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Straight										
Rapido , fast and clean cuts without burr formation or blue discolouration										
AS 60 T INOX BF	115	22,23	1	U0	1	25	947534	2 608 619 263	2.08 £	
AS 60 T INOX BF	125	22,23	1	U0	1	25	947541	2 608 619 264	2.92 £	



X-LOCK Expert for INOX cutting discs

expert  **Inox** ▶ Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.

XLOCK	✓
M14/ø 22,23	✓



- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for INOX for high requirements
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

Straight									
AS 46 T INOX BF	115	22,23	1.6	U0	1	25	947503	2 608 619 260	2.08 £
AS 46 T INOX BF	125	22,23	1.6	U0	1	25	947558	2 608 619 265	2.72 £



Expert for INOX cutting discs

- ▶ Cutting discs for INOX for high requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION						
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Straight										
Rapido , fast and clean cuts without burr formation or blue discolouration										
AS 60 T INOX BF	115	22,23	1	U0	1	25	220927		2 608 600 545	2.08 £
AS 60 T INOX BF	125	22,23	1	U0	1	25	219624		2 608 600 549	2.92 £
AS 46 T INOX BF	180	22,23	1.6	U0	1	25	706988		2 608 603 406	3.56 £

Rapido**fast
CUT****Rapido****fast
CUT**

With depressed centre

Rapido, fast and clean cuts without burr formation or blue discolouration

AS 46 T INOX BF	180	22,23	1.6	U0	1	25	262842		2 608 600 710	4.8 £
AS 46 T INOX BF	230	22,23	1.9	U0	1	25	262859		2 608 600 711	5.11 £



Straight

AS 46 T INOX BF	115	22,23	1.6	U0	1	25	116367		2 608 600 215	2.08 £
AS 30 S INOX BF	115	22,23	3	U0	1	25	707008		2 608 603 408	2.33 £
AS 46 T INOX BF	125	22,23	1.6	U0	1	25	116411		2 608 600 220	2.72 £

X-LOCK Standard for INOX cutting discs

standard  **Inox**

Rapido

- ▶ Changing cutting discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for INOX with good performance at an attractive price
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

X-LOCK	✓
M14/∅ 22,23	✓



PRODUCT PROPERTIES				ORDERING INFORMATION						
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Straight										
Rapido , fast and clean cuts without burr formation or blue discolouration										
WA 60 T BF	115	22,23	1	U0	1	25	947510		2 608 619 261	1.56 £



Straight										
Rapido , fast and clean cuts without burr formation or blue discolouration										
WA 60 T BF	125	22,23	1	U0	1	25	947527		2 608 619 262	1.75 £

Straight										
Rapido , fast and clean cuts without burr formation or blue discolouration										
WA 60 T BF	115	22,23	1	M1a	10	10	947565		2 608 619 266	17.89 £



Straight										
10 Rapido discs in a reclosable tin										
WA 60 T BF	125	22,23	1	M1a	10	10	947572		2 608 619 267	20.58 £



Standard for INOX cutting discs

- ▶ Cutting discs for INOX with good performance at an attractive price
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION						
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT

Rapido

Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

WA 60 T BF	115	22,23	1	U0	1	25	658287		2 608 603 169	1.56 £
WA 60 T BF	125	22,23	1	U0	1	25	658300		2 608 603 171	1.75 £



Rapido

Straight

10 Rapido discs in a reclosable tin

WA 60 T BF	115	22,23	1	M1a	10	10	668866		2 608 603 254	17.89 £
WA 60 T BF	125	22,23	1	M1a	10	10	668873		2 608 603 255	20.58 £



Straight

WA 60 T BF	115	22,23	1.6	U0	1	25	658294		2 608 603 170	1.56 £
WA 60 T BF	125	22,23	1.6	U0	1	25	658317		2 608 603 172	1.63 £



Standard for INOX cutting discs



PRODUCT PROPERTIES				ORDERING INFORMATION						
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Straight										
WA 46 T BF	150	22,23	1.6	U0	1	50	826594		2 608 601 513	2.16 £
With depressed centre										
WA 36 R BF	230	22,23	1.9	U0	1	25	826600		2 608 601 514	3.79 £

246
5

Cutting discs – Metal

Best for Metal cutting discs

- ▶ Top-class cutting discs for metal for the highest requirements
- ▶ **Appropriate** for hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

Rapido



Straight

Rapido, extremely long lifetime, fast and clean cuts without burr formation and blue discolouration

A 60 W BF	115	22,23	1	U0	1	25	733649	2 608 603 512	2.68 £
A 60 W BF	125	22,23	1	U0	1	25	733663	2 608 603 514	2.63 £

Rapido



With depressed centre

Rapido, extremely long lifetime, fast and clean cuts without burr formation and blue discolouration

A 60 W BF	115	22,23	1	U0	1	25	733656	2 608 603 513	2.68 £
A 46 V BF	230	22,23	1.9	U0	1	25	733755	2 608 603 523	7.44 £



Straight

A 30 V BF	115	22,23	2.5	U0	1	25	733762	2 608 603 524	1.92 £
A 30 V BF	125	22,23	2.5	U0	1	25	733786	2 608 603 526	2.26 £

X-LOCK Expert for Metal cutting discs

expert  **Metal**

X-LOCK	✓
M14/∅ 22,23	✓

- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for metal for high requirements
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Straight									
AS 46 S BF	115	22,23	1.6	U0	1	25	947428	2 608 619 252	2.1 £
A 30 S BF	115	22,23	2.5	U0	1	25	947435	2 608 619 253	2.07 £
AS 46 S BF	125	22,23	1.6	U0	1	25	947442	2 608 619 254	2.16 £
A 30 S BF	125	22,23	2.5	U0	1	25	947459	2 608 619 255	2.13 £



With depressed centre

A 30 S BF	115	22,23	2.5	U0	1	25	947466	2 608 619 256	1.94 £
A 30 S BF	125	22,23	2.5	U0	1	25	947473	2 608 619 257	2.26 £



Expert for Metal cutting discs

Rapido

- ▶ Cutting discs for metal for high requirements
- ▶ **Appropriate** for hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

fast CUT

Straight

Rapido, fast and clean cuts without burr formation or blue discolouration

AS 60 T BF	115	22,23	1	U0	1	25	706865	2 608 603 394	2.3 £
AS 60 T BF	125	22,23	1	U0	1	25	706889	2 608 603 396	2.5 £
AS 46 T BF	180	22,23	1.6	U0	1	25	706919	2 608 603 399	3.37 £
AS 46 T BF	230	22,23	1.9	U0	1	25	706926	2 608 603 400	4.26 £



Expert for Metal cutting discs



Rapido



PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

With depressed centre

Rapido, fast and clean cuts without burr formation or blue discolouration

AS 46 T BF	180	22,23	1.6	U0	1	25	706957	2 608 603 403	3.56 £
AS 46 T BF	230	22,23	1.9	U0	1	25	706964	2 608 603 404	4.05 £

Straight

A 30 R BF	100	16,00	2.5	U0	1	25	049375	2 608 600 091	1.4 £
A 30 S BF	115	22,23	2.5	U0	1	25	149402	2 608 600 318	1.63 £
AS 30 S BF	115	22,23	3	U0	1	25	706872	2 608 603 395	1.73 £
A 30 S BF	125	22,23	2.5	U0	1	25	181846	2 608 600 394	1.84 £
A 30 S BF	180	22,23	3	U0	1	25	149433	2 608 600 321	2.4 £
A 30 S BF	230	22,23	3	U0	1	25	149495	2 608 600 324	3.26 £
A 30 R BF	300	22,23	3.2	U0	1	10	252829	2 608 600 649	7.93 £

Straight

Appropriate for chop saws / stationary pendulum action cutters/grinders

Maximum drive power of 3 bhp/2.4 kW

Reinforced with 2 outer fabrics

A 36 R BF	355	25,40	2.8	U0	1	10	218658	2 608 600 543	9 £
-----------	-----	-------	-----	----	---	----	--------	---------------	-----

Straight

Appropriate for petrol-driven freehand cutting machines

A 24 R BF	300	20,00	3.5	U0	1	10	262071	2 608 600 706	5.55 £
-----------	-----	-------	-----	----	---	----	--------	---------------	--------

With depressed centre

A 30 S BF	115	22,23	2.5	U0	1	25	031196	2 608 600 005	1.89 £
AS 30 S BF	115	22,23	3	U0	1	25	706933	2 608 603 401	2.3 £
A 30 S BF	125	22,23	2.5	U0	1	25	116428	2 608 600 221	2.26 £
A 30 S BF	180	22,23	3	U0	1	25	149389	2 608 600 316	2.88 £
A 30 S BF	230	22,23	3	U0	1	25	116473	2 608 600 226	3.91 £

Standard for Metal cutting discs



- ▶ Cutting discs for metal with good performance at an attractive price
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



Straight

A 30 S BF	115	22,23	2.5	U0	1	25	658614	2 608 603 164	1.21 £
A 30 S BF	125	22,23	2.5	U0	1	25	658256	2 608 603 166	1.37 £
A 30 S BF	180	22,23	3	U0	1	40	658263	2 608 603 167	2.03 £
A 30 S BF	230	22,23	3	U0	1	25	658270	2 608 603 168	2.47 £

Standard for Metal cutting discs



PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

Straight

Appropriate for chop saws/stationary pendulum cut-off grinders

Maximum drive power 3 hp/2.4 kW

Reinforced with 2 outer fabrics

A 30 S BF	355	25,40	3.1	U0	1	20	601429	2 608 602 759	8.07 £
------------------	-----	-------	-----	----	---	----	--------	----------------------	--------

With depressed centre

A 30 S BF	115	22,23	2.5	U0	1	25	658560	2 608 603 159	1.4 £
A 30 S BF	125	22,23	2.5	U0	1	25	658577	2 608 603 160	1.5 £
A 30 S BF	180	22,23	3	U0	1	20	658584	2 608 603 161	2.14 £
A 30 S BF	230	22,23	3	U0	1	25	658591	2 608 603 162	2.93 £



Cutting discs – Stone

Expert for Stone cutting discs

expert  Stone

- ▶ Cutting discs for stone for high requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

PRODUCT PROPERTIES				ORDERING INFORMATION						
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Straight										
C 24 R BF	115	22,23	2.5	U0	1	25	149426		2 608 600 320	1.73 £
C 24 R BF	125	22,23	2.5	U0	1	25	181747		2 608 600 385	2.19 £
C 24 R BF	180	22,23	3	U0	1	25	149457		2 608 600 323	2.71 £
C 24 R BF	230	22,23	3	U0	1	25	149556		2 608 600 326	3.33 £



With depressed centre										
C 24 R BF	115	22,23	2.5	U0	1	25	031189		2 608 600 004	2.19 £
C 24 R BF	125	22,23	2.5	U0	1	25	116435		2 608 600 222	2.49 £
C 24 R BF	180	22,23	3	U0	1	25	149396		2 608 600 317	3.15 £
C 24 R BF	230	22,23	3	U0	1	25	116480		2 608 600 227	4.14 £



Standard for Stone cutting discs

standard  Stone

- ▶ Cutting discs for stone with good performance at an attractive price
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

Straight										
C 30 S BF	115	22,23	3	U0	1	25	658362		2 608 603 177	1.31 £
C 30 S BF	125	22,23	3	U0	1	25	658621		2 608 603 178	1.63 £
C 30 S BF	180	22,23	3	U0	1	25	658638		2 608 603 179	2.08 £
C 30 S BF	230	22,23	3	U0	1	25	658379		2 608 603 180	2.67 £



With depressed centre										
C 30 S BF	115	22,23	2.5	U0	1	25	658324		2 608 603 173	1.63 £
C 30 S BF	125	22,23	2.5	U0	1	25	658331		2 608 603 174	1.86 £
C 30 S BF	180	22,23	3	U0	1	20	658348		2 608 603 175	2.28 £
C 30 S BF	230	22,23	3	U0	1	25	658355		2 608 603 176	3.1 £




Cutting discs – Multi Material

X-LOCK Multi Material cutting discs

Rapido MultiConstruction

- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK cutting discs also fit on standard angle grinders.
- ▶ Cutting discs for multi materials
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)

X-LOCK	✓
M14/∅ 22,23	✓



PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

Straight

Cut virtually everything without disc changes

Cutting disc for metal, inox, non-ferrous metal, stone, soft tile, marble and plastic

ACS 60 V BF	115	22,23	1	U0	1	25	947589	2 608 619 268	2.73 £
ACS 60 V BF	125	22,23	1	U0	1	25	947596	2 608 619 269	2.89 £
ACS 46 V BF	125	22,23	1.6	U0	1	25	947602	2 608 619 270	3.02 £



Multi Material cutting discs

Rapido MultiConstruction

- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%
- ▶ The thin Rapido disc offers many advantages: fast and clean cutting with little exertion of force, very accurate, less noise and dust, and no blue discolouration or burr formation



Straight

Cut virtually everything without disc changes

Cutting disc for metal, inox, non-ferrous metals, stone, soft tiles, marble and plastics

ACS 60 V BF	115	22,23	1	U0	1	25	505208	2 608 602 384	2.73 £
ACS 60 V BF	125	22,23	1	U0	1	25	505215	2 608 602 385	2.89 £
ACS 46 V BF	125	22,23	1.6	U0	1	25	505192	2 608 602 383	3.02 £

Semi-flexible grinding discs - Vibration Control



- ▶ For light grinding work. Thanks to the flexibility of the disc, it is ideally suited to working on curved surfaces. Other advantages of the disc: less vibration and noise development, cool grinding (less heat discolouration). No backing pad required.
- ▶ **Suitable for** use in INOX , metal and aluminium.
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
WA 46 BF	115	22,23	3	U0	1	10	448826	2 608 602 217	3.52 £
WA 46 BF	125	22,23	3	U0	1	10	448833	2 608 602 218	4 £



Grinding discs – INOX

Best for INOX grinding discs

best 



- ▶ Top-class grinding discs for INOX for the highest requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%

PRODUCT PROPERTIES				ORDERING INFORMATION						
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
A 30 V INOX BF	115	22,23	7	U0	1	10	733625		2 608 603 510	4.19 £



Expert for INOX grinding discs

expert 

- ▶ Grinding discs for INOX for high requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



AS 30 S INOX BF	115	22,23	6	U0	1	10	218610		2 608 600 539	2.78 £
AS 30 S INOX BF	125	22,23	6	U0	1	10	523042		2 608 602 488	4.62 £
AS 30 S INOX BF	150	22,23	6	U0	1	10	523059		2 608 602 489	5.67 £

Grinding discs – Metal

Best for Metal grinding discs

best  **Metal**

- ▶ Top-class grinding discs for metal for the highest requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION					
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
A 2430 T BF	115	22,23	7	U0	1	10	733847	2 608 603 532	3.56 £
A 2430 T BF	125	22,23	7	U0	1	10	733854	2 608 603 533	4.07 £
A 2430 T BF	180	22,23	7	U0	1	10	733861	2 608 603 534	6.52 £
A 2430 T BF	230	22,23	7	U0	1	10	733878	2 608 603 535	8.07 £


5

255

X-LOCK Expert for Metal grinding discs

expert  **Metal**

- ▶ Changing accessories is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK grinding discs also fit on standard angle grinders.
- ▶ Grinding discs for metal for high requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



A 30 T BF	115	22,23	6	U0	1	10	947480	2 608 619 258	2.8 £
A 30 T BF	125	22,23	6	U0	1	10	947497	2 608 619 259	4.19 £



Expert for Metal grinding discs

expert  **Metal**

- ▶ Grinding discs for metal for high requirements
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



A 24 S BF	100	16,00	6	U0	1	25	049344	2 608 600 017	2.13 £
A 30 T BF	115	22,23	6	U0	1	10	116398	2 608 600 218	2.73 £
A 30 T BF	125	22,23	6	U0	1	10	116442	2 608 600 223	3.15 £
A 30 T BF	180	22,23	6	U0	1	10	149372	2 608 600 315	4.73 £
A 30 T BF	230	22,23	6	U0	1	10	116497	2 608 600 228	5.71 £

Standard for Metal grinding discs

standard  Metal

- ▶ Grinding discs for metal with good performance at an attractive price
- ▶ **Appropriate for** hand-held angle grinders
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)



PRODUCT PROPERTIES				ORDERING INFORMATION						
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
A 24 P BF	115	22,23	6	U0	1	10	658386		2 608 603 181	2.03 £
A 24 P BF	125	22,23	6	U0	1	10	658393		2 608 603 182	2.28 £
A 24 P BF	180	22,23	6	U0	1	10	658409		2 608 603 183	3.29 £
A 24 P BF	230	22,23	6	U0	1	10	658416		2 608 603 184	5.4 £



Accessories for Bosch GWS 12V-76 V-EC Professional cordless angle grinder

Expert for Inox cutting discs for GWS 12V-76 Professional

expert  **Inox**

- ▶ **Appropriate for** GWS 12V-76 Professional cordless angle grinder with 10 mm toolholder
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



PRODUCT PROPERTIES				ORDERING INFORMATION						
Specification	Diameter mm	Bore diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 5										
For cordless angle grinders with 10mm fitting										
A 60 R INOX BF	76	10,00	1	C1a	5	1	830560	2 608 601 520	8.37 £	



5
257

Expert for Inox grinding discs for GWS 12V-76 Professional

expert  **Inox**

- ▶ **Appropriate for** GWS 12V-76 Professional cordless angle grinder with 10 mm toolholder
- ▶ Maximum circumferential speed: 80 m/s (depending on rpm and disc diameter)
- ▶ Fe/S/Cl < 0.1%



Pack of 2									
For cordless angle grinders with 10mm fitting									
A 30 Q INOX BF	76	10,00	4	C1a	2	1	913775	2 608 601 705	7.53 £



Cup wheels and grinding rings for wet and angle grinders

Conical cup wheels – Metal, cast iron

- ▶ Aluminium oxide cup wheel with synthetic resin bond
- ▶ **Appropriate for** two-hand angle grinders, maximum speed up to 8,500 rpm
- ▶ Clamping with locking nut 1 603 340 040 and two-hole spanner bent at right angles 1 607 950 004

PRODUCT PROPERTIES					ORDERING INFORMATION					
Specification	Min. diameter mm	Max. diameter mm	Height mm	Grit(s)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
A 24 P6 B1215	90	110	55	24	C0a	1	1	026345	1 608 600 232	17.55 £
A 36 P6 B1215	90	110	55	36	C0a	1	1	026352	1 608 600 233	17.55 £



Conical cup wheels – Stone, concrete with synthetic resin bond

- ▶ Silicon carbide cup wheel with synthetic resin bond
- ▶ **Appropriate for** two-hand angle grinders, maximum speed up to 8,500 rpm
- ▶ Clamping with locking nut 1 603 340 040 and two-hole spanner bent at right angles 1 607 950 004

C 54 L5 BRT	90	110	55	54	C0a	1	1	002882	1 608 600 241	14.67 £
----------------	----	-----	----	----	-----	---	---	--------	---------------	---------



Grinding wheels for Bosch straight grinders

Grinding wheels for straight grinders - Aluminium oxide

- ▶ **Suitable for** coarse grinding work on steel or cast iron
- ▶ Synthetic resin bond, aluminium oxide, two-sided conical














PRODUCT PROPERTIES						ORDERING INFORMATION					
Specification	Disc diameter mm	Thickness (b1) mm	Thickness (b2) mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Suitable for GGS 6 S Professional											
A 24 Q6 B1175	125	26	32	20	24	C0a	1	1	057301	1 608 600 069	23.07 £

WIRE BRUSHES

For angle grinders and drills.



Steel brushes Stainless steel brushes Brass brushes Steel brushes Stainless steel brushes Brass brushes Nylon bristle

Page number	261	263	264	265	266	268	273
Wire types	 	 		 	 		
Wire thickness mm	0.30	0.30 – 0.50	0.30	0.20 – 0.50	0.20 – 0.35	0.20	1.00 / 1.10
X-LOCK	✓	✓	✓	-	-	-	-

BRUSH TYPES

Pencil brush Ø mm	-	-	-	10 – 25	10 – 25	-	-
Cup brush Ø mm	75 – 101	65 – 100	70 / 75	50 – 70	50 / 60	50	50 / 75
Tapered brush Ø mm	100 / 115	100 / 115	-	-	-	-	-
Wire wheel Ø mm	115	115	-	30 – 100	30 – 100	75 / 80	75 / 100

TOOLS

Angle grinder	M14 / M10	M14 / M10	M14 / M10	-	-	-	-
Drill	-	-	-	Ø 6 mm	Ø 6 mm	Ø 6 mm	Ø 6 mm

MATERIALS

Metal	✓	✓	✓	✓	✓	✓	✓
Inox	-	✓	-	-	✓	-	-
Non-ferrous metals	-	-	✓	-	-	✓	-
Wood	-	-	✓	-	-	✓	✓
Paint	-	-	✓	-	-	✓	✓
PVC	-	-	-	-	-	-	✓

WIRE TYPES



Crimped wires



Knotted wires

BRUSHES – SOLUTIONS FOR ALL APPLICATIONS

Appropriate for angle grinders and drills.

THE RIGHT BRUSH FOR AN OPTIMUM WORK RESULT WITH DIFFERENT TOOLS

X-LOCK and M14 for angle grinders, Ø 6mm shank for drills



THE OPTIMUM SOLUTION FOR LIGHT AND HEAVY DUTY APPLICATIONS

Knotted and crimped wire with different thickness

5

261



FOR USE ON DIFFERENT MATERIALS

Steel, stainless steel, non-ferrous metal, wood, paint, PVC

X-LOCK Steel brushes



► Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

heavy **for Metal**



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for X-LOCK angle grinders

75	0.35	12,500	-	125	C1a	1	1	954129	2 608 620 726	21.25 £
75	0.5	12,500	-	125	C1a	1	1	954136	2 608 620 727	23.63 £



X-LOCK Steel brushes

PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

clean ^{for} Metal



Wire cup brush – crimped wire


Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

75	0.3	12,500	-	125	C1a	1	1	954112	2 608 620 725	20.39 £
----	-----	--------	---	-----	-----	---	---	--------	----------------------	---------



heavy ^{for} Metal




Wire wheel – knotted wire

Ideal for cleaning welded seams.


Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for X-LOCK angle grinders

115	0.5	12,500	12	-	C1a	1	1	954174	2 608 620 731	26.61 £
-----	-----	--------	----	---	-----	---	---	--------	----------------------	---------



clean ^{for} Metal



Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.


Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

115	0.3	12,500	-	-	C1a	1	1	954181	2 608 620 732	31.93 £
-----	-----	--------	---	---	-----	---	---	--------	----------------------	---------



X-LOCK Stainless steel brushes



► Changing brushes is fast and convenient thanks to the keyless X-LOCK system.

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

heavy **Inox**



Wire cup brush – knotted wire, stainless

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for X-LOCK angle grinders

75	0.5	12,500	125	C1a	1	1	954150	2 608 620 729	35.43 £
----	-----	--------	-----	-----	---	---	--------	----------------------	---------



clean **Inox**



Wire cup brush – crimped wire, stainless


Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for X-LOCK angle grinders

75	0.3	12,500	125	C1a	1	1	954143	2 608 620 728	29.53 £
----	-----	--------	-----	-----	---	---	--------	----------------------	---------



heavy **Inox**




Wire wheel – knotted wire, stainless

Ideal for cleaning welded seams on stainless steel.


Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.


Appropriate for X-LOCK angle grinders

115	0.5	12,500	-	C1a	1	1	954198	2 608 620 733	29.28 £
-----	-----	--------	---	-----	---	---	--------	----------------------	---------



X-LOCK Brass brushes

clean  **Metal** ▶ Changing brushes is fast and convenient thanks to the keyless X-LOCK system.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT

Wire cup brush – crimped wire, brass-coated

Suitable for light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for X-LOCK angle grinders

Advantage: corrosion protection provided by brass-coated wire.



75	0.3	12,500	115	C1a	1	1	954167	2 608 620 730	10.49 £
----	-----	--------	-----	-----	---	---	--------	----------------------	---------

Wire brushes for angle grinders and straight grinders with thread M10 / M14



Steel brushes



PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

heavy Metal



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on medium to large metal surfaces, such as removing heavy rust, underseal, paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

75	0.35	12,500	-	14	125	C1a	1	1	631792	2 608 622 099	21.25 £
75	0.5	12,500	-	14	125	C1a	1	1	026628	1 608 622 029	23.63 £
90	0.5	8,500	-	14	150	C1a	1	1	003124	1 608 614 001	34.19 £
90	0.8	8,500	-	14	150	C1a	1	1	026567	1 608 614 000	29.41 £
100	0.5	8,500	-	14	180	C1a	1	1	036016	2 608 622 010	32.93 £
100	0.8	8,500	-	14	180	C1a	1	1	026574	1 608 614 002	36.81 £



clean Metal



Wire cup brush – crimped wire


Suitable for light to medium duty cleaning work on medium to large metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

75	0.3	12,500	-	14	125	C1a	1	1	631785	2 608 622 098	20.39 £
100	0.5	8,500	-	14	180	C1a	1	1	026611	1 608 614 011	33.98 £



heavy Metal



Wire wheel – knotted wire

Ideal for cleaning welded seams.


Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.5	12,500	12	14	-	C1a	1	1	087254	2 608 622 059	26.61 £
-----	-----	--------	----	----	---	-----	---	---	--------	---------------	---------



clean Metal



Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.


Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.3	11,000	-	14	-	C1a	1	1	631808	2 608 622 100	31.93 £
-----	-----	--------	---	----	---	-----	---	---	--------	---------------	---------



Steel brushes

heavy ^{for} Metal



PRODUCT PROPERTIES						ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

Tapered brush – knotted wire

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).


Suitable for heavy duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, dencaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.5	12,500	12	14	-	C1a	1	1	036023	2 608 622 011	25.34 £
115	0.5	12,500	-	14	-	C1a	1	1	087247	2 608 622 058	29.34 £



clean ^{for} Metal



Tapered brush – crimped wire

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping, removing annealing colour on welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.3	12,500	-	14	-	C1a	1	1	087230	2 608 622 057	23.09 £
115	0.3	12,500	-	14	-	C1a	1	1	631815	2 608 622 101	26.81 £



Stainless steel brushes



PRODUCT PROPERTIES						ORDERING INFORMATION				
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

heavy ^{for} Inox



Wire cup brush – knotted wire, stainless

Suitable for heavy duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing heavy rust or removing paint or varnish.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

65	0.35	12,500	14	125	C1a	1	1	631846	2 608 622 104	24.81 £
75	0.5	12,500	14	125	C1a	1	1	087261	2 608 622 060	35.43 £
100	0.35	8,500	14	180	C1a	1	1	631853	2 608 622 105	58.46 £

Stainless steel brushes


PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

clean **for** **Inox****Wire cup brush – crimped wire, stainless**

Suitable for light to medium duty cleaning work on medium to large stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

65	0.3	12,500	14	115	C1a	1	1	087278	2 608 622 061	20.66 £
75	0.3	12,500	14	125	C1a	1	1	631822	2 608 622 102	29.53 £
100	0.3	8,500	14	180	C1a	1	1	631839	2 608 622 103	51.7 £


heavy **for** **Inox****Wire wheel – knotted wire, stainless**

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.5	12,500	14	-	C1a	1	1	631860	2 608 622 106	29.28 £
-----	-----	--------	----	---	-----	---	---	--------	----------------------	---------


clean **for** **Inox****Wire wheel – crimped wire, stainless**

Ideal for removing annealing colour from welded seams on stainless steel.

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.3	8,500	14	-	C1a	1	1	631877	2 608 622 107	39.92 £
-----	-----	-------	----	---	-----	---	---	--------	----------------------	---------

heavy **for** **Inox****Tapered brush – knotted wire, stainless**

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for heavy duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling, cleaning welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

115	0.35	12,500	14	-	C1a	1	1	631891	2 608 622 109	36.68 £
-----	------	--------	----	---	-----	---	---	--------	----------------------	---------



Stainless steel brushes

clean **for** **Inox**



PRODUCT PROPERTIES					ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Thread M	For angle grinders, min. diameter (mm)	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT

Tapered brush – crimped wire, stainless

Ideal for working on hard-to-reach areas (due to the conical shape of the brush).

Suitable for light to medium duty cleaning work at high circumferential speeds on smaller surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing, removing annealing colour on welded seams.

Appropriate for all angle grinders with M14 thread and GGS 6 S Professional

100	0.35	12,500	14	-	C1a	1	1	631884	2 608 622 108	28.85 £
-----	------	--------	----	---	-----	---	---	--------	----------------------	---------



Brass brushes

clean **for** **Metal** **Wire cup brush – crimped wire, brass-coated**



Suitable for light to medium duty cleaning work on medium to large metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

Appropriate for angle grinders with M10 or M14 thread and GGS 6 S Professional

Advantage: corrosion protection provided by brass-coated wire.

70	0.3	12,500	14	115	C1a	1	1	003131	1 608 614 020	10.49 £
----	-----	--------	----	-----	-----	---	---	--------	----------------------	---------




Wire brushes for drills (6 mm shank)



Steel brushes


PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



Wire cup brush – knotted wire

Suitable for heavy duty cleaning work on small to medium metal surfaces, such as removing heavy rust, underseal, paint or varnish.


65	0.5	4,500	-	C1b	1	1	082099	2 608 622 050	15.42 £
----	-----	-------	---	-----	---	---	--------	----------------------	---------



Wire cup brush – crimped wire

Suitable for light to medium duty cleaning work on small to medium metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping.

50	0.2	4,500	-	C1b	1	1	049832	2 608 622 022	4.4 £
50	0.3	4,500	-	C1b	1	1	035972	2 608 622 006	4.74 £
70	0.2	4,500	-	C1b	1	1	004527	1 609 200 271	5.52 £
70	0.3	4,500	-	C1b	1	1	004510	1 609 200 270	5.15 £



Wire wheel – knotted wire

Ideal for cleaning welded seams.

Suitable for heavy duty cleaning work on small metal surfaces, in grooves or on edges, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

75	0.5	4,500	13	C1b	1	1	631938	2 608 622 113	8.76 £
----	-----	-------	----	-----	---	---	--------	----------------------	--------



Steel brushes

270
5




PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	

Wire wheel – crimped wire

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work on small metal surfaces, in grooves or on edges, such as removing rust, roughing, matt sanding, paint stripping.

30	0.2	4,500	6	C1b	1	1	631907	2 608 622 110	3.84 £
50	0.3	4,500	8	C1b	1	1	631921	2 608 622 112	3.29 £
75	0.2	4,500	10	C1b	1	1	041119	1 608 622 015	3.57 £
75	0.3	4,500	8	C1b	1	1	035989	2 608 622 007	3.95 £
100	0.2	4,500	10	C1b	1	1	004558	1 609 200 274	4.74 £
100	0.3	4,500	10	C1b	1	1	004541	1 609 200 273	4.74 £



Pencil brush – knotted wire

Ideal for working on very hard-to-reach areas.

Suitable for medium duty cleaning work in corners and working on the inside of pipes and profiles, such as removing heavy rust, removing paint or varnish.

10	0.35	4,500	-	C1b	1	1	631952	2 608 622 115	10.41 £
19	0.35	4,500	-	C1b	1	1	631969	2 608 622 116	11.83 £



Pencil brush – crimped wire

Ideal for working on very hard-to-reach areas.

Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles, such as removing rust, roughing, matt sanding, paint stripping.

15	0.2	4,500	-	C1b	1	1	631945	2 608 622 114	3.55 £
25	0.3	4,500	-	C1b	1	1	004503	1 609 200 269	4.74 £

Stainless steel brushes



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

**Wire cup brush – crimped wire**

Suitable for light to medium duty cleaning work on small to medium stainless steel, aluminium and non-ferrous metal surfaces, such as removing coatings, removing rust, roughing, matt sanding, paint stripping, texturing.

50	0.3	4,500	-	C1b	1	1	631976	2 608 622 117	8.79 £
60	0.3	4,500	-	C1b	1	1	631983	2 608 622 118	10.27 £

**Wire wheel – knotted wire**

Ideal for cleaning welded seams on stainless steel.

Suitable for heavy duty cleaning work on small surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, paint stripping, deslagging, deburring, descaling.

70	0.35	4,500	14	C1b	1	1	632058	2 608 622 125	15.32 £
----	------	-------	----	-----	---	---	--------	----------------------	---------

**Wire wheel – crimped wire**

Ideal for removing annealing colour from welded seams on stainless steel.

Suitable for light to medium duty cleaning work on small surfaces, in grooves or on edges on stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping, texturing.

70	0.3	4,500	10	C1b	1	1	632010	2 608 622 121	8.21 £
100	0.3	4,500	10	C1b	1	1	632041	2 608 622 124	10.64 £

**Pencil brush – knotted wire**


Ideal for working on very hard-to-reach areas on stainless steel.

Suitable for medium duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing heavy rust, removing paint or varnish.

10	0.35	4,500	-	C1b	1	1	632089	2 608 622 128	15.62 £
19	0.35	4,500	-	C1b	1	1	632096	2 608 622 129	17.76 £



Stainless steel brushes



PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pencil brush – crimped wire									
Ideal for working on very hard-to-reach areas on stainless steel.									
Suitable for light duty cleaning work in corners and working on the inside of pipes and profiles made of stainless steel, aluminium or non-ferrous metals, such as removing rust, roughing, matt sanding, paint stripping.									
15	0.2	4,500	-	C1b	1	1	632065	2 608 622 126	6.21 £
25	0.3	4,500	-	C1b	1	1	632072	2 608 622 127	8.27 £



Brass brushes




Wire cup brush – crimped wire, brass-coated

Suitable for light to medium duty cleaning work on small to medium metal and non-ferrous metal surfaces, such as removing coatings, removing rust, cleaning formwork boards and facings, roughing, matt sanding, paint stripping, working on wood.

Advantage: corrosion protection provided by brass-coated wire.

50	0.2	4,500	-	C1b	1	1	035996	2 608 622 008	6.23 £
----	-----	-------	---	-----	---	---	--------	----------------------	--------



Wire wheel – crimped wire, brass-coated

Ideal for removing annealing colour on welded seams.

Suitable for light to medium duty cleaning work on small surfaces, in grooves or on edges on metal or non-ferrous metal, such as removing rust, roughing, matt sanding, paint stripping, working on wood.

Advantage: corrosion protection provided by brass-coated wire.

75	0.2	4,500	10	C1b	1	1	036009	2 608 622 009	6.08 £
75	0.2	4,500	16	C1b	1	1	082136	2 608 622 054	8.14 £




Brass brushes



PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Wire thickness mm	Max. speed rpm	Brush width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Wire wheel – crimped wire, brass-coated										
Ideal for texturing wood.										
80	0.2	4,500	35	C1b	1	1	632102	2 608 622 130	14.7 £	

Nylon bristle with aluminium oxide

**Wire cup brush – Nylon bristle with aluminium oxide coated abrasive K80**


Suitable for paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on smaller to medium surfaces, texturing wood.

Adapts perfectly to the contours of the workpiece, without severely altering the surface.

Works at constant material removal rate because abrasive grains are continuously released.



50	1	4,500	-	C1b	1	1	082112	2 608 622 052	8.79 £
75	1	4,500	-	C1b	1	1	082105	2 608 622 051	11.19 £

**Wire wheel – Nylon bristle with aluminium oxide coated abrasive K80**

Suitable for paint stripping, removing rust, smoothing, matt sanding and cleaning wood, metal and PVC on small surfaces, in grooves or on edges, texturing wood and removing annealing colour from welded seams on stainless steel.

Adapts perfectly to the contours of the workpiece, without severely altering the surface.

Works at constant material removal rate because abrasive grains are continuously released.

75	1	4,500	8	C1b	1	1	082150	2 608 622 056	10.95 £
100	1	4,500	8	C1b	1	1	082143	2 608 622 055	12.22 £



Grinding stones for straight grinders and drills

Grinding stones – Aluminium oxide, for straight grinders and drills

- ▶ **Appropriate** for all straight grinders with collets and for drills
- ▶ For non-hardened and hardened steel
- ▶ Shapes of stones: round (a), half-round (b), cylindrical (c), disc-shaped (d), tapered (e)

PRODUCT PROPERTIES					ORDERING INFORMATION					
Straight shank mm	Grit	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
										5-piece grinding stone set
6 (a)	60	25	24	C1d	5	1	004565	1 609 200 286	14.19 £	
6 (b)	60	15	30							
6 (c)	60	15	30							
6 (d)	60	25	25							
6 (e)	60	20	25							
Grinding stone Cylindrical, hard										
6	60	20	26	P0b	1	1	047814	2 608 620 012	6.56 £	
Grinding stone Cylindrical, medium-hard										
6	60	25	20	P0b	1	1	047777	1 608 620 055	3.69 £	
Grinding stone Conical, medium-hard										
6	60	20	25	P0b	1	1	047838	2 608 620 014	6.96 £	





CIRCULAR SAW BLADES

Incomparable precision

The best your tool can get. Bosch Professional Accessories.



CIRCULAR SAW BLADES FOR A VARIETY OF WOODWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.



Best for Wood Expert for Wood Expert for Wood Standard for Wood Optiline Wood Speedline Wood



	280	289	285	316	311	314
Page number	280	289	285	316	311	314
Optimized for cordless saws	-		-		-	-
Diameter mm	165 – 500	120 – 305	120 – 450	85 – 305	85 – 400	130 – 400

TOOLS

Hand-held / Plunge	✓	✓	✓	✓	✓	✓
Mitre	✓	✓	✓	✓	✓	-
Table	✓	✓	✓	✓	✓	✓
Panel-sizing	✓	-	✓	-	-	-
Hand dry cutters	-	✓	-	✓	-	-

MATERIALS

Hardwood and softwood	✓	✓	✓	✓	✓	✓
Timber and composites for construction	-	-	-	-	-	-
Wooden panel composites	✓	✓	✓	✓	✓	✓
Plywood	✓	✓	✓	✓	✓	✓
Fiberboards	✓	✓	✓	✓	✓	-
Laminate flooring	✓	✓	✓	✓	✓	-



Expert for Construct Wood

Construct Wood

Best for Laminated Panel

Expert for Laminated Panel

Expert for Laminated Panel

Best for Laminate



292

319

282

295

293

283

-

-

-



-

-

160 - 235

150 - 700

80 - 350

160 - 254

140 - 350

216 - 305



-



-

-

-

-

-

-



-



-

-

-



-



-

-

-

-

-

-

-



-

-

-

-



-



-

-



-

-

-

-

-



-

-

-

-

-

-

-

-



Tool reference list



CIRCULAR SAW BLADES FOR UNIVERSAL AND SPECIAL APPLICATIONS

High precision of cuts and outstanding blade lifetime.



Best for Multi Material Expert for Multi Material Standard for Multi Material Standard for Multi Material Expert for High Pressure Laminate Expert for Sandwich Panel Expert for Fiber Cement Expert for Fiber Cement

Page number	284	306	325	327	296	307	309	308
Optimized for cordless saws	-	-	-		-	-		-
Diameter mm	165 – 305	210 – 305	130 – 350	85	140 – 305	160 – 450	160 – 305	140 – 305

TOOLS

Hand-held / Plunge	✓	-	✓	✓	✓	✓	✓	✓
Mitre	✓	✓	✓	-	✓	-	✓	✓
Table	-	-	✓	-	✓	-	-	-

MATERIALS

Hardwood and softwood	✓	✓	✓	✓	-	-	-	-
Wooden panel composites	✓	✓	✓	✓	-	-	-	-
Fiberboards	✓	✓	✓	✓	-	-	-	-
Laminate flooring	✓	✓	✓	✓	-	-	-	-
High pressure laminate panels, Trespa®	✓	✓	-	-	✓	-	-	-
Sandwich panels	-	-	-	-	-	✓	-	-
Porous concrete	-	-	-	-	-	-	✓	✓
Fiber cement, Eternit®	-	-	-	-	-	-	✓	✓
Plasterboard	-	-	-	-	-	-	✓	✓
Corian®	-	-	-	-	✓	-	✓	✓
Aluminium and other non-ferrous metals	✓	✓	✓	✓	-	-	-	-
Plastics, Epoxy	✓	✓	✓	✓	-	-	-	-

CIRCULAR SAW BLADES FOR METALWORKING APPLICATIONS

High precision of cuts and outstanding blade lifetime.



Expert for Aluminium

Expert for Aluminium

Standard for Aluminium

Expert for Steel

Standard for Steel

Expert for Stainless Steel

Expert for Stainless Steel

Page number	301	298	321	303	324	304	305
Optimized for cordless saws		-		-			-
Diameter mm	120 – 305	140 – 315	136 – 305	160 – 355	136 – 173	136 – 160	185 – 355

TOOLS

Hand-held / Plunge	✓	✓	✓	-	-	-	-
Mitre	✓	✓	✓	-	-	-	-
Table	✓	✓	✓	-	-	-	-
Hand dry cutters	✓	-	✓	✓	✓	✓	✓
Mitre dry cutters	-	-	-	✓	-	-	✓

MATERIALS

Steel*	-	-	-	✓	✓	✓	✓
Stainless steel, Inox	-	-	-	-	-	✓	✓
Aluminium and other non-ferrous metals	✓	✓	✓	-	-	-	-
Plastics, Epoxy	✓	✓	✓	-	-	-	-
Hardwood and softwood	✓	✓	✓	-	-	-	-
Panel composites	✓	✓	✓	-	-	-	-
Fiberboards	✓	✓	✓	-	-	-	-
Laminate boards	✓	✓	✓	-	-	-	-


* Not for Inox

Top Precision Best for Wood

Circular saw blades for plunge and hand-held circular saws





- ▶ For precise, clean and quiet cuts in all types of wood with plunge and hand-held circular saws.



TOP Precision best for **Wood**



ATB




PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
165	20	1.8/1.3	48	ATB	11,500	5	15	C1a	1	1	636858	2 608 642 384	87.53 £
165	20	1.8/1.3	20	ATB	11,500	15	15	C1a	1	1	636865	2 608 642 385	74.88 £
165	20	1.8/1.3	32	ATB	11,500	10	15	C1a	1	1	636872	2 608 642 386	83.41 £

Circular saw blades for mitre saws and sliding mitre saws





- ▶ For precise, clean and quiet cuts in all types of wood.



TOP Precision best for **Wood**





ATB






216	30	2.3/1.8	48	ATB	8,800	-5	15	C1c	1	1	574419	2 608 642 101	107.09 £
305	30	2.3/1.8	72	ATB	6,200	-5	15	C1c	1	1	574433	2 608 642 103	189.42 £

Circular saw blades for horizontal/vertical panel sizing and table saws




TOP Precision best Wood



PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
300	30	3.2/2.2	72	ATB	6,300	7/42 9/46,4 10/60	10	15	C1c	1	1	574563	2 608 642 116	155.35 £






Top Precision Best for Laminated Panel

Circular saw blades for horizontal/vertical panel sizing and table saws



- ▶ For perfect cuts in abrasive panel materials coated on one or two sides.
DH: Scoring blade not required when used on panel sizing saws.

TOP Precision best **LaminatedPanel** abrasive



282
6


PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
250	30	3.2/2.2	48	DH	7,600	7/42 9/46,4 10/60	10	15	C1c	1	1	574440	2 608 642 104	176.2 £

Best for Laminate

Circular saw blades for mitre saws and sliding mitre saws





- ▶ A durable blade for all types of laminate flooring.



best  **Laminate**



HLTCG




PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
216	30	2.5/1.8	60	HLTCG	8,800	5	15	C1c	1	1	579568	2 608 642 133	144.12 £
254	30	2.5/1.8	84	HLTCG	7,500	5	15	C1c	1	1	579575	2 608 642 135	164.8 £
305	30	2.5/1.8	96	HLTCG	6,200	5	18	C1c	1	1	579582	2 608 642 137	206.69 £

Top Precision Best for Multi Material

Circular saw blades for plunge and hand-held circular saws




- ▶ For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood with plunge and hand-held circular saws.




TOP Precision best **MultiMaterial**



HLTCG



0,4 × 45° / 0,6 × 50°




PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
165	20	1.8/1.3	56	HLTCG	11,500	-5	15	C1a	1	1	636889	2 608 642 387	125.67 £
165	20	1.8/1.3	48	HLTCG	11,500	0	17	C1a	1	1	636896	2 608 642 388	133.41 £

Circular saw blades for mitre saws and sliding mitre saws




- ▶ For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.




TOP Precision best **MultiMaterial**



TCG



0,7 × 45°




305	30	2.3/1.8	96	HLTCG	6,200	-5	15	C1c	1	1	574396	2 608 642 099	207.1 £
-----	----	---------	----	-------	-------	----	----	-----	---	---	--------	---------------	---------

Expert for Wood

Circular saw blades for plunge and hand-held circular saws





- For effortlessly clean cross and rip cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert **for Wood**



ATB



PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
165	20	2.6/1.6	24	ATB	11,500	2/6/32,5	15	15	C1a	1	1	795883	2 608 644 022	53.68 £
165	20	2.6/1.6	36	ATB	11,500	2/6/32,5	10	15	C1a	1	1	795890	2 608 644 023	59.03 £
165	20	2.6/1.6	48	ATB	11,500	2/6/32,5	5	15	C1a	1	1	795906	2 608 644 024	63.33 £
180	30	2.6/1.6	24	ATB	10,600	2/7/42	15	15	C1a	1	1	795982	2 608 644 032	55.21 £
184	16	2.6/1.6	40	ATB	10,300	2/6/32,5	10	15	C1a	1	1	796026	2 608 644 036	61.82 £
190	30	2.6/1.6	24	ATB	10,000	2/7/42	15	15	C1a	1	1	796132	2 608 644 047	56.22 £
190	30	2.6/1.6	40	ATB	10,000	2/7/42	10	15	C1a	1	1	796149	2 608 644 048	62.97 £
190	30	2.6/1.6	48	ATB	10,000	2/7/42	10	15	C1a	1	1	796156	2 608 644 049	66.34 £
190	30	2.6/1.6	56	ATB	10,000	2/7/42	5	15	C1a	1	1	796163	2 608 644 050	67.47 £
235	30	2.8/1.8	36	ATB	8,100	2/7/42	15	15	C1a	1	1	796309	2 608 644 064	73.09 £
235	30	2.8/1.8	48	ATB	8,100	2/7/42	10	15	C1a	1	1	796316	2 608 644 065	78.4 £
235	30	2.8/1.8	56	ATB	8,100	2/7/42	10	15	C1a	1	1	796323	2 608 644 066	79.73 £

EXPERT FOR WOOD FOR MITRE SAWS

Perfect cuts in wood and wood based materials.



LONG LIFETIME

Due to the MicroteQ teeth made of extra hard durable carbide grains from in-house production




DURABLE CUTTING PERFORMANCE

Due to friction reducing, anti-corrosive ProteQtion coating



Circular saw blades for mitre saws and sliding mitre saws



► For effortlessly clean cuts in all types of wood and wood-based materials. Microteq teeth for long lifetime.



expert **for Wood**



PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
210	30	2.4/1.8	48	ATB	9,000	2/7/42	-5	15	C1a	1	1	648219	2 608 642 496	71.65 £
216	30	2.4/1.8	48	ATB	8,800	2/7/42	-5	15	C1a	1	1	648226	2 608 642 497	80.04 £
216	30	2.4/1.8	40	ATB	8,800	2/7/42	-5	15	C1a	1	1	796453	2 608 644 079	64.68 £
250	30	2.4/1.8	60	ATB	7,600	2/7/42 2/9,5/46,5 2/9/46 2/10/60	-5	15	C1a	1	1	648233	2 608 642 498	86.25 £


Circular saw blades for mitre saws and sliding mitre saws

PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
250	30	2.4/1.8	40	ATB	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796460	2 608 644 080	77.29 £
254	30	2.4/1.8	60	ATB	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	650120	2 608 642 530	86.25 £
300	30	2.4/1.8	72	ATB	6,300	4/12/64 2/9/55	-5	15	C1a	1	1	648240	2 608 642 499	151.73 £
305	30	2.4/1.8	72	ATB	6,200	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	650137	2 608 642 531	105.99 £



Circular saw blades for table saws



- For effortlessly clean cuts in all types of wood and wood-based materials. Microteq teeth for a long lifetime.

expert **for Wood**



ATB







190	30	2/1.3	24	ATB	10,000	2/7/42	15	15	C1a	1	1	796491	2 608 644 083	56.22 £
190	30	2/1.3	40	ATB	10,000	2/7/42	10	15	C1a	1	1	796507	2 608 644 084	62.97 £
190	30	2/1.3	48	ATB	10,000	2/7/42	5	15	C1a	1	1	796514	2 608 644 085	66.34 £
250	30	2.5/1.8	80	ATB	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	5	15	C1a	1	1	648257	2 608 642 500	89.7 £
300	30	2.5/1.8	100	ATB	6,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	5	15	C1a	1	1	648264	2 608 642 501	103.5 £

Circular saw blades for horizontal/vertical panel sizing and table saws

► Long life and constantly high cut quality in all types of wood.




expert **for Wood**




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
250	30	3.2/2.2	22	ATB	7,600	2/7/42 2/9/46,4 2/10/60	20	15	C1c	1	1	648271	2 608 642 502	89.24 £
250	30	3.2/2.2	40	ATB	7,600	2/7/42 2/9/46,4 2/10/60	15	15	C1c	1	1	648301	2 608 642 505	77.29 £
250	30	3.2/2.2	60	ATB	7,600	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648318	2 608 642 506	86.25 £
250	30	3.2/2.2	80	ATB	7,600	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648325	2 608 642 507	89.7 £
300	30	3.2/2.2	26	ATB	6,300	2/7/42 2/9/46,4 2/10/60	20	15	C1c	1	1	648288	2 608 642 503	119.01 £
300	30	3.2/2.2	48	ATB	6,300	2/7/42 2/9/46,4 2/10/60	15	15	C1c	1	1	648332	2 608 642 508	90.47 £
300	30	3.2/2.2	60	ATB	6,300	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648349	2 608 642 509	95.83 £
300	30	3.2/2.2	72	ATB	6,300	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648356	2 608 642 510	98.13 £
300	30	3.2/2.2	96	ATB	6,300	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648363	2 608 642 511	103.5 £
350	30	3.5/2.5	54	ATB	5,400	2/7/42 2/9/46,4 2/10/60	15	15	C1c	1	1	648370	2 608 642 512	113.98 £



Circular saw blades for cordless plunge and hand-held circular saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Aggressive tooth angles enable smooth cutting performance.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in wooden applications.



expert **for Wood**




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
120	20	-	1.7/1.2	24	ATB	12,500	20	12	PC1b	1	1	957274	2 608 644 497	48.83 £
136	20	15.875	1.5/1	24	ATB	10,000	20	12	PC1b	1	1	957281	2 608 644 498	53.21 £
140	20	12.7 10	1.8/1.3	24	ATB	10,000	15	15	PC1b	1	1	957298	2 608 644 499	50.04 £
140	20	12.7 11	1.8/1.3	42	ATB	10,000	5	15	PC1b	1	1	957304	2 608 644 500	58.91 £
160	20	15.875	1.5/1	12	ATB	8,500	25	10	PC1b	1	1	957328	2 608 644 502	43.44 £
160	20	15.875	1.5/1	24	ATB	8,500	25	10	PC1b	1	1	957335	2 608 644 503	51.11 £
160	20	15.875	1.5/1	36	ATB	8,500	15	13	PC1b	1	1	957342	2 608 644 504	56.22 £
160	20	15.875	1.5/1	48	ATB	8,500	10	15	PC1b	1	1	957359	2 608 644 505	60.31 £
165	20	15.875	1.5/1	12	ATB	8,500	25	10	PC1b	1	1	957366	2 608 644 506	45.61 £
165	20	15.875	1.5/1	24	ATB	8,500	25	10	PC1b	1	1	957373	2 608 644 507	53.68 £
165	20	15.875	1.5/1	36	ATB	8,500	15	13	PC1b	1	1	957380	2 608 644 508	59.03 £
165	20	15.875	1.5/1	48	ATB	8,500	10	15	PC1b	1	1	957397	2 608 644 509	63.33 £
184	20	16	1.6/1	24	ATB	8,000	25	10	PC1b	1	1	957403	2 608 644 510	55.21 £
184	20	16	1.6/1	48	ATB	8,000	10	15	PC1b	1	1	957410	2 608 644 511	65.14 £
190	30	20	1.5/1	18	ATB	8,000	25	10	PC1b	1	1	957427	2 608 644 512	53.4 £
190	30	20	1.5/1	24	ATB	8,000	25	10	PC1b	1	1	957434	2 608 644 513	56.22 £
190	30	20	1.5/1	48	ATB	8,000	15	13	PC1b	1	1	957441	2 608 644 514	66.34 £
190	30	20	1.5/1	60	ATB	8,000	10	15	PC1b	1	1	957458	2 608 644 515	70.28 £



Circular saw blades for cordless mitre and sliding mitre saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Aggressive tooth angles enable smooth cutting performance.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in wooden applications.




expert **for Wood**




PRODUCT PROPERTIES								ORDERING INFORMATION						
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
216	30	1.7/1.2	24	ATB	7,000	5	15	PC1b	1	1	957489	2 608 644 518	72.58 £	
216	30	1.7/1.2	48	ATB	7,000	5	15	PC1b	1	1	957496	2 608 644 519	78.09 £	
250	30	2.1/1.6	24	ATB	6,000	5	15	PC1b	1	1	957526	2 608 644 522	76.21 £	
250	30	2.1/1.6	48	ATB	6,000	5	15	PC1b	1	1	957533	2 608 644 523	85.9 £	
305	30	2.2/1.6	42	ATB	5,000	5	15	PC1b	1	1	957571	2 608 644 527	96.3 £	
305	30	2.2/1.6	60	ATB	5,000	5	15	PC1b	1	1	957588	2 608 644 528	107.31 £	
305	30	2.2/1.6	96	ATB	5,000	5	15	PC1b	1	1	957595	2 608 644 529	123.41 £	

290
6



Circular saw blades for cordless table saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Aggressive tooth angles enable smooth cutting performance.



expert **for Wood**




PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
210	30	2/1.4	24	ATB	7,000	25	10	PC1b	1	1	957465	2 608 644 516	72.58 £
210	30	2/1.4	48	ATB	7,000	15	13	PC1b	1	1	957472	2 608 644 517	78.09 £
216	30	2/1.4	24	ATB	7,000	25	10	PC1b	1	1	957502	2 608 644 520	72.58 £
216	30	2/1.4	48	ATB	7,000	15	13	PC1b	1	1	957519	2 608 644 521	78.09 £
254	30	2.1/1.6	24	ATB	6,000	25	10	PC1b	1	1	957540	2 608 644 524	91.44 £
254	30	2.1/1.6	40	ATB	6,000	20	12	PC1b	1	1	957557	2 608 644 525	105.16 £
254	30	2.1/1.6	60	ATB	6,000	15	13	PC1b	1	1	957564	2 608 644 526	97.56 £

Expert for Construct Wood

Circular saw blades for plunge and hand-held circular saws





- ▶ The special tooth design and the wide support in the tooth spine ensure high resistance when cutting construction site timber with foreign bodies such as nails and concrete residues. Also suitable for cutting formwork boards, raw chipboard, acoustic panels, lightweight building panels and aerated concrete. Microteq teeth for long lifetime.



expert **for ConstructWood**



ATB+Pyramid




292
6

PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
165	20	2/1.3	24	ATB+ Pyramid	11,500	2/6/32,5	18	13	C1a	1	1	797030	2 608 644 137	56.23 £
190	30	2/1.3	24	ATB+ Pyramid	10,000	2/7/42	18	13	C1a	1	1	797054	2 608 644 139	61.85 £

Expert for Laminated Panel


Circular saw blades for cordless table saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in one- or two-sided laminated panels.




expert LaminatedPanel



PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
210	30	2.1/1.4	66	ATB	7,000	-5	15	PC1b	1	1	957816	2 608 644 551	99.05 £
216	30	2.1/1.4	66	ATB	7,000	-5	15	PC1b	1	1	957823	2 608 644 552	108.95 £
254	30	2.6/1.8	78	ATB	6,000	-5	15	PC1b	1	1	957830	2 608 644 553	128.33 £


Circular saw blades for plunge and hand-held circular saws



- ▶ For effortlessly clean cuts in panel materials (laminated on one or two sides), abrasive panels, and fine-coated or veneered panels. Also suitable for cutting raw chipboard, acoustic panels and lightweight building panels. Microteq teeth for long lifetime.




expert LaminatedPanel






PRODUCT PROPERTIES								ORDERING INFORMATION						
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
140	20	1.8/1.3	42	ATB	13,600	2/6/32,5	-5	15	C1a	1	1	796927	2 608 644 126	69.5 £
160	20	2.2/1.6	48	ATB	11,900	2/6/32,5	-5	15	C1a	1	1	796934	2 608 644 127	77.51 £
165	20	2.6/1.6	48	ATB	11,500	2/6/32,5	-5	15	C1a	1	1	796941	2 608 644 128	81.49 £
190	20	2.6/1.6	60	ATB	10,000	2/6/32,5	-5	15	C1a	1	1	796958	2 608 644 129	94.8 £
190	30	2.6/1.6	60	ATB	10,000	2/7/42	-5	15	C1a	1	1	796965	2 608 644 130	94.78 £

Circular saw blades for horizontal/vertical panel sizing and table saws




▶ Long life and constantly high cut quality in panels coated on one or two sides. DH: Scoring blade not required when used on panel sizing saws.

expert **LaminatedPanel**






PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
250	30	3.2/2.2	48	DH	7,600	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648394	2 608 642 514	118.66 £
303	30	3.2/2.2	60	DH	6,300	2/7/42 2/9/46,4 2/10/60	10	15	C1c	1	1	648400	2 608 642 515	125.24 £

Circular saw blades for horizontal/vertical panel sizing and table saws



expert **LaminatedPanel**



250	30	3.2/2.2	80	HLTCG	7,600	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648417	2 608 642 516	135.09 £
300	30	3.2/2.2	96	HLTCG	6,300	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648424	2 608 642 517	144.75 £
350	30	3.5/2.5	108	HLTCG	5,400	2/7/42 2/9/46,4 2/10/60	5	18	C1c	1	1	648431	2 608 642 518	171.03 £



Circular saw blades for cordless plunge and hand-held circular saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in one- or two-sided laminated panels.



expert **for LaminatedPanel**



PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
160	20	15.875	1.8/1.2	48	ATB	8,500	-5	15	PC1b	1	1	957786	2 608 644 548	73.64 £
165	20	15.875	1.8/1.2	48	ATB	8,500	-5	15	PC1b	1	1	957793	2 608 644 549	77.42 £
190	30	20	2.1/1.4	60	ATB	8,000	-5	15	PC1b	1	1	957809	2 608 644 550	90.04 £

Expert for High Pressure Laminate

Circular saw blades for plunge and hand-held circular saws





► For clean cuts in High Pressure Laminate panels. Suitable for cutting Trespa® panels. Microteq teeth for long lifetime.



expert  **HighPressureLaminate**



HLTCG



PRODUCT PROPERTIES										ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
140	20	-	1.8/1.3	42	HLTCG	13,600	2/6/32,5	0	17	C1a	1	1	796972	2 608 644 131	68.42 £
160	20	-	2.2/1.6	48	HLTCG	11,900	2/6/32,5	0	17	C1a	1	1	796989	2 608 644 132	72.38 £
165	20	-	2.6/1.6	48	HLTCG	11,500	2/6/32,5	0	17	C1a	1	1	796996	2 608 644 133	76 £
190	20	-	2.6/1.6	56	HLTCG	10,000	2/6/32,5	0	17	C1a	1	1	797009	2 608 644 134	82.43 £
190	30	-	2.6/1.6	56	HLTCG	10,000	2/7/42	0	17	C1a	1	1	797016	2 608 644 135	82.4 £
210	30	0	2.8/1.8	60	HLTCG	9,000	2/7/42	0	17	C1a	1	1	881043	2 608 644 354	116.53 £
230	30	0	2.8/1.8	64	HLTCG	8,300	2/7/42	0	17	C1a	1	1	881067	2 608 644 356	131.71 £
235	30	0	2.8/1.8	64	HLTCG	8,100	2/7/42	0	17	C1a	1	1	881180	2 608 644 357	137.84 £

Circular saw blades for mitre saws and sliding mitre saws





► For clean cuts in High Pressure Laminate panels. Suitable for cutting Trespa® panels. Microteq teeth for a long lifetime.



expert  **HighPressureLaminate**



HLTCG



216	30	0	2.8/1.8	64	HLTCG	8,800	2/7/42	-3	15	C1a	1	1	881050	2 608 644 355	122.49 £
250	30	0	2.8/1.8	80	HLTCG	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881081	2 608 644 358	143.97 £
254	30	0	2.8/1.8	80	HLTCG	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881104	2 608 644 360	143.97 £

Circular saw blades for mitre saws and sliding mitre saws

PRODUCT PROPERTIES										ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
260	30	0	2.8/1.8	80	HLTCG	7,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881111	2 608 644 361	146.99 £
300	30	0	3.2/2.2	96	HLTCG	6,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881128	2 608 644 362	159.29 £
305	30	0	3.2/2.2	96	HLTCG	6,200	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-3	15	C1a	1	1	881142	2 608 644 364	159.23 £

Circular saw blades for table saws





- For clean cuts in High Pressure Laminate panels. Suitable for cutting Trespa® panels. Microteq teeth for long lifetime.



expert  **High Pressure Laminate**



HLTCG




250	30	0	2.8/1.8	80	HLTCG	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	881098	2 608 644 359	151.4 £
300	30	0	3.2/2.2	96	HLTCG	6,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	15	C1a	1	1	881135	2 608 644 363	162.34 £

Expert for Aluminium

Circular saw blades for plunge and hand-held circular saws





- ▶ For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal such as aluminium.



expert **Aluminium**



HLTCG




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
140	20	1.8/1.3	42	HLTCG	13,600	2/6/32,5	-5	15	C1a	1	1	796583	2 608 644 092	69.05 £
150	20	2.6/1.6	42	HLTCG	12,700	2/6/32,5	-5	15	C1a	1	1	796590	2 608 644 093	68.67 £
160	20	2.2/1.6	52	HLTCG	11,900	2/6/32,5	-5	15	C1a	1	1	796606	2 608 644 094	76.14 £
165	20	2.6/1.6	52	HLTCG	11,500	2/6/32,5	-5	15	C1a	1	1	796613	2 608 644 095	81.99 £
165	30	2.6/1.6	52	HLTCG	11,500	2/7/42	-5	15	C1a	1	1	796620	2 608 644 096	82.02 £
180	30	2.6/1.6	56	HLTCG	10,600	2/7/42	-5	15	C1a	1	1	796637	2 608 644 097	87.87 £
184	16	2.6/1.6	48	HLTCG	10,300	2/6/32,5	-5	15	C1a	1	1	796644	2 608 644 098	84.6 £
184	20	2.6/1.6	56	HLTCG	10,300	2/6/32,5	-5	15	C1a	1	1	796651	2 608 644 099	87.87 £
190	20	2.6/1.6	56	HLTCG	10,000	2/6/32,5	-5	15	C1a	1	1	796675	2 608 644 101	89.18 £
190	30	2.6/1.6	56	HLTCG	10,000	2/7/42	-5	15	C1a	1	1	796682	2 608 644 102	89.15 £
200	30	2.8/1.8	60	HLTCG	9,500	2/7/42	-5	15	C1a	1	1	796699	2 608 644 103	91.11 £
200	32	2.8/1.8	60	HLTCG	9,500	2/7/42	-5	15	C1a	1	1	796705	2 608 644 104	91.13 £
210	30	2.8/1.8	72	HLTCG	9,000	2/7/42	-5	15	C1a	1	1	796712	2 608 644 105	94.4 £
230	30	2.8/1.8	64	HLTCG	8,300	2/7/42	-5	15	C1a	1	1	796729	2 608 644 106	96.73 £
240	30	2.8/1.8	80	HLTCG	7,900	2/7/42	-5	15	C1a	1	1	796743	2 608 644 108	142.89 £



Circular saw blades for mitre saws and sliding mitre saws



- ▶ For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal such as aluminium.




expert **Aluminium**




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
210	30	2.6/1.8	54	HLTCG	9,000	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796750	2 608 644 109	96.02 £
216	30	2.6/1.8	64	HLTCG	8,800	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796767	2 608 644 110	112.79 £
254	30	2.8/2	80	HLTCG	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796781	2 608 644 112	136.66 £
260	30	2.8/2	80	HLTCG	7,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796798	2 608 644 113	138.32 £
305	30	2.8/2	96	HLTCG	6,200	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796811	2 608 644 115	152.86 £
315	30	2.8/2.2	96	HLTCG	6,000	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796828	2 608 644 116	152.9 £



Circular saw blades for table saws



- ▶ For clean cuts in non-ferrous metals such as aluminium. Also suitable for cutting plastics and epoxy, raw chipboard, acoustic panels, lightweight building panels, abrasive panel materials laminated on one or two sides, and fibre materials such as MDF and OSB boards. Microteq teeth for long lifetime.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metal, such as aluminium.



expert **Aluminium**




300
6

PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
190	Star	2.6/1.8	58	HLTCG	10,000	-	-5	15	C1a	1	1	796835	2 608 644 117	91.13 £
225	30	2.6/1.8	68	HLTCG	8,400	2/7/42 2/9,5/46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796842	2 608 644 118	96.66 £
250	30	2.8/2	68	HLTCG	7,600	2/7/42 2/9,5/46,5 2/9/46 2/10/60	-5	15	C1a	1	1	796859	2 608 644 119	123.67 £

Circular saw blades for cordless plunge and hand-held circular saws and cordless dry-cutters





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in non-ferrous metal applications.



expert **for Aluminium**



HLTCG




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
120	20	-	1.8/1.2	42	HLTCG	12,500	0	15	PC1b	1	1	957649	2 608 644 534	67.01 £
136	20	15.875	1.6/1	48	HLTCG	10,000	0	15	PC1b	1	1	957656	2 608 644 535	70.2 £
140	20	12.7 10	1.8/1.3	48	HLTCG	10,000	-5	15	PC1b	1	1	957663	2 608 644 536	70.2 £
150	20	15.875 10	1.8/1.3	48	HLTCG	10,000	0	15	PC1b	1	1	957670	2 608 644 537	70.2 £
160	20	15.875	1.8/1.3	54	HLTCG	8,500	0	15	PC1b	1	1	957687	2 608 644 538	74.14 £
165	20	15.875	1.8/1.3	54	HLTCG	8,500	0	15	PC1b	1	1	957694	2 608 644 539	80.5 £
184	20	16	1.8/1.3	54	HLTCG	8,000	0	15	PC1b	1	1	957700	2 608 644 540	83.49 £
190	30	20	1.8/1.3	54	HLTCG	8,000	0	15	PC1b	1	1	957717	2 608 644 541	84.69 £

Circular saw blades for cordless mitre and sliding mitre saws





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in non-ferrous metal applications.



expert **Aluminium**



HLTCG




PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
216	30	2/1.4	66	HLTCG	7,000	0	15	PC1b	1	1	957731	2 608 644 543	107.15 £
250	30	2.4/1.8	78	HLTCG	6,000	0	15	PC1b	1	1	957755	2 608 644 545	129.85 £
305	30	2.4/1.8	96	HLTCG	5,000	0	15	PC1b	1	1	957779	2 608 644 547	145.22 £

Circular saw blades for cordless table saws





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ MicroteQ carbide teeth ensure high durability and a superior performance in non-ferrous metal applications.



expert **Aluminium**



HLTCG



210	30	2/1.4	66	HLTCG	7,000	0	15	PC1b	1	1	957724	2 608 644 542	89.67 £
216	30	2/1.4	66	HLTCG	7,000	0	15	PC1b	1	1	957748	2 608 644 544	107.15 £
254	30	2.4/1.8	78	HLTCG	6,000	0	15	PC1b	1	1	957762	2 608 644 546	129.82 £

Expert for Steel

Circular saw blades for hand dry cutters





- ▶ Clean and safe cuts through mild steel.
- ▶ Long lifetime.



expert **for Steel**



MTCG



PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
160	20	2/1.6	30	HLTCG	3,200	0	12	C1a	1	1	737678	2 608 643 054	70.06 £
184	20	2/1.6	48	HLTCG	3,000	0	12	C1a	1	1	737685	2 608 643 055	87.36 £
190	20	2/1.6	40	HLTCG	2,600	0	12	C1a	1	1	737692	2 608 643 056	85.58 £
210	30	2/1.6	48	HLTCG	2,300	0	12	C1a	1	1	737708	2 608 643 057	102.92 £
230	25.4	2/1.6	48	HLTCG	2,100	0	12	C1a	1	1	737715	2 608 643 058	118.28 £

6

303

Circular saw blades for mitre dry cutters





- ▶ Clean and safe cuts through mild steel.
- ▶ Long lifetime.



expert **for Steel**



MTCG



254	25.4	2.6/2.2	60	HLTCG	1,900	0	12	C1a	1	1	737722	2 608 643 059	149.45 £
305	25.4	2.6/2.2	60	HLTCG	1,800	0	12	C1a	1	1	737739	2 608 643 060	162.75 £
305	25.4	2.6/2.2	80	HLTCG	1,800	0	12	C1a	1	1	737746	2 608 643 061	177.98 £
355	25.4	2.6/2.2	80	HLTCG	1,600	0	12	C1a	1	1	737753	2 608 643 062	190.47 £
355	25.4	2.6/2.2	90	HLTCG	1,600	0	12	C1a	1	1	737760	2 608 643 063	215.78 £

Expert for Stainless Steel

Circular saw blades for cordless hand dry cutters




- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Clean and save cuts in stainless steel materials.
- ▶ ResisteQ teeth manufactured from advanced metallic composites for extreme wear resistance.
- ▶ Long lifetime.



expert **FOR** StainlessSteel



HLTCG



304
6

PRODUCT PROPERTIES										ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
136	20	15.875	1.5/1.2	30	HLTCG	5,600	0	12	PC1b	1	1	957601	2 608 644 530	71.76 £	
140	20	-	1.5/1.2	30	HLTCG	5,400	0	12	PC1b	1	1	957618	2 608 644 531	82.52 £	
150	20	15.875	1.6/1.3	32	HLTCG	5,000	0	12	PC1b	1	1	957625	2 608 644 532	94.9 £	
160	20	15.875	1.6/1.3	40	HLTCG	4,700	0	12	PC1b	1	1	957632	2 608 644 533	109.13 £	

Circular saw blades for Hand Dry Cutters




- ▶ Circular saw blade developed for sawing stainless steel. Not suitable for high-alloy steel.
- ▶ Clean and safe cuts in stainless steel materials.
- ▶ ResisteQ teeth manufactured from advanced metallic composites for extreme wear resistance.
- ▶ Long lifetime.



expert **to** **StainlessSteel**



HLTCG



PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
185	20	1.9/1.6	36	HLTCG	4,100	0	10	C1a	1	1	839914	2 608 644 289	129.15 £
192	20	1.9/1.6	38	HLTCG	3,900	0	10	C1a	1	1	839921	2 608 644 288	139.49 £
230	25.4	1.9/1.6	46	HLTCG	3,300	0	10	C1a	1	1	839938	2 608 644 287	195.28 £

6

305

Circular saw blades for Mitre Dry Cutters




- ▶ Clean and safe cuts in stainless steel material.
- ▶ ResisteQ teeth manufactured from advanced metallic composites for extreme wear resistance.
- ▶ Long lifetime.



expert **to** **StainlessSteel**



HLTCG




255	25.4	2.5/2.2	50	HLTCG	2,900	0	10	C1a	1	1	839945	2 608 644 286	210.78 £
305	25.4	2.5/2.2	80	HLTCG	2,500	0	10	C1a	1	1	839969	2 608 644 284	204.75 £
305	25.4	2.5/2.2	60	HLTCG	2,500	0	10	C1a	1	1	839952	2 608 644 285	173.25 £
355	25.4	2.5/2.2	90	HLTCG	2,100	0	10	C1a	1	1	839983	2 608 644 282	249.9 £
355	25.4	2.5/2.2	70	HLTCG	2,100	0	10	C1a	1	1	839976	2 608 644 283	209.65 £

Expert for Multi Material



Circular saw blades for mitre saws and sliding mitre saws



- ▶ For excellent results in non-ferrous metals, aluminium, plastics, epoxy and wood.



expert **MultiMaterial**



PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
210	30	2.4/1.8	54	TCG	9,000	-5	15	C1a	1	1	648172	2 608 642 492	81.74 £
216	30	2.4/1.8	64	TCG	8,800	-5	15	C1a	1	1	648189	2 608 642 493	112.21 £
250	30	2.4/1.8	80	TCG	7,600	-5	15	C1a	1	1	648196	2 608 642 494	107.64 £
254	30	2.4/1.8	80	TCG	7,500	-5	15	C1a	1	1	650106	2 608 642 528	131.76 £
300	30	2.4/1.8	96	TCG	6,300	-5	15	C1a	1	1	648202	2 608 642 495	124.2 £
305	30	2.4/1.8	96	TCG	6,200	-5	15	C1a	1	1	650113	2 608 642 529	161.14 £



Circular saw blades for plunge and hand-held circular saws



- For clean cuts in sandwich panels with sheet steel (laminated on one or two sides). Microteq teeth for long lifetime.

expert **SandwichPanel**

MTCG




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
160	20	2/1.6	30	HLTCG	11,900	2/6/32,5	0	12	C1a	1	1	881159	2 608 644 365	78.89 £
165	20	2/1.6	30	HLTCG	11,500	2/6/32,5	0	12	C1a	1	1	881166	2 608 644 366	80.43 £
190	30	2/1.6	36	HLTCG	10,000	2/7/42	0	12	C1a	1	1	881074	2 608 644 367	85.17 £
210	30	2.4/2	36	HLTCG	9,000	2/7/42	0	12	C1a	1	1	797085	2 608 644 142	91.93 £
230	30	2.2/1.8	48	HLTCG	8,300	2/7/42	0	12	C1a	1	1	881173	2 608 644 368	110.31 £
235	30	2.2/1.8	50	HLTCG	8,100	2/7/42	0	12	C1a	1	1	797092	2 608 644 143	120.68 £
240	30	2.6/1.6	48	HLTCG	7,900	2/7/42	0	12	C1a	1	1	797108	2 608 644 144	114.93 £
270	30	2.4/2	60	HLTCG	7,000	2/7/42	0	12	C1a	1	1	797115	2 608 644 145	134.1 £
330	30	2.6/2.2	54	HLTCG	5,700	2/7/42	0	12	C1a	1	1	797122	2 608 644 146	165.49 £
350	30	2.9/2.5	60	HLTCG	5,400	2/7/42	0	12	C1a	1	1	799539	2 608 644 165	172.4 £
355	30	2.6/2.2	80	HLTCG	5,300	2/7/42	0	12	C1a	1	1	797139	2 608 644 147	182.73 £
450	30	3.4/3	86	HLTCG	4,200	2/7/42	0	12	C1a	1	1	797146	2 608 644 148	189.63 £

Expert for Fibre Cement



Circular saw blades for plunge and hand-held circular saws



► For cuts in fibre cement and plasterboard. Suitable for Eternit[®]. Polycrystalline diamond teeth for extremely long lifetime.



expert **for FiberCement**



PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
140	20	1.8/1.3	4	TCG	13,600	2/6/32,5	10	10	C1a	1	1	796866	2 608 644 120	80.49 £
160	20	2.2/1.6	4	TCG	11,900	2/6/32,5	10	10	C1a	1	1	796873	2 608 644 121	89.52 £
165	20	2.2/1.6	4	TCG	11,500	2/6/32,5	10	10	C1a	1	1	796880	2 608 644 122	92.64 £
170	30	2.2/1.6	4	TCG	11,200	2/7/42	10	10	C1a	1	1	796897	2 608 644 123	100.68 £
184	30	2.2/1.6	4	TCG	10,300	2/7/42	10	10	C1a	1	1	880947	2 608 644 344	110.4 £
190	20	2.2/1.6	4	TCG	10,000	2/6/32,5	10	10	C1a	1	1	796903	2 608 644 124	112.44 £
190	30	2.2/1.6	4	TCG	10,000	2/7/42	10	10	C1a	1	1	796910	2 608 644 125	112.44 £
210	30	2.2/1.6	6	TCG	9,000	2/7/42	10	10	C1a	1	1	880954	2 608 644 345	153.11 £
230	30	2.2/1.6	6	TCG	8,300	2/7/42	10	10	C1a	1	1	880978	2 608 644 347	173.03 £
235	30	2.2/1.6	6	TCG	8,100	2/7/42	10	10	C1a	1	1	880985	2 608 644 348	173.06 £



Circular saw blades for mitre saws and sliding mitre saws



► For cuts in fibre cement and plasterboard. Suitable for Eternit[®]. Polycrystalline diamond teeth for extremely long lifetime.



expert **for FiberCement**



216	30	2.2/1.6	6	TCG	8,800	2/7/42	10	10	C1a	1	1	880961	2 608 644 346	153.46 £
250	30	2.4/1.8	6	TCG	7,600	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	880992	2 608 644 349	173.08 £
254	30	2.4/1.8	6	TCG	7,500	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	881005	2 608 644 350	191.45 £



Circular saw blades for mitre saws and sliding mitre saws

PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
260	30	2.4/1.8	6	TCG	7,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	881012	2 608 644 351	195.98 £
300	30	2.4/1.8	8	TCG	6,300	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	881029	2 608 644 352	229.67 £
305	30	2.4/1.8	8	TCG	6,200	2/7/42 2/9,5/ 46,5 2/9/46 2/10/60	10	10	C1a	1	1	881036	2 608 644 353	232.42 £

Circular saw blades for cordless plunge and hand-held circular saws




- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Extremely long lifetime due to polycrystalline diamond (PCD) teeth.

expert  **FiberCement**



PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
160	20	15.875	1.8/1.2	4	TCG	8,500	10	10	PC1b	1	1	957847	2 608 644 554	89.52 £
165	20	15.875	1.8/1.2	4	TCG	8,500	10	10	PC1b	1	1	957854	2 608 644 555	92.64 £
190	30	20	1.8/1.2	4	TCG	8,000	10	10	PC1b	1	1	957861	2 608 644 556	112.44 £

Circular saw blades for cordless mitre and sliding mitre saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ Extremely long lifetime due to polycrystalline diamond (PCD) teeth.

expert **FiberCement**



PRODUCT PROPERTIES									ORDERING INFORMATION				
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
216	30	2/1.4	6	TCG	7,000	10	10	PC1b	1	1	957878	2 608 644 557	145.78 £
250	30	2.2/1.6	6	TCG	6,000	10	10	PC1b	1	1	957885	2 608 644 558	164.42 £
305	30	2.2/1.6	8	TCG	5,000	10	10	PC1b	1	1	957892	2 608 644 559	220.79 £


310
6

Optiline Wood

Optiline Wood for hand-held circular saws





► The precise blade for quality cuts in all types of wood.



Optiline
WOOD



ATB




PRODUCT PROPERTIES										ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
85	15	-	1.1/0.7	20	ATB	18,000	-	15	13	C1a	1	1	754279	2 608 643 071	29.78 £
130	20	16	2.4/1.4	20	ATB	11,500	-	15	15	C1a	1	1	193764	2 608 640 582	21.93 £
130	20	16	2.4/1.4	30	ATB	11,500	-	15	15	C1a	1	1	193771	2 608 640 583	38.34 £
130	20	16	2.4/1.4	12	ATB	11,500	-	15	15	C1a	1	1	373494	2 608 641 167	19.17 £
140	20	12.75	2.4/1.4	20	ATB	10,500	-	15	15	C1a	1	1	193801	2 608 640 586	22.04 £
140	20	12.75	2.4/1.4	12	ATB	10,500	-	15	15	C1a	1	1	373500	2 608 641 168	19.17 £
150	20	16	2.4/1.4	24	ATB	10,000	7/42	15	15	C1a	1	1	193863	2 608 640 592	27.41 £
150	20	16	2.4/1.4	36	ATB	10,000	7/42	17	13	C1a	1	1	193870	2 608 640 593	38.34 £
150	20	16	2.4/1.4	12	ATB	10,000	7/42	15	15	C1a	1	1	373517	2 608 641 169	19.64 £
160	20	16	2.6/1.6	24	ATB	9,500	6/32	15	15	C1a	1	1	193900	2 608 640 596	27.01 £
160	20	16	2.6/1.6	36	ATB	9,500	6/32	15	15	C1a	1	1	193917	2 608 640 597	32.9 £
160	20	16	2.6/1.6	48	ATB	9,500	6/32	15	15	C1a	1	1	195072	2 608 640 732	42.22 £
160	20	16	1.8/1.2	12	ATB	9,500	6/32	15	15	C1a	1	1	373524	2 608 641 170	20.09 £
160	20	16	1.8/1.2	24	ATB	9,500	6/32	15	15	C1a	1	1	373531	2 608 641 171	27.41 £
160	20	16	1.8/1.2	48	ATB	9,500	6/32	15	15	C1a	1	1	373548	2 608 641 172	43.87 £
160	20	16	2.6/1.6	12	ATB	9,500	6/32	15	15	C1a	1	1	373555	2 608 641 173	20.15 £
165	20	16	1.7/1.2	36	ATB	9,000	-	15	15	C1a	1	1	660273	2 608 642 602	46.17 £
180	30	20	2.6/1.6	24	ATB	8,500	-	15	15	C1a	1	1	194020	2 608 640 608	27.59 £
180	30	20	2.6/1.6	36	ATB	8,500	-	15	15	C1a	1	1	194037	2 608 640 609	38.34 £
184	16	-	2.6/1.6	24	ATB	8,000	-	17	13	C1a	1	1	263429	2 608 640 817	29.26 £
184	16	-	2.6/1.6	36	ATB	8,000	-	15	15	C1a	1	1	263436	2 608 640 818	34.89 £
184	16	-	2.6/1.6	48	ATB	8,000	-	15	15	C1a	1	1	373630	2 608 641 181	38.86 £
184	30	-	2.6/1.6	24	ATB	8,000	-	17	13	C1a	1	1	194044	2 608 640 610	28.18 £
184	30	-	2.6/1.6	36	ATB	8,000	-	15	15	C1a	1	1	194051	2 608 640 611	34.89 £
190	20	16	2.6/1.6	24	ATB	8,000	-	15	15	C1a	1	1	194068	2 608 640 612	30.74 £
190	20	16	2.6/1.6	48	ATB	8,000	-	15	15	C1a	1	1	194082	2 608 640 614	40.41 £
190	30	-	2.6/1.6	36	ATB	8,000	7/42	15	15	C1a	1	1	194105	2 608 640 616	36.52 £
190	30	-	2.6/1.6	48	ATB	8,000	7/42	15	15	C1a	1	1	194112	2 608 640 617	41.45 £
190	30	-	2/1.3	24	ATB	8,000	7/42	15	15	C1a	1	1	373678	2 608 641 185	28.21 £
190	30	-	2/1.3	48	ATB	8,000	7/42	15	15	C1a	1	1	373685	2 608 641 186	40.41 £
190	30	-	2.6/1.6	60	ATB	8,000	7/42	15	15	C1a	1	1	373708	2 608 641 188	47.23 £
190	20	16	2.6/1.6	36	ATB	8,000	-	15	15	C1a	1	1	194075	2 608 640 613	35.56 £
190	30	-	2.6/1.6	24	ATB	8,000	7/42	15	15	C1a	1	1	194099	2 608 640 615	27.41 £
190	30	-	2/1.3	16	ATB	8,000	7/42	15	15	C1a	1	1	373661	2 608 641 184	21.56 £
190	30	-	2.6/1.6	12	ATB	8,000	7/42	15	15	C1a	1	1	373692	2 608 641 187	21.34 £
200	30	-	2.8/1.8	24	ATB	7,500	7/42	17	10	C1a	1	1	194129	2 608 640 618	31.64 £
200	30	-	2.8/1.8	48	ATB	7,500	7/42	15	15	C1a	1	1	194143	2 608 640 620	43.87 £




Optiline Wood for hand-held circular saws

PRODUCT PROPERTIES										ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
210	30	-	2.8/1.8	24	ATB	7,500	-	15	15	C1a	1	1	194150	2 608 640 621	33.04 £
210	30	-	2.8/1.8	36	ATB	7,000	-	15	15	C1a	1	1	194167	2 608 640 622	47.71 £
210	30	-	2.8/1.8	48	ATB	7,500	-	15	15	C1a	1	1	194174	2 608 640 623	48.15 £
210	30	-	2.8/1.8	60	ATB	7,500	-	15	15	C1a	1	1	373722	2 608 641 190	52.07 £
230	30	-	2.8/1.8	24	ATB	6,500	7/42	15	15	C1a	1	1	194211	2 608 640 627	38.6 £
230	30	-	2.8/1.8	36	ATB	6,500	7/42	15	15	C1a	1	1	195157	2 608 640 628	41.11 £
230	30	-	2.8/1.8	48	ATB	6,500	7/42	15	15	C1a	1	1	194228	2 608 640 629	46.86 £
235	30	25	2.8/1.8	24	ATB	6,500	-	15	15	C1a	1	1	194990	2 608 640 725	38.34 £
235	30	25	2.8/1.8	48	ATB	6,500	-	15	15	C1a	1	1	195010	2 608 640 727	52.59 £
235	30	25	2.8/1.8	60	ATB	6,500	-	15	15	C1a	1	1	373746	2 608 641 192	57.55 £
250	30	-	3.2/2.2	40	ATB	6,000	7/42	15	15	C1a	1	1	195027	2 608 640 728	41.53 £
250	30	-	3.2/2.2	60	ATB	6,000	7/42	15	15	C1a	1	1	195034	2 608 640 729	57.55 £

Optiline Wood for mitre saws



ATB






210	30	-	2/1.4	48	ATB	7,000	-	-5	15	C1a	1	1	314398	2 608 640 430	54.08 £
216	30	-	2/1.4	24	ATB	7,000	-	-5	15	C1a	1	1	314404	2 608 640 431	48.07 £
216	30	-	2/1.4	48	ATB	7,000	-	-5	15	C1a	1	1	314411	2 608 640 432	57.47 £
216	30	-	2/1.4	60	ATB	7,000	-	-5	15	C1a	1	1	314428	2 608 640 433	67.04 £
216	30	-	2.8/1.8	48	ATB	7,000	-	-5	15	C1a	1	1	194327	2 608 640 641	59.2 £
216	30	-	2.8/1.8	60	ATB	7,000	-	-5	15	C1a	1	1	194334	2 608 640 642	70.33 £
250	30	-	3.2/2.2	40	ATB	6,000	7/42	-5	18	C1a	1	1	194341	2 608 640 643	55.55 £
250	30	-	3.2/2.2	60	ATB	6,000	7/42	-5	18	C1a	1	1	194358	2 608 640 644	67.04 £
250	30	-	3.2/2.2	80	ATB	6,000	7/42	-5	18	C1a	1	1	194365	2 608 640 645	76.63 £
254	30	-	2/1.4	24	ATB	6,000	-	-5	15	C1a	1	1	314435	2 608 640 434	47.91 £
254	30	-	2/1.4	40	ATB	6,000	-	-5	15	C1a	1	1	314442	2 608 640 435	55.55 £
254	30	-	2/1.4	60	ATB	6,000	-	-5	15	C1a	1	1	314459	2 608 640 436	67.21 £
254	30	-	2.5/1.8	80	ATB	6,000	-	-5	15	C1a	1	1	314466	2 608 640 437	76.6 £
254	30	-	3.2/2.2	60	ATB	6,000	-	5	15	C1a	1	1	455534	2 608 641 765	78.31 £
260	30	-	3.2/2.2	48	ATB	6,000	-	-5	18	C1a	1	1	373845	2 608 641 202	59.2 £
305	30	-	2.5/1.8	40	ATB	5,000	-	-5	15	C1a	1	1	317382	2 608 640 440	62.56 £
305	30	-	2.5/1.8	60	ATB	5,000	-	-5	15	C1a	1	1	317399	2 608 640 441	72.83 £
305	30	-	2.5/1.8	96	ATB	5,000	-	-5	15	C1a	1	1	317405	2 608 640 442	85.85 £
305	30	-	3.2/2.2	60	ATB	5,000	7/42 10/60	5	15	C1a	1	1	455565	2 608 641 768	82.94 £
305	30	-	3.2/2.2	80	ATB	5,000	-	5	15	C1a	1	1	455572	2 608 641 769	87.4 £

Optiline Wood for table saws



► The precise blade for quality cuts in all types of wood.






PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
216	30	-	2.6/1.6	34	ATB	7,000	15	15	C1b	1	1	964609	2 608 838 409	56.44 £
216	30	-	2.6/1.6	22	ATB	7,000	20	10	C1b	1	1	964616	2 608 838 410	50.4 £
216	30	-	2.6/1.6	54	ATB	7,000	10	15	C1b	1	1	964623	2 608 838 411	67.55 £
250	30	-	3.2/2.2	80	ATB	6,000	10	15	C1a	1	1	194501	2 608 640 660	90.1 £
250	30	-	3.2/2.2	60	ATB	6,000	10	15	C1a	1	1	194532	2 608 640 665	77.69 £
250	30	-	3.2/2.2	40	ATB	6,000	10	15	C1a	1	1	194587	2 608 640 670	55.49 £
254	30	-	2.8/1.8	40	ATB	6,000	18	12	C1a	1	1	317412	2 608 640 443	61.43 £
254	30	-	2.8/1.8	60	ATB	6,000	19	10	C1a	1	1	317429	2 608 640 444	68.87 £
254	30	-	2.8/1.8	24	ATB	6,000	20	10	C1b	1	1	964630	2 608 838 412	56.98 £
300	30	-	3.2/2.2	48	ATB	5,000	10	15	C1a	1	1	194600	2 608 640 672	59.2 £
305	30	-	3.2/2.2	72	ATB	5,000	10	15	C1a	1	1	455596	2 608 641 771	89.34 £
315	30	-	3.2/2.2	60	ATB	5,000	10	15	C1a	1	1	194440	2 608 640 651	77.69 £
315	30	-	3.2/2.2	48	ATB	5,000	10	15	C1a	1	1	194617	2 608 640 673	59.2 £
350	30	-	3.5/2.5	54	ATB	4,500	10	15	C1a	1	1	194624	2 608 640 674	77.69 £
400	30	-	3.5/2.5	60	ATB	4,000	10	15	C1a	1	1	194631	2 608 640 675	101.5 £

Speedline Wood

Speedline Wood for hand-held circular saws







► The fast blade for rip and cross cuts in all types of wood.



PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
130	16	-	2/1.4	9	ATB/FT	11,500	16	15	C1a	1	1	239851	2 608 640 774	24.31 £
130	16	-	2/1.4	18	ATB/FT	11,500	16	15	C1a	1	1	239868	2 608 640 775	30.63 £
150	20	-	2/1.4	18	ATB/FT	10,000	16	15	C1a	1	1	239929	2 608 640 781	30.41 £
160	16	-	2.2/1.6	12	ATB/FT	9,500	16	15	C1a	1	1	239950	2 608 640 784	23.89 £
160	16	-	2.2/1.6	18	ATB/FT	9,500	16	15	C1a	1	1	239967	2 608 640 785	29.7 £
160	20	-	2.2/1.6	12	ATB/FT	9,500	16	15	C1a	1	1	239974	2 608 640 786	27.3 £
160	20	-	2.2/1.6	18	ATB/FT	9,500	16	15	C1a	1	1	239981	2 608 640 787	30.82 £
165	20	16	1.7/1.2	12	ATB/FT	9,000	15	15	C1a	1	1	660259	2 608 642 600	29.89 £
165	20	16	1.7/1.2	24	ATB/FT	9,000	15	15	C1a	1	1	660266	2 608 642 601	39.49 £
184	16	-	2.2/1.6	24	ATB/FT	8,000	16	15	C1a	1	1	240062	2 608 640 795	33.56 £
190	20	16	2.4/1.6	24	ATB/FT	8,000	16	15	C1a	1	1	240109	2 608 640 799	33.56 £
190	30	-	2.4/1.8	12	ATB/FT	8,000	17	15	C1a	1	1	240116	2 608 640 800	26.08 £
190	30	-	2.4/1.8	24	ATB/FT	8,000	16	15	C1a	1	1	240123	2 608 640 801	32.12 £
210	30	-	2.4/1.8	30	ATB/FT	7,000	16	15	C1a	1	1	240147	2 608 640 803	43.44 £
230	30	-	2.4/1.8	18	ATB/FT	6,500	16	15	C1a	1	1	240154	2 608 640 804	40.43 £
230	30	-	2.4/1.8	30	ATB/FT	6,500	16	15	C1a	1	1	240161	2 608 640 805	43.44 £
235	30	25	2.4/1.8	30	ATB/FT	6,000	16	15	C1a	1	1	240185	2 608 640 807	43.44 £

Speedline Wood for table saws




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
250	30	3.2/2.2	24	ATB	6,000	7/42	20	10	C1a	1	1	194655	2 608 640 680	53.3 £
300	30	3.2/2.2	28	ATB	5,000	7/42 10/60	20	10	C1a	1	1	194662	2 608 640 681	66.6 £
315	30	3.2/2.2	28	ATB	5,000	7/42	20	10	C1a	1	1	194679	2 608 640 682	66.6 £
350	30	3.5/2.5	32	ATB	4,500	10/60	20	10	C1a	1	1	194686	2 608 640 683	86.57 £
400	30	3.5/2.5	36	ATB	4,000	10/60	20	10	C1a	1	1	194693	2 608 640 684	108.2 £

Standard for Wood



Circular saw blades for cordless plunge and hand-held circular saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth guarantee reliable cutting results.
- ▶ Aggressive tooth angles enable smooth cutting performance.




standard **for Wood**




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
85	15	-	1.1/0.7	20	ATB	18,000	15	13	PC1a	1	1	958134	2 608 837 666	24.1 £
136	15.875	-	1.5/1	24	ATB	11,000	20	12	PC1a	1	1	958141	2 608 837 667	24.69 £
136	20	-	1.5/1	24	ATB	11,000	20	12	PC1a	1	1	958158	2 608 837 668	24.69 £
140	10	-	1.5/1	24	ATB	10,500	20	12	PC1a	1	1	958165	2 608 837 669	24.69 £
140	12.7	-	1.5/1	24	ATB	10,500	20	12	PC1a	1	1	958172	2 608 837 670	24.69 £
140	20	-	1.5/1	24	ATB	10,500	20	12	PC1a	1	1	958189	2 608 837 671	24.69 £
140	20	-	1.5/1	42	ATB	10,500	10	15	PC1a	1	1	958196	2 608 837 672	29.15 £
150	10	-	1.6/1	24	ATB	10,000	20	12	PC1a	1	1	958202	2 608 837 673	26.03 £
150	20	16	1.6/1	24	ATB	10,000	20	12	PC1a	1	1	958219	2 608 837 674	26.03 £
160	20	15.875	1.5/1	12	ATB	9,500	25	10	PC1a	1	1	958226	2 608 837 675	22.37 £
160	20	15.875	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958233	2 608 837 676	25.39 £
160	20	15.875	1.5/1	36	ATB	9,500	15	13	PC1a	1	1	958240	2 608 837 677	28.88 £
160	20	15.875	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958257	2 608 837 678	34.91 £
165	10	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958264	2 608 837 679	27.41 £
165	15.875	-	1.5/1	12	ATB	9,500	25	10	PC1a	1	1	958271	2 608 837 680	26.73 £
165	15.875	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958288	2 608 837 681	27.41 £
165	15.875	-	1.5/1	36	ATB	9,500	15	13	PC1a	1	1	958295	2 608 837 682	37.16 £
165	15.875	-	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958301	2 608 837 683	41.67 £
165	20	16	1.5/1	12	ATB	9,500	25	10	PC1a	1	1	958318	2 608 837 684	25.52 £
165	20	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958325	2 608 837 685	27.41 £
165	20	16	1.5/1	36	ATB	9,500	15	13	PC1a	1	1	958332	2 608 837 686	37.16 £
165	20	-	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958349	2 608 837 687	41.67 £
165	30	-	1.5/1	24	ATB	9,500	25	10	PC1a	1	1	958356	2 608 837 688	27.41 £
165	30	-	1.5/1	48	ATB	9,500	10	15	PC1a	1	1	958363	2 608 837 689	41.67 £
173	20	-	1.5/1	24	ATB	8,500	25	10	PC1a	1	1	958370	2 608 837 690	28.48 £
184	16	-	1.6/1.1	16	ATB	7,900	25	10	PC1a	1	1	958387	2 608 837 697	27.39 £
184	16	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958400	2 608 837 698	27.39 £
184	16	-	1.6/1.1	48	ATB	7,900	10	15	PC1a	1	1	958417	2 608 837 699	39.63 £
184	20	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958448	2 608 837 702	27.39 £
184	20	-	1.6/1.1	48	ATB	7,900	10	15	PC1a	1	1	958455	2 608 837 703	38.62 £
190	20	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958462	2 608 837 704	27.39 £
190	30	20	1.6/1.1	16	ATB	7,900	25	10	PC1a	1	1	958486	2 608 837 706	24 £
190	30	-	1.6/1.1	24	ATB	7,900	25	10	PC1a	1	1	958493	2 608 837 708	27.39 £
190	30	20	1.6/1.1	48	ATB	7,900	15	13	PC1a	1	1	958509	2 608 837 710	38.62 £
190	30	20	1.6/1.1	60	ATB	7,900	10	15	PC1a	1	1	958516	2 608 837 711	44.21 £



Circular saw blades for cordless mitre and sliding mitre saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth guarantee reliable cutting results.
- ▶ Aggressive tooth angles enable smooth cutting performance.


standard  Wood

ATB




PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
184	16	1.6/1	24	ATB	7,900	5	15	PC1a	1	1	958424	2 608 837 700	30.11 £
184	16	1.6/1	48	ATB	7,900	5	15	PC1a	1	1	958431	2 608 837 701	39.17 £
190	20	1.6/1.1	48	ATB	7,900	5	15	PC1a	1	1	958479	2 608 837 705	38.62 £
216	30	1.7/1.2	24	ATB	7,000	5	15	PC1a	1	1	958554	2 608 837 721	45.52 £
216	30	1.7/1.2	48	ATB	7,000	5	15	PC1a	1	1	958561	2 608 837 723	56.24 £
250	30	2.2/1.6	24	ATB	6,000	5	15	PC1a	1	1	958592	2 608 837 727	50.13 £
250	30	2.2/1.6	48	ATB	6,000	5	15	PC1a	1	1	958608	2 608 837 728	61.87 £
305	30	2.2/1.6	40	ATB	5,000	5	15	PC1a	1	1	958646	2 608 837 741	60.2 £
305	30	2.2/1.6	60	ATB	5,000	5	15	PC1a	1	1	958653	2 608 837 742	70.33 £
305	30	2.2/1.6	96	ATB	5,000	5	15	PC1a	1	1	958660	2 608 837 744	81.55 £


Circular saw blades for cordless table saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth guarantee reliable cutting results.
- ▶ Aggressive tooth angles enable smooth cutting performance.



standard **Wood**






PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
210	30	1.7/1.2	24	ATB	7,000	25	10	PC1a	1	1	958530	2 608 837 713	45.52 £
210	30	1.7/1.2	48	ATB	7,000	15	13	PC1a	1	1	958547	2 608 837 714	56.24 £
216	30	1.7/1.2	24	ATB	7,000	25	10	PC1a	1	1	958578	2 608 837 724	45.52 £
216	30	1.7/1.2	48	ATB	7,000	15	13	PC1a	1	1	958585	2 608 837 726	56.24 £
254	30	2.2/1.6	24	ATB	6,000	25	10	PC1a	1	1	958615	2 608 837 733	55.44 £
254	30	2.2/1.6	40	ATB	6,000	20	12	PC1a	1	1	958622	2 608 837 734	58.36 £
254	30	2.2/1.6	60	ATB	6,000	15	13	PC1a	1	1	958639	2 608 837 736	64.64 £

Standard for Construct Wood

Circular saw blades for hand-held circular saws (nail-proof)






- ▶ The special tooth design and the wide support in the tooth spine ensure high resistance when cutting construction site timber with foreign bodies such as nails and concrete residues.






PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
150	20	16	2.4/1.4	12	HB	10,000	12	10	C1a	1	1	373814	2 608 641 199	21.11 £
160	20	16	2.6/1.6	12	HB	9,500	12	10	C1a	1	1	194235	2 608 640 630	23.81 £
180	30	20	2.6/1.6	12	HB	8,500	13	12	C1a	1	1	194259	2 608 640 632	22.63 £
184	16	-	2.6/1.6	12	HB	8,000	13	12	C1a	1	1	373821	2 608 641 200	24.82 £
190	20	16	2.6/1.6	12	HB	8,000	12	10	C1a	1	1	373838	2 608 641 201	25.82 £
190	30	-	2.6/1.6	12	HB	8,000	12	10	C1a	1	1	194266	2 608 640 633	25.48 £
210	30	-	2.8/1.8	14	HB	7,500	12	10	C1a	1	1	194273	2 608 640 634	30.18 £
230	30	-	2.8/1.8	16	HB	6,500	10	12	C1a	1	1	194280	2 608 640 635	37.7 £
235	30	25	2.8/1.8	16	HB	6,500	10	12	C1a	1	1	194297	2 608 640 636	37.7 £

Circular saw blades for table saws (standard)



PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
300	30	2.8/1.8	20	ATB	5,000	7/42 10/60	20	10	C1a	1	1	194792	2 608 640 700	63.39 £
315	30	3.2/2.2	20	ATB	5,000	7/42	20	10	C1a	1	1	194808	2 608 640 701	67.11 £
350	30	3.2/2.2	24	ATB	4,500	10/60	18	12	C1a	1	1	194815	2 608 640 702	82.04 £
400	30	3.2/2.2	28	ATB	4,000	10/60	17	13	C1a	1	1	194822	2 608 640 703	89.49 £
450	30	3.8/2.8	32	ATB	3,500	10/60	16	14	C1a	1	1	194839	2 608 640 704	119.31 £
500	30	3.8/2.8	36	ATB	3,000	-	15	10	C0a	1	1	194846	2 608 640 705	186.46 £
600	30	4/3	40	ATB	2,500	-	15	10	C0a	1	1	236843	2 608 640 761	279.95 £
700	30	4.2/3.2	46	ATB	2,000	-	15	10	C0a	1	1	236850	2 608 640 762	314.57 £

Circular saw blades for table saws (nail-proof)




250	30	3.2/2.2	20	HB	6,000	7/42	20	10	C1a	1	1	455626	2 608 641 774	76.14 £
300	30	3.2/2.2	20	HB	5,000	7/42 10/60	17	10	C1a	1	1	194730	2 608 640 690	74.61 £
315	30	3.2/2.2	20	HB	5,000	7/42	18	10	C1a	1	1	194747	2 608 640 691	74.61 £
350	30	3.5/2.5	24	HB	4,500	10/60	16	10	C1a	1	1	194754	2 608 640 692	89.49 £
400	30	3.5/2.5	28	HB	4,000	10/60	15	10	C1a	1	1	194761	2 608 640 693	96.99 £
450	30	3.8/2.8	32	HB	3,500	10/60	14	10	C1a	1	1	194778	2 608 640 694	123.03 £
500	30	3.8/2.8	36	HB	3,000	10/60	14	10	C0a	1	1	195294	2 608 640 695	203.84 £

Standard for Aluminium



Circular saw blades for cordless plunge and hand-held circular saws and cordless dry-cutters



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.



standard  **Aluminium**




PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
136	15.875	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958752	2 608 837 753	44.37 £
136	20	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958769	2 608 837 754	58.34 £
140	10	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958837	2 608 837 761	46.39 £
140	20	-	1.6/1.1	50	HLTCG	11,000	0	15	PC1a	1	1	958776	2 608 837 755	58.34 £
150	10	-	1.8/1.3	52	HLTCG	10,000	0	15	PC1a	1	1	958844	2 608 837 762	49.69 £
150	20	-	1.8/1.3	52	HLTCG	10,000	0	15	PC1a	1	1	958783	2 608 837 756	58.34 £
160	20	15.875	1.8/1.3	52	HLTCG	9,500	0	15	PC1a	1	1	958790	2 608 837 757	58.34 £
165	15.875	-	1.8/1.3	54	HLTCG	9,500	0	15	PC1a	1	1	958806	2 608 837 758	58.34 £
165	20	-	1.8/1.3	54	HLTCG	9,500	0	15	PC1a	1	1	958851	2 608 837 763	58.34 £
165	30	-	1.8/1.3	54	HLTCG	9,500	0	15	PC1a	1	1	958868	2 608 837 764	58.34 £
173	20	-	1.8/1.3	60	HLTCG	8,500	0	15	PC1a	1	1	958813	2 608 837 759	67.08 £
184	16	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958875	2 608 837 766	61.4 £
184	20	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958899	2 608 837 768	61.4 £
190	20	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958905	2 608 837 769	62.48 £
190	30	-	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958929	2 608 837 771	62.48 £

Circular saw blades for cordless mitre and sliding mitre saws





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.



standard **Aluminium**




HLTCG




PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
184	16	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958882	2 608 837 767	61.4 £
190	20	2/1.5	56	HLTCG	7,900	0	15	PC1a	1	1	958912	2 608 837 770	62.48 £
216	30	2.2/1.6	64	HLTCG	7,000	0	15	PC1a	1	1	958950	2 608 837 776	67.74 £
250	30	2.4/1.8	68	HLTCG	6,000	0	15	PC1a	1	1	958974	2 608 837 778	76.61 £
305	30	2.4/1.8	96	HLTCG	5,000	0	15	PC1a	1	1	958998	2 608 837 782	95.26 £



Circular saw blades for cordless table saws



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.



standard **Aluminium**



PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
210	30	1.9/1.3	54	HLTCG	7,000	0	15	PC1a	1	1	958943	2 608 837 773	60.45 £
254	30	2.4/1.8	68	HLTCG	6,000	0	15	PC1a	1	1	958981	2 608 837 780	76.61 £

Standard for Steel


Circular saw blades for cordless hand dry cutters



- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.



standard **for Steel**




PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
136	15.875	1.6/1.2	30	HB	5,400	6	10	PC1a	1	1	958677	2 608 837 745	44.85 £
136	20	1.6/1.2	30	HB	5,400	6	10	PC1a	1	1	958684	2 608 837 746	44.85 £
140	20	1.6/1.2	30	HB	5,400	6	10	PC1a	1	1	958691	2 608 837 747	51.58 £
150	20	1.6/1.2	32	HB	5,000	6	10	PC1a	1	1	958707	2 608 837 748	59.31 £
160	20	1.6/1.2	36	HB	4,600	6	10	PC1a	1	1	958714	2 608 837 749	68.21 £
173	20	1.6/1.2	36	HB	4,100	6	10	PC1a	1	1	958721	2 608 837 750	78.44 £

Standard for Multi Material



Circular saw blades for hand-held circular saws



- ▶ The perfect blade for powerful cuts with clean cut edges in all different kinds of materials.
- ▶ Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.




MULTI
MATERIAL






PRODUCT PROPERTIES									ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
130	20	16	2/1.4	42	HLTCG	11,500	-5	15	C1a	1	1	373777	2 608 641 195	61.4 £
150	20	16	2/1.4	42	HLTCG	10,000	-5	15	C1a	1	1	192910	2 608 640 501	61.4 £
160	20	16	2.4/1.8	42	HLTCG	9,500	-5	15	C1a	1	1	192934	2 608 640 503	61.4 £
180	30	20	2.4/1.8	48	HLTCG	8,500	-5	15	C1a	1	1	192972	2 608 640 507	61.4 £
184	16	-	2.4/1.8	48	HLTCG	8,000	-5	15	C1a	1	1	263405	2 608 640 815	61.4 £
184	30	-	2.4/1.8	48	HLTCG	8,000	-5	15	C1a	1	1	192965	2 608 640 506	61.4 £
190	20	16	2.4/1.8	54	HLTCG	8,000	-5	15	C1a	1	1	192989	2 608 640 508	65.76 £
190	30	-	2.4/1.8	54	HLTCG	8,000	-5	15	C1a	1	1	192996	2 608 640 509	65.76 £
200	30	-	2.4/1.8	54	HLTCG	7,500	-5	15	C1a	1	1	193009	2 608 640 510	65.76 £
210	30	-	2.4/1.8	54	HLTCG	7,000	-5	15	C1a	1	1	193016	2 608 640 511	65.76 £
230	30	-	2.4/1.8	64	HLTCG	6,500	-5	15	C1a	1	1	193030	2 608 640 513	69.9 £

Circular saw blades for mitre saws and table saws



► Using the universal cutting oil 2 607 001 409 increases the lifetime several times when cutting in metals such as aluminium.




PRODUCT PROPERTIES										ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Bore with reduction ring mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Pin hole/Pitch circle diameter	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
210	30	-	2.5/1.8	80	HLTCG	7,000	-	-5	15	C1a	1	1	317436	2 608 640 445	75.94 £
216	30	-	2.5/1.8	60	HLTCG	7,000	-	-5	15	C1a	1	1	317443	2 608 640 446	80.3 £
216	30	-	2.5/1.8	80	HLTCG	7,000	-	-5	15	C1a	1	1	317450	2 608 640 447	83.67 £
250	30	-	3.2/2.5	80	HLTCG	6,000	7/42	-5	18	C1a	1	1	193061	2 608 640 516	85.83 £
254	30	-	3.2/2.5	60	HLTCG	6,000	-	-5	15	C1a	1	1	317474	2 608 640 449	70.19 £
254	30	-	3.2/2.5	80	HLTCG	6,000	-	-5	15	C1a	1	1	317481	2 608 640 450	84.82 £
254	30	-	3.2/2.5	96	HLTCG	6,000	-	-5	15	C1a	1	1	317498	2 608 640 451	87.09 £
260	30	-	3.2/2.5	80	HLTCG	6,000	-	-5	18	C1a	1	1	373869	2 608 641 204	80.16 £
300	30	-	3.2/2.5	96	HLTCG	5,000	7/42 10/60	-5	18	C1a	1	1	193085	2 608 640 518	92.82 £
305	30	-	3.2/2.5	80	HLTCG	5,000	-	-5	15	C1a	1	1	317504	2 608 640 452	84.08 £
305	30	-	3.2/2.5	96	HLTCG	5,000	-	-5	15	C1a	1	1	317511	2 608 640 453	98.86 £
350	30	-	3.2/2.5	96	HLTCG	4,500	-	-5	18	C1a	1	1	236935	2 608 640 770	107.24 £

Circular saw blades for cordless hand-held circular saws





- ▶ Extra thin kerf for **maximum battery runtime**.
- ▶ High-quality carbide teeth support clean and precise results.



standard **MultiMaterial**



HLTCG



PRODUCT PROPERTIES								ORDERING INFORMATION					
Outer diameter mm	Bore size mm	Width of cut (b1) mm / Base bl. thickness (b2) mm	Number of teeth	Tooth shape	Max. rotation speed (RPM)	Hook angle ° α	Relief angle ° β	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
85	15	1.5/1	30	HLTCG	18,000	0	15	PC1a	1	1	958745	2 608 837 752	28.35 £

Accessories for Circular Saws

Reducing Rings for Circular Saw Blades

PRODUCT PROPERTIES			ORDERING INFORMATION						Price without VAT
Diameter mm	Bore size mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
Reduction rings for circular saw blades									
Base blade thickness of 1.0 mm up to max. 1.3 mm									
20	12.75	0.8	P1b	1	1	433518	2 600 100 185	2.09 £	
20	15.875	0.8	P1b	1	1	433525	2 600 100 186	2.11 £	
20	16	0.8	P1b	1	1	433532	2 600 100 187	2.11 £	
Reduction rings for circular saw blades									
Base blade thickness of 1.25 mm up to max. 1.4 mm									
20	16	1	P1b	1	1	433549	2 600 100 188	2.11 £	
Reduction rings for circular saw blades									
Base blade thickness of 1.4 mm up to max. 1.7 mm									
16	12.75	1.2	P1b	1	1	433587	2 600 100 192	2.11 £	
20	10	1.2	P1b	1	1	433594	2 600 100 193	2.11 £	
20	12.75	1.2	P1b	1	1	433600	2 600 100 194	2.11 £	
20	13	1.2	P1b	1	1	433617	2 600 100 195	2.09 £	
20	16	1.2	P1b	1	1	433631	2 600 100 197	2.11 £	
25	15.875	1.2	P1b	1	1	433679	2 600 100 201	2.35 £	
25	16	1.2	P1b	1	1	433686	2 600 100 202	2.38 £	
25	20	1.2	P1b	1	1	433693	2 600 100 203	2.35 £	
25.4	20	1.2	P1b	1	1	433730	2 600 100 207	2.38 £	
30	20	1.2	P1b	1	1	433747	2 600 100 208	2.38 £	
30	24	1.2	P1b	1	1	433754	2 600 100 209	2.38 £	
30	25	1.2	P1b	1	1	433761	2 600 100 210	2.38 £	
30	25.4	1.2	P1b	1	1	433778	2 600 100 211	2.38 £	
Reduction rings for circular saw blades									
Base blade thickness of 1.7 mm up to max. 2.2 mm									
20	16	1.5	P1b	1	1	433785	2 600 100 212	2.11 £	
25	16	1.5	P1b	1	1	433808	2 600 100 214	2.35 £	
25	20	1.5	P1b	1	1	433815	2 600 100 215	2.35 £	
25.4	20	1.5	P1b	1	1	433853	2 600 100 219	2.35 £	
30	20	1.5	P1b	1	1	433860	2 600 100 220	2.38 £	
30	25	1.5	P1b	1	1	433877	2 600 100 221	2.35 £	
30	25.4	1.5	P1b	1	1	433884	2 600 100 222	2.38 £	
35	30	1.5	P1b	1	1	433914	2 600 100 225	2.48 £	
Reduction rings for circular saw blades									
Base blade thickness of 2.2 mm up to max. 3.0 mm									
25.4	16	1.8	P1b	1	1	433938	2 600 100 227	2.38 £	
25.4	20	1.8	P1b	1	1	433945	2 600 100 228	2.38 £	
30	20	1.8	P1b	1	1	433969	2 600 100 230	2.38 £	
30	25	1.8	P1b	1	1	433976	2 600 100 231	2.38 £	
30	25.4	1.8	P1b	1	1	433983	2 600 100 232	2.38 £	





7 329

ROUTER BITS AND PLANER KNIVES

Fine-finish performance

The best your tool can get. Bosch Professional Accessories.





Standard for Wood Straight bits

Straight bits, one flute, carbide



- ▶ For routing small grooves for chipboard tongue joints, for decorative grooves in surfaces or grooves in rubber seal profiles
- ▶ **Suitable for** solid wood and panel materials





PRODUCT PROPERTIES								ORDERING INFORMATION					
Shank mm	Shank Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	3.2	1/8	7.7	19/64	51	2 1/64	P2a	1	1	360975	2 608 628 427	40.34 £
-	1/4	4.8	3/16	12.4	31/64	51	2 1/64	P2a	1	1	360982	2 608 628 428	41.27 £

Straight bits, two flutes, carbide



- ▶ **Suitable for** solid wood and panel materials such as chipboard or MDF boards, plastics or abrasive materials such as Corian




-	1/4	6.4	1/4	15.7	5/8	48	1 57/64	P2a	1	1	358729	2 608 628 411	34.26 £
-	1/4	7.9	5/16	19.6	49/64	51	2 1/64	P2a	1	1	360999	2 608 628 429	38.97 £
-	1/4	9.5	3/8	19.6	49/64	51	2 1/64	P2a	1	1	358736	2 608 628 412	42.82 £
-	1/4	12.7	1/2	19.6	49/64	51	2 1/64	P2a	1	1	358743	2 608 628 413	36.25 £
-	1/4	19	3/4	19.6	49/64	51	2 1/64	P2a	1	1	358750	2 608 628 414	59.79 £

Standard for Wood Laminate trim bits

Laminate trim bits with ball bearing pilot, two flutes, carbide

► Suitable for solid wood and abrasive board materials.





PRODUCT PROPERTIES								ORDERING INFORMATION					
Shank mm	Shank Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	6.4	1/4	16.7	41/64	54	2 1/8	P2a	1	1	361057	2 608 628 635	41.93 £
-	1/4	9.5	3/8	13.7	17/32	56	2 13/64	P2a	1	1	361064	2 608 628 636	47.64 £
-	1/4	12.7	1/2	12.7	1/2	56	2 13/64	P2a	1	1	361071	2 608 628 637	51.19 £

Standard for Wood Rabbeting bits

Rabbeting bits with ball bearing pilot, two flutes, carbide

► Suitable for solid wood and panel materials





PRODUCT PROPERTIES											ORDERING INFORMATION				
Shank mm	Shank Inch	Width (B) mm	Width (B) Inch	Working length (L) mm	Working length (L) Inch	Diameter (D) mm	Diameter (D) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	6.4	1/4	12.4	31/64	25.4	1	54	2 1/8	P1a	1	1	358781	2 608 628 417	90.47 £

Standard for Wood Cove bits

Cove bits with ball bearing pilot, two flutes, carbide



- ▶ Cove bits with ball bearing pilot for easy guiding directly on the workpiece without a template
- ▶ **Suitable for** soft and hard solid wood





PRODUCT PROPERTIES											ORDERING INFORMATION				
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	6.3	1/4	25.4	1	12.7	1/2	54	2 1/8	P1a	1	1	358811	2 608 628 420	85.07 €

Standard for Wood Rounding over bits

Rounding over bits with ball bearing pilot, two flutes, carbide



► Suitable for solid woods such as spruce, beech, oak, alder and abrasive materials.





PRODUCT PROPERTIES								ORDERING INFORMATION					
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	6.3	1/4	25.4	1	13.2	33/64	P1a	1	1	358828	2 608 628 421	82.82 £
-	1/4	9.5	3/8	31.8	1 1/4	16.2	41/64	P1a	1	1	358835	2 608 628 422	85.27 £
-	1/4	12.7	1/2	38.1	1 1/2	18.6	47/64	P1a	1	1	358842	2 608 628 423	90.51 £

Standard for Wood Chamfer bits

Chamfer bits with ball bearing pilot, two flutes, carbide



► Suitable for solid wood and panel materials





PRODUCT PROPERTIES												ORDERING INFORMATION				
Shank mm	Shank Inch	Angle degrees	Working length (L) mm	Working length (L) Inch	Width (B) mm	Width (B) Inch	Diameter (D) mm	Diameter (D) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	45	14.7	37/64	11.1	7/16	34.9	1 3/8	56	2 13/64	P1a	1	1	358774	2 608 628 416	70.58 £

Standard for Wood Edge forming bits

Edge forming bit B with ball bearing pilot, two flutes, carbide



► Suitable for soft and hard solid wood





PRODUCT PROPERTIES											ORDERING INFORMATION						
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Width (B) mm	Width (B) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	4	5/32	8	5/16	28.6	1 1/8	12.4	31/64	54	2 1/8	P1a	1	1	358804	2 608 628 419	83.73 £

Edge forming bits E, two flutes, carbide



► Suitable for soft and hard solid wood





PRODUCT PROPERTIES											ORDERING INFORMATION				
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	6.3	1/4	25.4	1	14	35/64	46	1 13/16	P1a	1	1	358859	2 608 628 424	73.89 £

Standard for Wood Core box bits

Core box bits, two flutes, carbide



► Suitable for soft and hard solid wood





PRODUCT PROPERTIES										ORDERING INFORMATION					
Shank mm	Shank Inch	Radius (R1) mm	Radius (R1) Inch	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	3.2	1/8	9.5	1/4	9.2	23/64	40	1 37/64	P2a	1	1	358866	2 608 628 425	47.49 £
-	1/4	4.7	3/16	9.5	3/8	9.2	23/64	40	1 37/64	P2a	1	1	361026	2 608 628 632	51.86 £
-	1/4	6.3	1/4	12.7	1/2	9.2	23/64	40	1 37/64	P2a	1	1	358798	2 608 628 418	69.59 £
-	1/4	8	5/16	15.9	5/8	12.3	31/64	45	1 49/64	P2a	1	1	361033	2 608 628 633	71.75 £
-	1/4	12.7	1/2	25.4	1	15.6	39/64	49	1 59/64	P1a	1	1	361040	2 608 628 634	84.37 £

Standard for Wood V-groove bits

V-groove bits, two flutes, carbide



► Suitable for solid wood



PRODUCT PROPERTIES										ORDERING INFORMATION				
Shank mm	Shank Inch	Angle degrees	Diameter (D) mm	Diameter (D) Inch	Working length (L) mm	Working length (L) Inch	Total length (G) mm	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
-	1/4	90	6.3	1/4	9.2	23/64	45	1 49/64	P2a	1	1	361002	2 608 628 630	45.34 £
-	1/4	90	12.7	1/2	12.4	31/64	45	1 49/64	P2a	1	1	358767	2 608 628 415	48.78 £
-	1/4	90	9.5	3/8	12.4	31/64	45	1 49/64	P2a	1	1	361019	2 608 628 631	47.23 £

ROUTER BIT SETS

Fine cuts for a wide variety of applications.



6 pcs Straight Router Bit Set



6 pcs Trim and Edging Router Bit Set



15 pcs Mixed Router Bit Set




30 pcs Mixed Router Bit Set

Page number	102676862	102676863	102676864	102676865
SHANK				
6 mm; 8 mm; 1/4 inch	✓	✓	✓	✓
MATERIALS				
Hardwood	✓	✓	✓	✓
Softwood	✓	✓	✓	✓
Wooden composites	✓	✓	✓	✓
SET CONTENT				
Straight bit 1-cutter	-	-	-	✓
Straight bit 2-cutter	✓	-	✓	✓
Straight bit 3-cutter	✓	-	✓	✓
Rounding over bit	-	✓	✓	✓
Chamfer bit	-	✓	✓	✓
Flush trim bit	-	✓	✓	✓
Flush pattern bit	-	✓	✓	✓
Dovetail bit	-	-	✓	✓
V-groove bit	-	-	✓	✓
Slotting cutter	-	-	✓	✓
Rebating cutter	-	-	✓	✓
Roman ogee bit	-	-	✓	✓
Cove bit	-	-	✓	✓
Pilot panel bit	-	-	-	✓
Core box bit	-	-	-	✓
Classical moulding bit	-	-	-	✓
Hinge mortising bit	-	-	-	✓

Mixed Router Bit Sets

6-piece Straight Router Bit Sets


► **Set contents:** Straight bit 2-cutters (1), Straight bit 3-cutters (2)



PRODUCT PROPERTIES						ORDERING INFORMATION					
Type, router bit	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
Set with 1/4" shank diameter bits.											
1	1/4	25/32	2 1/8	P1k	6	1	957984	2 607 017 467			
1	5/16	25/32	1 31/32								
1	3/8	1	2 11/64								
2	1/2	1 3/16	2 23/64								
2	5/8	1 3/16	2 23/64								
2	3/4	1 3/16	2 23/64								

6-piece Trim and Edging Router Bit Sets

► **Set contents:** Rounding over bits (1), Chamfer bits (2), Flush trim bit (3), Flush pattern bit (4)



PRODUCT PROPERTIES						ORDERING INFORMATION					
Type, router bit	Radius (R1) Inch	Angle degrees	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Set with 1/4" shank diameter bits.											
1	1/8	-	3/4	3/8	2 1/64	P1k	6	1	958011	2 607 017 470	
1	1/4	-	1	1/2	2 11/64						
2	-	25	1	1/2	2 1/8						
2	-	45	1 3/8	5/8	2 13/64						
3	-	-	1/2	1	2 9/16						
4	-	-	5/8	1	2 9/16						

15-piece Mixed Application Router Bit Sets

- **Set contents:** Flush trim bit (1), Flush pattern bit (2), Dovetail bit (3), Chamfer bits (4), V-groove bit (5), Slotting cutter (6), Rebating bit (7), Roman ogee bit (8), Cove bit (9), Rounding over bits (10), Straight bit 2 cutters (11), Straight bit 3 cutters (12)



PRODUCT PROPERTIES						ORDERING INFORMATION					
Type, router bit	Radius (R1) Inch	Angle degrees	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Set with 1/4" shank diameter bits.											
1	-	-	1/2	1	2 9/16	P1k	15	1	958042	2 607 017 473	
2	-	-	5/8	1	2 9/16						
3	-	12	9/16	1/2	1 59/64						
4	-	45	1 3/8	5/8	2 13/64						
4	-	25	1	1/2	2 1/8						
5	-	60	5/8	11/16	1 31/32						
6	-	-	1 1/4	5/32	1 31/32						
7	-	-	1 1/4	1/2	2 1/8						
8	5/32	-	1 1/16	1/2	2 3/64						
9	3/8	-	1 1/8	1/2	2 1/8						
10	1/8	-	3/4	3/8	2 1/64						
10	1/4	-	1	1/2	2 11/64						
11	-	-	1/4	25/32	2 1/8						
11	-	-	1/2	1 3/16	2 23/64						
12	-	-	5/8	1 3/16	2 23/64						

30-piece Mixed Application Router Bit Sets

- **Set contents:** Straight bit 1 cutter (1), Straight bit 2 cutters (2), Straight bit 3 cutters (3), Rounding over bits (4), Flush trim bits (5), Flush pattern bit (6), Pilot panel bit (7), Slotting cutter (8), Rebating bit (9), Chamfer bits (10), V-groove bits (11), Dovetail bit (12), Roman ogee bit (13), Core box bits (14), Cove bits (15), Classical moulding bit (16), Hinge mortising bit (17)



PRODUCT PROPERTIES						ORDERING INFORMATION						
Type, router bit	Radius (R1) Inch	Angle degrees	Diameter (D) Inch	Working length (G) Inch	Total length (G) Inch	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Set with 1/4" shank diameter bits.												
1	-	-	5/32	19/32	1 31/32	P1k	30	1	958073	2 607 017 476		
2	-	-	1/4	25/32	2 1/8							
2	-	-	5/16	25/32	1 31/32							
2	-	-	3/8	1	2 11/64							
3	-	-	1/2	1 3/16	2 23/64							
3	-	-	5/8	1 3/16	2 23/64							
3	-	-	3/4	1 3/16	2 23/64							
4	1/8	-	3/4	3/8	2 1/64							
4	1/4	-	1	1/2	2 11/64							
4	5/16	-	1 1/8	9/16	2 11/64							
4	3/8	-	1 1/4	5/8	2 9/32							
4	1/2	-	1 1/2	3/4	2 23/64							
5	-	-	1/2	1	2 9/16							
5	-	-	1/2	1/2	2 3/64							
6	-	-	5/8	1	2 9/16							
7	-	-	5/16	3/4	2 23/64							
8	-	-	1 1/4	5/32	1 31/32							
9	-	-	1 1/4	1/2	2 1/8							
10	-	45	1 3/8	5/8	2 13/64							
10	-	25	1	1/2	2 1/8							
11	-	60	5/8	11/16	1 31/32							
11	-	90	5/8	5/8	1 57/64							
12	-	12	9/16	1/2	1 59/64							
13	5/32	-	1 1/16	1/2	2 3/64							
14	1/4	-	1/2	3/8	1 11/16							
14	3/8	-	3/4	1/2	1 49/64							
15	1/4	-	7/8	1/2	2 1/8							
15	3/8	-	1 1/8	1/2	2 1/8							
16	3/16	-	1 1/4	9/16	2 1/8							
17	-	-	1/2	1/2	1 21/32							

Accessories for Biscuit Joiners

Blade cutters for Bosch biscuit joiners

- ▶ For cutting grooves, biscuit joints and flat dowels in wood.
- ▶ Easy production of country style look with the versatile Bosch universal router and the appropriate Bosch straight bit.

PRODUCT PROPERTIES				ORDERING INFORMATION						
Diameter mm	Bore size mm	Number of teeth	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	



Blade cutter for Universal Router GUF 4-22 A, Wall Chaser PSF 22 A, only together with backing flange 3 605 700 155 also for Biscuit Joiner GFF 22 A

Suitable for GOF 900 A; GOF 900 ACE; GOF 1200 A; GOF 1300 ACE Professional; POF 800 ACE; POF 1100; POF 1300

105	20	22	2.8	C1c	1	1	012560	3 608 641 002	46.99 £
-----	----	----	-----	-----	---	---	--------	----------------------	---------



Blade cutter

Suitable for GFF 22 A Professional

105	22	8	4	C1c	1	1	184359	3 608 641 013	44.07 £
-----	----	---	---	-----	---	---	--------	----------------------	---------

UNIVERSAL PLANER KNIVES

Fit for use on all common handheld planers.



Woodrazor Carbide Reversible Planer Knife



Standard for Wood Carbide Reversible Planer Knife

Page number	345	345
-------------	-----	-----

MEASUREMENT

82.4 × 5.5 × 1.1 mm	✓	✓
56.0 × 5.5 × 1.1 mm	✓	✓
82.0 × 29.0 × 3.0 mm	-	-

MATERIALS

Hardwood	✓	✓
Softwood	✓	✓
Wooden composites	✓	✓

Universal planer knives for hand-held planers

Carbide reversible planer knives

- **Appropriate for** planers from the brands Bosch, AEG, Black+Decker, Fein, Haffner, Hitachi, Holz-Her, Mafell, Makita, Metabo, Skil

PRODUCT PROPERTIES			ORDERING INFORMATION						
Length mm	Width mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Planer blade straight, tungsten carbide, 40° length x width: 82.4 mm x 5.5 mm									
82.4	5.5	1.1	PC1c	2	5	010450	2 607 000 096	9.08 £	
			PC1d	10	1	117685	2 607 001 292	40.89 £	

Planer blade Sharp, straight, tungsten carbide, 40° Sharp planing blade, ideal for Bosch Woodrazor System. length x width: 82.4 mm x 5.5 mm								
82.4	5.5	1.1	PC1c	2	5	200639	2 608 635 350	16.61 £

Planer blade for GHO 12V-20 Straight, tungsten carbide, 40° length x width: 56 mm x 5.5 mm								
56	5.5	1.1	PC1d	2	1	934084	2 608 000 672	8.2 £

JIGSAW BLADES


Unrivalled capability in every material

The best your tool can get. Bosch Professional Accessories.



JIGSAW BLADES FOR WOOD

The classics.



	Hardwood Fast	Hardwood 2-Side Clean	Laminate Clean	Wood 2-Side Clean	Clean for Hardwood	Speed for Hardwood
	EXPERT	EXPERT	EXPERT	EXPERT		
Page number	355	356	360	362	358	358
Available blade types	1	2	1	3	5	2
T-Shank	✓	✓	✓	✓	✓	✓
U-Shank	-	-	-	-	✓	-

348
8

MATERIALS

Softwood	-	-	-	✓	-	-
Plywood	-	-	-	✓	-	-
Hardwood, chipboard, MDF	✓	✓	-	-	✓	✓
Laminated boards, kitchen worktops	-	✓	-	-	✓	-
Laminate, vinyl flooring	-	-	✓	-	-	-
WPC (wood plastic composites)	✓	-	-	-	-	-
Construction wood	✓	-	-	-	-	✓

*Bosch EXPERT products vs. Bosch standard products



Special for Laminate

Progressor for Wood

Precision for Wood

Clean for Wood

Speed for Wood

Basic for Wood

361

364

363

364

365

366

1

1

5

5

4

3

✓

✓

✓

✓

✓

✓

-

✓

-

✓

✓

✓

-

✓

✓

✓

✓

✓

-

✓

✓

✓

-

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

-

✓

-

JIGSAW BLADES FOR METAL

Make the cut you need.



	Stainless Steel	Basic for Inox	Progressor for Metal	Speed for Metal
	EXPERT			
Page number	367	368	368	369
Available blade types	2	2	1	5
T-Shank	✓	✓	✓	✓
U-Shank	-	-	-	-

350
8

MATERIALS

Sheet metal	-	-	✓	✓
Perforated sheet metal	-	-	✓	✓
Aluminium, non-ferrous metals	-	-	✓	-
Stainless steel sheets	✓	✓	-	-
Profiles, pipes (closed)	-	-	-	✓
Profiles (open)	-	-	-	✓
Metal sandwich	-	-	-	-

*Bosch EXPERT products vs. Bosch standard products



Flexible for Metal

Basic for Metal

Special for Alu

Flexible for Metal-Sandwich

Precision for Metal-Sandwich

369

370

371

372

372

5

6

2

1

1



-



-

-



-

-

-



-

-

-

-

-

-



-

-

-

-

-

-

-



-

-

-



-

-

-

-

-

-

-



JIGSAW BLADES FOR WOOD AND METAL

Nails? No problem.



	Multi Material EXPERT	Progressor for Wood and Metal
Page number	373	374
Available blade types	1	1
T-Shank	✓	✓
U-Shank	-	-

352
8









MATERIALS

Construction timber with hardened screws and nails	✓	-
Construction timber with nails	✓	✓
Profiles, pipes, thickwalled	✓	✓
Aluminium, non-ferrous metals	✓	✓
Glass fibre reinforced plastic/epoxy	✓	✓

*Bosch EXPERT products vs. Bosch standard products

JIGSAW BLADES FOR PLASTICS

For the most advanced materials.

						
	Plastic Composites clean	Carbon Fiber clean	Clean for PVC	Clean for PP	Clean for PMMA	Clean for PC
	EXPERT	EXPERT				
Page number	375	376	377	377	377	377
Available blade types	1	1	2	1	1	1
T-Shank	✓	✓	✓	✓	✓	✓
U-Shank	-	-	-	-	-	-
						

MATERIALS

PP, PE	-	-	-	✓	-	-
PVC, PA, PS	-	-	✓	-	-	-
PMMA	-	-	-	-	✓	-
PC	-	-	-	-	-	✓
WPC (wood plastic composites)	✓	-	-	-	-	-
CFRP (carbon fiber reinforced polymer)	-	✓	-	-	-	-
GFRP (glass fiber reinforced polymer)	✓	✓	-	-	-	-
Solid surface composites (Corian, Varicor)	✓	-	-	-	-	-

JIGSAW BLADES FOR SPECIAL APPLICATIONS

Unusual jigsaw jobs.



	Fiber Plaster	Soft Tile clean	Special for Ceramics	Special for Soft-Materials	Precision for Soft-Materials
	EXPERT	EXPERT			
Page number	378	380	381	381	381
Available blade types	2	1	1	2	1
T-Shank	✓	✓	✓	✓	✓
U-Shank	-	-	-	-	-
	 	 			

354
8

MATERIALS

Drywall board, fiber cement board	✓	-	-	-	-
Porous concrete	✓	-	-	-	-
Ceramic tiles	-	✓	✓	-	-
Polystyrene, cardboard	-	-	-	✓	✓
Rubber	-	-	-	✓	-
Fiber insulation materials	-	-	-	✓	✓


LONG LIFE CUTTING HARDWOOD AND ABRASIVE WOODWORKING MATERIALS

EXPERT 'Hardwood Fast' Blades

ASSORTMENT: T 144 DHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Progressive tooth pitch to cut material of every thickness
- 3 Fast cutting with tapered blade body
- 4 Sharp Carbide teeth produced by 'top bevel' grinding


**CARBIDE
TECHNOLOGY**

8

355

EXPERT 'Hardwood Fast' T 144 DHM Jigsaw Blades

EXPERT

- ▶ Ideal for fast, straight cuts in hard wood or abrasive materials, for example when installing patio decking; for WPC terrace installation; and cutting plaster or cement fibre boards.
- ▶ Best for joiners: long lasting and efficient.
- ▶ Lasts up to 50x longer than an HCS blade in tough materials.
- ▶ Fits all T-shank jigsaws.


**CARBIDE
TECHNOLOGY**
**UP TO
50x***
LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
100	3.5-5.0	5-7	5	50	C1b	3	1	537658	2 608 900 541	25.17 £

HIGHEST PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT 'Hardwood 2-Side Clean' Blades

ASSORTMENT: T 308 BF

EXPERT

- 1 Cuts tear-free on both sides with 2-Side Clean geometry
- 2 Extra sharp teeth produced by precision grinding
- 3 Combines hard teeth and flexible body through Bi-Metal welding



356
8

EXPERT 'Hardwood 2-Side Clean' T 308 BF Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free straight cuts in plastic-coated board materials such as kitchen counter tops.
- ▶ Best for shopfitters and carpenters: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
117	2	13	5	50	C1b	3	10	537672	2 608 900 543	16.52 £
					C1b	5	10	537689	2 608 900 544	25.91 £
					P1h	25	1	537696	2 608 900 545	112.46 £
					C0a	100	1	537702	2 608 900 546	305.35 £

HIGHEST PRECISION TEAR-FREE CUTTING LAMINATED WORKTOPS

EXPERT 'Hardwood 2-Side Clean' Blades

ASSORTMENT: T 308 BFP

EXPERT

- 1 Cuts tear-free on both sides with 2-side clean geometry
- 2 Extra sharp teeth produced by precision grinding
- 3 Combines hard teeth and flexible body through Bi-Metal welding
- 4 Thicker blade offers added stability for a precise cut




8

357

EXPERT 'Hardwood 2-Side Clean' T 308 BFP Jigsaw Blades

EXPERT

- ▶ Ideal for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- ▶ Best for shopfitters and carpenters: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
117	2	13	5	50	C1b	3	10	537719	2 608 900 547	19.07 £
					C1b	5	10	537726	2 608 900 548	28.89 £
					P1h	25	1	549682	2 608 901 181	126.56 £

Jigsaw blades - Clean for Hard Wood

Clean cut

clean HardWood

PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT




T 101 AOF



BIM, pointed teeth, ground teeth and taper ground
 Hardwood, laminated panels/HPL (1.5-15 mm), plywood, especially for curve cuts, no tears

83	1.4	C1b	5	10	091848		2 608 634 233	20.97 £
----	-----	-----	---	----	--------	--	----------------------	---------




T 101 AIF



BIM, pointed teeth, ground teeth and taper ground
 Hardwood, laminates, laminated panels/HPL (2-30 mm), no tearing

100	1.7	C1b	5	10	096355		2 608 634 897	21.6 £
-----	-----	-----	---	----	--------	--	----------------------	--------




T 101 BF



BIM, ground teeth and taper ground
 Hardwood, laminates, laminated panels/HPL (3-30 mm)

100	2.7	C1b	5	10	091855		2 608 634 234	21.6 £
		P1a	25	1	127714		2 608 634 988	98.53 £




T 101 BRF



BIM, ground teeth and taper ground
 Hardwood, laminates, laminated panels (3-30 mm), kitchen worktops (<45 mm), clean surface

100	2.5	C1b	5	10	091862		2 608 634 235	23.47 £
		P1a	25	1	127721		2 608 634 989	105.62 £



T 301 CDF




BIM, ground teeth and taper ground
 Hardwood and softwood (4-65 mm), laminated panels/HPL

117	3.0	C1b	5	10	264389		2 608 636 229	27.02 £
-----	-----	-----	---	----	--------	--	----------------------	---------

Jigsaw blades - Speed for Hard Wood

Fast cut

speed HardWood



T 144 DF



BIM, side set, ground
 Hardwood and softwood (5-50 mm), all types of panels, including laminates

100	4-5.2	C1b	5	10	009430		2 608 634 567	16.68 £
		P1a	25	1	127738		2 608 634 990	75.08 £

Jigsaw blades - Speed for Hard Wood

Fast cut

speed  HardWood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
152	4.0	C1b	5	10	091947	2 608 634 243	36.31 £

T 344 DF

BIM, side set, ground

Thick hardwood and softwood (5-100 mm), all types of panels, including laminates



LONG LIFE CLEAN CUTTING LAMINATE

EXPERT 'Laminate Clean' Blades

ASSORTMENT: T 128 BHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Carbide strip provides rigidity and strength
- 3 Fine teeth cut thinner material with ease
- 4 Cuts clean on both sides with counter-directed teeth




360
8

EXPERT 'Laminate Clean' T 128 BHM Jigsaw Blades

EXPERT



- ▶ Ideal for cutting laminate floorboards to length during shop fitting or other commercial installations; cutting fibre reinforced vinyl flooring boards; cutting HPL (high pressure laminate) such as cladding for houses.
- ▶ Best for shopfitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than an HCS blade in tough materials.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
92	1.8	14	2	15	C1b	3	1	537665	2 608 900 542	28.32 £

Jigsaw blades - Special for Laminate

Precise, clean cuts on both sides

special  Laminate

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT



T 101 BIF



BIM, ground teeth and taper ground

Laminates (1.5 - 15 mm), laminated panels/HPL (1.5 - 15 mm), multiplex panels (1.5 - 15 mm)

83	1.7	C1b	5	10	393416	2 608 636 431	21.6 £
----	-----	-----	---	----	--------	----------------------	--------



T 101 AOF



BIM, ground teeth and taper ground

Laminates (1.5 - 15 mm), laminated panels/HPL (1.5 - 15 mm), multiplex panels (1.5 - 15 mm)

83	1.4	C1b	3	10	393423	2 608 636 432	17.93 £
----	-----	-----	---	----	--------	----------------------	---------

HIGHEST PRECISION TEAR-FREE CUTTING WOOD

EXPERT 'Wood 2-Side Clean' Blades

ASSORTMENT: T 308 B, T 308 BO, T 308 BP

EXPERT

- 1 Cuts tear-free on both sides with 2-Side Clean Geometry
- 2 Extra sharp teeth produced by precision grinding



362
8

EXPERT 'Wood 2-Side Clean' T 308 B Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free straight cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
117	2.2	12	5	50	C1b	3	10	537740	2 608 900 550	9.46 £
					C1b	5	10	537757	2 608 900 551	14.87 £
					P1h	25	1	537764	2 608 900 552	64.42 £
					C0a	100	1	537771	2 608 900 553	238.69 £

EXPERT 'Wood 2-Side Clean' T 308 BO Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free curved cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
117	2.2	12	5	50	C1b	3	10	537788	2 608 900 554	9.46 £
					C1b	5	10	537795	2 608 900 555	14.87 £
					P1h	25	1	537801	2 608 900 556	64.42 £

EXPERT 'Wood 2-Side Clean' T 308 BP Jigsaw Blades

EXPERT



- ▶ Ideal for making tear-free accurate angle cuts. Cuts solid wood up to 50mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Very clean finish top and bottom.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
117	2.2	12	5	50	C1b	3	10	537818	2 608 900 557	12.85 £
					C1b	5	10	537825	2 608 900 558	19.46 £

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision Wood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



T 144 DP



HCS, side set, ground

Softwood, chipboards, wood core plywood, fibre boards (5-50 mm), doors, kitchen worktops (<50 mm)


100	4.0	C1b	3	10	264143	2 608 633 A31	7.49 £
		C1b	5	10	264181	2 608 633 A35	11.83 £
		P1a	25	1	264228	2 608 633 A39	53.27 £

Jigsaw blades - Precision for Wood

Cuts at accurate angles

precision Wood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
100	4.0	C1a	100	1	264259	2 608 633 A42	201.15 £




T 344 DP



HCS, side set, ground
Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards

152	4.0	C1b	5	10	264198	2 608 633 A36	23.7 £
-----	-----	-----	---	----	--------	----------------------	--------




T 1044 DP



HCS, side set, ground
Thick construction timber, softwood (5-150 mm), chipboards, wood core plywood, fibre boards

250	4.0	C1c	3	5	623605	2 608 667 394	37.74 £
-----	-----	-----	---	---	--------	----------------------	---------



T 301 BCP




HCS, ground teeth and taper ground
Softwood, chipboards, wood core plywood, fibre boards (3-65 mm), doors, kitchen worktops (<50 mm)

117	2.5	C1b	5	10	264204	2 608 633 A37	16.97 £
		P1a	25	1	264235	2 608 633 A40	76.38 £

Jigsaw blades - Progressor for Wood

Universal, clean through thin and thick

progressor Wood



T 234 X




HCS, ground teeth and taper ground
Softwood (3-65 mm), chipboards, wood core plywood, fibre boards

117	2-3	C1b	3	10	169493	2 608 633 523	11.8 £
		C1b	5	10	169509	2 608 633 528	16.91 £
		P1a	25	1	169516	2 608 633 524	76.01 £
		C1a	100	1	264242	2 608 633 A41	287.18 £

Jigsaw blades - Clean for Wood

Clean cut

clean Wood



T 101 AO




HCS, pointed teeth, ground teeth and taper ground
Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts


83	1.4	C1b	3	10	006972	2 608 630 559	6.68 £
		C1b	5	10	006798	2 608 630 031	10.48 £


Jigsaw blades - Clean for Wood

Clean cut


clean  Wood


PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
T 101 B								
HCS, ground teeth and taper ground Softwood, chipboard, wood core plywood, fibre boards (3-30 mm)								
100	2.7	C1b	3	10	006958	2 608 630 557	7.14 £	
		C1b	5	10	006781	2 608 630 030	11.43 £	
		P1a	25	1	127660	2 608 633 622	51.46 £	
		C1a	100	1	067430	2 608 637 876	190.67 £	





T 101 BR								
HCS, ground teeth and taper ground Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), laminated panels, clean surface								
100	2.5	C1b	3	10	091374	2 608 633 779	7.93 £	
		C1b	5	10	012454	2 608 630 014	12.59 £	
		P1a	25	1	127677	2 608 633 623	55.51 £	



T 101 D								
HCS, ground teeth and taper ground Softwood, chipboards, wood core plywood, fibre boards (10-45 mm)								
100	4-5.2	C1b	3	10	006965	2 608 630 558	7.14 £	
		C1b	5	10	006804	2 608 630 032	11.43 £	
		P1a	25	1	148726	2 608 633 577	51.46 £	
		C1a	100	1	067447	2 608 637 877	190.67 £	




T 301 CD								
HCS, ground teeth and taper ground Softwood, chipboards, wood core plywood, fibre boards (10-65 mm)								
117	3.0	C1b	3	10	016315	2 608 637 591	12.14 £	
		C1b	5	10	016308	2 608 637 590	20.49 £	



Jigsaw blades - Speed for Wood

Fast cut

speed  Wood


T 144 D								
HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards								
100	4-5.2	C1b	3	10	006989	2 608 630 560	5.5 £	
		C1b	5	10	006842	2 608 630 040	8.89 £	
		P1a	25	1	127691	2 608 633 625	40.02 £	
		C1a	100	1	067478	2 608 637 880	148.27 £	





Jigsaw blades - Speed for Wood


Fast cut


speed 


PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
T 244 D 								
HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards, especially for curve cuts								
100	4-5.2	C1b	3	10	007221		2 608 630 879	7.49 £
		C1b	5	10	006859		2 608 630 058	11.54 £
		P1a	25	1	127707		2 608 633 626	50.95 £
		C1a	100	1	067485		2 608 637 881	196.23 £



T 344 D 								
HCS, side set, ground Thick construction timber, softwood (5-100 mm), chipboards, wood core plywood, fibre boards								
152	4.0	C1b	3	10	070942		2 608 637 944	16.98 £
		C1b	5	10	264174		2 608 633 A34	24.15 £




T 744 D 								
HCS, side set, ground Softwood/boards, thick construction timber, sandwich materials								
180	4.0	C1c	3	5	348591		2 608 663 314	41.37 £




Jigsaw blades - Basic for Wood


Good and cost-effective


basic 


T 119 BO 								
HCS, wavy set, milled Softwood (2-15 mm), plywood, chipboard, wood core plywood, fibre boards, especially for curve cuts								
83	2.0	C1b	5	10	006941		2 608 630 310	8.37 £
		C1a	100	1	067461		2 608 637 879	142.26 £



T 119 B 								
HCS, wavy set, milled Softwood (2-15 mm), plywood, chipboards, wood core plywood, fibre boards								
92	1.9-2.3	C1b	3	10	007245		2 608 630 878	4.19 £
		C1b	5	10	006835		2 608 630 037	6.55 £



T 111 C 								
HCS, side set, milled Softwood (4-50 mm), chipboard, wood core plywood, fibre boards, quick cut								
100	3.0	C1b	3	10	007139		2 608 630 808	3.85 £
		C1b	5	10	006811		2 608 630 033	5.74 £
		P1a	25	1	264211		2 608 633 A38	25.81 £
		C1a	100	1	067454		2 608 637 878	97.42 £



LONG LIFE CUTTING STAINLESS STEEL SHEET

EXPERT 'Stainless Steel' Blades

ASSORTMENT: T 118 AHM, T 118 EHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Carbide strip provides rigidity and strength



CARBIDE TECHNOLOGY

8


367

EXPERT 'Stainless Steel' T 118 AHM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts in stainless steel sheets, for example adjustment cuts in industrial fittings; mechanical engineering and machinery; and construction applications such as elevators and escalators.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than a Bi-Metal jigsaw blade in tough materials.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
83	1.1	23	1.5	3	C1b	3	1	537856	2 608 900 561	53.92 £

EXPERT 'Stainless Steel' T 118 EHM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts in stainless steel sheets, for example adjustment cuts in industrial fittings; mechanical engineering and machinery; and construction applications such as elevators and escalators.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than a Bi-Metal jigsaw blade in tough materials.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
83	1.4	18	2	5	C1b	3	1	537863	2 608 900 562	53.92 £

Jigsaw blades - Basic for Inox

Good and cost-effective

basic **Inox**

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT




T 118 GFS



BIM, wavy set, milled
Sawing in Inox / stainless steel

83	0.8	C1b	3	10	451864	2 608 636 498	11.32 £
		C1b	5	10	451840	2 608 636 496	17.44 £



T 118 EFS




BIM, wavy set, milled
Sawing in Inox / stainless steel

83	1.4	C1b	3	10	451871	2 608 636 499	11.32 £
		C1b	5	10	451857	2 608 636 497	17.44 £

Jigsaw blades - Progressor for Metal

Universal. Fast in thin and thick material.

PROGRESSOR **Metal**



T 123 XF



BIM, side set, milled
Thin to thick sheet metals (1.5-10 mm), pipes + profiles, including aluminium (diameter <30 mm)




100	1.2-2.6	C1b	3	10	128049	2 608 638 472	8.48 £
		C1b	5	10	128056	2 608 638 473	13.49 £
		P1a	25	1	128063	2 608 638 474	60.68 £
		C1a	100	1	264488	2 608 638 700	229.2 £

Jigsaw blades - Speed for Metal

Fast, breakproof and durable

speed 

PRODUCT PROPERTIES ORDERING INFORMATION




T 121 GF



BIM, wavy set, milled
Very thin metal plate, perforated metal plates (0.5 - 1.5 mm)

Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
92	0.8	C1b	3	10	596824	2 608 636 695	12.37 £
		P1a	25	1	596848	2 608 636 697	79.63 £




T 121 AF



BIM, wavy set, milled
Thin sheet metals, perforated sheet metals (1-3 mm)

Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
92	1.2	C1b	3	10	596855	2 608 636 698	12.37 £
		C1b	5	10	596862	2 608 636 699	15.94 £
		P1a	25	1	596947	2 608 636 700	79.63 £




T 121 BF



BIM, wavy set, milled
Medium-thick sheet metals, perforated sheet metals (2.5-6 mm)

Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
92	2.0	C1b	3	10	596954	2 608 636 701	12.37 £
		P1a	25	1	596978	2 608 636 703	79.63 £




T 321 AF



BIM, wavy set, milled
Thin sheet metals, perforated sheet metals (1-3 mm), sandwich materials (<65 mm), thin-walled pipes, closed + open profiles, including aluminium (<65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
132	1.2	C1b	3	10	596985	2 608 636 704	18.81 £
		C1b	5	10	596992	2 608 636 705	28.5 £



T 321 BF




BIM, wavy set, milled
Medium-thick sheet metals, perforated sheet metals (2.5-6 mm), sandwich materials (<65 mm), thick-walled pipes, closed + open profiles, including aluminium (<65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
132	2.0	C1b	3	10	597005	2 608 636 706	18.81 £
		C1b	5	10	597012	2 608 636 707	28.5 £

Jigsaw blades - Flexible for Metal

Breakproof and durable

flexible 



T 118 EOF



BIM, wavy set, milled
Thin sheet metals, perforated sheet metals (1.5-4 mm), especially for curve cuts


Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
83	1.5	C1b	5	10	091893	2 608 634 237	16.03 £

Jigsaw blades - Flexible for Metal

Breakproof and durable



PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	




T 118 AF



BIM, wavy set, milled
Thin sheet metals, perforated sheet metals (1-3 mm)

92	1.1-1.5	C1b	3	10	035309	2 608 634 694	9.44 £
		C1b	5	10	007627	2 608 634 505	14.58 £
		P1a	25	1	127745	2 608 634 991	65.63 £




T 118 BF



BIM, wavy set, milled
Medium-thick sheet metals, perforated sheet metals (2.5-6 mm)

92	1.9-2.3	C1b	5	10	007603	2 608 634 503	14.58 £
		P1a	25	1	127752	2 608 634 992	65.63 £




T 318 AF



BIM, wavy set, milled
Thin sheet metals, perforated sheet metals (1-3 mm), sandwich materials (<65 mm), pipes + open profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

132	1.1	C1b	5	10	091923	2 608 634 241	30.38 £
-----	-----	-----	---	----	--------	----------------------	---------



T 318 BF




BIM, side set, milled
Medium-thick sheet metals, perforated sheet metals (2.5-6 mm), sandwich materials (<65 mm), pipes + profiles, including aluminium (diameter <65 mm), glass fibre reinforced plastic/epoxy (<65 mm)

132	1.8	C1b	5	10	091930	2 608 634 242	30.38 £
-----	-----	-----	---	----	--------	----------------------	---------

Jigsaw blades - Basic for Metal

Good and cost-effective




T 118 G



HSS, wavy set, milled
Very thin metal plate (0.5 - 1.5 mm)

92	0.7	C1b	3	10	007566	2 608 631 674	7.49 £
		C1b	5	10	007283	2 608 631 012	11.03 £



T 218 A




HSS, wavy set, milled
Thin sheet metals (1-3 mm), especially for curve cuts


92	1.1-1.5	C1b	3	10	007542	2 608 631 672	8.43 £
		C1b	5	10	007337	2 608 631 032	13.45 £
		C1a	100	1	279482	2 608 631 706	228.48 £


Jigsaw blades - Basic for Metal


Good and cost-effective


basic  Metal


PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
T 118 A 								
HSS, wavy set, milled Thin sheet metals (1-3 mm)								
92	1.1-1.5	C1b	3	10	007399	2 608 631 507	7.14 £	
		C1b	5	10	007290	2 608 631 013	11.03 £	
		P1a	25	1	127769	2 608 638 470	49.55 £	
		C1a	100	1	067492	2 608 631 964	183.55 £	





T 118 B 							
HSS, wavy set, milled Medium-thick sheet metals (2.5-6 mm)							
92	1.9-2.3	C1b	3	10	007559	2 608 631 673	7.49 £
		C1b	5	10	007306	2 608 631 014	11.03 £
		P1a	25	1	127776	2 608 638 471	49.55 £
		C1a	100	1	067508	2 608 631 965	183.55 £



T 318 A 							
HSS, wavy set, milled Thin sheet metals (1-3 mm), pipes + profiles, including aluminium (diameter <65 mm)							
132	1.2	C1b	5	10	007375	2 608 631 319	24.48 £
		C1a	100	1	279499	2 608 631 808	424 £





T 318 B 							
HSS, wavy set, milled Medium-thick sheet metals (2.5-6 mm), pipes + profiles, including aluminium (diameter <65 mm), cutting at accurate angles							
132	2.0	C1b	5	10	007382	2 608 631 404	24.95 £




Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal

special  Alu**fast CUT**

T 127 D 							
HSS, side set, milled Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm)							
100	3.0	C1b	3	10	007405	2 608 631 508	7.69 £
		C1b	5	10	007313	2 608 631 017	11.95 £
		C1a	100	1	067515	2 608 631 966	202.69 £

**fast CUT**

T 227 D 							
HSS, side set, milled Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm), especially for curve cuts							
100	3.0	C1b	3	10	007535	2 608 631 671	10.15 £
		C1b	5	10	007320	2 608 631 030	15.54 £

Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal


special  Alu

PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
100	3.0	C1a	100	1	279475	2 608 638 382	264.21 £	

Jigsaw blades - Flexible for Metal-Sandwich

Breakproof and durable

flexible  MetalSandwich



long
LIFE

T 718 BF




BIM, side set, milled
Sandwich materials (<120 mm)

180	2.0	C1b	3	5	309042	2 608 636 335	52.45 £
-----	-----	-----	---	---	--------	----------------------	---------

Jigsaw blades - Precision for Metal-Sandwich

precision  MetalSandwich



long
LIFE

T 1018 AFP



BIM, wavy set, milled
Sandwich materials (<160 mm)

250	1.1	C1c	3	5	704892	2 608 636 793	43.96 £
-----	-----	-----	---	---	--------	----------------------	---------


LONG LIFE CUTTING MULTIPLE BUILDING MATERIALS

EXPERT 'Multi Material' Blades

ASSORTMENT: T 367 XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Progressive tooth pitch to cut material of every thickness
- 3 Side set teeth to cut thicker materials effectively



CARBIDE TECHNOLOGY

8

373

EXPERT 'Multi Material' T 367 XHM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight rough cuts in wooden panels with metal borders used in concrete formwork sheathing; cuts in wood with embedded steel components like hardened screws and nails.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all T-shank jigsaws.



CARBIDE TECHNOLOGY UP TO 50x+ LONG LIFE


PRODUCT PROPERTIES			ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
132	3.5-5.0	5-7	C1b	3	1	537849	2 608 900 560	59.59 £

Jigsaw blades - Progressor for Wood and Metal

Universal, fast through thick and thin

progressor WoodMetal

PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT



T 345 XF



BIM, side set, milled

Construction timber with nails (<65 mm), wood materials, plastics, sheet metals, pipes/profiles, including aluminium (diameter 3-10 mm)

132	2.4-5	C1b	3	10	128018	2 608 634 993	12.78 £
		C1b	5	10	128025	2 608 634 994	20.28 £
		P1a	25	1	128032	2 608 634 995	91.15 £
		C1a	100	1	266208	2 608 634 486	337.91 £

LONG LIFE CLEAN CUTTING SOLID SURFACE AND WPC

EXPERT 'Plastic Composites Clean' Blades

ASSORTMENT: T 301 CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Very sharp Carbide teeth produced by cross-grinding
- 3 Carbide strip provides rigidity and strength



CARBIDE
TECHNOLOGY


8

375

EXPERT 'Plastic Composites Clean' T 301 CHM Jigsaw Blades

EXPERT

- ▶ Ideal for straight cuts in solid surface panels, required for building solid surface kitchens and bathrooms; straight cuts in Wood-Plastic Composite (WPC) boards during patio installation.
- ▶ Best for kitchen fitters: long lasting and quality finish.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all T-shank jigsaws.



CARBIDE
TECHNOLOGY

LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
117	3.3	8	6	65	C1b	3	1	537900	2 608 900 566	54.47 £

LONG LIFE CLEAN CUTTING CARBON FIBER

EXPERT 'Carbon Fiber Clean' Blades

ASSORTMENT: T 108 BHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Very sharp Carbide teeth produced by cross-grinding
- 3 Carbide strip provides rigidity and strength



376
8

EXPERT 'Carbon Fiber Clean' T 108 BHM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts into carbon fibre boards and profiles, such as trimming structural components in advanced modern vehicles; jigsaw cutting in the aerospace and boatbuilding industries.
- ▶ Best for boatbuilders: long lasting and quality finish.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
92	2.2	12	2	20	C1b	3	1	537894	2 608 900 565	38.91 £

Jigsaw blades - Clean for PP

clean  PP

PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length [mm]	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
100	4.0	C1b	3	10	691475		2 608 667 443	9.73 £
		C1b	5	10	691482		2 608 667 444	14.74 £

**T 102 D**

HCS, ground teeth and taper ground
Clean cuts in PP and PE sheets, profiles, bars.

Jigsaw blades - Clean for PVC

clean  PVC**T 102 H**

HCS, ground teeth and taper ground
Clean cuts in PVC, PA, PS sheets, profiles, bars.


100	2.3	C1b	3	10	691499		2 608 667 445	9.73 £
		C1b	5	10	691505		2 608 667 446	14.74 £

**T 302 H**

HCS, ground teeth and taper ground
Clean cuts in PVC, PA, PS pipes and profiles.

132	2.3	C1b	3	10	691512		2 608 667 447	14.41 £
		C1b	5	10	691529		2 608 667 448	21.83 £

Jigsaw blades - Clean for PMMA

clean  PMMA**T 102 BF**

BIM, side set, flank ground teeth
Clean cuts in PMMA sheets.

92	1.8	C1b	3	10	691581		2 608 636 780	12.85 £
		C1b	5	10	691598		2 608 636 781	19.46 £

Jigsaw blades - Clean for PC

clean  PC**T 101 A**

HSS, ground teeth and taper ground
Perspex, polycarbonate (2-20 mm)

100	2.0	C1b	3	10	007528		2 608 631 670	14.3 £
		C1b	5	10	007276		2 608 631 010	21.78 £


LONG LIFE CUTTING ABRASIVE CONSTRUCTION MATERIALS

EXPERT 'Fiber Plaster' Blades

ASSORTMENT: T 141 HM, T 341 HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Side set teeth to cut thicker materials effectively
- 3 Large, constant tooth pitch to handle thick, tough materials




378
8

EXPERT 'Fiber Plaster' T 141 HM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts in plasterboard, such as cut outs in drywall; and adjustment cuts when installing fiber cement boards.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length [mm]	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
100	4.3	6	5	20	C1b	3	1	537870	2 608 900 563	47.24 £

EXPERT 'Fiber Plaster' T 341 HM Jigsaw Blades

EXPERT



- ▶ Ideal for making straight cuts in plasterboard, such as cut outs in drywall; and adjustment cuts when installing fiber cement boards.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all T-shank jigsaws.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
132	4.3	6	C1b	3	1	537887	2 608 900 564	54.76 £	

HIGHEST PRECISION CLEAN CUTTING SOFT TILES

EXPERT 'Soft Tile clean' Blade

ASSORTMENT: T 150 RD

EXPERT

1 Clean, high quality cutting with Bosch Diamond Technology


2 Fine Diamond Grit for extra clean finish



380
8

EXPERT 'Soft Tile Clean' T 150 RD Jigsaw Blades

EXPERT



- ▶ Ideal for straight clean cuts in soft wall tiles, for example when making small cut-outs before fixing the tile to the wall during bathroom or kitchen tiling.
- ▶ Best for kitchen fitters: precise and quality finish.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Tooth pitch [TPI]	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
83	GRIT 50	GRIT 50	5	10	C1b	3	1	537917	2 608 900 567	42.59 £

Jigsaw blades - Special for Ceramics


Ceramic materials

special  Ceramics

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT




T 130 RF




Carbide Technology, with grit of 30
Soft ceramic wall tiles, cast iron (5-15 mm), coarse cut

83		C1b	3	1	035286	2 608 633 104	23.31 £
----	--	-----	---	---	--------	---------------	---------



T 150 RF



Carbide Technology, with grit of 50
Soft ceramic wall tiles, cast iron (5-10 mm), fine cut

83		C1b	3	1	035293	2 608 633 105	23.31 £
----	--	-----	---	---	--------	---------------	---------

Jigsaw blades - Special for Soft Material

Soft materials

special  Soft-Material



T 113 A



HCS, ground blade
Cardboard, polystyrene, carpet, leather, rubber (<50 mm)

100		C1b	3	5	035323	2 608 635 177	12.08 £
-----	--	-----	---	---	--------	---------------	---------



T 313 AW




HCS, blade with serrated edge
Cardboard, polystyrene, carpet, leather, rubber (<100 mm)

152		C1b	3	5	045926	2 608 635 187	17.46 £
-----	--	-----	---	---	--------	---------------	---------

Jigsaw blades - Precision for Soft Material

precision  SoftMaterial

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



T 1013 AWP



HCS, blade with serrated edge
Specially for fibre insulation materials (<160 mm)

250	12.0	C1c	3	5	623629	2 608 667 396	41.63 £
-----	------	-----	---	---	--------	---------------	---------


Jigsaw Blades for Wood

Jigsaw blades - Progressor for Wood

Universal. Clean in thin and thick material



PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
U 234 X								
HCS, ground teeth and taper ground Softwood (2-65 mm), chipboards, wood core plywood, fibre boards								
108	2-3	C1b	3	10	169530		2 608 633 525	11.8 £




Jigsaw blades - Clean for Wood


Clean cut



U 1 AO								
HCS, pointed teeth, ground teeth and taper ground Softwood, plywood, laminated panels (1.5-15 mm), especially for curve cuts								
70	1.4	C1b	3	10	038553		2 608 637 724	6.68 £



U 101 B								
HCS, ground teeth and taper ground Softwood, chipboard, wood core plywood, fibre boards (3-30 mm), plastics (3-30 mm)								
100	2.7	C1b	3	10	006996		2 608 630 565	7.14 £



U 101 D								
HCS, ground teeth and taper ground Softwood (10-45 mm), chipboards, wood core plywood, fibre boards								
100	4-5.2	C1b	3	10	038546		2 608 637 723	7.14 £




Jigsaw blades - Speed for Wood

Fast cut



U 144 D								
HCS, side set, ground Softwood (5-50 mm), chipboards, wood core plywood, fibre boards								
100	4-5.2	C1b	3	10	007023		2 608 630 568	5.5 £



Jigsaw blades - Basic for Wood

Good and cost-effective

basic for Wood

PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	



U 111 C



HCS, side set, milled
Softwood (4-50 mm), chipboards, wood core plywood, fibre boards

92	3.0	C1b	3	10	007009	2 608 630 566	3.53 £
----	-----	-----	---	----	--------	----------------------	--------



U 111 D



HCS, side set, milled
Softwood (5-65 mm), chipboards, wood core plywood, fibre boards










92	4.0	C1b	3	10	014083	2 608 637 559	3.85 £
----	-----	-----	---	----	--------	----------------------	--------

Jigsaw Blades for Metal

Jigsaw blades - Basic for Metal

Good and cost-effective


basic  Metal


PRODUCT PROPERTIES		ORDERING INFORMATION						
Total length mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
 								
<p>U 118 G</p> <p>HSS, wavy set, milled Very thin metal plate (0.5 - 1.5 mm)</p>								
70	0.7	C1b	3	10	014069	2 608 631 770	6.26 £	
 								
<p>U 118 A</p> <p>HSS, wavy set, milled Thin sheet metals (1-3 mm)</p>								
80	1.1-1.5	C1b	3	10	007412	2 608 631 511	6.26 £	
 								
<p>U 118 B</p> <p>HSS, wavy set, milled Medium-thick sheet metals (2.5-6 mm)</p>								
80	1.9-2.3	C1b	3	10	014076	2 608 631 771	6.26 £	

Jigsaw blades - Special for Alu

Aluminium and non-ferrous metal


special  Alu



<p>U 127 D</p> <p>HSS, side set, milled Thin to thick sheet metals (3-15 mm), pipes + profiles (diameter <30 mm)</p>								
92	3.0	C1b	3	10	007429	2 608 631 512	6.94 £	

EXPERT 'Wood 2-Side Clean' Jigsaw Blade Sets

EXPERT




- ▶ Ideal for making tear-free cuts; T308BO for making tear-free curved cuts; T308BP for making tear-free accurate angle cuts. All cut solid wood up to 50mm, for example for building furniture without the need for sanding.
- ▶ Best for joiners: precise and quality finish.
- ▶ Set with T 308 B and T 308 BO for cleaner cuts.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES			ORDERING INFORMATION					
Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
3-piece jigsaw blade set								
EXPERT 'Wood 2-side clean' T 308 B EXPERT 'Wood 2-side clean' T 308 BO			PC1a	3	10	537832	2 608 900 559	10.09 £

EXPERT 'Hardwood 2-Side Clean' Jigsaw Blade Sets

EXPERT



- ▶ Ideal for making tear-free cuts. T308BF for making tear-free straight cuts in plastic-coated board materials; T308BFP for making tear-free accurate angle cuts in very thick materials such as kitchen counter tops.
- ▶ Best for shopfitters and carpenters: precise and quality finish.
- ▶ Set with T 308 BF and T 308 BFP for cleaner cuts.
- ▶ Fits all T-shank jigsaws.




PRODUCT PROPERTIES			ORDERING INFORMATION					
Set contents	Material thickness [mm]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
3-piece jigsaw blade set								
EXPERT 'Hardwood 2-side clean' T 308 BF EXPERT 'Hardwood 2-side clean' T 308 BFP			PC1a	3	10	537733	2 608 900 549	18.44 £


Jigsaw blade sets Tough Box (single lug shank)

PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
30-piece jigsaw blade set Wood and Metal							
T 119 BO Basic for Wood T 111 C Basic for Wood T 118 A Basic for Metal		P1k	30	1	846493	2 607 010 903	45.61 £




Jigsaw blade sets Tough Box (single lug shank)


PRODUCT PROPERTIES	ORDERING INFORMATION					
	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number
 <p>30-piece jigsaw blade set Wood Precision</p> <p>T 144 DP Precision for Wood T 301 BCP Precision for Wood T 308 BP Precision for Wood</p>	P1k	30	1	846516	2 607 010 905	72.46 £


 <p>40-piece jigsaw blade set Wood and Metal</p> <p>T 244 D Speed for Wood T 144 D Speed for Wood T 101 B Clean for Wood T 121 AF Speed for Metal</p>	P1k	40	1	846509	2 607 010 904	79.16 £
--	-----	----	---	--------	----------------------	---------

Robust Line 10-piece jigsaw blade sets (single lug shank)



 <p>10-piece Robust Line jigsaw blade set Wood Expert</p> <p>T 101 AO Clean for Wood T 101 B Clean for Wood T 101 BR Clean for Wood T 101 AOF Clean for Hard Wood T 101 BF Clean for Hard Wood T 101 BRF Clean for Hard Wood T 244 D Speed for Wood T 144 D Speed for Wood T 144 DF Speed for Hard Wood T 144 DP Precision for Wood</p>	P1k	10	1	446242	2 607 010 540	29.45 £
--	-----	----	---	--------	----------------------	---------

 <p>10-piece Robust Line jigsaw blade set Metal Expert</p> <p>T 118 G Basic for Metal T 118 A Basic for Metal T 118 B Basic for Metal T 118 EOF Flexible for Metal T 118 AF Flexible for Metal T 118 BF Flexible for Metal T 118 GFS Basic for Inox T 227 D Special for Alu T 127 D Special for Alu T 123 X Progressor for Metal</p>	P1k	10	1	446259	2 607 010 541	32.71 £
---	-----	----	---	--------	----------------------	---------

 <p>10-piece Robust Line jigsaw blade set Wood and Metal</p> <p>T 244 D Speed for Wood T 144 D Speed for Wood T 101 AO Clean for Wood T 101 B Clean for Wood T 101 AOF Clean for Hard Wood T 101 BF Clean for Hard Wood T 118 EOF Flexible for Metal T 118 AF Flexible for Metal T 118 BF Flexible for Metal T 123 X Progressor for Metal</p>	P1k	10	1	446266	2 607 010 542	28.63 £
--	-----	----	---	--------	----------------------	---------

Robust Line 10-piece jigsaw blade sets (single lug shank)

PRODUCT PROPERTIES	ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
10-piece Robust Line jigsaw blade set Top Expert						
T 130 RIFF Special for Ceramics T 118 AHM Special for Inox T 141 HM Special for Fibre and Plaster T 101 A Special for Acrylic T 113 A Special for Soft Material T 101 BF Clean for Hard Wood T 101 BIF Special for Laminate T 118 AF Flexible for Metal T 227 D Special for Alu T 123 X Progressor for Metal	P1k	10	1	475990	2 607 010 574	47.98 £



Robust Line 6-piece jigsaw blade sets (single lug shank)

6-piece Robust Line jigsaw blade set Progressor						
T 123 X Progressor for Metal T 234 X Progressor for Wood T 345 XF Progressor for Wood and Metal	P1k	6	1	446150	2 607 010 531	27.01 £
6-piece Robust Line jigsaw blade set Wood Expert						
T 308 B Extra-Clean for Wood T 308 BF Extra-Clean for Hard Wood T 301 BCP Precision for Wood T 234 X Progressor for Wood	P1k	6	1	475976	2 607 010 572	27.01 £
6-piece Robust Line jigsaw blade set Metal Profile						
T 318 AF Flexible for Metal T 318 BF Flexible for Metal T 345 XF Progressor for Wood and Metal	P1k	6	1	475983	2 607 010 573	27.8 £



8 387

15-piece jigsaw blade sets (single lug shank)

The perfect selection for all Wood working applications						
T 144 DP Precision for Wood T 101 BF Clean for Hard Wood T 144 DHM EXPERT Hardwood fast	P1h	15	1	997744	2 607 011 436	39.94 £
The perfect selection for common Wood and occasional Metal applications						
T 101 BF Clean for Hard Wood T 144 DP Precision for Wood T 121 BF Speed for Metal T 144 DHM EXPERT Hardwood fast	P1h	15	1	997751	2 607 011 437	38.56 £



15-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES	ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
The perfect selection for different materials and material thicknesses						
T 144 DP Precision for Wood T 101 BF Clean for Hard Wood T 121 BF Speed for Metal T 345 XF Progressor for Wood and Metal T 367 XHM EXPERT Multi Material	P1h	15	1	997768	2 607 011 438	35.63 £

10-piece jigsaw blade sets (single lug shank)



10-piece jigsaw blade set Basic for Wood						
T 119 BO Basic for Wood T 119 B Basic for Wood T 111 C Basic for Wood	P1k	10	1	579353	2 607 010 629	15.93 £



10-piece jigsaw blade set Basic for Metal and Wood						
T 119 BO Basic for Wood T 119 B Basic for Wood T 111 C Basic for Wood T 218 A Basic for Metal T 118 G Basic for Metal T 118 A Basic for Metal T 118 B Basic for Metal	P1k	10	1	579360	2 607 010 630	20.33 £



10-piece jigsaw blade set Basic for Metal						
T 218 A Basic for Metal T 118 G Basic for Metal T 118 A Basic for Metal T 118 B Basic for Metal	P1k	10	1	579377	2 607 010 631	27.57 £

10-piece jigsaw blade sets (single lug shank)

PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
10-piece jigsaw blade set Wood and Metal							
T 119 BO Basic for Wood T 119 B Basic for Wood T 111 C Basic for Wood T 244 D Speed for Wood T 144 D Speed for Wood T 101 AO Clean for Wood T 101 B Clean for Wood T 118 A Basic for Metal T 118 B Basic for Metal T 127 D Special for Alu	PC1a	10	5	913416	2 607 011 170	16.42 £	
10-piece jigsaw blade set Allrounder							
T 244 D Speed for Wood T 144 D Speed for Wood T 101 AO Clean for Wood T 101 B Clean for Wood T 101 BF Clean for Hard Wood T 118 A Basic for Metal T 118 B Basic for Metal T 127 D Special for Alu T 118 GFS Basic for Inox T 102 H Clean for PVC	PC1a	10	5	913423	2 607 011 171	21.84 £	



5-piece jigsaw blade sets (single lug shank)

5-piece jigsaw blade set Allrounder						
T 144 D Speed for Wood T 101 B Clean for Wood T 102 H Clean for PVC T 113 A Special for Soft Material T 121 AF Speed for Metal	PC1a	5	10	839532	2 608 667 856	14.73 £
5-piece jigsaw blade set Wood and Plastics						
T 101 AO Clean for Wood T 101 B Clean for Wood T 101 D Clean for Wood T 102 H Clean for PVC T 102 D Clean for PP	PC1a	5	10	839556	2 608 667 858	12.88 £



5-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5-piece jigsaw blade set Wood and Metal Basic							
T 119 BO Basic for Wood T 119 B Basic for Wood T 111 C Basic for Wood T 118 A Basic for Metal T 118 B Basic for Metal		PC1a	5	10	839549	2 608 667 857	9.31 £

3-piece jigsaw blade sets (single lug shank)



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3-piece jigsaw blade set Universal, fast through thick and thin. For wood, plastic and metal							
T 123 XF Progressor for Metal T 234 X Progressor for Wood T 345 XF Progressor for Wood and Metal	-	PC1a	3	10	198868	2 607 010 515	10.98 £



3-piece jigsaw blade set Precise, clean cuts in laminate							
T 101 BIF Special for Laminate T 101 AOF Special for Laminate	15	PC1a	3	10	393393	2 608 636 429	17.93 £

Robust Line 6-piece jigsaw blade set (universal shank)



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
6-piece Robust Line jigsaw blade set Progressor							
U 123 X Progressor for Metal	P1k	6	1	446167	2 607 010 532	27.01 £	
U 234 X Progressor for Wood							
U 345 XF Progressor for Wood and Metal							

5-piece jigsaw blade set (universal shank)



5-piece jigsaw blade set						
U 111 C Basic for Wood	PC1a	5	10	839525	2 608 667 855	9.86 £
U 111 D Basic for Wood						
U 118 A Basic for Metal						

3-piece jigsaw blade sets (universal shank)



3-piece jigsaw blade set						
Universal, fast through thick and thin. For wood, plastic and metal						
U 123 XF Progressor for Metal	PC1a	3	10	198875	2 607 010 516	10.98 £
U 234 X Progressor for Wood						
U 345 XF Progressor for Wood and Metal						

3-piece jigsaw blade sets (universal shank)



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
3-piece jigsaw blade set	Precise, clean cuts in laminate						
	U 1 BIF Special for Laminate	PC1a	3	10	393409	2 608 636 430	19.5 £
	U 1 AOF Special for Laminate						

5-piece jigsaw blade sets (Makita shank)



5-piece jigsaw blade set Wood							
	MA 111 C Basic for Wood	PC1a	5	10	839518	2 608 667 854	13.41 £
	MA 101 BC Clean for Wood						

5-piece jigsaw blade set (Fein shank)



5-piece jigsaw blade set							
	F 18 G Basic for Metal	PC1a	5	10	839495	2 608 636 879	16.8 £
	F 18 AF Flexible for Metal						
	F 18 BF Flexible for Metal						
	F 127 DF Special for Alu						

5-piece jigsaw blade set (double lug shank)



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5-piece jigsaw blade set							
	T 44 D Speed for Wood	PC1a	5	10	839501	2 608 667 853	12 £
	T 1 B Clean for Wood						
	T 18 A Basic for Metal						

Accessories for jigsaws

Anti-splinter guard for jigsaws

- ▶ The anti-splinter guard effectively prevents tearing out on the top of the material. All you have to do is insert it into the sole plate. Another **tip**: it is best to saw with the grain or diagonal to the grain.

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Anti-splinter guard Suitable for GST 14.4 V; GST 18 V; GST 75 BE; GST 80 Professional; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE	C1d	5	5	006651	2 607 010 079	4.44 £



Anti-splinter guard Suitable for GST 12V-70; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 1400 BCE; GST 1400 CE Professional	P1d	5	5	516297	2 601 016 096	6.5 £
---	-----	---	---	--------	----------------------	-------



Universal Cutting Oil

- ▶ Universal cutting oil in a spray can increases the lifetime of the tool by up to +30%, whilst also increasing the cutting speed.

Universal cutting oil Use of the universal cutting oil increases the operational life several times over when cutting metal	M0b	1	1	271240	2 607 001 409	10.33 £
--	-----	---	---	--------	----------------------	---------



Saw blades for the Bosch Foam Rubber Cutter GSG 300 Professional

Saw blade set for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES		ORDERING INFORMATION					
Material thickness [mm]		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	2-piece saw blade set						
200		C0h	2	1	029834	2 607 018 011	41.9 £
300		C0h	2	1	029841	2 607 018 012	45.54 £

Saw blade guides for Bosch Foam Rubber Cutter GSG 300 Professional



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	Saw blade guide for saw blade 2 607 018 010						
		C0h	1	1	030540	2 608 135 020	87.19 £
	Saw blade guide for saw blade 2 607 018 011						
		C0h	1	1	030557	2 608 135 021	96.87 £
	Saw blade guide for saw blade 2 607 018 012						
		C0h	1	1	030564	2 608 135 022	104.97 £
	Saw blade guide for saw blade 2 607 018 013						
		C0h	1	1	030571	2 608 135 023	81.71 £
	Sole plate Suitable for GSG 300 Professional						
		P1d	1	5	052153	2 608 000 908	86.86 £

LONGEST LIFETIME IN TOUGHEST MATERIALS

Reciprocating Saw Blades

The best your tool can get. Bosch Professional Accessories.















9

397



BLADES FOR METAL

For reciprocating saw.

				
	Thick Tough Metal	Medium-Thick Tough Metal	Thin Tough Metal	Vehicle Rescue
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	405	408	410	412
Available blade types	4	3	3	2
	 	 	 	 

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel	✓	✓	✓	✓
Cuts Hardened Steel	✓	✓	✓	✓
Cuts Stainless Steel	✓	✓	✓	✓
Cuts Cement Cast Iron Pipes	-	-	-	-
Ideal for non-cement Cast Iron Pipes	✓	✓	-	-
Ideal for Rescue & Car Dismantling	-	-	-	✓
Ideal for regular strength 'mild' steel	-	-	-	-
Ideal for precise cuts in pipes & profiles	✓	✓	-	-
Ideal for thin and thick metal	-	-	-	-
Sufficient for non-ferrous metal	-	-	-	-

*Bosch EXPERT products vs. Bosch standard products



Cement Cast Iron

Heavy for Metal

Progressor for Metal

Flexible for Metal

Basic for Metal

EXPERT

414

416

419

419

421

1

12

1

10

2



-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

✓

✓

✓

-

✓

-

-

-

-

-

✓

-

-

-

-









-

✓

✓

BLADES FOR MULTI-MATERIAL

For reciprocating saw.

				
	Wood with Metal Demolition	Window Demolition	Hard Nail Pallets	Wood with Metal
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	422	424	425	426
Available blade types	3	1	1	1
				

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts High Strength Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts Hardened Steel Nails**	✓	✓	✓	✓
Cuts Stainless Steel Screws & Fasteners**	✓	✓	✓	✓
Cuts non-cement Cast Iron Pipes	✓	-	✓	-
Ideal for Demolition	✓	✓	-	-
Ideal for Pallet Repair	-	-	✓	-
Ideal for regular strength 'mild' steel**	-	-	-	-
Ideal for thin and thick material	-	-	-	-
Sufficient for non-ferrous metal**	-	-	-	-

* Bosch EXPERT products vs. Bosch standard products

** embedded in wood



Multi Material

Heavy for Wood and Metal

Special for Pallet Repair

Progressor for Wood and Metal

Flexible for Wood and Metal

EXPERT

427

429

430

431

431

3

7

4

1

7



CARBIDE TECHNOLOGY

✓

-

-

-

-

✓

-

-

-

-

✓

-

-

-

-

✓

-

-

-

-

-

✓

-

-

-

-

-

✓

-

-

-

✓

✓

✓

✓

-

-

-

✓

-

-

-







-

✓

✓

BLADES FOR MINERAL MATERIAL

For reciprocating saw.

			
	Hollow Brick	Aerated Concrete	Fiber Plaster
	EXPERT	EXPERT	EXPERT
Page number	433	435	437
Available blade types	3	3	1
	 CARBIDE TECHNOLOGY	 CARBIDE TECHNOLOGY	 CARBIDE TECHNOLOGY

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts hollow brick blocks	✓	-	-
Cuts Aerated Concrete blocks	-	✓	-
Cuts Fiber Cement board	-	-	✓
Cuts Concrete Backerboard	-	-	✓
Cuts Drywall board	-	-	✓
Cuts thick dense Fiber Insulation	-	-	-
Ideal for clean cuts in thin Fiber Insulation	-	-	-
Ideal for clean cuts in Soft Material	-	-	-
Ideal for frozen material	-	-	-

*Bosch EXPERT products vs. Bosch standard products



Special for Plaster



Precision for Fiber Insulation



Clean for Fiber Insulation



Special for Ice

438

438

439

439

2

3

1

1

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

✓

-

-

-

-

✓

-

-

-

✓

✓

-

-

-

✓

-

-






-

-

✓

BLADES FOR WOOD

For reciprocating saw.

				
	Tough Wood EXPERT	Top for Wood	Progressor for Wood	Basic for Wood
Page number	440	441	442	442
Available blade types	2	3	1	3
				

MATERIAL AND APPLICATION RECOMMENDATIONS

Cuts Thick Tough Wood	✓	-	-	-
Cuts Thick Pressure Treated Lumber	✓	-	-	-
Cuts Thick Moist Wood	✓	-	-	-
Cuts Tough WPC Composites	✓	-	-	-
Sufficient for dry softwood	-	✓	✓	✓
Ideal for Wooden Roots and Soil Work	✓	-	-	-
Ideal for clean cuts in softwood	-	-	✓	-
Ideal for thin and thick material	-	-	✓	-
Ideal for firewood	✓	-	-	✓

*Bosch EXPERT products vs. Bosch standard products


LONG LIFE CUTTING THICK TOUGH METAL

EXPERT 'Thick Tough Metal' Blades

ASSORTMENT: S555CHC, S955CHC, S1155CHC, S1255CHC

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Extra coating makes Carbide even tougher



9 405

EXPERT 'Thick Tough Metal' S 555 CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than a Bi-Metal blade in tough material.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
3	8	100 x 25 x 1.25	CT	4	12	50	C1c	1	1	534541	2 608 900 364	14.85 £

EXPERT 'Thick Tough Metal' S 955 CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than a Bi-Metal blade in tough material.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
3	8	150 x 25 x 1.25	CT	4	12	100	C1c	1	1	534558	2 608 900 365	20.79 £
							C1c	3	1	534565	2 608 900 366	65.53 £
							P1h	10	1	534572	2 608 900 367	168.18 £

EXPERT 'Thick Tough Metal' S 1155 CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than a Bi-Metal blade in tough material.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
3	8	225 x 25 x 1.25	CT	4	12	175	C1c	1	1	534589	2 608 900 368	26.76 £
							C1c	3	1	534596	2 608 900 369	81.41 £
							P1h	10	1	534602	2 608 900 370	228.04 £

EXPERT 'Thick Tough Metal' S 1255 CHC Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thick tough metal, such as: cast iron pipe, for example water mains; high alloy steel in construction work; and high strength steel.
- ▶ Best for utilities workers: long lasting and powerful.
- ▶ Lasts up to 100x longer than a Bi-Metal blade in tough material.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION						
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode		Part number	Price without VAT
3	8	300 x 25 x 1.25	CT	4	12	250	C1c	1	1	534619	2 608 900 371		33.35 £
							P1h	10	1	534626	2 608 900 372		302.25 £

LONG LIFE CUTTING MEDIUM-THICK TOUGH METAL

EXPERT 'Medium-Thick Tough Metal' Blades

ASSORTMENT: S955HMM, S1155HMM, S1255HMM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Wide body for precise, straight cuts
- 3 Fine teeth cut thinner material with ease



CARBIDE TECHNOLOGY

408
9

EXPERT 'Medium-Thick Tough Metal' S 955 HMM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- ▶ Best for recycling and demolition workers: long lasting and powerful.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough material.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x+ LONG LIFE

PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
2.5	10	150 x 25 x 1	CT	3	8	100	C1c	1	1	534633	2 608 900 373	19.86 £

EXPERT 'Medium-Thick Tough Metal' S 1155 HHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- ▶ Best for recycling and demolition workers: long lasting and powerful.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough material.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION						
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Price	Part number	Price without VAT
2.5	10	225 x 25 x 1.1	CT	3	8	175	C1c	1	1	534640	2 608 900 374		25.99 £
							C1c	3	1	534657	2 608 900 375		70.16 £
							P1h	10	1	534664	2 608 900 376		207.89 £

EXPERT 'Medium-Thick Tough Metal' S 1255 HHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough metal pipes and profiles with medium wall thickness; capable of cutting stainless steel; and any hardened, high alloy or high strength steel.
- ▶ Best for recycling and demolition workers: long lasting and powerful.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough material.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION						
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Price	Part number	Price without VAT
2.5	10	300 x 25 x 1.25	CT	3	8	250	C1c	1	1	534671	2 608 900 377		32.36 £

LONG LIFE CUTTING THIN TOUGH METAL

EXPERT 'Thin Tough Metal' Blades

ASSORTMENT: S522EHM, S922EHM, S1022EHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra-fine teeth cut very thin material with ease



CARBIDE TECHNOLOGY


410
9

EXPERT 'Thin Tough Metal' S 522 EHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thin stainless steel sheet
- ▶ Best for kitchen fitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x+ LONG LIFE


PRODUCT PROPERTIES						ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
1.4	18	115 x 19 x 1	CT	1.5	4	C1c	1	1	534497	2 608 900 359	15.96 £

EXPERT 'Thin Tough Metal' S 922 EHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thin stainless steel pipes and profiles.
- ▶ Best for kitchen fitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
1.4	18	150 x 19 x 1	CT	1.5	4	100	C1c	1	1	534503	2 608 900 360	21.51 £
							C1c	3	1	534510	2 608 900 361	54.94 £
							P1h	10	1	534527	2 608 900 362	174.74 £

EXPERT 'Thin Tough Metal' S 1022 EHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting thin stainless steel pipes and profiles.
- ▶ Best for kitchen fitters: long lasting and quality finish.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
1.4	18	200 x 19 x 1	CT	1.5	4	150	C1c	1	1	534534	2 608 900 363	25.8 £

LONG LIFE CUTTING MODERN AUTOMOTIVE STEEL

EXPERT 'Vehicle Rescue' Blades

ASSORTMENT: S957CHM, S1157CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 First tooth designed to allow plunge cut
- 4 Tapered tip reaches deeper into tight spaces



**CARBIDE
TECHNOLOGY**


412
9

EXPERT 'Vehicle Rescue' S 957 CHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car's B column and window; or creating a 'third door'.
- ▶ Best for firefighters and rescue workers: long lasting and reliable.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



**CARBIDE
TECHNOLOGY** UP TO 50x+ LONG LIFE


PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
3	8	150 x 20 x 1.35	CT	4	12	100	C1c	1	1	534688	2 608 900 378	22.94 £
							P1h	10	1	534695	2 608 900 379	194.92 £

EXPERT 'Vehicle Rescue' S 1157 CHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for rescue cuts into a vehicle at a road accident site. Designed for specific cuts common in modern rescue techniques; for example cutting a car's B column and window; or creating a 'third door'.
- ▶ Best for firefighters and rescue workers: long lasting and reliable.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
3	8	225 x 20 x 1.35	CT	4	12	175	C1c	1	1	534701	2 608 900 380	31.08 £
							C1c	3	1	534718	2 608 900 381	72.15 £
							P1h	10	1	534725	2 608 900 382	264.27 £

LONG LIFE CUTTING CEMENT CAST IRON PIPES

EXPERT 'Cement Cast Iron' Blades

ASSORTMENT: S1750RD

EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Thick gauge blade offers extra robustness and stability



414
9

EXPERT 'Cement Cast Iron' S 1750 RD Reciprocating Saw Blades

EXPERT



- ▶ Ideal for straight cut-offs to cement cast iron pipes such as ductus ZMA or ductus ZMU, during municipal water repair works; also cuts non-cement cast iron pipes.
- ▶ Best for utilities workers: long lasting and specialised.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
GRIT 50	GRIT 50	250 x 19 x 1.25	DIA	2	6	200	C1c	1	1	534732	2 608 900 383	31.38 £

Reciprocating saw blades - Endurance for HeavyMetal - BIM

Long life in metal

endurance HeavyMetal

PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT




S 925 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry

For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<100 mm).

1.8+	10+12+	150 x	BIM	2	10	100	C1c	5	5	744799	2 608 658 009	29.31 £
2.1+2.5	14	22 x 1.35										




S 1025 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry

For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<150 mm).

1.8+	10+12+	200 x	BIM	2	10	150	C1c	5	5	744805	2 608 658 010	32.4 £
2.1+2.5	14	22 x 1.35										




S 1125 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry

For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<175 mm).

1.8+	10+12+	225 x	BIM	2	10	175	C1c	5	5	744812	2 608 658 011	35.6 £
2.1+2.5	14	22 x 1.35										




S 1225 HBF



BIM, Micro Edge Geometry, 3x3 Tooth Geometry

For metal demolition work. Medium-thick to thick sheet metals (2-10 mm), thin-walled closed and open profiles and pipes (<250 mm).

1.8+	10+12+	300 x	BIM	2	10	250	C1c	5	5	744836	2 608 658 013	41.65 £
2.1+2.5	14	22 x 1.35										




S 927 BEF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry with Full Contact Design

Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x 25 x 1.1	BIM	2	6	100	C1c	5	5	507158	2 608 657 523	34.73 £
----------------	-------	-------------------	-----	---	---	-----	-----	---	---	--------	----------------------	---------



S 1127 BEF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry with Full Contact Design

Medium-thick to thick sheet metals (2-6 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.


1.4+1.8	14+18	225 x 25 x 1.1	BIM	2	6	175	C1c	5	5	507165	2 608 657 524	43.46 £
----------------	-------	-------------------	-----	---	---	-----	-----	---	---	--------	----------------------	---------

Reciprocating saw blades - Endurance for HeavyMetal - BIM

Long life in metal

endurance 

PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT




S 930 CF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	507196	2 608 657 527	50.01 £
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------	---------




S 936 CHF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	507172	2 608 657 525	34.73 £
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------	---------




S 1136 CHF



BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	175	C1c	5	5	507189	2 608 657 526	43.46 £
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------	---------



S 1130 CF




BIM, Micro Edge Geometry, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut

2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C1c	5	5	507202	2 608 657 528	65.73 £
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------	---------

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise

heavy 



S 926 BEF



BIM, patented 2x2 Tooth Geometry
Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<100 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	150 x 25 x 1.1	BIM	3	8	100	C1c	5	5	451888	2 608 657 394	26.19 £
---------	-------	----------------	-----	---	---	-----	-----	---	---	--------	----------------------	---------

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise



PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

S 1126 BEF



BIM, patented 2x2 Tooth Geometry
Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<175 mm). Fine, precise cuts at accurate angles.

1.4+1.8	14+18	225 x 25 x 1.1	BIM	3	8	175	C1c	5	5	451895	2 608 657 395	34.8 £
							P1h	25	1	515221	2 608 657 554	156.63 £

S 1226 BEF



BIM, patented 2x2 Tooth Geometry
Medium-thick to thick sheet metals (3-8 mm), thin-walled closed and open profiles and pipes (<250 mm). Fine, precise cuts at accurate angles

1.4+1.8	14+18	300 x 25 x 1.1	BIM	3	8	250	C1c	5	5	451901	2 608 657 396	37.88 £
---------	-------	-------------------	-----	---	---	-----	-----	---	---	--------	----------------------	---------

S 926 CHF



BIM, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<100 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	150 x 25 x 1.1	BIM	4	12	100	C1c	5	5	451918	2 608 657 397	26.19 £
---------	------	-------------------	-----	---	----	-----	-----	---	---	--------	----------------------	---------

S 1126 CHF



BIM, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<175 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	225 x 25 x 1.1	BIM	4	12	175	C1c	5	5	451925	2 608 657 398	34.8 £
							P1h	25	1	515238	2 608 657 555	156.63 £

S 1226 CHF



BIM, patented 2x2 Tooth Geometry
Thick sheet metals (4-12 mm), thick-walled closed and open profiles and pipes (<250 mm). Fast, precise cuts at accurate angles.

2.5+3.2	8+10	300 x 25 x 1.1	BIM	4	12	250	C1c	5	5	451932	2 608 657 406	37.88 £
---------	------	-------------------	-----	---	----	-----	-----	---	---	--------	----------------------	---------

S 925 VF



BIM, vario-pitched teeth
Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<100 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	150 x 19 x 1.25	BIM	2.5	10	100	C1c	5	5	451949	2 608 657 407	23.85 £
---------	-------	-----------------------	-----	-----	----	-----	-----	---	---	--------	----------------------	---------

Reciprocating saw blades - Heavy for Metal - BIM

Heavy-duty work, sturdy, precise



PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT




S 1025 VF



BIM, vario-pitched teeth

Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<150 mm). Ideal for demolition work in metal. Effortless, fine cut

1.8-2.6	10-14	200 x 19 x 1.25	BIM	2.5	10	150	C1c	5	5	235570	2 608 656 265	40.52 £
---------	-------	-----------------	-----	-----	----	-----	-----	---	---	--------	----------------------	---------




S 1125 VF



BIM, vario-pitched teeth

Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<175 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	225 x 19 x 1.25	BIM	2.5	10	175	C1c	5	5	451956	2 608 657 408	34.8 £
							P1h	25	1	515245	2 608 657 556	156.63 £



S 1225 VF



BIM, vario-pitched teeth

Medium-thick to thick sheet metals (2.5-10 mm), thin-walled and thick-walled pipes and profiles (<250 mm). Ideal for demolition work in metal. Effortless, fine cut.

1.8-2.6	10-14	300 x 19 x 1.25	BIM	2.5	10	250	C1c	5	5	451963	2 608 657 409	37.88 £
---------	-------	-----------------	-----	-----	----	-----	-----	---	---	--------	----------------------	---------



S 920 CF



BIM, patented 2x2 Tooth Geometry

Thick sheet metal (4-12 mm), thick-walled, solid pipes and profiles (<100 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut.

2.5+3.2	8+10	150 x 22 x 1.6	BIM	4	12	100	C1c	5	5	019262	2 608 654 820	42.26 £
---------	------	----------------	-----	---	----	-----	-----	---	---	--------	----------------------	---------



S 1120 CF



BIM, patented 2x2 Tooth Geometry

Thick sheet metals (4-12 mm), thick-walled, solid pipes and profiles (<175 mm). Ideal for pipe cutting device, for rescue/demolition work. Powerful, coarse cut


2.5+3.2	8+10	225 x 22 x 1.6	BIM	4	12	175	C1c	5	5	235471	2 608 656 255	57.56 £
							P1h	25	1	515252	2 608 657 557	259 £
							C0a	100	1	283663	2 608 656 571	978.5 £

Reciprocating saw blades - Progressor for Metal - BIM

Universal, fast

progressor 

PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



S 123 XF




BIM, side set, milled
Thin to thick sheet metals (1-8 mm), thin to thick profiles (diameter <100 mm)

1.4-3.4	8-18	150 x 19 x 0.9	BIM	1	8	100	C1c	2	5	169554	2 608 654 401	9.57 £
							C1c	5	5	169561	2 608 654 402	19.74 £
							C0a	100	1	184816	2 608 654 416	335.57 £

Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant

flexible 




S 522 AF



BIM, wavy set, milled
Especially optimised for use in compact saws.
Thin sheet metals (0.7-3 mm), effortless, fine cut

1	24	100 x 19 x 0.9	BIM	0.7	3	-	C1c	5	5	093460	2 608 656 010	14.73 £
---	----	----------------	-----	-----	---	---	-----	---	---	--------	----------------------	---------




S 922 AF



BIM, wavy set, milled
Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <100 mm), effortless, fine cut

1.1	24	150 x 19 x 0.9	BIM	0.7	2	100	C1c	2	5	093385	2 608 656 036	8.68 £
							C1c	5	5	093491	2 608 656 013	17.37 £



S 1122 AF



BIM, wavy set, milled
Thin sheet metals (0.7-2 mm), fine pipes/profiles (diameter <175 mm), effortless, fine cut, flexible flush cut

1.1	24	225 x 19 x 0.9	BIM	0.7	2	175	C1c	5	5	093545	2 608 656 018	20.97 £
-----	----	----------------	-----	-----	---	-----	-----	---	---	--------	----------------------	---------



S 522 EF



BIM, side set, milled
Especially optimised for use in compact saws.
Thin sheet metals (1.5-4 mm)

1.4	18	100 x 19 x 0.9	BIM	1.5	4	-	C1c	2	5	612050	2 608 657 721	9.1 £
							C1c	5	5	093484	2 608 656 012	15.1 £

Reciprocating saw blades - Flexible for Metal - BIM

flexible, break-resistant

flexible  Metal

PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



S 922 EF



BIM, side set, milled
Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <100 mm)

1.4	18	150 x 19 x 0.9	BIM	1.5	4	100	C1c	2	5	093408	2 608 656 038	8.68 £
							C1c	5	5	093514	2 608 656 015	17.37 £
							P1h	25	1	515191	2 608 657 551	82.43 £
							C0a	100	1	206112	2 608 656 028	294.97 £




S 1122 EF



BIM, side set, milled
Thin sheet metals (1.5-4 mm), pipes/profiles (diameter <175 mm), flexible flush cut

1.4	18	225 x 19 x 0.9	BIM	1.5	4	175	C1c	2	5	093446	2 608 656 042	10.49 £
							C1c	5	5	093569	2 608 656 020	20.97 £
							P1h	25	1	515207	2 608 657 553	99.59 £



S 422 BF



BIM, side set, milled
Especially optimised for use in compact saws.
Medium-thick sheet metals (1.5-6 mm), especially for curve cuts

1.8	14	100 x 16 x 0.9	BIM	1.5	6	-	C1c	2	5	235600	2 608 656 268	9.54 £
							C1c	5	5	235457	2 608 656 253	19.85 £



S 522 BF



BIM, side set, milled
Especially optimised for use in compact saws.
Thick sheet metals (2.5-8 mm), quick cut

2	14	100 x 19 x 0.9	BIM	2.5	8	-	C1c	2	5	235846	2 608 656 269	8.93 £
							C1c	5	5	093477	2 608 656 011	15.1 £



S 922 BF



BIM, side set, milled
Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <100 mm), quick cut

2	14	150 x 19 x 0.9	BIM	2.5	8	100	C1c	2	5	093392	2 608 656 037	8.68 £
							C1c	5	5	093507	2 608 656 014	17.37 £
							P1h	25	1	515184	2 608 657 550	80.86 £
							C0a	100	1	206105	2 608 656 027	294.97 £



S 1122 BF



BIM, side set, milled
Thick sheet metals (2.5-8 mm), solid pipes/profiles (diameter <175 mm), flexible flush cut, quick cut

2	14	225 x 19 x 0.9	BIM	2.5	8	175	C1c	2	5	093439	2 608 656 041	10.49 £
							C1c	5	5	093552	2 608 656 019	20.97 £
							P1h	25	1	515214	2 608 657 552	99.59 £
							C0a	100	1	206150	2 608 656 032	356.44 £

Reciprocating saw blades - Basic for Metal - BIM

Good and cost-effective

basic  Metal

PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



S 918 AF



BIM, wavy set, milled

Thin sheet metals (1-3 mm), fine, closed pipes/profiles (diameter <100 mm)

1	24	150 x 16 x 0.9	BIM	1	3	100	C1c	2	5	235839	2 608 651 944	8.66 £
							C1c	5	5	016117	2 608 651 780	16.76 £



S 918 BF



BIM, side set, milled

Medium-thick sheet metals (2-8 mm), closed pipes/profiles (diameter <100 mm)

1.8	14	150 x 16 x 0.9	BIM	2	8	100	C1c	2	5	035354	2 608 651 821	8.47 £
							C1c	5	5	016124	2 608 651 781	16.76 £

LONG LIFE CUTTING METAL EMBEDDED WOOD

EXPERT 'Wood with Metal Demolition' Blades

ASSORTMENT: S967XHM, S1167XHM, S1267XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Reinforced teeth withstand the extreme abuse of demolition work
- 3 Progressive tooth pitch to cut material of every thickness
- 4 Tapered tip reaches deeper into tight spaces
- 5 Thick gauge blade offers extra robustness and stability



CARBIDE TECHNOLOGY


422
9

EXPERT 'Wood with Metal Demolition' S 967 XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- ▶ Best for demolition workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x+ LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
3.5-5.0	5-7	150 x 25 x 1.25	CT	100	C1c	1	1	534862	2 608 900 396	18.63 £
					P1h	10	1	534879	2 608 900 397	177.82 £

EXPERT 'Wood with Metal Demolition' S 1167 XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- ▶ Best for demolition workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES					ORDERING INFORMATION						
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	Price without VAT
3.5-5.0	5-7	225 x 25 x 1.25	CT	175	C1c	1	1	534886		2 608 900 398	25.27 £
					C1c	3	1	534893		2 608 900 399	71.49 £
					P1h	10	1	534909		2 608 900 400	214.74 £

EXPERT 'Wood with Metal Demolition' S 1267 XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for all-round demolition use, including the toughest jobs such as cutting thick roof beams fixed with nail plate on a building renovation site; or cutting through mixed materials with hard nails and screws.
- ▶ Best for demolition workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION						
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	Price without VAT
3.5-5.0	5-7	300 x 25 x 1.25	CT	250	C1c	1	1	534916		2 608 900 401	31.31 £
					P1h	10	1	534923		2 608 900 402	247.56 £


LONG LIFE CUTTING WINDOW STOCKS OF ANY MATERIAL

EXPERT 'Window Demolition' Blades

ASSORTMENT: S956DHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Side set teeth to cut thicker materials effectively
- 4 First tooth designed to allow plunge cut



CARBIDE TECHNOLOGY

424
9

EXPERT 'Window Demolition' S 956 DHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting out windows; can cut through a window fixing screw so window parts can be removed; can cut through composite window stocks of any kind; and it can also cut through doors and hinges.
- ▶ Best for window fitters: long lasting and powerful.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x+ LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
4	6	150 x 25 x 1.25	CT	100	C1c	1	1	534756	2 608 900 385	19.12 £
					P1h	10	1	534763	2 608 900 386	162.45 £

LONG LIFE CUTTING HARD NAILS PALLETS

EXPERT 'Hard Nail Pallets' Blades

ASSORTMENT: S1122CHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Highly flexible body can be bent for flush cuts
- 3 Reverse tip prevents jamming and kickback
- 4 Reinforced shank transition for longer shank life



9
425

EXPERT 'Hard Nail Pallets' S 1122 CHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for pallet repair - replacing broken parts of a pallet.
- ▶ Best for pallet repair workers: long lasting and specialised.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
3	8	225 x 19 x 1	CT	175	C1c	1	1	534770	2 608 900 387	21.12 £
					P1h	10	1	534787	2 608 900 388	121.44 £


LONG LIFE CURVE CUTTING WOOD WITH EMBEDDED METAL

EXPERT 'Wood with Metal' Blades

ASSORTMENT: S715LHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Narrow blade is perfect for curved cuts



CARBIDE TECHNOLOGY

426
9

EXPERT 'Wood with Metal' S 715 LHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for curved cuts in wood with metal, such as those required for chimney pipe or ventilation pipe outlets through a roof; curved cuts in plaster board during renovation work.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough material.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x+ LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
5	5	190 x 12 x 1.5	CT	140	C1c	1	1	534749	2 608 900 384	22.06 £


LONG LIFE CUTTING TOUGH BUILDING MATERIALS

EXPERT 'Multi Material' Blades

ASSORTMENT: S956XHM, S1156XHM, S1256XHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Progressive tooth pitch to cut material of every thickness
- 3 Tapered tip reaches deeper into tight spaces
- 4 Thick gauge blade offers extra robustness and stability
- 5 Wide body for precise, straight cuts




CARBIDE TECHNOLOGY

9 427

EXPERT 'Multi Material' S 956 XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x+ LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
3.0-4.0	6-8	150 x 25 x 1.25	CT	100	C1c	1	1	534794	2 608 900 389	20.08 £
					P1h	10	1	534800	2 608 900 390	163.05 £

EXPERT 'Multi Material' S 1156 XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
3.0-4.0	6-8	225 x 25 x 1.25	CT	175	C1c	1	1	534817	2 608 900 391	27.22 £
					C1c	3	1	534824	2 608 900 392	71.49 £
					P1h	10	1	534831	2 608 900 393	221.07 £

EXPERT 'Multi Material' S 1256 XHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting all materials found in construction; ideal for roofing or renovation work as it cuts all building materials tradesmen are likely to encounter.
- ▶ Best for construction workers: long lasting and versatile.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough materials.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
3.0-4.0	6-8	300 x 25 x 1.25	CT	250	C1c	1	1	534848	2 608 900 394	33.74 £
					P1h	10	1	534855	2 608 900 395	274.02 £

Reciprocating saw blades - Heavy for Wood and Metal - BIM

Heavy-duty work, sturdy, fast

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT




S 511 DF



BIM, side set, milled
 Especially optimised for use in compact saws.
 Wood with nails/metal, wood, chipboard, plastic pipes and profiles, glass fibre plastic / epoxy resin.

4	6	100 x 19 x 0.9	BIM	50	C1c	2	5	612067	2 608 657 722	12.25 £
					C1c	5	5	612074	2 608 657 723	25.52 £




S 611 DF



BIM, side set, milled
 Wood with nails/metal, chipboard (<100 mm), plastic profiles (<100 mm), glass fibre reinforced plastic/epoxy (<50 mm), window frames: wood + metal, especially for plunge cuts

4.3	6	150 x 22 x 1.25	BIM	100	C1c	2	5	235860	2 608 656 271	13.51 £
					C1c	5	5	235501	2 608 656 258	27.03 £
					P1h	25	1	515290	2 608 657 561	117.2 £
					C0a	100	1	235518	2 608 656 259	459.5 £




S 711 DF



BIM, side set, milled
 Wood with nails/metal, chipboard (<100 mm), glass fibre reinforced plastic/epoxy (<50 mm), especially for curve cuts

4.3	6	150 x 12 x 1.25	BIM	100	C1c	2	5	235877	2 608 656 272	12.99 £
					C1c	5	5	235525	2 608 656 260	27.03 £




S 1111 DF



BIM, side set, milled
 Wood with nails/metal, chipboard (<175 mm), plastic profiles (diameter <175 mm), glass fibre reinforced plastic/epoxy (<50 mm)

4.3	6	225 x 19 x 1.25	BIM	175	C1c	2	5	235884	2 608 656 273	19.9 £
					C1c	5	5	235532	2 608 656 261	41.36 £




S 1411 DF



BIM, side set, milled
 Wood with nails/metal, chipboard (<250 mm), glass fibre reinforced plastic/epoxy (<60 mm)

4.3	6	300 x 19 x 1.25	BIM	250	C1c	2	5	036139	2 608 654 834	22.46 £
					C1c	5	5	016285	2 608 654 763	45.14 £
					C0a	100	1	283625	2 608 656 567	797.72 £



S 610 VF



BIM, special vario-pitched teeth for wood
 Wood with nails/metal, wood, chipboard (<100 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<100 mm), for rescue/demolition work

3.2-5.1	5-8	150 x 22 x 1.6	BIM	100	C1c	5	5	543347	2 608 657 608	42.24 £
---------	-----	----------------	-----	-----	-----	---	---	--------	----------------------	---------

Reciprocating saw blades - Heavy for Wood and Metal - BIM

Heavy-duty work, sturdy, fast

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT




S 1110 VF



BIM, special vario-pitched teeth for wood

Wood with nails/metal, wood, chipboard (<175 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<175 mm), for rescue/demolition work

3.2-5.1	5-8	225 x 22 x 1.6	BIM	175	C1c	5	5	543354	2 608 657 610	57.56 £
					P1h	25	1	543361	2 608 657 611	259.02 £



S 1210 VF




BIM, special vario-pitched teeth for wood

Wood with nails/metal, wood, chipboard (<250 mm), glass fibre reinforced plastic/epoxy, wall cutouts: wood+metal (<250 mm), for rescue/demolition work

3.2-5.1	5-8	300 x 22 x 1.6	BIM	250	C1c	5	5	543378	2 608 657 612	68.52 £
---------	-----	----------------	-----	-----	-----	---	---	--------	----------------------	---------

Reciprocating saw blades - Special for Pallet Repair - BIM

special PalletRepair




S 722 VFR



BIM, vario-pitched teeth

Pallets, cutting depth up to 125 mm, maximum flexibility

1.8-2.6	10/14	190 x 19 x 0.9	BIM	125	C1c	5	5	749282	2 608 658 027	22.41 £
					C0a	100	1	749299	2 608 658 028	335.98 £




S 725 VFR



BIM, vario-pitched teeth

Pallets, cutting depth up to 125 mm, minimal vibration

1.8-2.6	10-14	190 x 19 x 1.25	BIM	125	C1c	5	5	749343	2 608 658 033	25.18 £
					C0a	100	1	749350	2 608 658 034	377.99 £




S 1122 VFR



BIM, vario-pitched teeth

Pallets, cutting depth up to 165 mm, maximum flexibility

1.8-2.6	10-14	225 x 19 x 0.9	BIM	165	C1c	5	5	749312	2 608 658 030	26.61 £
					C0a	100	1	749329	2 608 658 031	398.98 £



S 1125 VFR



BIM, vario-pitched teeth

Pallets, cutting depth up to 165 mm, maximum stability and lifetime


1.8-2.6	10-14	225 x 19 x 1.25	BIM	165	C1c	5	5	749367	2 608 658 036	29.41 £
					C0a	100	1	749374	2 608 658 037	440.96 £

Reciprocating saw blades - Progressor for Wood and Metal - BIM

Universal, fast



PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



S 3456 XF



BIM, side set, milled

Wood with nails/metal, chipboard (<150 mm), sheet metals, aluminium profiles (3-18 mm), glass fibre reinforced plastic/epoxy (<150 mm)

2.2-4.6	6-12	200 x 19 x 1.25	BIM	150	C1c	2	5	169592	2 608 654 405	14.84 £
					C1c	5	5	169608	2 608 654 406	31.43 £
					C0a	100	1	184830	2 608 654 418	524.15 £

Reciprocating saw blades - Flexible for Wood and Metal - BIM

flexible, break-resistant



PRODUCT PROPERTIES					ORDERING INFORMATION							
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT




S 922 HF



BIM, side set, milled

For pallet repair, wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-12 mm)

2.5	10	150 x 19 x 0.9	BIM			100	C1c	2	5	093415	2 608 656 039	8.68 £
							C1c	5	5	093521	2 608 656 016	17.37 £



S 1022 HF



BIM, side set, milled

For pallet repair, wood with nails/metal (<150 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush cut

2.5	10	200 x 19 x 0.9	BIM	-	-	150	C0a	100	1	293426	2 608 656 636	357.32 £
-----	----	----------------	-----	---	---	-----	-----	-----	---	--------	----------------------	----------



S 1122 HF



BIM, side set, milled

For pallet repair, wood with nails/metal (<175 mm), sheet metals, pipes, aluminium profiles (3-12 mm), flexible flush cut

2.5	10	225 x 19 x 0.9	BIM			175	C1c	2	5	235853	2 608 656 270	10.46 £
							C1c	5	5	093576	2 608 656 021	20.97 £
							P1h	25	1	515283	2 608 657 560	101.48 £
							C0a	100	1	206174	2 608 656 034	397.34 £

Reciprocating saw blades - Flexible for Wood and Metal - BIM

flexible, break-resistant

flexible WoodMetal

PRODUCT PROPERTIES							ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Recommended min. material thickness [mm]	Recommended max. material thickness [mm]	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT



S 922 VF



BIM, vario-pitched teeth
 Wood with nails/metal (<100 mm), sheet metals, pipes, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<100 mm)

1.8-2.6	10-14	150 x 19 x 0.9	BIM	3	10	100	C1c	2	5	093422	2 608 656 040	8.68 £
							C1c	5	5	093538	2 608 656 017	17.37 £
							P1h	25	1	515269	2 608 657 558	78.59 £



S 1122 VF



BIM, vario-pitched teeth
 Wood with nails/metal (<175 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<175 mm), flexible flush cut

1.8-2.6	10-14	225 x 19 x 0.9	BIM	-	-	175	C1c	5	5	079365	2 608 654 981	20.97 £
							P1h	25	1	515276	2 608 657 559	101.48 £



S 1222 VF



BIM, vario-pitched teeth
 Wood with nails/metal (<250 mm), sheet metals, aluminium profiles (3-10 mm), glass fibre reinforced plastic/epoxy (<250 mm), flexible flush cut

1.8-2.6	10-14	300 x 19 x 0.9	BIM	-	-	250	C1c	2	5	093453	2 608 656 043	14.84 £
							C1c	5	5	093583	2 608 656 022	29.7 £


LONG LIFE CUTTING HOLLOW BRICK

EXPERT 'Hollow Brick' Blades

ASSORTMENT: S1543HM, S1243HM, S2243HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

9 433

EXPERT 'Hollow Brick' S 1243 HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- ▶ Best for builders: long lasting and powerful.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY 

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
12.7	2	300 x 50 x 1.5	CT	250	C1c	1	1	535074	2 608 900 417	45.14 £

EXPERT 'Hollow Brick' S 1543 HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- ▶ Best for builders: long lasting and powerful.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
12.7	2	240 x 23 x 1.5	CT	190	C1c	1	1	535043	2 608 900 414	29.68 £
					C1c	3	1	535050	2 608 900 415	73.77 £
					P1h	10	1	535067	2 608 900 416	216.96 £

EXPERT 'Hollow Brick' S 2243 HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting hollow bricks during construction work, for example cutting down a large format hollow brick block to fit into wall; or making a cut-out in a brick wall to increase access for electricity and/or water installation.
- ▶ Best for builders: long lasting and powerful.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
12.7	2	455 x 50 x 1.5	CT	405	C1c	1	1	535081	2 608 900 418	58.67 £


LONG LIFE CUTTING AERATED CONCRETE

EXPERT 'Aerated Concrete' Blades

ASSORTMENT: S1141HM, S1241HM, S2041HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts
- 4 Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

9

435

EXPERT 'Aerated Concrete' S 1141 HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for precise straight cuts in aerated concrete, such as cutting a large format Ytong AAC block to fit into a wall; cutting Siporex on a new building construction site; cutting other aerated concrete building materials.
- ▶ Best for builders: long lasting and powerful.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY 

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
8.5	3	225 x 19 x 1.25	CT	175	C1c	1	1	534985	2 608 900 408	24.51 £
					P1h	10	1	534992	2 608 900 409	184.67 £

EXPERT 'Aerated Concrete' S 1241 HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for precise straight cuts in aerated concrete, such as cutting a large format Ytong AAC block to fit into a wall; cutting Siporex on a new building construction site; cutting other aerated concrete building materials.
- ▶ Best for builders: long lasting and powerful.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
8.5	3	300 x 22 x 1.5	CT	250	C1c	1	1	535005	2 608 900 410	31.87 £
					C1c	3	1	535012	2 608 900 411	86.05 £
					P1h	10	1	535029	2 608 900 412	239.16 £

EXPERT 'Aerated Concrete' S 2041 HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for precise straight cuts in aerated concrete, such as cutting a large format Ytong AAC block to fit into a wall; cutting Siporex on a new building construction site; cutting other aerated concrete building materials.
- ▶ Best for builders: long lasting and powerful.
- ▶ Cuts materials that other blades simply can't.
- ▶ Fits all S-shank reciprocating saws.



PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
12.7	2	400 x 22 x 1.5	CT	350	C1c	1	1	535036	2 608 900 413	40.69 £

LONG LIFE CUTTING FIBRE PLASTER MATERIAL

EXPERT 'Fiber Plaster' Blades

ASSORTMENT: S641HM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Thick gauge blade offers extra robustness and stability



CARBIDE TECHNOLOGY


9 437

EXPERT 'Fiber Plaster' S 641 HM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cut-outs in drywall, Gypsum fibreboard, concrete backer board or similar materials; working in drywall construction environments such as kitchen or bathroom renovation.
- ▶ Best for construction workers: long lasting and powerful.
- ▶ Lasts up to 50x longer than a Bi-Metal blade in tough material.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x+ LONG LIFE


PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
4.3	6	150 x 19 x 1.25	CT	100	C1c	1	1	534978	2 608 900 407	18.63 £

Reciprocating saw blades - Special for Plaster - BIM

Plasterboard

special  Plaster

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT




S 528 DF



BIM, side set, milled
Especially optimised for use in compact saws.
Plasterboard, Gypsum fibreboard (<50 mm), especially for plunge cuts, tear-free cuts

4.3	6	100 x 19 x 0.9	BIM	50	C1c	2	5	612081	2 608 657 724	12.25 £
					C1c	5	5	612098	2 608 657 725	25.52 £



S 628 DF




BIM, side set, milled
Plasterboard, Gypsum fibreboard (<100 mm), especially for plunge cuts, tear-free cuts

4.2	6	150 x 19 x 1.25	BIM	100	C1c	2	5	235891	2 608 656 274	9.42 £
					C1c	5	5	235556	2 608 656 263	19.65 £

Reciprocating saw blades - Precision for Fibre Insulation - HCS

Precise, clean cut

clean  FiberInsulation




S 1113 AWP



HCS, blade with serrated edge
For cutting fibre insulation materials up to 175mm material thickness.

-	-	225 x 22 x 1.5	HCS	175	C1c	2	5	746168	2 608 635 527	27.87 £
---	---	----------------	-----	-----	-----	---	---	--------	---------------	---------




S 1213 AWP



HCS, blade with serrated edge
For cutting fibre insulation materials up to 230mm material thickness.

5	5	300 x 22 x 1.5	HCS	230	C1c	2	5	746175	2 608 635 528	39.26 £
---	---	----------------	-----	-----	-----	---	---	--------	---------------	---------



S 2013 AWP



HCS, blade with serrated edge
For cutting fibre insulation materials up to 320mm material thickness.

5	5	400 x 45 x 1.5	HCS	320	C1c	1	5	746182	2 608 635 529	33.27 £
---	---	----------------	-----	-----	-----	---	---	--------	---------------	---------

Reciprocating saw blades - Clean for Fibre Insulation - HCS

Precise, clean cut

clean 

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT



S 713 AW



HCS, blade with serrated edge
 Especially optimised for use in compact saws.
 Specially for fibre insulation materials, polystyrene, cardboard, carpet, leather.

12	2	150 x 19 x 1	HCS	100	C1c	2	5	688178	2 608 635 521	25.64 £
----	---	--------------	-----	-----	-----	---	---	--------	----------------------	---------

Reciprocating saw blades - Special for Ice - Inox

Frozen materials

special 



S 1211 K



Stainless steel (Inox), side set, milled
 Frozen materials (<250 mm)

8.5	3	300 x 19 x 1.25	HAS	250	C1c	5	5	017817	2 608 652 900	44.33 £
-----	---	-----------------	-----	-----	-----	---	---	--------	----------------------	---------

LONG LIFE CUTTING TOUGH WOOD

EXPERT 'Tough Wood' Blades

ASSORTMENT: S1142KHM, S1242KHM

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Tapered tip reaches deeper into tight spaces
- 3 Thick gauge blade offers extra robustness and stability
- 4 Wide body for precise, straight cuts
- 5 Large gullet teeth chew through the toughest materials fast



CARBIDE TECHNOLOGY

440
9

EXPERT 'Tough Wood' S 1142 KHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- ▶ Best for gardeners and landscapers: long lasting and efficient.
- ▶ Lasts up to 50x longer than an HCS blade in tough material.
- ▶ Fits all S-shank reciprocating saws.



CARBIDE TECHNOLOGY UP TO 50x+ LONG LIFE

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
8	3	225 x 25 x 1.25	CT	175	C1c	1	1	534930	2 608 900 403	23.51 £
					C1c	3	1	534947	2 608 900 404	71.49 £
					P1h	10	1	534954	2 608 900 405	211.81 £

EXPERT 'Tough Wood' S 1242 KHM Reciprocating Saw Blades

EXPERT



- ▶ Ideal for cutting tough wood of any kind, such as: wet or pressure-treated lumber; dirty wood in an outdoor setting, such as cutting out roots; and thick planks.
- ▶ Best for gardeners and landscapers: long lasting and efficient.
- ▶ Lasts up to 50x longer than an HCS blade in tough material.
- ▶ Fits all S-shank reciprocating saws.




PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
8	3	300 x 25 x 1.25	CT	250	C1c	1	1	534961	2 608 900 406	28.74 £

Reciprocating saw blades - Top for Wood - HCS

Sharp, fast, efficient

top Wood

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT




S 644 D



HCS, side set, ground

Construction wood (<100 mm), wooden wall (<100 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<100 mm), especially for plunge cuts

4	6	150 x 19 x 1.25	HCS	100	C1c	2	5	007689	2 608 650 614	6.62 £
					C1c	5	5	016025	2 608 650 673	11.69 £
					P1h	25	1	515320	2 608 650 464	58.5 £
					C0a	100	1	205689	2 608 650 551	206.45 £




S 1531 L



HCS, side set, ground

Coarse wood, free of nails (<190 mm), pruning green wood (diameter <190 mm), firewood (diameter <190 mm)

5	5	240 x 19 x 1.5	HCS	190	C1c	2	5	007672	2 608 650 613	9.89 £
					C1c	5	5	016056	2 608 650 676	17.73 £
					P1h	25	1	515337	2 608 650 465	87.75 £
					C0a	100	1	205733	2 608 650 698	309.66 £



S 1542 K



HCS, side set, ground

Firewood, damp wood (diameter <190 mm)

8.5	3	240 x 19 x 1.5	HCS	190	C1c	2	5	016773	2 608 650 681	9.89 £
					C1c	5	5	016087	2 608 650 682	17.33 £

Reciprocating saw blades - Progressor for Wood - HCS

Universal use, including plywood and plastic

progressor 

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



S 2345 X




HCS, side set, ground
Construction wood (<150 mm), boards: chipboard, MDF (6-60 mm), plywood, plastic (<150 mm), wooden wall (<150 mm). Effortless, fine cut.

2.4-4.0	6-10	200 x 19 x 1.25	HCS	150	C1c	2	5	169578	2 608 654 403	13.88 £
					C1c	5	5	169585	2 608 654 404	28.8 £
					P1h	25	1	515313	2 608 650 463	129.61 £

Reciprocating saw blades - Basic for Wood - HCS

Good and cost-effective

basic 



S 617 K



HCS, side set, ground
Coarse wood, free of nails (<100 mm), pruning green wood (diameter <100 mm), especially for curve cuts/plunge cuts

8.5	3	150 x 19 x 1.25	HCS	100	C1c	2	5	007702	2 608 650 616	8.47 £
					C1c	5	5	016063	2 608 650 677	16.98 £



S 1111 K



HCS, side set, ground
Coarse wood, free of nails (<175 mm), firewood (diameter <175 mm)

8.5	3	225 x 19 x 1.25	HCS	175	C1c	2	5	007719	2 608 650 617	8.66 £
					C1c	5	5	016070	2 608 650 678	17.71 £



S 1617 K





HCS, side set, ground
Coarse wood, free of nails (<250 mm), pruning green wood (diameter <250 mm)



8.5	3	300 x 19 x 1.25	HCS	250	C1c	5	5	016278	2 608 650 679	21.64 £
-----	---	--------------------	-----	-----	-----	---	---	--------	----------------------	---------

Reciprocating Saw Blade Sets

Reciprocating saw blades Tough Box Sets

Set contents	ORDERING INFORMATION							
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
 <p>15-piece reciprocating saw blade set Wood and Metal Basic</p>	S 918 AF Basic for Metal							
	P1k	5	1	846479	2 607 010 901	49.12 £		
	S 918 BF Basic for Metal							
	S 617 K Basic for Wood							
 <p>20-piece reciprocating saw blade set Wood and Metal</p>	S 922 EF Flexible for Metal							
	P1k	5	1	846486	2 607 010 902	61.71 £		
	S 922 BF Flexible for Metal							
	S 922 HF Flexible for Wood and Metal							
	S 644 D Top for Wood							

Reciprocating saw blades Blister Sets

 <p>6-piece reciprocating saw blade set Wood and Metal</p>	S 922 EF Flexible for Metal							
	PC1b	1	1	846523	2 607 010 906	21.58 £		
	S 922 BF Flexible for Metal							
	S 1122 EF Flexible for Metal							
	S 1122 BF Flexible for Metal							
	S 1122 VF Flexible for Wood and Metal							
S 1122 VF Flexible for Wood and Metal								
 <p>6-piece reciprocating saw blade set Demolition</p>	S 925 VF Heavy for Metal							
	PC1b	2	1	846530	2 607 010 907	45.61 £		
	S 610 VF Heavy for Wood and Metal							
	S 1110 VF Heavy for Wood and Metal							
	S 1125 VF Heavy for Metal							
	S 1120 CF Heavy for Metal							
S 1120 CF Heavy for Metal								

Reciprocating saw blades Blister Sets



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
12-piece reciprocating saw blade set Demolition							
S 925 VF Heavy for Metal	PC1b	3	1	846547		2 607 010 908	92.58 £
S 610 VF Heavy for Wood and Metal		3					
S 1110 VF Heavy for Wood and Metal		2					
S 1125 VF Heavy for Metal		2					
S 1120 CF Heavy for Metal		2					

3-piece sawing handle set



PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Pocket saw							
Sawing handle with S 922 EF and S 922 VF reciprocating saw blades							
Saw handle	PC1b	1	12	633758		2 608 000 495	31.41 £
S 922 EF Flexible for Metal		1					
S 922 VF Flexible for Wood and Metal		1					

Saw blades for Bosch Multisaw PFZ 500 E




M-shank

Saw blades - Top for Wood for Bosch Multisaw PFZ 500 E


Sharp, fast, efficient

top Wood

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT




M 1131 L




HCS, side set, ground, very sharp teeth
Coarse wood, firewood, green wood, branches, gardening work

5	5	235 x 36 x 0.9	HCS	150	C1c	1	1	451611	2 608 650 414	23.36 £
---	---	----------------	-----	-----	-----	---	---	--------	---------------	---------



M 1142 H



HCS, ground
Especially optimised for clean cuts in wood, construction timber, panels and plastics.


2.3	11	235 x 36 x 0.9	HCS	150	C1c	1	1	413428	2 608 650 065	18.36 £
-----	----	----------------	-----	-----	-----	---	---	--------	---------------	---------

Saw blades - Progressor for Wood and Metal for Bosch Multisaw PFZ 500 E


universal, fast

PROGRESSOR Wood&Metal

PRODUCT PROPERTIES				ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT



M 3456 XF



BIM, side set, milled
Wood with nails/metal, wooden boards/chipboards (10-150 mm), sheet metals, pipes, profiles (5-18 mm), plastics: Pipes, profiles (diameter 10-150 mm)

2.2-4.6	6-12	235 x 36 x 0.9	150	C1c	1	1	413435	2 608 656 931	13.23 £
---------	------	----------------	-----	-----	---	---	--------	---------------	---------

Saw blades - Flexible for Metal for Bosch Multisaw PFZ 500 E

flexible, break-resistant

flexible 

PRODUCT PROPERTIES					ORDERING INFORMATION					
Tooth spacing [mm]	Tooth pitch [TPI]	Dimensions mm	Blade material abbreviation	Max. cut capacity [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT




M 1122 EF



BIM, side set, milled
Sheet metals (1.5-10 mm), profiles/pipes closed and open (<150 mm)

1.4	18	235 x 36 x 0.9	BIM	150	C1c	1	1	413442	2 608 656 932	13.23 £
-----	----	----------------	-----	-----	-----	---	---	--------	----------------------	---------



M 722 EF



BIM, side set, milled
Sheet metals (1.5-10 mm), profiles/pipes closed and open (<150 mm)

1.4	18	235 x 36 x 0.9	BIM	150	C1c	1	1	425063	2 608 656 973	13.23 £
-----	----	----------------	-----	-----	-----	---	---	--------	----------------------	---------

Saw blade set for Bosch Multisaw PFZ 500 E


PRODUCT PROPERTIES	ORDERING INFORMATION						
	Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3-piece saw blade set							
M 1142 H Top for Wood	C1c	1	1	413459	2 608 656 934	39.13 £	
M 3456 XF Progressor for Wood and Metal		1					
M 1122 EF Flexible for Metal		1					



Saw blades for the Bosch tandem all purpose saw


Saw blade set for Bosch tandem all purpose saw for wood

For wood

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
 2-piece HCS saw blade set TF 350 M for wood Suitable for GFZ 14-35 A; GFZ 16-35 AC Professional				3 165 140...			
408	C1c	2	1	076005	2 608 632 120	36.12 £	

Saw blade set for Bosch tandem all purpose saw for aerated concrete

For aerated concrete

 2-piece carbide saw blade set TF 350 NHM For aerated concrete (Ytong, Siporex) Suitable for GFZ 14-35 A; GFZ 16-35 AC Professional						
408	C1c	2	1	076029	2 608 632 123	72.85 £

Accessories for Bosch Power Tenon Saw GFS 350 E Professional

Flush cutting saw blades for Bosch Power Tenon Saw GFS 350 E Professional



- ▶ **Suitable for** flush cutting. For cuts up to 40 mm deep
- ▶ Fine teeth, can be used on left and right
- ▶ SDS fitting for tool-free saw blade changes
- ▶ Flush cutting saw blades made of HCS and HAS (with hardened teeth)

PRODUCT PROPERTIES			ORDERING INFORMATION						
Material	Length of teeth mm	Tooth spacing [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Flush cutting saw blade FS 200 AB									
Suitable for soft and hard wood.									
HCS	200	1.25	C1c	1	1	182669	2 608 661 200	21.16 £	
Flush cutting saw blade FS 200 ABU									
Suitable for wood combination materials.									
HAS	200	1.25	C1c	1	1	182676	2 608 661 201	22.31 £	



Cutting saw blades for Bosch Power Tenon Saw GFS 350 E Professional



- ▶ **Suitable for** cut-off sawing, can be used on left and right
- ▶ SDS fitting for tool-free saw blade changes
- ▶ Cutting saw blades made of HAS (with hardened teeth)

Cutting saw blade FS 180 AT								
fine, suitable for soft and hard wood								
HCS	145	1.25	C1c	1	1	182683	2 608 661 202	21.3 £
Cutting saw blade FS 180 ATU								
fine, suitable for wood combination materials								
HAS	145	1.25	C1c	1	1	182690	2 608 661 203	21.37 £
Cutting saw blade FS 180 DTU								
coarse, suitable for wood combination materials and plastics								
HAS	145	3	C1c	1	1	182713	2 608 661 205	24.03 £



Accessories for the Bosch Band Saws

Band saw blade for GCB 18 V-LI, GCB 18V-63 Professional



PRODUCT PROPERTIES			ORDERING INFORMATION						
Tooth spacing [mm]	Tooth pitch [TPI]	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
CB 281418 BIM band saw blade									
Suitable for GCB 18 V-LI; GCB 18V-63 Professional									
1.4-1.8	14-18	733	C2a	2	1	644907	2 608 649 000	37.11 £	
CB 2824 BIM band saw blade									
Suitable for GCB 18 V-LI; GCB 18V-63 Professional									
1	24	733	C2a	2	1	644914	2 608 649 001	37.11 £	



HOLE SAWS

For every material

The best your tool can get. Bosch Professional Accessories.

10
451



HOLE SAWS FOR POWER CHANGE PLUS SYSTEM

The complete range.



	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal	Diamond for Hard Ceramics
	EXPERT	EXPERT	EXPERT			
Page number	454	458	465	463	467	469
Carbide Technology	✓	✓	✓	-	-	-
Diameter mm	20 - 152	19 - 159	20 - 68	14 - 210	16 - 152	19 - 83
Max. cutting depth mm	60	60	5	44	20	39
Compatible pilot drill types	HSS-G / HSS-Co / Carbide	HSS-G / Carbide	HSS-Co	HSS-G / HSS-Co	HSS-Co	AutoStart
Pilot drill length mm	105	105	55	85	65	-










MATERIALS

Wood	✓	✓	-	✓	-	-
Metal	✓	-	✓	✓	✓	-
Plastic	✓	✓	-	✓	-	-
Others	✓	✓	-	✓	-	✓













*Bosch EXPERT products vs. Bosch standard products

ACCESSORIES FOR POWER CHANGE HOLESAWS

Power Change Plus: the Bosch Quick Change system.

						
	Tough Material	Construction Material	Sheet Metal Carbide	Progressor for Wood and Metal	Special for Sheet Metal	Diamond for Hard Ceramics
	EXPERT	EXPERT	EXPERT			
Page number	454	458	465	463	467	469
Pilot drill length mm	105	105	55	85	65	-
						

POWER CHANGE PLUS ADAPTERS

8.7mm 2 608 594 264						
11mm 2 608 594 265						
SDS Plus 2 608 594 266						

PILOT DRILL BIT

Wood/Plastic	2 608 900 528	2 608 900 528	-	2 608 594 254	-	-
Metal	2 608 900 530	-	2 608 900 503	2 608 594 255	2 608 594 257	-
Brick	2 608 900 529	2 608 900 529	-	-	-	-
Soft Tile	2 608 900 529	2 608 900 529	-	-	-	-
Tile	-	-	-	-	-	2 608 580 529

*Bosch EXPERT products vs. Bosch standard products

LONG LIFE CUTTING HOLES IN MULTI MATERIAL

EXPERT Tough Material Hole Saws

ASSORTMENT: \varnothing 20 – 152 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Individually ground teeth made from fine, hard Carbide
- 3 Patent slot design for better view and plug ejection



CARBIDE TECHNOLOGY

EXPERT Tough Material Hole Saws

EXPERT



- ▶ Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Lasts up to 50x longer than a BiMetal hole saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



CARBIDE TECHNOLOGY UP TO 50x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
20	60	PC1b	1	1	535654	2 608 900 419	31.57 £	
22	60	PC1b	1	1	535661	2 608 900 420	33.04 £	
25	60	PC1b	1	1	535678	2 608 900 421	33.04 £	

454 10

EXPERT Tough Material Hole Saws

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
32	60	PC1b	1	1	535685	2 608 900 422	36 £	
35	60	PC1b	1	1	535692	2 608 900 423	36 £	
38	60	PC1b	1	1	535708	2 608 900 424	38.27 £	
40	60	PC1b	1	1	535715	2 608 900 425	38.27 £	
44	60	PC1b	1	1	535722	2 608 900 426	40.54 £	
51	60	PC1b	1	1	535739	2 608 900 427	43.27 £	
54	60	PC1b	1	1	535746	2 608 900 428	53.37 £	
60	60	PC1b	1	1	535753	2 608 900 429	55.87 £	
64	60	PC1b	1	1	535760	2 608 900 430	55.87 £	
65	60	PC1b	1	1	535777	2 608 900 431	67.21 £	
67	60	PC1b	1	1	535784	2 608 900 432	57.69 £	
68	60	PC1b	1	1	535791	2 608 900 433	57.69 £	
70	60	PC1b	1	1	535807	2 608 900 434	58.82 £	
73	60	PC1b	1	1	535814	2 608 900 435	60.42 £	
76	60	PC1b	1	1	535821	2 608 900 436	60.42 £	
80	60	PC1b	1	1	535838	2 608 900 437	65.19 £	
83	60	PC1b	1	1	535845	2 608 900 438	62.69 £	
102	60	PC1b	1	1	535852	2 608 900 439	94.26 £	
105	60	PC1b	1	1	535869	2 608 900 440	114.31 £	
111	60	PC1b	1	1	535876	2 608 900 441	168.68 £	
114	60	PC1b	1	1	535883	2 608 900 442	202.15 £	
127	60	PC1b	1	1	535890	2 608 900 443	205.25 £	
152	60	C1a	1	1	535906	2 608 900 444	263.61 £	

EXPERT Tough Material Hole Saw Starter Kits

EXPERT



- ▶ Ideal for cutting neat holes up to 60mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Long Life Hole Saw and Super Fast Arbor.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x adapter nut 14-30 mm, 1 x adapter nut 32-210 mm								
51	60	PC1b	1	1	535951	2 608 900 449	59.87 £	
68	60	PC1b	1	1	535968	2 608 900 450	69.9 £	

10 455

EXPERT Tough Material Hole Saw Sets

EXPERT



- ▶ Ideal for cutting neat holes up to 60mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Lasts up to 50x longer than a BiMetal hole saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
9-piece Universal Set Tough Material 6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm								
22	60	P1k	9	1	535913	2 608 900 445	325.27 £	
25								
35								
51								
60								
68								
22	60	P1k	9	1	535920	2 608 900 446	307.68 £	
25								
35								
40								
51								
68								
14-piece Universal Set Tough Material 11 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-G 105 mm, 1 x pilot drill bit Carbide 105 mm								
20	60	P1k	14	1	535937	2 608 900 447	530.25 £	
22								
25								
32								
35								
40								
44								
51								
60								
64								
76								
20	60	P1k	14	1	535944	2 608 900 448	532.07 £	
22								
25								
32								
35								
40								
44								
51								
60								
68								
76								

456 **10**

EXPERT Power Change Plus Hole Saw System Adapters

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than a standard adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
PC Plus mandrel 7/16" 11 mm Hex shank incl. HSS-G drill bit 7.15 x 105 mm	7.15	105	PC1b	2	1	536736	2 608 900 527	42.3 £
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm	8.5	105	PC1b	2	1	536729	2 608 900 526	40.64 £

EXPERT Power Change Plus Pilot Drill Bits

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than a standard adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pilot drill Plus HSS-G for steel, plastic, wood and drywall	7.15	105	PC1b	1	5	536743	2 608 900 528	14.68 £
Pilot drill Plus HSS-Co for steel, stainless steel and FRP	7.15	105	PC1b	1	5	536767	2 608 900 530	20.55 £
Pilot drill Plus TCT for brick and tiles	8.5	105	PC1b	1	5	536750	2 608 900 529	19.08 £

LONG LIFE CUTTING HOLES IN BRICK AND PARTICLE BOARD

EXPERT Construction Material Hole Saws

ASSORTMENT: Ø 19 – 159 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Individually ground teeth made from fine, hard Carbide
- 3 Efficient chip extraction through large slots



CARBIDE TECHNOLOGY

EXPERT Construction Material Hole Saws

EXPERT



- ▶ Ideal for cutting neat holes up to 60 mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switches, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Lasts up to 50x longer than HCS hole saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



CARBIDE TECHNOLOGY UP TO 50x* LONG LIFE

PRODUCT PROPERTIES			ORDERING INFORMATION					Part number	Price without VAT
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...				
19	60	PC1b	1	1	535975	2 608 900 451	21.31 £		
20	60	PC1b	1	1	535982	2 608 900 452	21.31 £		
22	60	PC1b	1	1	535999	2 608 900 453	22.29 £		

458 10

EXPERT Construction Material Hole Saws

EXPERT

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
25	60	PC1b	1	1	536002	2 608 900 454	22.29 £	
30	60	PC1b	1	1	536019	2 608 900 455	23.27 £	
32	60	PC1b	1	1	536026	2 608 900 456	24.27 £	
35	60	PC1b	1	1	536033	2 608 900 457	25.46 £	
38	60	PC1b	1	1	536040	2 608 900 458	25.79 £	
40	60	PC1b	1	1	536057	2 608 900 459	27.44 £	
41	60	PC1b	1	1	536064	2 608 900 460	27.65 £	
44	60	PC1b	1	1	536071	2 608 900 461	28.71 £	
48	60	PC1b	1	1	536088	2 608 900 462	29.13 £	
51	60	PC1b	1	1	536095	2 608 900 463	29.13 £	
54	60	PC1b	1	1	536101	2 608 900 464	34.52 £	
57	60	PC1b	1	1	536118	2 608 900 465	36.04 £	
60	60	PC1b	1	1	536125	2 608 900 466	37.55 £	
64	60	PC1b	1	1	536132	2 608 900 467	37.55 £	
65	60	PC1b	1	1	536149	2 608 900 468	38.77 £	
67	60	PC1b	1	1	536156	2 608 900 469	38.77 £	
68	60	PC1b	1	1	536163	2 608 900 470	39.53 £	
70	60	PC1b	1	1	536170	2 608 900 471	39.53 £	
73	60	PC1b	1	1	536187	2 608 900 472	40.59 £	
76	60	PC1b	1	1	536194	2 608 900 473	40.59 £	
79	60	PC1b	1	1	536200	2 608 900 474	42.11 £	
80	60	PC1b	1	1	536217	2 608 900 475	51.12 £	
83	60	PC1b	1	1	536224	2 608 900 476	42.11 £	
86	60	PC1b	1	1	536231	2 608 900 477	44.24 £	
92	60	PC1b	1	1	536248	2 608 900 478	46.51 £	
98	60	PC1b	1	1	536255	2 608 900 479	56 £	
102	60	PC1b	1	1	536262	2 608 900 480	58.28 £	
105	60	PC1b	1	1	536279	2 608 900 481	59.99 £	
111	60	PC1b	1	1	536286	2 608 900 482	84.87 £	
114	60	PC1b	1	1	536293	2 608 900 483	101.71 £	
121	60	PC1b	1	1	536309	2 608 900 484	115.25 £	
127	60	PC1b	1	1	536316	2 608 900 485	120.35 £	
140	60	C1a	1	1	536323	2 608 900 486	126.34 £	
152	60	C1a	1	1	536330	2 608 900 487	132.64 £	
159	60	C1a	1	1	536347	2 608 900 488	141.3 £	

EXPERT Construction Material Hole Saw Sets

EXPERT



- ▶ Ideal for cutting neat holes up to 60mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; holes for sockets, light switch, junction boxes; holes for recessed lighting, fire alarms, presence detectors; or for ducting for cool-air or drying air.
- ▶ Best for electricians and plumbers: long lasting and highly versatile.
- ▶ Lasts up to 50x longer than HCS hole saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
15-piece Universal Set Construction Material								
11 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-Co 105 mm, 1 x pilot drill bit Carbide 105mm, 1 x spade bit 150x8 mm								
20	60	P1k	15	1	536354	2 608 900 489	372.55 £	
22								
25								
32								
35								
40								
44								
51								
60								
68								
76								
10-piece Universal Set Construction Material								
6 x hole saws incl. 1 x Power Change Plus Hex 11 mm, 1 x pilot drill bit HSS-Co 105 mm, 1 x pilot drill bit Carbide 105mm, 1 x spade bit 150x8 mm								
20	60	P1k	10	1	536361	2 608 900 490	246.24 £	
25								
32								
38								
51								
64								

EXPERT Power Change Plus Hole Saw System Adapters

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than a standard adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
PC Plus mandrel 7/16" 11 mm Hex shank incl. HSS-G drill bit 7.15 x 105 mm	7.15	105	PC1b	2	1	536736	2 608 900 527	42.3 £
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm	8.5	105	PC1b	2	1	536729	2 608 900 526	40.64 £

EXPERT Power Change Plus Pilot Drill Bits

EXPERT




- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than a standard adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pilot drill Plus HSS-G for steel, plastic, wood and drywall	7.15	105	PC1b	1	5	536743	2 608 900 528	14.68 £
Pilot drill Plus HSS-Co for steel, stainless steel and FRP	7.15	105	PC1b	1	5	536767	2 608 900 530	20.55 £
Pilot drill Plus TCT for brick and tiles	8.5	105	PC1b	1	5	536750	2 608 900 529	19.08 £

Progressor for Wood and Metal holesaws



► The cutting quality depends on the correct speed and the coolant used (see operating instructions).

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT

BIM Progressor Hole Saw offers 2x longer lifetime than predecessor




14	44	PC1b	1	1	949644	2 608 594 195	13.79 £
16	44	PC1b	1	1	949651	2 608 594 196	16.14 £
17	44	PC1b	1	1	949668	2 608 594 197	16.14 £
19	44	PC1b	1	1	949675	2 608 594 198	16.86 £
20	44	PC1b	1	1	949682	2 608 594 199	16.86 £
21	44	PC1b	1	1	949699	2 608 594 200	16.86 £
22	44	PC1b	1	1	949705	2 608 594 201	17.66 £
24	44	PC1b	1	1	949712	2 608 594 202	17.66 £
25	44	PC1b	1	1	949729	2 608 594 203	17.66 £
27	44	PC1b	1	1	949736	2 608 594 204	18.02 £
29	44	PC1b	1	1	949743	2 608 594 205	18.02 £
30	44	PC1b	1	1	949750	2 608 594 206	18.62 £
32	44	PC1b	1	1	949767	2 608 594 207	19.24 £
33	44	PC1b	1	1	949774	2 608 594 208	19.24 £
35	44	PC1b	1	1	949781	2 608 594 209	20.37 £
37	44	PC1b	1	1	949798	2 608 594 210	20.8 £
38	44	PC1b	1	1	949804	2 608 594 211	20.44 £
40	44	PC1b	1	1	949811	2 608 594 212	21.96 £
41	44	PC1b	1	1	949828	2 608 594 213	22.12 £
43	44	PC1b	1	1	949835	2 608 594 214	22.97 £
44	44	PC1b	1	1	949842	2 608 594 215	22.97 £
46	44	PC1b	1	1	949859	2 608 594 216	23.12 £
48	44	PC1b	1	1	949866	2 608 594 217	23.12 £
51	44	PC1b	1	1	949873	2 608 594 218	23.12 £
52	44	PC1b	1	1	949880	2 608 594 219	27.43 £
54	44	PC1b	1	1	949897	2 608 594 220	27.43 £
56	44	PC1b	1	1	949903	2 608 594 221	27.43 £
57	44	PC1b	1	1	949910	2 608 594 222	28.63 £
59	44	PC1b	1	1	949927	2 608 594 223	28.63 £
60	44	PC1b	1	1	949934	2 608 594 224	29.85 £
64	44	PC1b	1	1	949941	2 608 594 225	29.85 £
65	44	PC1b	1	1	949958	2 608 594 226	30.82 £
67	44	PC1b	1	1	949965	2 608 594 227	30.82 £
68	44	PC1b	1	1	949972	2 608 594 228	31.43 £
70	44	PC1b	1	1	949989	2 608 594 229	31.43 £
73	44	PC1b	1	1	949996	2 608 594 230	32.28 £
76	44	PC1b	1	1	950008	2 608 594 231	32.28 £
79	44	PC1b	1	1	950015	2 608 594 232	33.5 £
83	44	PC1b	1	1	950022	2 608 594 233	33.5 £
86	44	PC1b	1	1	950039	2 608 594 234	35.19 £
89	44	PC1b	1	1	950046	2 608 594 235	35.19 £
92	44	PC1b	1	1	950053	2 608 594 236	37.01 £
95	44	PC1b	1	1	950060	2 608 594 237	43.26 £
98	44	PC1b	1	1	950077	2 608 594 238	46.23 £
102	44	PC1b	1	1	950084	2 608 594 239	50.36 £
105	44	PC1b	1	1	950091	2 608 594 240	52.43 £
108	44	PC1b	1	1	950107	2 608 594 241	61.76 £
111	44	PC1b	1	1	950114	2 608 594 242	77.35 £
114	44	PC1b	1	1	950121	2 608 594 243	92.7 £
121	44	C1a	1	1	950138	2 608 594 244	105.02 £
127	44	C1a	1	1	950145	2 608 594 245	109.66 £
133	44	C1a	1	1	950152	2 608 594 246	112.25 £
140	44	C1a	1	1	950169	2 608 594 247	115.15 £

Progressor for Wood and Metal holesaws


PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
152	44	C1a	1	1	950176		2 608 594 248	120.89 £
168	44	C1a	1	1	950183		2 608 594 249	133.63 £
177	44	C1a	1	1	950190		2 608 594 250	140.76 £
210	44	C1a	1	1	950206		2 608 594 251	166.86 £

Progressor for Wood and Metal holesaw sets



9-piece Sanitary-Set Progressor for Wood&Metal
6 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit

20	44		9	1	949583		2 608 594 189	180.62 £
25								
32								
38								
51								
64								



14-piece Universal-Set Progressor for Wood&Metal
11 holesaws, 1 Power-Change Plus Hex 11 mm, 2 HSS pilot drill bit

20	44		14	1	949613		2 608 594 192	301.31 £
22								
25								
32								
35								
40								
44								
51								
60								
64								
76								



Empty holesaw carrying case for compiling your own individual set
For PC holesaws with a cutting depth < 45 mm

-	40	U0	1	1	704663		2 608 580 883	34.79 £
---	----	----	---	---	--------	--	----------------------	---------

464 10


LONG LIFE CUTTING HOLES IN STAINLESS STEEL

EXPERT Sheet Metal Hole Saws

ASSORTMENT: \varnothing 20 – 68 mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Individually ground teeth made from fine, hard Carbide
- 3 Made from one piece of metal for ultimate stability



CARBIDE TECHNOLOGY

EXPERT Sheet Metal Hole Saws

EXPERT



- ▶ Ideal for cutting neat holes up to 5mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switches and junction boxes.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than a BiMetal hole saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



CARBIDE TECHNOLOGY UP TO 50x* LONG LIFE

10 465

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
20	5	PC1b	1	1	536378	2 608 900 491	45.97 £	
21	5	PC1b	1	1	536385	2 608 900 492	45.97 £	
22	5	PC1b	1	1	536392	2 608 900 493	48.12 £	
25	5	PC1b	1	1	536408	2 608 900 494	48.12 £	


EXPERT Sheet Metal Hole Saws

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
27	5	PC1b	1	1	536415	2 608 900 495	49.12 £	
30	5	PC1b	1	1	536422	2 608 900 496	49.12 £	
32	5	PC1b	1	1	536439	2 608 900 497	52.42 £	
35	5	PC1b	1	1	536446	2 608 900 498	52.42 £	
40	5	PC1b	1	1	536453	2 608 900 499	55.73 £	
51	5	PC1b	1	1	536460	2 608 900 500	63.01 £	
68	5	PC1b	1	1	536477	2 608 900 501	85.66 £	

EXPERT Sheet Metal Hole Saw Sets

EXPERT



- ▶ Ideal for cutting neat holes up to 5mm in depth, for example for tubing for electricians' wires and plumbers' fresh & waste water pipes; and holes for sockets, light switch, junction boxes.
- ▶ Best for metalworkers: long lasting and precise.
- ▶ Lasts up to 50x longer than a BiMetal hole saw in tough materials.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
6-piece Set Sheet Metal 3 x hole saws, incl. 1 x Power Change Plus Hex 11 mm, 2 x pilot drill bit HSS-Co with ejection spring								
22	5	P1k	6	1	536484	2 608 900 502	198.73 £	
25								
32								

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than a standard adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.




PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pilot drill bit HSS-Co for metal and stainless steel	6	55	PC1b	1	5	536491	2 608 900 503	13.85 £

Special for Sheet Metal holesaws

special for **SheetMetal**

- ▶ The cutting quality depends on the correct speed and the coolant used (see operating instructions).
- ▶ The diameters 16-22 mm are without ejection spring



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
16	20	PC1b	1	1	375993	2 608 584 778	14.33 £	
17	20	PC1b	1	1	376006	2 608 584 779	14.33 £	
19	20	PC1b	1	1	376013	2 608 584 780	15 £	
20	20	PC1b	1	1	376020	2 608 584 781	15 £	
21	20	PC1b	1	1	376037	2 608 584 782	15 £	
22	20	PC1b	1	1	376044	2 608 584 783	15.71 £	
25	20	PC1b	1	1	376051	2 608 584 784	15.71 £	
27	20	PC1b	1	1	376068	2 608 584 785	16 £	
29	20	PC1b	1	1	376075	2 608 584 786	16.86 £	
30	20	PC1b	1	1	376082	2 608 584 787	17.68 £	
32	20	PC1b	1	1	376099	2 608 584 788	17.68 £	
33	20	PC1b	1	1	376105	2 608 584 789	17.99 £	
35	20	PC1b	1	1	376112	2 608 584 790	19.35 £	
38	20	PC1b	1	1	376129	2 608 584 791	19.35 £	
40	20	PC1b	1	1	376136	2 608 584 792	20.85 £	
41	20	PC1b	1	1	376143	2 608 584 793	21.02 £	
44	20	PC1b	1	1	376150	2 608 584 794	21.82 £	
48	20	PC1b	1	1	376167	2 608 584 795	21.9 £	
51	20	PC1b	1	1	376174	2 608 584 796	21.9 £	
54	20	PC1b	1	1	376181	2 608 584 797	24.37 £	
57	20	PC1b	1	1	376198	2 608 584 798	25.45 £	
60	20	PC1b	1	1	376204	2 608 584 799	26.52 £	
64	20	PC1b	1	1	376211	2 608 584 800	26.52 £	
65	20	PC1b	1	1	376228	2 608 584 801	27.42 £	
67	20	PC1b	1	1	376235	2 608 584 802	27.42 £	
68	20	PC1b	1	1	376242	2 608 584 803	27.93 £	



Special for Sheet Metal holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
70	20	PC1b	1	1	376259		2 608 584 804	27.93 £
73	20	PC1b	1	1	376266		2 608 584 805	28.71 £
76	20	PC1b	1	1	376273		2 608 584 806	28.71 £
79	20	PC1b	1	1	376280		2 608 584 807	29.78 £
83	20	PC1b	1	1	376297		2 608 584 808	29.78 £
86	20	PC1b	1	1	376303		2 608 584 809	31.87 £
89	20	PC1b	1	1	376310		2 608 584 810	31.26 £
102	20	PC1b	1	1	376327		2 608 584 811	44.74 £
127	20	C1a	1	1	433402		2 608 584 854	97.49 £
152	20	C1a	1	1	433419		2 608 584 855	107.46 £

Special for Sheet Metal holesaw accessories

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Ejection spring								
-	-	PC1b	2	5	376372		2 608 584 816	4.73 £



DIAMOND FOR HARD CERAMICS

No tiles are too hard.

LONG LIFE

in the hardest tiles thanks to the diamond coating

FAST, CLEAN CUTS


thanks to thin cutting edges

FAST AND SAFE ATTACHMENT AND RELEASE OF THE HOLESAW

with just one click thanks to the power-change adapter

EASY REMOVAL OF MATERIAL PIECES

due to the side holes



Diamond for Hard Ceramics holesaws



► The cutting quality depends on the correct speed and the coolant used (see operating instructions).



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
19	3/4	39	PC1b	1	1	488990	2 608 580 301	47.47 £
20	25/32	39	PC1b	1	1	489003	2 608 580 302	47.47 £
22	7/8	39	PC1b	1	1	489010	2 608 580 303	49.69 £
25	1	39	PC1b	1	1	489027	2 608 580 304	60.85 £
29	1 1/8	39	PC1b	1	1	489034	2 608 580 305	67.45 £
32	1 1/4	39	PC1b	1	1	489041	2 608 580 306	70.73 £
35	1 1/2	39	PC1b	1	1	489058	2 608 580 307	77.4 £
38	1 1/2	39	PC1b	1	1	489065	2 608 580 308	77.4 £
41	1 3/4	39	PC1b	1	1	515160	2 608 580 394	84.05 £
44	1 3/4	39	PC1b	1	1	489072	2 608 580 309	87.28 £
51	2	39	PC1b	1	1	489089	2 608 580 310	87.59 £
54	2 1/4	39	PC1b	1	1	489096	2 608 580 311	94.21 £
57	2 1/4	39	PC1b	1	1	489102	2 608 580 312	99.7 £
60	2 1/2	39	PC1b	1	1	489119	2 608 580 313	102.82 £
64	2 1/2	39	PC1b	1	1	489126	2 608 580 314	100.71 £
65	2 1/2	39	PC1b	1	1	489133	2 608 580 315	104.45 £
67	2 3/4	39	PC1b	1	1	489157	2 608 580 316	106.04 £
68	2 3/4	39	PC1b	1	1	489164	2 608 580 317	106.35 £
70	2 3/4	39	PC1b	1	1	489171	2 608 580 318	106.35 £

Diamond for Hard Ceramics holesaws

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Diameter inches	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
76	3	39	PC1b	1	1	489188	2 608 580 319	110.86 £
79	3 1/4	39	PC1b	1	1	489195	2 608 580 320	120.42 £
83	3 1/4	39	PC1b	1	1	489201	2 608 580 321	125.01 £

Diamond for Hard Ceramics holesaw accessories

PRODUCT PROPERTIES		ORDERING INFORMATION					
Total length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	Centring aid for diamond wet drill bits and holesaws						
230		C1a	1	1	489683	2 608 580 327	47.59 £



Auto Start centring aid system for diamond holesaws

Spring-mounted centring pin with tungsten carbide tip for starting to drill in hard materials

-		PC1a	1	1	575522	2 608 580 529	38.26 £
---	--	------	---	---	--------	----------------------	---------



Pressurised water bottle

For water cooling of the diamond wet drill bits and holesaws

max. filling volume 0.9 l

Including hose (1.8 m long)

-		C1a	1	1	495820	2 608 190 048	22.81 £
---	--	-----	---	---	--------	----------------------	---------




MAXIMUM SPEED CHANGING HOLE SAWS AND DRILL BITS

Expert Power Change Plus

ASSORTMENT: Takes a full range of hole saws

EXPERT

- 1 Enjoy maximum efficiency with one of Bosch's Quick Change systems
- 2 One-click system, no need for extra tools
- 3 Reinforced shank transition for longer shank life
- 4 Designed for fast and easy plug removal
- 5 Takes a full range of hole saws



EXPERT Power Change Plus Hole Saw System Adapters

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than a standard adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



10 471

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
PC Plus mandrel 7/16" 11 mm Hex shank incl. TCT drill bit 8.5 x 105 mm	8.5	105	PC1b	2	1	536729	2 608 900 526	40.64 £
PC Plus mandrel 7/16" 11 mm Hex shank incl. HSS-G drill bit 7.15 x 105 mm	7.15	105	PC1b	2	1	536736	2 608 900 527	42.3 £

EXPERT Power Change Plus Pilot Drill Bits

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than a standard adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode		Part number	Price without VAT
Pilot drill Plus HSS-G for steel, plastic, wood and drywall	7.15	105	PC1b	1	5	536743	2 608 900 528	14.68 £
Pilot drill Plus HSS-Co for steel, stainless steel and FRP	7.15	105	PC1b	1	5	536767	2 608 900 530	20.55 £
Pilot drill Plus TCT for brick and tiles	8.5	105	PC1b	1	5	536750	2 608 900 529	19.08 £

EXPERT Power Change Plus Sheet Metal Pilot Drill Bits

EXPERT



- ▶ Ideal for changing hole saws quickly and efficiently, for example when cutting different diameter holes during bathroom fitting; can also be used to drill pilot holes without a hole saw, without removing the arbour.
- ▶ Best for tradesmen: fast and efficient.
- ▶ Up to 5x faster than a standard adapter.
- ▶ For use with the Bosch Power Change Plus keyless arbor: offering accuracy and robustness.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
Pilot drill bit HSS-Co for metal and stainless steel	6	55	PC1b	1	5	536491	2 608 900 503	13.85 £

Pilot drill bits for Power Change Plus adapters (blue)




PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
-	-	PC1a	1	1	575522	2 608 580 529	38.26 £	

Auto Start centring aid system for diamond holesaws

Spring-mounted centring pin with tungsten carbide tip for starting to drill in hard materials



Pilot drill bits for Power Change adapters (black)

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
 <p>Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips</p>								
7.15	120	PC1d	1	1	375924	2 608 584 777	16.61 £	
 <p>HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point</p>								
7.15	120	C1b	1	5	414609	2 608 584 843	18.26 £	
 <p>Auto Start centring aid system for diamond holesaws Spring-mounted centring pin with tungsten carbide tip for starting to drill in hard materials</p>								
-	-	PC1a	1	1	575522	2 608 580 529	38.26 £	

Transition adapter nuts for holesaws



PRODUCT PROPERTIES	ORDERING INFORMATION						
	Packaging type	Pack quantity	Minimum order quantity	Barcode		Part number	Price without VAT
	PC1c	6	1	262705		2 608 584 682	14.26 £

6-piece extension adapter set for standard holesaws from competitors (for example, Starrett, Baco, Lenox etc.) with 2 adapters for diameter 14-30 mm (1/2"-20UNF thread), 4 adapters for diameter 32-210 mm (5/8"-18UNF thread)

Universal Cutting Oil



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Universal cutting oil	Use of the universal cutting oil increases the operational life several times over when cutting metal					
	M0b	1	1	271240	2 607 001 409	10.33 £

HSS bi-metal holesaws with 8% Cobalt for standard adapters




PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
14	44	C1a	1	1	195737	2 608 584 147	10.97 £	
16	44	C1a	1	1	087407	2 608 584 100	10.35 £	
17	44	C1a	1	1	104340	2 608 584 140	10.35 £	
19	44	C1a	1	1	087414	2 608 584 101	10.81 £	
20	44	C1a	1	1	087421	2 608 584 102	10.81 £	
21	44	C1a	1	1	087438	2 608 584 103	10.81 £	
22	44	C1a	1	1	087445	2 608 584 104	11.31 £	
24	44	C1a	1	1	104357	2 608 584 141	11.31 £	
25	44	C1a	1	1	087452	2 608 584 105	11.2 £	
27	44	C1a	1	1	087469	2 608 584 106	11.56 £	
29	44	C1a	1	1	087476	2 608 584 107	12.43 £	
30	44	C1a	1	1	087483	2 608 584 108	13.03 £	
32	44	C1a	1	1	087490	2 608 584 109	13.03 £	
33	44	C1a	1	1	104364	2 608 584 142	13.25 £	
35	44	C1a	1	1	087506	2 608 584 110	14.26 £	
37	44	C1a	1	1	429597	2 608 584 846	14.56 £	
38	44	C1a	1	1	087513	2 608 584 111	14.26 £	
40	44	C1a	1	1	087520	2 608 584 112	15.37 £	
41	44	C1a	1	1	087537	2 608 584 113	15.49 £	
43	44	C1a	1	1	104371	2 608 584 143	16.09 £	
44	44	C1a	1	1	087544	2 608 584 114	16.09 £	
46	44	C1a	1	1	087551	2 608 584 115	16.14 £	
48	44	C1a	1	1	087568	2 608 584 116	16.14 £	
51	44	C1a	1	1	087575	2 608 584 117	16.14 £	
52	44	C1a	1	1	429603	2 608 584 847	17.72 £	
54	44	C1a	1	1	087582	2 608 584 118	17.35 £	
56	44	C1a	1	1	429610	2 608 584 848	18.67 £	
57	44	C1a	1	1	087599	2 608 584 119	18.36 £	
59	44	C1a	1	1	429627	2 608 584 849	19.25 £	
60	44	C1a	1	1	087605	2 608 584 120	18.94 £	
64	44	C1a	1	1	087612	2 608 584 121	18.98 £	
65	44	C1a	1	1	087629	2 608 584 122	19.59 £	
67	44	C1a	1	1	104388	2 608 584 144	19.53 £	
68	44	C1a	1	1	087636	2 608 584 123	19.98 £	
70	44	C1a	1	1	087643	2 608 584 124	19.98 £	
73	44	C1a	1	1	104395	2 608 584 145	20.51 £	
76	44	C1a	1	1	087650	2 608 584 125	20.42 £	
79	44	C1a	1	1	087667	2 608 584 126	21.27 £	
83	44	C1a	1	1	087674	2 608 584 127	21.58 £	
86	44	C1a	1	1	429634	2 608 584 850	23.48 £	
89	44	C1a	1	1	087681	2 608 584 128	23 £	
92	44	C1a	1	1	087698	2 608 584 129	24.35 £	
95	44	C1a	1	1	087704	2 608 584 130	27.42 £	
98	44	C1a	1	1	429641	2 608 584 851	29.49 £	
102	44	C1a	1	1	087711	2 608 584 131	29.41 £	
105	44	C1a	1	1	087728	2 608 584 132	30.68 £	
108	44	C1a	1	1	096607	2 608 584 135	36.32 £	
111	44	C1a	1	1	429658	2 608 584 852	44.22 £	
114	44	C1a	1	1	087735	2 608 584 133	52.98 £	
121	44	C1a	1	1	087742	2 608 584 134	60.03 £	
127	44	C1a	1	1	096614	2 608 584 136	64.24 £	
133	44	C1a	1	1	413305	2 608 584 838	62.87 £	
140	44	C1a	1	1	096621	2 608 584 137	67.46 £	
146	44	C1a	1	1	413312	2 608 584 839	67.52 £	
152	44	C1a	1	1	096638	2 608 584 138	70.82 £	
168	44	C1a	1	1	413329	2 608 584 840	78.25 £	

HSS bi-metal holesaws with 8% Cobalt for standard adapters

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
177	44	C1a	1	1	413336		2 608 584 841	80.47 £
210	44	C1a	1	1	413343		2 608 584 842	97.77 £

HSS bi-metal holesaws Ecoline for standard adapters




14	38	C1a	1	1	518185		2 608 580 396	7.06 £
16	38	C1a	1	1	518192		2 608 580 397	6.45 £
17	38	C1a	1	1	518208		2 608 580 398	6.45 £
19	38	C1a	1	1	518215		2 608 580 399	6.74 £
20	38	C1a	1	1	518222		2 608 580 400	6.74 £
21	38	C1a	1	1	518239		2 608 580 401	6.74 £
22	38	C1a	1	1	518246		2 608 580 402	7.08 £
24	38	C1a	1	1	518253		2 608 580 403	7.08 £
25	38	C1a	1	1	518260		2 608 580 404	7.2 £
27	38	C1a	1	1	518277		2 608 580 405	7.43 £
29	38	C1a	1	1	518284		2 608 580 406	7.99 £
30	38	C1a	1	1	518291		2 608 580 407	8.37 £
32	38	C1a	1	1	518307		2 608 580 408	8.37 £
33	38	C1a	1	1	518314		2 608 580 409	8.53 £
35	38	C1a	1	1	518321		2 608 580 410	9.17 £
37	38	C1a	1	1	518338		2 608 580 411	9.36 £
38	38	C1a	1	1	518345		2 608 580 412	9.17 £
40	38	C1a	1	1	518352		2 608 580 413	9.88 £
41	38	C1a	1	1	518369		2 608 580 414	9.95 £
43	38	C1a	1	1	518376		2 608 580 415	10.34 £
44	38	C1a	1	1	518383		2 608 580 416	10.34 £
46	38	C1a	1	1	518390		2 608 580 417	10.37 £
48	38	C1a	1	1	518406		2 608 580 418	10.37 £
51	38	C1a	1	1	518413		2 608 580 419	10.37 £
52	38	C1a	1	1	518420		2 608 580 420	11.39 £
54	38	C1a	1	1	518437		2 608 580 421	11.15 £
56	38	C1a	1	1	518444		2 608 580 422	12.01 £
57	38	C1a	1	1	518451		2 608 580 423	11.81 £
59	38	C1a	1	1	518468		2 608 580 424	12.38 £
60	38	C1a	1	1	518475		2 608 580 425	12.18 £
64	38	C1a	1	1	518482		2 608 580 426	11.93 £
65	38	C1a	1	1	518499		2 608 580 427	12.34 £
67	38	C1a	1	1	518505		2 608 580 428	12.56 £
68	38	C1a	1	1	518512		2 608 580 429	12.56 £
70	38	C1a	1	1	518529		2 608 580 430	12.56 £
73	38	C1a	1	1	518536		2 608 580 431	12.93 £
76	38	C1a	1	1	518543		2 608 580 432	13.14 £
79	38	C1a	1	1	518550		2 608 580 433	13.41 £
83	38	C1a	1	1	518567		2 608 580 434	13.88 £
86	38	C1a	1	1	518574		2 608 580 435	15.1 £
89	38	C1a	1	1	518581		2 608 580 436	14.78 £
92	38	C1a	1	1	518598		2 608 580 437	15.66 £
95	38	C1a	1	1	518604		2 608 580 438	17.29 £
98	38	C1a	1	1	518611		2 608 580 439	18.96 £
102	38	C1a	1	1	518628		2 608 580 440	20.15 £
105	38	C1a	1	1	518635		2 608 580 441	20.97 £
108	38	C1a	1	1	518642		2 608 580 442	24.71 £
111	38	C1a	1	1	518659		2 608 580 443	30.93 £
114	38	C1a	1	1	518666		2 608 580 444	38 £

HSS bi-metal holesaws Ecoline for standard adapters

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Working length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
121	38	C1a	1	1	518673		2 608 580 445	43.05 £
127	38	C1a	1	1	518680		2 608 580 446	44.95 £
140	38	C1a	1	1	518697		2 608 580 447	46.07 £
152	38	C1a	1	1	518703		2 608 580 448	48.34 £

HSS bi-metal holesaw Ecoline sets



9-piece plumber set, HSS bi-metal holesaws
6 holesaws, 2 hexagon socket adapters including pilot drill bit, 1 hexagon nutsetter

19	40	U0	8	1	641708		2 608 580 803	91.81 £
22								
29								
38								
44								
57								








9-piece electrician set, HSS bi-metal holesaws
6 holesaws, 2 hexagon socket adapters including pilot drill bit, 1 hexagon nutsetter






20	40	U0	8	1	641449		2 608 580 804	91.81 £
25								
32								
38								
51								
64								





Tool-free quick change adapter for threaded hole saws

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	Hex adapter for 1/2" and 5/8" thread with HSS-G pilot drill bit (1/4" fitting) Width across flats 9.5 mm, for diameter 14 mm, 9/16" - diameter 210 mm, 8 9/32" (in metal up to 152 mm diameter)	PC1b	1	1	698269	2 609 390 589	41.12 £	
	SDS plus adapter for 1/2" and 5/8" thread with HSS-G pilot drill bit (1/4" fitting) for diameter 14 mm, 9/16" - diameter 210 mm, 8 9/32" (in metal up to 152 mm diameter)	PC1b	1	1	698276	2 609 390 590	45.4 £	
	HSS-G pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point	PC1d	1	1	716161	2 609 390 592	9.93 £	
	HSS-Co pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 135° point angle and split point	C1b	1	5	414609	2 608 584 843	18.26 £	
	Tungsten carbide pilot drill bit for holesaws with cutting capacity <60 mm with 1/4" hex shank, 118° drill bit tip. Centred, special multi-purpose diamond-ground carbide tips	PC1d	1	1	375924	2 608 584 777	16.61 £	




Standard adapter for threaded holesaws

PRODUCT PROPERTIES		ORDERING INFORMATION						
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	Hex adapter with 1/2"-20UNF thread and HSS-G pilot drill bit (2 608 596 295) Width across flats 1/4" (6.35 mm), for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"	PC1b	1	1	698238	2 609 390 586	13.01 £	
	Hex adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 295) Width across flats 1/4" (6.35 mm), for diameter 32 mm, 1 1/4" - diameter 76 mm, 3" (in metal up to 40 mm diameter)	PC1b	1	1	698245	2 609 390 587	15.58 £	
	Hexagon adapter with 5/8"-18UNF thread and HSS-G pilot drill bit (2 608 596 119) Width across flats 11 mm, for diameter 32 mm, 1 1/4" - diameter 210 mm, 8 9/32"	PC1b	1	1	087780	2 609 390 034	16.12 £	
	SDS plus adapter with 1/2" -20UNF thread and HSS-G pilot drill bit (2 608 596 295) for diameter 14 mm, 9/16" - diameter 30 mm, 1 3/16"	PC1b	1	1	087797	2 609 390 035	26.85 £	
	SDS plus adapter with 5/8" 18UNF thread and HSS-G pilot drill bit (2 608 596 295) for diameter 32 mm, 1 1/4" - diameter 210 mm, 8 9/32"	PC1b	1	1	087803	2 609 390 036	37.91 £	

Pilot drill bits for standard adapter

PRODUCT PROPERTIES		ORDERING INFORMATION						
		Total length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	HSS-G pilot drill bit for hexagon socket adapter, width across flats 11 mm	102	C1a	1	10	045186	2 608 596 119	8.21 £
	HSS-G pilot drill bit for SDS plus and hexagon adapter, width across flats 6.35 (1/4") and 9.52 mm	81	C1a	1	10	103480	2 608 596 295	8.21 £


Accessories for Precision for Sheet metal hole saws

PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	HSS stepped pilot drill bit Ø 6 x 47 mm	P1d	1	1	942355	2 608 594 160	8.84 £
	Ejection Spring for TCT sheet metal HS(5pcs / pack)	P1d	5	1	945530	2 608 594 161	5.8 £
	Screw for TCT sheet metal HS (10pcs / pack)	P1d	10	1	945547	2 608 594 162	4.49 £

Arbored Hole Saws and Holesaw Sets



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Cutting depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
46 53 60 67 74 81	32	C1a	6	1	085755	2 608 584 063	46.07 £



6-piece hole cutter set

Hardened, medium cut teeth. With the appropriate cooling, also suitable for cutting non-ferrous metals such as aluminium and copper. Hex shank firmly bound to the body. This ensures sturdiness and optimum true running. Working length 32 mm



STARLOCK ACCESSORIES

As versatile as your job

The best your tool can get. Bosch Professional Accessories.



STARLOCK ACCESSORIES FOR CUTTING WOOD

Multitool woodworking.



Page number	500	500	500	501
System	Starlock	StarlockPlus	StarlockMax	Starlock
Dimension mm	32 x 50	32 x 60	32 x 80	32 x 50
Blade material	HCS	HCS	HCS	HCS

MATERIALS

Tear-free cuts	✓	✓	✓	✓
Softwood	✓	✓	✓	✓
Hardwood	-	-	-	✓
Plywood	-	-	-	-
Chipboard	-	-	-	-
Laminate, wood plastic composites	-	-	-	-
Parquet	-	-	-	-



AIZ 32 BSPB



AII 65 APC



AII 65 BSPC



AII 65 BSPB



ACZ 85 EC

501	501	501	502	502
Starlock	Starlock	Starlock	Starlock	Starlock
32 x 50	65 x 40	65 x 40	65 x 40	∅ 85
BIM	HCS	HCS	BIM	HCS
✓	✓	✓	✓	✓
✓	✓	✓	✓	✓
✓	-	✓	✓	-
✓	-	-	✓	-
✓	-	-	✓	-
✓	-	-	✓	-
✓	-	-	✓	-

STARLOCK ACCESSORIES FOR WOOD AND METAL


Don't stop for nails.



Page number	503	503	503	503	504
System	Starlock	Starlock	Starlock	StarlockPlus	StarlockMax
Dimension mm	10 x 25	20 x 30	32 x 50	32 x 60	32 x 80
Blade material	BIM	BIM	BIM	BIM	BIM

MATERIALS

Tear free Cut	-	-	✓	✓	✓
Wood working materials, non abrasive	✓	✓	✓	✓	✓
Wood working materials, abrasive	✓	✓	✓	✓	✓
Plasterboard	✓	✓	✓	✓	✓
Sandwich materials	✓	✓	✓	✓	✓
Non ferrous metal profile	✓	✓	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓	✓	✓
Non hardened nails and screws	✓	✓	✓	✓	✓



AII 65 APB	PAII 65 APB	MAII 52 APB	ACZ 85 EB	ACZ 100 BB	MACZ 145 BB
504	505	505	505	506	506
Starlock	StarlockPlus	StarlockMax	Starlock	Starlock	StarlockMax
65 x 40	65 x 55	52 x 75	Ø 85	Ø 100	Ø 145
BIM	BIM	BIM	BIM	BIM	BIM
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	-
✓	✓	✓	✓	✓	-
✓	✓	✓	✓	✓	-
✓	✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR METAL CUTTING

Multitool metalworking.



	AIZ 20 AIT	AIZ 32 AIT	PAIZ 32 AIT
	EXPERT	EXPERT	EXPERT
Page number	508	509	509
System	Starlock	Starlock	StarlockPlus
Blade Name			
Dimension mm	20 × 40	32 × 40	32 × 55
Blade material	Coated Carbide	Coated Carbide	Coated Carbide
	 	 	 

MATERIALS

Non ferrous metal profile	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓
Non hardened nails and screws	✓	✓	✓
Hardened nails & screws	✓	✓	✓
Stainless steel profile	✓	✓	✓
Stainless steel sheets up to 1mm	-	-	-

				
	MAII 32 AIT	AIZ 45 AIT	PAIZ 45 AIT	AIZ 32 AB
	EXPERT	EXPERT	EXPERT	
	510	510	511	507
	StarlockMax	Starlock	StarlockPlus	Starlock
	32 x 70	45 x 35	45 x 50	32 x 50
	Coated Carbide	Coated Carbide	Coated Carbide	BIM
				
				
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	✓
	✓	✓	✓	-
	✓	✓	✓	-
	-	-	-	-

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for all.



	AIZ 32 APIT	PAIZ 32 APIT	PAII 52 APT	MAII 32 APIT
	EXPERT	EXPERT	EXPERT	EXPERT
Page number	512	513	513	514
System	Starlock	StarlockPlus	StarlockPlus	StarlockMax
Blade Name				
Dimension mm	32 × 40	32 × 55	52 × 50	32 × 70
Blade material	Coated Carbide	Coated Carbide	Coated Carbide	Coated Carbide

MATERIALS

Tear free Cut	✓	✓	✓	✓
Wood working materials, non abrasive	✓	✓	✓	✓
Wood working materials, abrasive	✓	✓	✓	✓
Plasterboard	✓	✓	✓	✓
Sandwich materials	✓	✓	✓	✓
Non ferrous metal profile	✓	✓	✓	✓
Non ferrous sheet metals up to 1mm	✓	✓	✓	✓
Non hardened nails and screws	✓	✓	✓	✓
Hardened nails & screws	✓	✓	✓	✓
Stainless steel profile	✓	✓	✓	✓
Stainless steel sheets up to 1mm	✓	✓	✓	✓
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓	✓
Cement bonded fibre boards	✓	✓	✓	✓
Gypsum	-	-	-	-

*Bosch EXPERT products vs. Bosch standard products



ACZ 105 ET

AYZ 53 BPB

ACZ 85 EIB

AVZ 93 G

AUZ 70 G

EXPERT

515

516

516

526

527

Starlock

Starlock

Starlock

Starlock

Starlock

∅ 105

53 x 40

∅ 85

∅ 93

70 x 55

Carbide

BIM

Coated BIM



✓

✓

✓

-

-

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

✓

-

-

-

✓

✓

-

-

✓

✓

✓

-

-

-

✓

✓

-

-

✓

✓

✓

-

-

✓

-

-

-

-

✓

-

-

-

-

-

-

-

-

-

✓

-

-

✓

-

✓

-

-

-

-

-

-

-

✓

-

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

One blade for every material.



ACZ 100 SWB



ATZ 52 SC



ATZ 52 SFC



ASZ 32 SC

Page number	517	517	517	518
System	Starlock	Starlock	Starlock	Starlock
Dimension mm	∅ 100	52 × 27	52 × 40	24 × 11
Blade material	BIM	HCS	HCS	HCS

MATERIALS

Soft floor materials (carpet, bitumen, linoleum)	✓	-	-	✓
Artificial turf	-	-	-	✓
Insulation materials	✓	-	-	✓
Soft joint material	-	-	-	-
Putty materials	-	-	-	-
Soft carpet residues/ adhesive	✓	-	✓	-
Hard carpet residues/ adhesives	-	✓	-	-
Mortar/tile adhesive	-	✓	-	-
Paint / varnish	-	-	✓	-



ALI 12 SC



AIZ 28 SC



MAII 32 SC



MAII 32 SLC

518

518

519

519

Starlock

Starlock

StarlockMax

StarlockMax

4 x 29 x 12

28 x 45

32 x 55

32 x 70

Stainless Steel

HCS

HCS

HCS

-

-

-

-

-

-

-

-

-

✓

✓

✓

✓

✓

✓

✓

-

✓

✓

✓

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

STARLOCK ACCESSORIES FOR MULTI-MATERIAL

Multitool sanding plates.

					
	AVZ 32 RT4	AVZ 32 RT10	AVZ 90 RT2	AVZ 90 RT4	AVZ 90 RT6
	EXPERT	EXPERT	EXPERT	EXPERT	EXPERT
Page number	525	526	520	521	521
System	Starlock	Starlock	Starlock	Starlock	Starlock
Blade Name					
Dimension mm	32 × 53	32 × 53	∅ 90	∅ 90	∅ 90
Blade material	Carbide Grit 40	Carbide Grit 100	Carbide Grit 20	Carbide Grit 40	Carbide Grit 60
					

MATERIALS

Fiber reinforced composites (e.g. Epoxy)	✓	-	✓	✓	✓
Cement bonded fibre boards	✓	-	✓	✓	✓
Gypsum	✓	✓	-	✓	✓
Soft carpet residues/ adhesive	✓	-	-	-	-
Hard carpet residues/ adhesives	✓	-	✓	✓	-
Mortar/tile adhesive	✓	-	✓	✓	-
Aerated concrete and soft bricks	-	-	✓	-	-
Paint / varnish	✓	-	-	✓	✓
Clean wood	✓	✓	✓	✓	✓

*Bosch EXPERT products vs. Bosch standard products













AVZ 90 RT10	MAVZ 116 RT2	MAVZ 116 RT4	MAVZ 116 RT6	MAVZ 116 RT10
EXPERT	EXPERT	EXPERT	EXPERT	EXPERT
522	522	523	523	524
Starlock	StarlockMax	StarlockMax	StarlockMax	StarlockMax
Ø 90	Ø 116	Ø 116	Ø 116	Ø 116
Carbide Grit 100	Carbide Grit 20	Carbide Grit 40	Carbide Grit 60	Carbide Grit 100

-	✓	✓	✓	-
-	✓	✓	✓	-
-	-	✓	✓	-
-	-	-	-	-
-	✓	✓	-	-
-	✓	✓	-	-
-	✓	-	-	-
-	-	✓	✓	-
✓	✓	✓	✓	✓

STARLOCK ACCESSORIES FOR MULTI-CUTTER TOOL GROUT AND ABRASIVES

Remove tiles with your multitool.

						
	ACZ 85 RD4	ACZ 85 RT3	ACZ 70 RT5	AVZ 70 RT4	MATI 68 RD4	MATI 68 RSD4
	EXPERT			EXPERT	EXPERT	EXPERT
Page number	529	530	530	531	532	533
System	Starlock	Starlock	Starlock	Starlock	StarlockMax	StarlockMax
Blade Name						
Dimension mm	∅ 85	∅ 85	∅ 70	∅ 70	68 x 30	68 x 10
Blade material	Diamond	Carbide Grit	Carbide Grit	Carbide Grit	Diamond	Diamond
						

MATERIALS

Plasterboard	✓	✓	✓	✓	✓	✓
Fiber reinforced composites (e.g. Epoxy)	✓	✓	✓	✓	✓	✓
Cement bonded fibre boards	✓	✓	✓	✓	✓	✓
Mortar/tile adhesive	-	-	-	✓	-	-
Thin grout (< 1.6mm)	-	-	✓	-	-	✓
Standard grout (2-3mm)	✓	✓	-	✓	✓	-
Soft tile	✓	-	-	-	✓	✓
Aerated concrete and soft bricks	✓	✓	✓	-	✓	✓

*Bosch EXPERT products vs. Bosch standard products



MATI 68 RT3



MATI 68 RST3



MATI 68 MT4



AIZ 32 RT5



PAYZ 53 MT4



MACZ 145 MT4

534

StarlockMax

68 x 30

Carbide Grit



-

-



-



534

StarlockMax

68 x 10

Carbide Grit



-



-



535

StarlockMax

68 x 30

Melted Carbide



-

-



-



534

Starlock

32 x 30

Carbide Grit



-



535

StarlockPlus

53 x 40

Melted Carbide



-

-



-



536

StarlockMax

Ø 145

Melted Carbide



-

-



-



Starlock HCS plunge cut saw blade AIZ 32 EPC Wood




- ▶ **AIZ 32 EPC**
- ▶ Starlock HCS plunge cut saw blade Wood
- ▶ Plunge cutting in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
32	50	PC1d	1	4	492409	2 608 661 637	18.7 £	
		PC1d	5	1	484930	2 608 661 626	84.15 £	
		P1a	10	1	935852	2 608 664 472	140.25 £	
		C0a	1	25	665971	2 608 661 904	327.08 £	

StarlockPlus HCS plunge cut saw blade PAIZ 32 EPC Wood



- ▶ **PAIZ 32 EPC**
- ▶ StarlockPlus HCS plunge cut saw blade Wood
- ▶ Deep 60 mm plunge cut in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons) to length



PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
32	60	PC1d	1	1	833356	2 608 662 561	19.26 £	
		P1a	10	1	936057	2 608 664 492	144.45 £	
		C0a	1	25	773324	2 608 662 311	337.31 £	

StarlockMax HCS plunge cut saw blade MAIZ 32 EPC Wood




- ▶ **MAIZ 32 EPC**
- ▶ StarlockMax HCS plunge cut saw blade Wood
- ▶ Fast and deep plunge cuts in wood (e.g. window frames)
- ▶ Fast and deep plunge cuts in wooden beams
- ▶ Subsequently making recesses for tenons and connections (ideal with Expert depth stop)



32	80	PC1d	1	1	833080	2 608 662 568	19.64 £
		P1a	10	1	936095	2 608 664 496	147.25 £
		C0a	1	25	859974	2 608 662 767	343.88 £

Starlock HCS plunge cut saw blade AIZ 32 BSPC Hard Wood




- ▶ **AIZ 32 BSPC**
- ▶ Starlock HCS plunge cut saw blade Hard Wood
- ▶ Precise plunge cuts in hardwood (e.g. for installing a display)
- ▶ Precise cut-outs in furniture components (e.g. to enable access to a mains sockets)
- ▶ Sawing wood panels



PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
32	50	PC1d	1	1	785051	2 608 662 360	18.7 £	
		PC1d	5	1	785068	2 608 662 361	84.15 £	
		P1a	10	1	935944	2 608 664 481	140.25 £	
		C0a	1	25	785075	2 608 662 362	327.08 £	

Starlock BIM plunge cut saw blade AIZ 32 BSPB Hard Wood



- ▶ **AIZ 32 BSPB**
- ▶ Starlock BIM plunge cut saw blade Hard Wood
- ▶ Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length




32	50	PC1d	1	4	492485	2 608 661 645	24.2 £
		PC1d	5	1	484978	2 608 661 630	108.9 £
		P1a	10	1	935845	2 608 664 471	181.48 £
		C0a	1	25	665964	2 608 661 903	423.68 £

Starlock HCS plunge cut saw blade All 65 APC Wood




- ▶ **All 65 APC**
- ▶ Starlock HCS plunge cut saw blade Wood
- ▶ Plunge cutting in softwood (e.g. for installing a ventilation grille)
- ▶ Cutting a door frame to length on the floor
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)




65	40	PC1d	1	1	785020	2 608 662 357	23.29 £
		PC1d	5	1	785037	2 608 662 358	104.8 £
		P1a	10	1	935890	2 608 664 476	174.66 £
		C0a	1	25	785044	2 608 662 359	407.66 £

Starlock HCS plunge cut saw blade All 65 BSPC Hard Wood




- ▶ **All 65 BSPC**
- ▶ Starlock HCS plunge cut saw blade Hard Wood
- ▶ Plunge cuts in hardwood (e.g. for installing a ventilation grille)
- ▶ Plunge cuts in wooden boards (e.g. for installing a shelf)
- ▶ Sawing in wooden panels




65	40	PC1d	1	1	784993	2 608 662 354	23.29 £
		PC1d	5	1	785006	2 608 662 355	104.8 £
		P1a	10	1	935982	2 608 664 485	174.66 £
		C0a	1	25	785013	2 608 662 356	407.66 £

Starlock BIM plunge cut saw blade AII 65 BSPB Hard Wood




- ▶ **AII 65 BSPB**
- ▶ Starlock BIM plunge cut saw blade Hard Wood
- ▶ Plunge cutting in laminated panels or hardwood (e.g. for installing a ventilation grille)
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting wooden components (e.g. dowels, tenons made of hardwood) to length



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
65	40	PC1d	1	1	707459	2 608 662 017	30.29 £
		PC1d	5	1	714150	2 608 662 031	136.31 £
		P1a	10	1	935920	2 608 664 479	227.18 £

Starlock HCS segment saw blade ACZ 85 EC Wood



- ▶ **ACZ 85 EC**
- ▶ Starlock HCS segment saw blade Wood, with depressed centre
- ▶ Plunge cutting in solid wood, e.g. for installing a ventilation grille
- ▶ Flush cutting wood (e.g. a protruding tenon on a wood joint)
- ▶ Cutting a plastic pipe (PVC) to length



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
85		PC1d	1	1	492461	2 608 661 643	24.2 £
		P1a	10	1	935968	2 608 664 483	181.48 £

Starlock BIM plunge cut saw blade AIZ 10 AB Wood and Metal




- ▶ **AIZ 10 AB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Filigree adjustment work on non-ferrous profiles
- ▶ Filigree adjustment work in wood (e.g. subsequently sawing recesses for locks and fittings)
- ▶ Plunge cuts in plasterboard

PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
10	20	PC1d	1	1	492447		2 608 661 641	14.22 £



Starlock BIM plunge cut saw blade AIZ 20 AB Wood and Metal



- ▶ **AIZ 20 AB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Cutting a recess in furniture components (e.g. to enable access to a mains socket)
- ▶ Flush cutting a copper pipe
- ▶ Plunge cuts in plasterboard

20	30	PC1d	1	4	492430		2 608 661 640	14.22 £
		PC1d	5	1	484954		2 608 661 628	63.98 £



Starlock BIM plunge cut saw blade AIZ 32 APB Wood and Metal



- ▶ **AIZ 32 APB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Plunge cut in wood, abrasive wooden materials, plastics
- ▶ Cutting non-ferrous pipes and profiles with smaller dimensions
- ▶ Cutting non-hardened nails, screws and steel profiles with smaller dimensions



32	50	PC1d	1	4	492478		2 608 661 644	24.2 £
		PC1d	5	1	484961		2 608 661 629	108.9 £
		P1a	10	1	935838		2 608 664 470	181.48 £
		C0a	1	25	665957		2 608 661 902	423.68 £



StarlockPlus BIM plunge cut saw blade PAIZ 32 APB Wood and Metal



- ▶ **PAIZ 32 APB**
- ▶ StarlockPlus BIM plunge cut saw blade Wood and Metal
- ▶ Deep 60 mm plunge cut in wood, abrasive wooden materials, plastics
- ▶ Cutting non-ferrous pipes and profiles with smaller dimensions
- ▶ Cutting non-hardened nails, screws and steel profiles with smaller dimensions




PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
32	60	PC1d	1	1	833332		2 608 662 558	24.93 £



StarlockPlus BIM plunge cut saw blade PAIZ 32 APB Wood and Metal

PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
32	60	P1a	10	1	936064	2 608 664 493	186.92 £	
		C0a	1	25	773362	2 608 662 315	436.01 £	



StarlockMax BIM plunge cut saw blade MAIZ 32 APB Wood and Metal



- ▶ **MAIZ 32 APB**
- ▶ StarlockMax BIM plunge cut saw blade Wood and Metal
- ▶ Fast and deep plunge cuts in wood and nails
- ▶ Fast and deep plunge cuts in wooden beams
- ▶ Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)

32	80	PC1d	1	1	833103	2 608 662 571	25.41 £
		P1a	10	1	936101	2 608 664 497	190.55 £
		PC1b	1	25	859981	2 608 662 768	444.94 £


Starlock BIM plunge cut saw blade All 65 APB Wood and Metal



- ▶ **All 65 APB**
- ▶ Starlock BIM plunge cut saw blade Wood and Metal
- ▶ Cutting wood with nails
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Plunge cuts in laminated panels (e.g. recesses for a shelf board)

PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
65	40	PC1d	1	4	596169	2 608 661 781	30.29 £	
		PC1d	5	1	666008	2 608 661 907	136.31 £	
		P1a	10	1	935876	2 608 664 474	227.18 £	
		C0a	1	25	665940	2 608 661 901	530.25 £	

StarlockPlus BIM plunge cut saw blade PAII 65 APB Wood and Metal




- ▶ **PAII 65 APB**
- ▶ StarlockPlus BIM plunge cut saw blade Wood and Metal
- ▶ Cutting wood with nails
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Plunge cuts in laminated panels (e.g. recesses for a shelf board)

PRODUCT PROPERTIES		ORDERING INFORMATION					
Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
65	50	PC1d	1	1	833370	2 608 662 564	31.21 £
		P1a	10	1	936071	2 608 664 494	233.99 £



StarlockMax BIM plunge cut saw blade MAII 52 APB Wood and Metal



- ▶ **MAII 52 APB**
- ▶ StarlockMax BIM plunge cut saw blade Wood and Metal
- ▶ Deep and wide plunge cuts in wood containing nails (e.g. window frames with metal components)
- ▶ Deep and wide plunge cuts in wooden beams containing nails
- ▶ Cutting non-hardened nails, screws and steel profiles with small dimensions (e.g. concealed metal fixings)

52	70	PC1d	1	1	833134	2 608 662 574	26.31 £
		P1a	10	1	936118	2 608 664 498	197.36 £
		C0a	1	25	859998	2 608 662 769	460.69 £



Starlock BIM segment saw blade ACZ 85 EB Wood and Metal




- ▶ **ACZ 85 EB**
- ▶ Starlock BIM segment saw blade Wood and Metal, with depressed centre
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Cutting out laminate/parquet (e.g. for installing a partition wall)
- ▶ Cutting smaller mouldings to length (e.g. aluminium floor cover strips)

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
85		PC1d	1	4	492393	2 608 661 636	32.53 £
		P1a	10	1	935906	2 608 664 477	243.99 £



Starlock BIM segment saw blade ACZ 100 BB Wood and Metal




- ▶ **ACZ 100 BB**
- ▶ Starlock BIM segment saw blade Wood and Metal, with depressed centre
- ▶ Cutting a door frame to length on the floor (softwood, hardwood, veneered panels, plastic-laminated panels)
- ▶ Cutting out laminate/parquet (e.g. for installing a partition wall)
- ▶ Cutting smaller mouldings to length (e.g. aluminium floor cover strips)

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
100	PC1d	1	1	492379		2 608 661 633	41.35 £
	P1a	10	1	935937		2 608 664 480	310.17 £




Starlock Max BIM segment saw blade MACZ 145 BB Wood and Metal




- ▶ **MACZ 145 BB**
- ▶ StarlockMax provides extra deep and extra fast guided cuts in wood, metal and plastic
- ▶ Extra large blade for superior cutting depth (50mm) and width (100mm)
- ▶ Side set teeth allow for faster and burn free cuts
- ▶ Large blade surface allows for guided and precise straight cuts over long areas

145	PC1d	1	1	896436		2 608 664 226	48.39 £
-----	------	---	---	--------	--	----------------------	---------



Starlock BIM plunge cut saw blade AIZ 32 AB Metal



- ▶ **AIZ 32 AB**
- ▶ Starlock BIM plunge cut saw blade Metal
- ▶ Flush cutting soft nails
- ▶ Flush cutting a copper pipe
- ▶ Cuts in plasterboard



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
32	50	PC1d	1	4	545525	2 608 661 688	21.49 £
		PC1d	5	1	666015	2 608 661 908	96.76 £
		P1a	10	1	935883	2 608 664 475	161.26 £
		C0a	1	25	665988	2 608 661 905	376.43 £

LONG LIFE CUTTING HARD METAL

EXPERT MetalMax Blades

ASSORTMENT: Width: 20-45mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra coating makes carbide tougher!
- 3 Less skidding on screws due to flat edge design




EXPERT MetalMax AIZ 20 AIT Plunge Saw Blades

EXPERT




- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES				ORDERING INFORMATION			
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
20	40	PC1d	1	1	530642	2 608 900 012	33.26 £
		PC1d	5	1	530659	2 608 900 013	149.7 £

EXPERT MetalMax AIZ 32 AIT Plunge Saw Blades


EXPERT


- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	Price without VAT
32	40	PC1d	1	1	530666		2 608 900 014	42.03 £
		PC1d	5	1	530673		2 608 900 015	189.09 £
		P1a	10	1	530680		2 608 900 016	315.16 £
		C0a	1	25	530697		2 608 900 017	735.53 £

EXPERT MetalMax PAIZ 32 AIT Plunge Saw Blades

EXPERT


- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	Price without VAT
32	50	PC1d	1	1	530710		2 608 900 019	43.29 £
		P1a	10	1	530727		2 608 900 020	324.62 £

EXPERT MetalMax MAII 32 AIT Plunge Saw Blades

EXPERT



- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
32	70	PC1d	1	1	530741	2 608 900 022	44.12 £
		P1a	10	1	530758	2 608 900 023	330.92 £

EXPERT MetalMax AIZ 45 AIT Plunge Saw Blades


EXPERT



- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
45	40	PC1d	1	1	530703	2 608 900 018	44.9 £

EXPERT MetalMax PAIZ 45 AIT Plunge Saw Blades**EXPERT**

- ▶ Ideal for cutting metal: for flush cuts, such as cutting off hardened screws and nails; cutting tough metal pipes and a variety of hardened metals with an oscillating multitool.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
45	50	PC1d	1	1	530734	2 608 900 021	49.38 £

LONG LIFE CUTTING SHEET METAL AND ABRASIVE MATERIALS

EXPERT MultiMax Blades

ASSORTMENT: Width: 32mm, 52mm

EXPERT

- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Extra coating makes carbide tougher!
- 3 Curved-Tec blade for controlled and clean plunge cuts
- 4 Thin carbide blade for faster sawing



EXPERT MultiMax AIZ 32 APIT Plunge Saw Blades

EXPERT



- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES				ORDERING INFORMATION			
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
32	40	PC1d	1	1	530765	2 608 900 024	44.9 £
		PC1d	5	1	530772	2 608 900 025	201.05 £
		P1a	10	1	530789	2 608 900 026	336.09 £
		C0a	1	25	530796	2 608 900 027	785.66 £

EXPERT MultiMax PAIZ 32 APIT Plunge Saw Blades

EXPERT


- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
32	50	PC1d	1	1	530802	2 608 900 028	49.38 £	
		P1a	10	1	530819	2 608 900 029	345.63 £	

EXPERT MultiMax PAII 52 APIT Plunge Saw Blades

EXPERT


- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock Plus mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
52	50	PC1d	1	1	530826	2 608 900 030	51.48 £	

EXPERT MultiMax MAII 32 APIT Plunge Saw Blades

EXPERT



- ▶ Ideal for plunge cuts and precision cutting in a wide variety of materials, including sheet metals; composite materials; fibre cement boards, bricks and other abrasive materials.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode		Part number	Price without VAT
32	70	PC1d	1	1	530833		2 608 900 031	51.62 £
		P1a	10	1	530840		2 608 900 032	361.32 £

LONG LIFE CUTTING ABRASIVE AND COMPOSITE MATERIALS

EXPERT MultiMaterial Segment Blades

ASSORTMENT: Ø105mm

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Thick gauge blade offers extra robustness and stability
- 3 Wide body for precise, straight cuts



CARBIDE TECHNOLOGY

EXPERT MultiMaterial ACZ 105 ET Segment Saw Blades

EXPERT



- ▶ Ideal for precision cutting in a wide variety of materials, including laminates and composites; can cut solid surface materials like Corian®; makes good plunge cuts and survives striking brick.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 50x longer than a Bi-Metal blade.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.

CARBIDE TECHNOLOGY UP TO 50x* LONG LIFE

11 515

PRODUCT PROPERTIES				ORDERING INFORMATION			
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
105	PC1d	1	1	896139	2 608 664 208	62.35 £	
	P1h	5	1	896122	2 608 664 207	249.39 £	

Starlock BIM-TiN segment saw blade ACZ 85 EIB Multi Material



- ▶ **ACZ 85 EIB**
- ▶ Starlock BIM-TiN segment saw blade Multi Material, with depressed centre
- ▶ Plunge cutting in plasterboard or cement-bonded fibre boards (e.g. for installing a ventilator)
- ▶ Cutting smaller mouldings to length (e.g. aluminium floor cover strips)
- ▶ Cutting recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard in a boat)




PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
85	PC1d	1	1	582230	2 608 661 758	41.22 £	
	P1a	10	1	935913	2 608 664 478	309.12 £	

Starlock BIM Dual-Tec saw blade AYZ 53 BPB Multi Material



- ▶ **AYZ 53 BPB Wood & Metal**
- ▶ Starlock Dual-Tec blade is designed to plunge in and cut onwards and hence to cut out squares in wood and abrasive materials
- ▶ High precision cut in edges thanks to unique asymmetric Dual-Tec shape
- ▶ Side set teeth allow for faster and burn free cuts
- ▶ Large blade surface allows for guided and precise straight cuts over long areas



PRODUCT PROPERTIES		ORDERING INFORMATION					
Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
53	40	PC1d	1	1	896078	2 608 664 202	28.01 £
		P1a	10	1	896092	2 608 664 204	209.71 £
		C0a	1	25	896108	2 608 664 205	490.35 £


Starlock BIM serrated segment blade ACZ 100 SWB Multi Material



▶ ACZ 100 SWB

- ▶ Starlock BIM serrated segment blade
- ▶ Flush cutting to length of protruding insulation material, especially polystyrene
- ▶ Cutting insulation panels to size (e.g. Flumroc floor panel/sound insulation panel)
- ▶ Cutting soft materials (e.g. cardboard, carpet, rubber, leather...)

PRODUCT PROPERTIES		ORDERING INFORMATION					
Cutting width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
100	PC1d	1	1	546737	2 608 661 693	42.76 £	



Starlock HCS scraper ATZ 52 SC, rigid Multi Material




▶ ATZ 52 SC

- ▶ Starlock HCS scraper, rigid
- ▶ Removing mortar or tile adhesive (e.g. when replacing damaged tiles)
- ▶ Removing mortar and concrete residues
- ▶ Removing hard, brittle carpet adhesive residues



52	PC1d	1	1	492492	2 608 661 646	14.22 £
	P1a	10	1	936002	2 608 664 487	106.64 £

Starlock HCS scraper ATZ 52 SFC, flexible Multi Material



▶ ATZ 52 SFC

- ▶ Starlock HCS scraper, flexible
- ▶ Removing soft carpet adhesive residues
- ▶ Removing paint residues



PRODUCT PROPERTIES		ORDERING INFORMATION					
Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
PC1d	1	1	492508	2 608 661 647	14.22 £		
P1a	10	1	936019	2 608 664 488	106.64 £		

Starlock HCS multi blade ASZ 32 SC



- ▶ **ASZ 32 SC**
- ▶ Starlock HCS multi blade
- ▶ Cutting flexible abrasive materials (e.g. roofing felt, bitumen shingles)
- ▶ Cutting soft materials (e.g. carpet, cardboard, PVC floor)
- ▶ Cutting artificial turf



PRODUCT PROPERTIES		ORDERING INFORMATION					
Cutting width mm	Cut length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
24	11	PC1d	1	1	792967	2 608 662 431	26.76 £

Starlock INOX universal sealant remover ALI 12 SC Multi Material




- ▶ **ALI 12 SC**
- ▶ Starlock blade provides fast, easy and reliable cutting & removal of panelled deck sealing materials
- ▶ Easy cutting due to sharpened tip and razor-like cutting edge on both blade sides
- ▶ Stainless steel (INOX) knife for long lifetime and rust free cutting
- ▶ 4mm wide pull & push cutter blade cuts easily through flexible and tough materials



PRODUCT PROPERTIES		ORDERING INFORMATION					
Cutting width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
4	29	PC1d	1	1	896498	2 608 664 231	37.3 £

Starlock HCS universal joint cutter AIZ 28 SC Multi Material



- ▶ **AIZ 28 SC**
- ▶ Starlock HCS universal joint cutter
- ▶ Cutting soft expansion joints
- ▶ Cutting window putty (sealing compound)
- ▶ Cutting insulation materials (e.g. Flumroc rockwool)



PRODUCT PROPERTIES		ORDERING INFORMATION					
Cutting width mm	Cut length [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
28	40	PC1d	1	1	546713	2 608 661 691	27 £
		PC1d	5	1	666022	2 608 661 909	121.51 £
		P1a	10	1	936026	2 608 664 489	202.49 £
		C0a	1	25	665995	2 608 661 906	472.5 £

Starlock MaxHCS universal joint cutter MAII 32 SC Multi Material




- ▶ **MAII 32 SC**
- ▶ StarlockMax HCS universal joint cutter
- ▶ Cutting expansion joints (e.g. silicone)
- ▶ Cutting out window putty (sealing compound)
- ▶ Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)

PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
32	55	P1a	10	1	936163		2 608 664 503	89.51 £



StarlockMax HCS universal joint cutter MAII 32 SLC



- ▶ **MAII 32 SLC**
- ▶ StarlockMax HCS long universal joint cutter
- ▶ Deep 70 mm cutting of expansion joints (e.g. silicone)
- ▶ Deep cutting of window putty (sealing compound)
- ▶ Cutting soft materials (e.g. insulation material, rubber, carpet, cardboard...)

32	70	PC1d	1	1	833158		2 608 662 575	24.66 £
		P1a	10	1	936149		2 608 664 501	184.97 £




LONG LIFE SANDING MULTI MATERIAL

EXPERT Sanding Plates

ASSORTMENT: #20 - #100

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Easy cleaning to maintain best performance
- 3 Delta shape reaches corners while sanding efficiently
- 4 Sands the narrowest gaps with this extra-thin blade



CARBIDE TECHNOLOGY

EXPERT AVZ 90 RT2 Sanding Plates

EXPERT



- ▶ Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



CARBIDE TECHNOLOGY UP TO 100x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
90	20	PC1a	1	1	530970	2 608 900 045	37.3 £
		COa	10	1	530987	2 608 900 046	279.34 £


EXPERT AVZ 90 RT4 Sanding Plates

EXPERT

- ▶ Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
90	40	PC1a	1	1	530994	2 608 900 047	37.3 £

EXPERT AVZ 90 RT6 Sanding Plates


EXPERT

- ▶ Ideal for coarse sanding to prepare surfaces for re-painting; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
90	60	PC1a	1	1	531014	2 608 900 049	37.3 £

EXPERT AVZ 90 RT10 Sanding Plates

EXPERT



- ▶ Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
90	100	PC1a	1	1	530956	2 608 900 043	37.3 £	

EXPERT MAVZ 116 RT2 Sanding Plates

EXPERT




- ▶ Ideal for coarse sanding to remove all kinds of material, including tile mortar; glue residue left on flooring by carpets; and for rough shaping of wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
116	20	PC1a	1	1	531045	2 608 900 052	42.9 £	

EXPERT MAVZ 116 RT4 Sanding Plates

EXPERT




- ▶ Ideal for coarse sanding to remove mortar; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
116	40	PC1a	1	1	531052	2 608 900 053	42.9 £

EXPERT MAVZ 116 RT6 Sanding Plates

EXPERT




- ▶ Ideal for coarse sanding to prepare surfaces for re-painting; best at removing old paint, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
116	60	PC1a	1	1	531069	2 608 900 054	42.9 £

EXPERT MAVZ 116 RT10 Sanding Plates

EXPERT



- ▶ Ideal for medium grain sanding to smooth surfaces for re-painting. Created for clean surfaces, these stiff plates are also ideal for removing edges and bumps from wood.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
116	100	PC1a	1	1	531038	2 608 900 051	42.9 £	

LONG LIFE SANDING TIGHT GAPS

EXPERT Sanding Fingers

ASSORTMENT: #40; #100

EXPERT


- 1 Extreme durability is built in with Bosch Carbide Technology
- 2 Easy cleaning to maintain best performance
- 3 Reaches every corner with a pointed tip
- 4 Sands the narrowest gaps with this extra-thin blade



CARBIDE TECHNOLOGY

EXPERT AVZ 32 RT4 Sanding Fingers

EXPERT



- ▶ Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT4 has grit size 40 for removing old paint or varnish.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.




CARBIDE TECHNOLOGY UP TO 100x* LONG LIFE

PRODUCT PROPERTIES		ORDERING INFORMATION					
Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
32	50	PC1d	1	1	530925	2 608 900 040	29.63 £

11 525

EXPERT AVZ 32 RT10 Sanding Fingers

EXPERT



- ▶ Ideal for sanding in tight gaps and hard-to-access niches, such as between the gaps in patio decking. The RT10 has grit size 100 for preparing clean wood surfaces prior to re-painting or varnishing.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 100x longer than standard sandpaper.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
32	50	PC1d	1	1	530918	2 608 900 039	29.63 £

Starlock sanding plate



- ▶ AVZ 93 G
- ▶ Sanding plate with miro hook-and-loop-type fastening system
- ▶ Quick, easy sanding sheet change

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
93	PC1d	1	1	632256	2 608 000 493	17.35 £	



Dust extraction

- ▶ **Appropriate for** Bosch Starlock (GOP 12V-28 Professional; PMF 220 CE; PMF 250 CES), Bosch StarlockPlus (GOP 30-28; GOP 40-30; GOP 18V-28 Professional; PMF 350 CES) and Bosch StarlockMax (GOP 55-36 Professional) machines
- ▶ **Appropriate for** Bosch GOP 300 SCE; GOP 14,4 V-EC; GOP 18 V-EC Professional

PRODUCT PROPERTIES		ORDERING INFORMATION					
Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
P1d	1	1	851626	2 608 000 636	11.69 £		

for extracting sanding dust in combination with the Starlock sanding plate AVZ 93 G

Suitable for GOP 12V-28 (0 601 8B5 0..); GOP 18V-28 (0 601 8B6 0..); GOP 30-28 (0 601 237 0..); GOP 40-30 (0 601 231 0..); GOP 55-36 (0 601 231 1..); GOP 300 SCE (0 601 230 5..) Professional



Starlock profile sander




- ▶ **AUZ 70 G**
- ▶ Profile sander with micro hook-and-loop-type fastening system
- ▶ 4 sheets of sanding paper 70 mm x 125 mm with hook-and-loop (2x80 / 2x120 grit)
- ▶ Sanding round wood and painted surfaces up to 55 mm diameter



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
70	PC1b	5	1	785860	2 608 662 346	28.12 £	

F460 sanding sheets optimised for multi-cutters, Best for Wood and Paint, 93 mm, 6 holes

- best for **Wood+Paint**
- ▶ Suitable for sanding all types of wood, wooden materials and paint
 - ▶ Appropriate for sanding plate AVZ 93 G



PRODUCT PROPERTIES			ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 5								
93x93	40	6 holes	C1a	5	5	959865	2 608 621 684	7.09 £
93x93	60	6 holes	C1a	5	5	959872	2 608 621 685	7.09 £
93x93	80	6 holes	C1a	5	5	959889	2 608 621 686	6.62 £
93x93	120	6 holes	C1a	5	5	959896	2 608 621 687	6.3 £
93x93	180	6 holes	C1a	5	5	959902	2 608 621 688	6.3 £
93x93	240	6 holes	C1a	5	5	959919	2 608 621 689	6.3 £
Pack of 6								
93x93	60 120 240	6 holes	C1a	6	5	959926	2 608 621 690	7.4 £
Pack of 10								
93x93	60 80 120 180 240	6 holes	PC1b	10	5	509497	2 608 607 540	9.46 £

Fleeces




- ▶ **Suitable for** bringing out the grain in wood (rustic look), de-rusting of metal and matt sanding of varnishes
- ▶ Cleaning fleece **suitable for** removing dirt and deposits without altering the workpiece surface. Works without coated abrasive – can leave behind slight scratches in soft material
- ▶ **Appropriate for** sanding plate AVZ 93 G



PRODUCT PROPERTIES			ORDERING INFORMATION					
Sheet dimensions mm	Grit	Grade	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Cleaning fleece without coated abrasive								
Suitable for removing dirt and deposits without altering the workpiece surface. Works without coated abrasive – can leave behind slight scratches in soft material								
93	Without grit	-	C1d	1	5	070829	2 608 604 496	13.55 £

Polishing felt



- ▶ **Suitable for** pre-polishing very dirty or scratched surfaces – using polish or grinding paste on even surfaces
- ▶ **Appropriate for** sanding plate AVZ 93 G



PRODUCT PROPERTIES		ORDERING INFORMATION					
Grade	Sheet dimensions mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Polishing felt							
Suitable for pre-polishing very dirty or scratched surfaces – using polish or grinding paste on even surfaces							
Hard	93	C1d	1	5	070843	2 608 613 016	13.55 £

LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Segment Blades

ASSORTMENT: Ø85mm

EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Pointed segment saw blade for precise work right into corners



EXPERT ACZ 85 RD4 Grout Segment Blades

EXPERT




- ▶ Ideal for cutting out grout from between tiles; removes even hard cement mortar; can also make small adjustment cuts to soft tiles.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 10x longer than laser melted carbide.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES			ORDERING INFORMATION				
Diameter mm	Cutting width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
85	2	PC1d	1	1	530864	2 608 900 034	77.32 £
		P1a	10	1	530871	2 608 900 035	579.89 £

Starlock Carbide-RIFF segment saw blade ACZ 85 RT3 Grout and Abrasive




- ▶ ACZ 85 RT3
- ▶ Starlock Carbide-RIFF segment saw blade
- ▶ Routing joints on wall and floor tiles
- ▶ Routing smaller cutouts in soft wall tiles
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Cutting width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
85	2.5	PC1d	1	1	492454	2 608 661 642	45.3 £	
		P1a	10	1	935975	2 608 664 484	339.75 £	

Starlock Carbide-RIFF thin-kerf segment saw blade ACZ 70 RT5 Grout and Abrasive



- ▶ ACZ 70 RT5
- ▶ Starlock Carbide-RIFF thin-kerf segment saw blade
- ▶ Routing extra-thin (1.6mm / 1/16") joints on wall tiles
- ▶ Routing recesses in epoxy/glass fibre reinforced plastic (e.g. dashboard)
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes



70	1.6	PC1d	1	1	546720	2 608 661 692	38.1 £
		P1a	10	1	935999	2 608 664 486	285.75 £

MULTI-USE IN TILING

EXPERT 3 max Multi-Use Blades

ASSORTMENT: Ø70mm

EXPERT

- 1 Save time and money with a Multi-Function Accessory
- 2 Reaches every corner with a pointed tip
- 3 Cuts out grout with a carbide grit edge
- 4 Sanding plate for grinding mortar off surfaces



CARBIDE TECHNOLOGY

EXPERT 3 max AVZ 70 RT4 Grouting Plates

EXPERT



- ▶ Ideal for removing damaged tiles: the 3 max can cut out mortar joints - including corner pieces - and also sand off the mortar behind the old tile after it has been removed.
- ▶ Multitool versatility with maximum performance.
- ▶ 3 Applications with 1 Blade.
- ▶ Starlock mount for maximum power transfer and convenient blade change within 3 seconds.



3 IN 1

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Cutting width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
70	2.5	PC1d	1	1	530932	2 608 900 041	65.94 £
		P1a	10	1	530949	2 608 900 042	494.54 £

LONG LIFE IN GROUT AND SOFT TILE

EXPERT Grout Corner Blades

ASSORTMENT: Grout width: 2.2mm / 1.6mm

EXPERT

- 1 Extremely durable cutting edge using Bosch Diamond Technology
- 2 Pointed segment saw blade for precise work right into corners
- 3 Flat mount eliminates wobbling for controlled and precise cut




EXPERT MATI 68 RD4 Corner Blades

EXPERT




- ▶ Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 10x longer than laser melted carbide.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Cutting width mm	Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
2.2	68	30	PC1a	1	1	530888	2 608 900 036	82.04 £
			P1a	10	1	530895	2 608 900 037	615.26 £

EXPERT MATI 68 RSD4 Corner Blades


EXPERT



- ▶ Ideal for cutting out grout from between tiles; removes even hard mortar and reaches into corners where floor and wall tiling meet; or around fittings such as handles; can also make small adjustment cuts to soft tiles.
- ▶ Multitool versatility with maximum performance.
- ▶ Lasts up to 10x longer than laser melted carbide.
- ▶ Starlock Max mount for maximum power transfer and convenient blade change within 3 seconds.

PRODUCT PROPERTIES			ORDERING INFORMATION						
Cutting width mm	Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
1.6	68	10	PC1a	1	1	530901	2 608 900 038	82.04 £	

StarlockMax Carbide-RIFF segment saw blade MATI 68 RT3 Grout and Abrasive




- ▶ **MATI 68 RT3**
- ▶ StarlockMax Carbide-RIFF segment saw blade
- ▶ Routing joints which are hard to reach and close to edges (e.g. in corners)
- ▶ Routing deep joints on wall and floor tiles
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

PRODUCT PROPERTIES			ORDERING INFORMATION						
Cutting width mm	Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
2.2	68	30	PC1d	1	1	833196	2 608 662 577	51.27 £	



StarlockMax Carbide-RIFF segment saw blade MATI 68 RST5 Grout and Abrasive




- ▶ **MATI 68 RST5**
- ▶ StarlockMax Carbide-RIFF segment saw blade, thin
- ▶ Routing thin joints up to 1.5 mm (e.g. marble joints)
- ▶ Routing joints which are hard to reach and close to edges (e.g. in corners)
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

PRODUCT PROPERTIES			ORDERING INFORMATION					
Cutting width mm	Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
1.5	68	10	PC1d	1	1	833219	2 608 662 578	51.27 £



Starlock Carbide-RIFF plunge cut saw blade AIZ 32 RT5 Grout and Abrasive




- ▶ **AIZ 32 RT5**
- ▶ Starlock Carbide-RIFF plunge cut saw blade
- ▶ Plunge cuts in strongly abrasive materials (e.g. fibreglass)
- ▶ Rasping/filing functionality (e.g. deburring plunge cuts in fibreglass)
- ▶ Also excellent for removing mortar right into the most remote corners

PRODUCT PROPERTIES			ORDERING INFORMATION					
Cutting width mm	Working width [mm]	Working depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
2	32	30	PC1d	1	1	646376	2 608 661 868	41.57 £



StarlockPlus Carbide-RIFF Dual-Tec saw blade PAYZ 53 MT4 Grout and Abrasive




- ▶ **PAYZ 53 MT4**
- ▶ Starlock Dual-Tec Blade delivers precise plunge and straight cuts in highly abrasive materials
- ▶ The Starlock Plus system offers fast and versatile plunge cuts
- ▶ Blade masters plunge cuts and straight cuts; laser-melted carbide edge enables an extra-long lifetime
- ▶ Unique asymmetric dual-tec shape delivers exact edge
- ▶ Large surface allows for precise guided straight cuts over long areas

PRODUCT PROPERTIES			ORDERING INFORMATION						
Cutting width mm	Width mm	Immersion depth [mm]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
1.6	53	40	PC1d	1	1	896146		2 608 664 209	37.01 £



StarlockMax Carbide-RIFF segment saw blade MATI 68 MT4 Grout and Abrasive




- ▶ **MATI 68 MT4**
- ▶ StarlockMax Carbide-RIFF segment saw blade
- ▶ Routing joints which are hard to reach and close to edges (e.g. in corners)
- ▶ Routing deep joints on wall and floor tiles
- ▶ Routing grooves in porous concrete, for laying concealed cables and pipes

PRODUCT PROPERTIES			ORDERING INFORMATION						
Cutting width mm	Width mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
2.1	68	30	PC1d	1	1	833295		2 608 662 582	41.01 £




StarlockMax Carbide-RIFF segment saw blade MACZ 145 MT4 Grout and Abrasive








- ▶ **MACZ 145 MT4**
- ▶ StarlockMax Carbide-RIFF segment saw blade provides extra-fast deep cuts in abrasive materials
- ▶ Starlock Max system offers maximum depth, speed and versatility in heavy-duty applications
- ▶ Superior 50-mm cutting depth and a cutting width of 100 mm
- ▶ Laser-melted carbide edge strengthens blade for extra-long life
- ▶ Large surface area acts as guide for precise straight cuts over long areas; ideal for cutting right into corners

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Cutting width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode		Part number	Price without VAT
145	1.5	PC1d	1	1	896443		2 608 664 227	56.49 £



Starlock Sets

Set contents	ORDERING INFORMATION						Price without VAT
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number		
	Starlock Bosch 5 piece Best of Cutting Set						
BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (1x)	P1k	5	5	894715	2 608 664 131		110.85 £
BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)							
BIM segment saw blade Wood and Metal ACZ 85 EB (1x)							
Carbide plunge-cutting saw blade Metal AIZ 32 AT (1x)							
BIM plunge-cutting saw blade Wood and Metal All 65 APB (1x)							
	Starlock Set for Wood 6+1						
HCS segment saw blade Wood ACZ 85 EC (1x)	P1k	7	5	954679	2 608 664 623		97.48 £
BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (2x)							
BIM plunge cut saw blade Hard Wood All 65 BSPB (2x)							
BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)							
BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)							
	Starlock Set Electrician & Drywall 5+1						
BIM plunge cut saw blade Multi Material AYZ 53 BPB (1x)	P1k	6	5	954662	2 608 664 622		97.48 £
BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (2x)							
BIM plunge-cutting saw blade Wood and Metal All 65 APB (1x)							
BIM plunge cut saw blade Wood and Metal AIZ 32 AB (1x)							
BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)							
	Starlock Set for Renovation						
BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)		8	5	954686	2 608 664 624		97.48 £
Sanding plate AVZ 93 G (1x)							
Expert for Wood and Painting sanding sheet (3x)							
HCS segment saw blade Wood ACZ 85 EC (1x)							
HM-Riff segment saw blade ACZ70RT5 (1x)							
HCS scraper ATZ 52 SC (1x)							
	Starlock 6-Piece Best of Sanding Set combining our top sanding accessories in one set (sanding wood and removing mortar).						
Carbide-RIFF plunge-cutting saw blade AVZ 32 RT4 (1x)	P1k	6	5	894739	2 608 664 133		96.3 £
Sanding plate AVZ 93 G (1x)							
Sanding plate AVZ 90 RT6 (1x)							
Sanding sheet F460 (3x)							

Starlock Sets



PRODUCT PROPERTIES	ORDERING INFORMATION						
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Starlock Max Bosch 4pc Best of Heavy Duty Set Versatile Starlock Max set with extra-long blades for all heavy duty renovation and reconstruction work in wood and metal.							
HCS plunge cut saw blade Wood MAIZ 32 EPC (1x)	P1k	4	5	894722		2 608 664 132	96.3 £
BIM plunge cut saw blade Wood and Metal MAIZ 32 APB (1x)							
BIM plunge cut saw blade Wood and Metal MAII 52 APB (1x)							
Carbide plunge cut saw blade Metal MAIZ 32 AT (1x)							



4-piece tile set
Versatile Starlock set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles)

Carbide RIFF segment saw blade ACZ 85 RT3 (1x)	PC1b	4	1	555210		2 608 661 695	91.22 £
Carbide RIFF sanding plate AVZ 78 RT2 (1x)							
HCS scraper ATZ 52 SC (1x)							
BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)							



4-piece floor/installation set
Versatile Starlock set for floor/installation work (e.g. cutting a door frame to length on the floor, cutting out laminate/parquet, plunge cuts in laminated panels or wood, cutting recesses in furniture components)

HCS plunge-cutting saw blade Wood AIZ 32 EPC (1x)	PC1b	4	1	555227		2 608 661 696	69.9 £
BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (1x)							
BIM segment saw blade Wood and Metal ACZ 85 EB (1x)							
HCS scraper ATZ 52 SC (1x)							



13-piece universal set
Basic applications combined in a single Starlock set (sawing, sanding and scraping)
Suitable for wood and metal

BIM segment saw blade Wood and Metal ACZ 85 EB (1x)	PC1b	13	1	555203		2 608 661 694	72.56 £
BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (1x)							
HCS scraper ATZ 52 SFC (1x)							
Wood and Paint sanding sheet (10x)							



3-piece tile set
Versatile Starlock tile set for renovation and reconstruction work (e.g. routing joints on wall and floor tiles, removing mortar or tile adhesive, routing smaller cutouts in soft wall tiles)

BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)			10	779647		2 608 662 342	28.3 £
HCS scraper ATZ 52 SC (1x)							
HM-RIFF segment saw blade ACZ 85 MT4 (1x)							

Starlock Sets

PRODUCT PROPERTIES		ORDERING INFORMATION					
Set contents	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
3-piece universal set							
Basic applications combined in a single Starlock set (sawing wood & metal)							
Suitable for wood and metal							
BIM plunge-cutting saw blade Metal AIZ 20 AB (1x)			10	779654		2 608 662 343	28.3 £
HCS plunge-cutting saw blade Wood AIZ 24 EC (1x)							
HCS segment saw blade Wood ACZ 85 EC (1x)							





34-piece Starlock i-BOXX Pro set for interior fitting

BIM segment saw blade Wood and Metal ACZ 100 BB (1x)	P1k	34	1	706681		2 608 662 013	205.93 £
BIM TiN segment saw blade Multi Material ACZ 85 EIB (1x)							
BIM serrated segment blade ACZ 100 SWB (1x)							
BIM plunge-cutting saw blade Wood and Metal AII 65 APB (2x)							
BIM plunge-cutting saw blade Wood and Metal AIZ 32 APB (2x)							
BIM plunge-cutting saw blade Hard Wood AIZ 32 BSPB (2x)							
HCS plunge-cutting saw blade Wood AIZ 32 EPC (2x)							
HCS scraper ATZ 52 SC (2x)							
Sanding plate AVZ 93 G (1x)							
Wood and Paint sanding sheet (20x)							



Depth stops

- **Appropriate for** Bosch GOP 300 SCE Professional, GOP 12V-28, GOP 18V-28, GOP 30 V-28, GOP 55-36, GOP 14,4V/18V-Li, PMF 190 E, PMF 250 CES (multi-cutter with collar)

PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
 <p>Basic depth stop Four-stage adjustment For precise cutting depths in combination with segment saw blades with 85 mm diameter and 100 mm diameter (e.g. when replacing individual parquet elements) Cutting depths for segment saw blades with 85 mm diameter: 8, 10, 12, 14 mm Cutting depths for segment saw blades with 100 mm diameter: 13, 15, 17, 19 mm</p> 		PC1b	1	1	727297	2 608 000 589	10.47 £



<p>Expert depth stop Continuously variable adjustment For precise cutting depths in combination with segment and plunge-cutting saw blades (e.g. for precise plunge cuts in construction woods)</p>		PC1b	1	1	727303	2 608 000 590	21.87 £
--	--	------	---	---	--------	----------------------	---------

WOOD SANDING


Perfect shaping and finishing

The best your tool can get. Bosch Professional Accessories.



DISCS FOR RANDOM ORBITAL SANDERS, WALL AND CEILING SANDERS

Discs to change the world.



	M480	C470	N880	C430
	EXPERT			
Page number	543	546	554	551
Grit range	80 – 400	40 – 400	80 – 800	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Alox / Silicon carbide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	3D Fibre fleece	C-Paper
Diameter mm	115 – 225	115 – 225	125 – 150	115 – 150

MATERIALS

Softwood / hardwood	✓	✓	-	✓
Resinous wood	✓	✓	-	✓
Plywood	✓	✓	-	✓
Paint / varnish	✓	✓	-	✓
Filler	✓	✓	-	-
Plaster	✓	✓	✓	-
Solid surface materials (Corian, Varicor)	✓	✓	-	-
Glass fibre reinforced plastics (GRP)	✓	-	-	-
Perspex	✓	-	-	-
Stone / glass	-	-	-	-
Stainless steel (inox)	-	-	✓	-
Mild steel (metal)	-	-	✓	-
Sheet metal	-	-	✓	-
Aluminium	-	-	✓	-

*Bosch EXPERT products vs. Bosch standard products


NO DUST SANDING WOOD, PAINT AND DRYWALL

EXPERT M480 Sanding Nets

ASSORTMENT: Grit 80 – 400

EXPERT

- 1 Most efficient dust removal with Bosch Particle Control
- 2 Dust is sucked through Open Net Structure



PARTICLE CONTROL

EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT



PARTICLE CONTROL UP TO 4x* NO DUST

- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust extraction than standard sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES		ORDERING INFORMATION						
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Pack of 5								
125	80	open net	C1a	5	5	540092	2 608 900 671	9.2 £
125	100	open net	C1a	5	5	540108	2 608 900 672	9.2 £
125	120	open net	C1a	5	5	540115	2 608 900 673	9.2 £
125	150	open net	C1a	5	5	540122	2 608 900 674	9.2 £
125	180	open net	C1a	5	5	540139	2 608 900 675	9.43 £
125	220	open net	C1a	5	5	540146	2 608 900 676	9.43 £

EXPERT M480 Sanding Nets for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
125	240	open net	C1a	5	5	540153	2 608 900 677	9.43 £	
125	320	open net	C1a	5	5	540160	2 608 900 678	9.43 £	
125	400	open net	C1a	5	5	540177	2 608 900 679	9.43 £	
150	80	open net	C1a	5	5	540276	2 608 900 689	11.1 £	
150	100	open net	C1a	5	5	540283	2 608 900 690	11.1 £	
150	120	open net	C1a	5	5	540290	2 608 900 691	11.1 £	
150	150	open net	C1a	5	5	540306	2 608 900 692	11.1 £	
150	180	open net	C1a	5	5	540313	2 608 900 693	11.1 £	
150	220	open net	C1a	5	5	540320	2 608 900 694	11.1 £	
150	240	open net	C1a	5	5	540337	2 608 900 695	11.1 £	
150	320	open net	C1a	5	5	540344	2 608 900 696	11.1 £	
150	400	open net	C1a	5	5	540351	2 608 900 697	11.1 £	
Pack of 50									
125	80	open net	C0a	50	1	540184	2 608 900 680	61.28 £	
125	100	open net	C0a	50	1	540191	2 608 900 681	61.28 £	
125	120	open net	C0a	50	1	540207	2 608 900 682	61.28 £	
125	150	open net	C0a	50	1	540214	2 608 900 683	61.28 £	
125	180	open net	C0a	50	1	540221	2 608 900 684	61.28 £	
125	220	open net	C0a	50	1	540238	2 608 900 685	61.28 £	
125	240	open net	C0a	50	1	540245	2 608 900 686	61.28 £	
125	320	open net	C0a	50	1	540252	2 608 900 687	61.28 £	
125	400	open net	C0a	50	1	540269	2 608 900 688	61.28 £	
150	80	open net	C0a	50	1	540368	2 608 900 698	69.95 £	
150	100	open net	C0a	50	1	540375	2 608 900 699	69.95 £	
150	120	open net	C0a	50	1	540382	2 608 900 700	69.95 £	
150	150	open net	C0a	50	1	540399	2 608 900 701	69.95 £	
150	180	open net	C0a	50	1	540405	2 608 900 702	69.95 £	
150	220	open net	C0a	50	1	540412	2 608 900 703	69.95 £	
150	240	open net	C0a	50	1	540429	2 608 900 704	69.95 £	
150	320	open net	C0a	50	1	540436	2 608 900 705	69.95 £	
150	400	open net	C0a	50	1	540443	2 608 900 706	69.95 £	

EXPERT M480 Starter Kits for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ EXPERT M480 Sanding Nets plus Backing Pad Saver.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
this set includes a backing pad saver									
125	2x80 2x120 2x180	open net	C1a	7	5	568584	2 608 901 202	16.54 £	
150	2x80 2x120 2x180	open net	C1a	7	5	568591	2 608 901 203	19.18 £	

EXPERT M480 Sanding Nets for Drywall Sanders

EXPERT



- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust extraction than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	Price without VAT
Pack of 25									
225	80	open net	C0a	25	1	540450		2 608 900 707	67.84 £
225	100	open net	C0a	25	1	540467		2 608 900 708	61.67 £
225	120	open net	C0a	25	1	540474		2 608 900 709	61.67 £
225	150	open net	C0a	25	1	540481		2 608 900 710	61.67 £
225	180	open net	C0a	25	1	540498		2 608 900 711	61.67 £
225	220	open net	C0a	25	1	540504		2 608 900 712	61.67 £
225	240	open net	C0a	25	1	540511		2 608 900 713	61.67 £
225	320	open net	C0a	25	1	540528		2 608 900 714	61.67 £
225	400	open net	C0a	25	1	540535		2 608 900 715	61.67 £


FASTEST SANDING OF PAINT AND WOOD

EXPERT C470 Sandpaper

ASSORTMENT: Grit 40 – 400


EXPERT

- 1 Maximum abrasion with Bosch Surface Structure
- 2 Grain distribution optimised for high speed sanding
- 3 Grain alignment during production ensures aggressive cut



EXPERT C470 Sandpapers with multihole for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Pack of 5								
125	40	Multi hole system	C1a	5	5	544304	2 608 901 092	12.25 £
125	60	Multi hole system	C1a	5	5	544311	2 608 901 093	11.26 £
125	80	Multi hole system	C1a	5	5	544328	2 608 901 094	10.58 £
125	100	Multi hole system	C1a	5	5	544335	2 608 901 095	10.16 £
125	120	Multi hole system	C1a	5	5	544342	2 608 901 096	10.16 £
125	180	Multi hole system	C1a	5	5	544359	2 608 901 097	10.16 £


EXPERT C470 Sandpapers with multihole for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
125	240	Multi hole system	C1a	5	5	544366	2 608 901 098	10.16 £
125	320	Multi hole system	C1a	5	5	544373	2 608 901 099	10.16 £
125	400	Multi hole system	C1a	5	5	544380	2 608 901 100	10.16 £
150	40	Multi hole system	C1a	5	5	544403	2 608 901 102	15.24 £
150	60	Multi hole system	C1a	5	5	544410	2 608 901 103	14.02 £
150	80	Multi hole system	C1a	5	5	544427	2 608 901 104	13.17 £
150	100	Multi hole system	C1a	5	5	544434	2 608 901 105	12.64 £
150	120	Multi hole system	C1a	5	5	544441	2 608 901 106	12.64 £
150	180	Multi hole system	C1a	5	5	544458	2 608 901 107	12.65 £
150	240	Multi hole system	C1a	5	5	544465	2 608 901 108	12.64 £
150	320	Multi hole system	C1a	5	5	544472	2 608 901 109	12.64 £
150	400	Multi hole system	C1a	5	5	544489	2 608 901 110	12.64 £
Pack of 50								
125	40	Multi hole system	C0a	50	1	544625	2 608 901 124	44.4 £
125	60	Multi hole system	C0a	50	1	544632	2 608 901 125	40.71 £
125	80	Multi hole system	C0a	50	1	544649	2 608 901 126	37 £
125	100	Multi hole system	C0a	50	1	544656	2 608 901 127	37 £
125	120	Multi hole system	C0a	50	1	544663	2 608 901 128	37 £
125	150	Multi hole system	C0a	50	1	544670	2 608 901 129	37 £
125	180	Multi hole system	C0a	50	1	544687	2 608 901 130	37 £
125	220	Multi hole system	C0a	50	1	544694	2 608 901 131	37 £
125	240	Multi hole system	C0a	50	1	544700	2 608 901 132	37 £
125	320	Multi hole system	C0a	50	1	544717	2 608 901 133	37 £
125	400	Multi hole system	C0a	50	1	544724	2 608 901 134	37 £
150	40	Multi hole system	C0a	50	1	544731	2 608 901 135	53.29 £
150	60	Multi hole system	C0a	50	1	544748	2 608 901 136	48.84 £
150	80	Multi hole system	C0a	50	1	544755	2 608 901 137	44.4 £
150	100	Multi hole system	C0a	50	1	544762	2 608 901 138	44.4 £
150	120	Multi hole system	C0a	50	1	544779	2 608 901 139	44.4 £
150	150	Multi hole system	C0a	50	1	544786	2 608 901 140	44.4 £
150	180	Multi hole system	C0a	50	1	544793	2 608 901 141	44.4 £
150	220	Multi hole system	C0a	50	1	544809	2 608 901 142	44.4 £
150	240	Multi hole system	C0a	50	1	544816	2 608 901 143	44.4 £
150	320	Multi hole system	C0a	50	1	544823	2 608 901 144	44.4 £
150	400	Multi hole system	C0a	50	1	544830	2 608 901 145	44.4 £

EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Pack of 5								
115	40	8 holes	C1a	5	5	541327	2 608 900 794	7.13 £
115	60	8 holes	C1a	5	5	541334	2 608 900 795	7.82 £


EXPERT C470 Sandpapers with 8 holes for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
									115
115	120	8 holes	C1a	5	5	541358	2 608 900 797	7.49 £	
115	180	8 holes	C1a	5	5	541365	2 608 900 798	7.49 £	
115	240	8 holes	C1a	5	5	541372	2 608 900 799	7.49 £	
115	320	8 holes	C1a	5	5	541389	2 608 900 800	7.49 £	
115	400	8 holes	C1a	5	5	541396	2 608 900 801	7.48 £	
125	40	8 holes	C1a	5	5	541419	2 608 900 803	7.99 £	
125	60	8 holes	C1a	5	5	541426	2 608 900 804	7.49 £	
125	80	8 holes	C1a	5	5	541433	2 608 900 805	7.15 £	
125	100	8 holes	C1a	5	5	541440	2 608 900 806	7.15 £	
125	120	8 holes	C1a	5	5	541457	2 608 900 807	7.15 £	
125	180	8 holes	C1a	5	5	541464	2 608 900 808	7.15 £	
125	240	8 holes	C1a	5	5	541471	2 608 900 809	7.15 £	
125	320	8 holes	C1a	5	5	541488	2 608 900 810	7.15 £	
125	400	8 holes	C1a	5	5	541495	2 608 900 811	7.15 £	
Pack of 50									
125	40	8 holes	C0a	50	1	542461	2 608 900 908	38.16 £	
125	60	8 holes	C0a	50	1	542478	2 608 900 909	35.81 £	
125	80	8 holes	C0a	50	1	542485	2 608 900 910	34.13 £	
125	100	8 holes	C0a	50	1	542492	2 608 900 911	34.13 £	
125	120	8 holes	C0a	50	1	542508	2 608 900 912	34.13 £	
125	150	8 holes	C0a	50	1	544588	2 608 901 120	30.84 £	
125	180	8 holes	C0a	50	1	542515	2 608 900 913	34.13 £	
125	220	8 holes	C0a	50	1	544595	2 608 901 121	30.84 £	
125	240	8 holes	C0a	50	1	542522	2 608 900 914	34.13 £	
125	320	8 holes	C0a	50	1	542539	2 608 900 915	34.13 £	
125	400	8 holes	C0a	50	1	542546	2 608 900 916	34.13 £	

EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
									150
150	60	6 holes	C1a	5	5	541525	2 608 900 814	9.75 £	
150	80	6 holes	C1a	5	5	541532	2 608 900 815	9.32 £	
150	100	6 holes	C1a	5	5	541549	2 608 900 816	9.32 £	
150	120	6 holes	C1a	5	5	541556	2 608 900 817	9.32 £	
150	180	6 holes	C1a	5	5	541563	2 608 900 818	9.32 £	
150	240	6 holes	C1a	5	5	541570	2 608 900 819	9.32 £	
150	320	6 holes	C1a	5	5	541587	2 608 900 820	9.32 £	
150	400	6 holes	C1a	5	5	541594	2 608 900 821	9.32 £	
Pack of 50									

Pack of 50


EXPERT C470 Sandpapers with 6 holes for Random Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION						
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT	
150	40	6 holes	C0a	50	1	542553		2 608 900 917	49.68 £	
150	60	6 holes	C0a	50	1	542560		2 608 900 918	46.56 £	
150	80	6 holes	C0a	50	1	542577		2 608 900 919	44.29 £	
150	100	6 holes	C0a	50	1	542584		2 608 900 920	44.29 £	
150	120	6 holes	C0a	50	1	542591		2 608 900 921	44.29 £	
150	150	6 holes	C0a	50	1	544601		2 608 901 122	37 £	
150	180	6 holes	C0a	50	1	542607		2 608 900 922	44.29 £	
150	220	6 holes	C0a	50	1	544618		2 608 901 123	37 £	
150	240	6 holes	C0a	50	1	542614		2 608 900 923	44.29 £	
150	320	6 holes	C0a	50	1	542621		2 608 900 924	49.25 £	
150	400	6 holes	C0a	50	1	542638		2 608 900 925	44.29 £	

EXPERT C470 Sandpaper Sets with 8 holes for Random Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION						
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT	
Pack of 6										
115	2x60 2x120 2x240	8 holes	C1a	6	5	541402		2 608 900 802	7.82 £	
125	2x60 2x120 2x240	8 holes	C1a	6	5	541501		2 608 900 812	7.49 £	

EXPERT C470 Sandpaper Sets with 6 holes for Random Orbital Sanders

EXPERT




- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 6	150	2x60 2x120 2x240	6 holes	C1a	6	5	541600	2 608 900 822	9.75 £

EXPERT C470 Sandpaper Sets with multihole for Random Orbital Sanders

EXPERT




- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 6	125	2x60 2x120 2x240	Multi hole system	C1a	6	5	544397	2 608 901 101	12.24 £
	150	2x60 2x120 2x240	Multi hole system	C1a	6	5	544496	2 608 901 111	15.92 £

EXPERT C470 Sandpapers with 19 holes for Drywall Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
									Pack of 25
225	40	19 holes	C0a	25	1	544847	2 608 901 146	52.27 £	
225	60	19 holes	C0a	25	1	544854	2 608 901 147	48.09 £	
225	80	19 holes	C0a	25	1	544861	2 608 901 148	45.16 £	
225	100	19 holes	C0a	25	1	544878	2 608 901 149	43.34 £	
225	120	19 holes	C0a	25	1	544885	2 608 901 150	43.34 £	
225	150	19 holes	C0a	25	1	544892	2 608 901 151	43.34 £	
225	180	19 holes	C0a	25	1	544908	2 608 901 152	43.39 £	
225	220	19 holes	C0a	25	1	544915	2 608 901 153	43.34 £	


C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 115 mm diameter, 8 holes

expert **Wood+Paint**


- ▶ Suitable for sanding wood, wooden materials and paint
- ▶ Appropriate for random orbit sanders from Bosch, Einhell, Kress, Peugeot, Skil, Stayer




PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
									Pack of 5
115	40	8 holes	C1a	5	5	159210	2 608 605 103	6.47 £	
115	60	8 holes	C1a	5	5	159227	2 608 605 104	6.04 £	
115	80	8 holes	C1a	5	5	159234	2 608 605 105	5.8 £	
115	120	8 holes	C1a	5	5	159241	2 608 605 106	5.8 £	
115	180	8 holes	C1a	5	5	247832	2 608 607 246	6.8 £	
115	240	8 holes	C1a	5	5	171410	2 608 605 657	5.8 £	
Pack of 6									
115	60	8 holes	C1a	6	5	159258	2 608 605 107	6.04 £	
	120								
	240								




C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 125 mm diameter, 8 holes

expert  **Wood+Paint** ▶ Suitable for sanding wood, wooden materials and paint

▶ Appropriate for random orbit sanders from Bosch, DeWalt, Festool, Metabo, Makita




PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Pack of 5									
125	40	8 holes	C1a	5	5	171243		2 608 605 640	7.23 £
125	60	8 holes	C1a	5	5	171250		2 608 605 641	6.72 £
125	80	8 holes	C1a	5	5	171267		2 608 605 642	6.47 £
125	120	8 holes	C1a	5	5	171274		2 608 605 643	6.47 £
125	180	8 holes	C1a	5	5	171281		2 608 605 644	6.47 £
125	240	8 holes	C1a	5	5	171298		2 608 605 645	6.47 £
Pack of 6									
125	60 120 240	8 holes	C1a	6	5	159302		2 608 605 112	6.72 £




C430 sanding sheets for random orbital sanders, Expert for Wood and Paint, 150 mm diameter, 6 holes

expert  **Wood+Paint** ▶ Suitable for sanding wood, wooden materials and paint

▶ Appropriate for random orbit sanders from Bosch, Metabo, Milwaukee, DeWalt, AEG




Pack of 5									
150	40	6 holes	C1a	5	5	172004		2 608 605 716	9.44 £
150	60	6 holes	C1a	5	5	172011		2 608 605 717	8.85 £
150	80	6 holes	C1a	5	5	172028		2 608 605 718	8.41 £
150	120	6 holes	C1a	5	5	172042		2 608 605 720	8.41 £
150	180	6 holes	C1a	5	5	172059		2 608 605 721	8.41 £
150	240	6 holes	C1a	5	5	172066		2 608 605 722	8.41 £
Pack of 6									
150	60 120 240	6 holes	C1a	6	5	247849		2 608 607 247	8.8 £



F355 sanding sheets for random orbital sanders, Best for Coatings and Composites, 125 mm diameter, 8 holes

best for **Coatings+Composites**

- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Bosch, DeWalt, Festool, Metabo, Makita




PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 5								
125	80	8 holes	C1a	5	5	159333	2 608 605 115	7.9 £
125	100	8 holes	C1a	5	5	159340	2 608 605 116	7.9 £
125	120	8 holes	C1a	5	5	159357	2 608 605 117	7.9 £
125	180	8 holes	C1a	5	5	159364	2 608 605 118	7.9 £
125	240	8 holes	C1a	5	5	159371	2 608 605 119	7.9 £
125	320	8 holes	C1a	5	5	159388	2 608 605 120	7.9 £
125	400	8 holes	C1a	5	5	159395	2 608 605 121	7.9 £
125	600	8 holes	C1a	5	5	159401	2 608 605 122	7.9 £
125	1200	8 holes	C1a	5	5	159418	2 608 605 123	7.9 £



F355 sanding sheets for random orbital sanders, Best for Coatings and Composites, 150 mm diameter, 6 holes

best for **Coatings+Composites**

- **Suitable for** sanding hard materials, varnish and plastic
- **Appropriate for** random orbit sanders from Bosch, Metabo, Milwaukee, DeWalt, AEG



Pack of 5								
150	80	6 holes	C1a	5	5	159425	2 608 605 124	10.27 £
150	120	6 holes	C1a	5	5	159449	2 608 605 126	10.27 £
150	180	6 holes	C1a	5	5	159456	2 608 605 127	10.27 £
150	240	6 holes	C1a	5	5	159463	2 608 605 128	10.27 £
150	320	6 holes	C1a	5	5	159470	2 608 605 129	10.27 £
150	400	6 holes	C1a	5	5	159487	2 608 605 130	10.27 £
150	600	6 holes	C1a	5	5	159494	2 608 605 131	10.27 £
150	1200	6 holes	C1a	5	5	159500	2 608 605 132	10.27 £




LONG LIFE FINISHING METAL

EXPERT N880 Fleece Discs

ASSORTMENT: Grit 80 - 800

EXPERT

- 1 Strong, flexible bonding with Bosch Surface Structure
- 2 Consistent cut and finish with cross-laying technology
- 3 3D structure allows grit through the fleece




EXPERT N880 Fleece Discs for Random Orbital Sanders

EXPERT



- ▶ Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- ▶ Best for metalworkers: Long Lasting Quality.
- ▶ Lasts up to 3x longer than standard coated hand sanding sheet.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION						Price without VAT
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number		
Coarse A	brown	125	C0a	20	1	572109	2 608 901 241	5.21 £	
Medium	black	125	C0a	20	1	572116	2 608 901 242	3.76 £	
Medium A	maroon	125	C0a	20	1	572123	2 608 901 243	3.48 £	
Very fine A	red	125	C0a	20	1	572130	2 608 901 244	2.9 £	
Very fine GP	green	125	C0a	20	1	572154	2 608 901 246	2.9 £	
Ultra fine S	grey	125	C0a	20	1	572147	2 608 901 245	2.9 £	

EXPERT N880 Fleece Discs for Random Orbital Sanders

EXPERT


PRODUCT PROPERTIES				ORDERING INFORMATION					
Grade	Product colour	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Cleaning	white	125	C0a	20	1	572093	2 608 901 240	2.9 £	
Coarse A	brown	125	P0f	5	5	584249	2 608 901 385	30.36 £	
Medium	black	125	P0f	5	5	584256	2 608 901 386	30.39 £	
Ultra fine S	grey	125	P0f	5	5	584263	2 608 901 387	30.37 £	
Coarse A	brown	150	C0a	20	1	572178	2 608 901 248	5.79 £	
Medium	black	150	C0a	20	1	572185	2 608 901 249	4.18 £	
Medium A	maroon	150	C0a	20	1	572192	2 608 901 250	3.85 £	
Very fine A	red	150	C0a	20	1	572208	2 608 901 251	3.21 £	
Very fine GP	green	150	C0a	20	1	572222	2 608 901 253	3.21 £	
Ultra fine S	grey	150	C0a	20	1	572215	2 608 901 252	3.21 £	
Cleaning	white	150	C0a	20	1	572161	2 608 901 247	29.01 £	
Coarse A	brown	150	P0f	5	5	584270	2 608 901 388	58.99 £	
Medium	black	150	P0f	5	5	584287	2 608 901 389	56.73 £	
Ultra fine S	grey	150	P0f	5	5	584294	2 608 901 390	40.07 £	

Polishing felts for random orbital sanders



- ▶ **Suitable for** pre-polishing very dirty or scratched surfaces
- ▶ For use with polish or grinding paste on even surfaces
- ▶ **Appropriate for** all conventional brands of machines

PRODUCT PROPERTIES			ORDERING INFORMATION					
Grade	Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
soft	128	C1d	1	1	032780	2 608 613 009	14.57 £	
soft	160	C1d	2	1	018784	3 608 604 001	35.06 £	



Polishing sponges for random orbital sanders



- ▶ **Suitable for** polishing slightly dirty, scratched or pre-polished surfaces
- ▶ For use with polish or for working in surface sealing agents on curved and even surfaces
- ▶ Finishing of bright colours after using lambskin
- ▶ **Appropriate for** all conventional brands of machines

PRODUCT PROPERTIES		ORDERING INFORMATION					
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
130	C1d	1	1	014854	2 608 613 005	18.4 £	



Lambswool bonnets for random orbital sanders



- ▶ **Suitable for** polishing old varnish and after surface sanding
- ▶ **Appropriate for** all conventional brands of machines

PRODUCT PROPERTIES		ORDERING INFORMATION					
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Lambswool bonnet							
130	C1a	1	1	014786	2 608 610 001	16.05 £	
160	C1a	2	1	018746	3 608 610 000	48.49 £	




Lambskin disc
Polishing old varnish
after surface sanding

170	P1d	1	1	632423	2 608 612 026	39.92 £
-----	-----	---	---	--------	----------------------	---------



SHEETS FOR DELTA SANDERS, MULTI TOOLS AND MULTI SANDERS

Make corner sanding easy.



	M480	C470	F460	C430
	EXPERT			
Page number	558	559	560	563
Grit range	80 – 400	40 – 400	40 – 240	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	F-Paper	C-Paper
Dimension mm	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93 / 100 x 150 / 102 x 62, 93	93 x 93	32 x 90 / 100 x 150 / 100 x 170 / 102 x 62, 93

MATERIALS

Softwood / hardwood	✓	✓	✓	✓
Resinous wood	✓	✓	✓	✓
Plywood	✓	✓	✓	✓
Paint / varnish	✓	✓	✓	✓
Filler	✓	✓	✓	-
Plaster	✓	✓		
Solid surface materials (Corian, Varicor)	✓	✓	-	-
Glass fibre reinforced plastics (GRP)	✓	-	-	-
Perspex	✓	-	-	-
Stone / glass	-	-	-	-

EXPERT M480 Sanding Nets for Delta Sanders

EXPERT



- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust extraction than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 5									
93x93	80	open net	C1a	5	5	540542	2 608 900 716	7.06 £	
93x93	100	open net	C1a	5	5	540559	2 608 900 717	7.06 £	
93x93	120	open net	C1a	5	5	540566	2 608 900 718	7.06 £	
93x93	150	open net	C1a	5	5	540573	2 608 900 719	7.06 £	
93x93	180	open net	C1a	5	5	540580	2 608 900 720	7.06 £	
93x93	220	open net	C1a	5	5	540597	2 608 900 721	7.06 £	
93x93	240	open net	C1a	5	5	540603	2 608 900 722	7.06 £	
93x93	320	open net	C1a	5	5	540610	2 608 900 723	7.06 £	
93x93	400	open net	C1a	5	5	540627	2 608 900 724	7.06 £	

EXPERT M480 Sanding Net Sets for Delta Sanders

EXPERT



- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust extraction than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Pack of 6								
93x93	2x80 2x120 2x180	open net	C1a	6	5	568607	2 608 901 204	7.34 £

EXPERT C470 Sandpapers for Delta Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 5									
93x93	40	6 holes	C1a	5	5	541617	2 608 900 823	4.32 £	
93x93	60	6 holes	C1a	5	5	541624	2 608 900 824	4.32 £	
93x93	80	6 holes	C1a	5	5	541631	2 608 900 825	4.32 £	
93x93	100	6 holes	C1a	5	5	541648	2 608 900 826	4.32 £	
93x93	120	6 holes	C1a	5	5	541655	2 608 900 827	4.32 £	
93x93	180	6 holes	C1a	5	5	541662	2 608 900 828	4.32 £	
93x93	240	6 holes	C1a	5	5	541679	2 608 900 829	4.32 £	
93x93	320	6 holes	C1a	5	5	541686	2 608 900 830	4.32 £	
93x93	400	6 holes	C1a	5	5	541693	2 608 900 831	4.32 £	
Pack of 50									
93x93	40	6 holes	C0a	50	1	542645	2 608 900 926	39.31 £	
93x93	60	6 holes	C0a	50	1	542652	2 608 900 927	32.66 £	
93x93	80	6 holes	C0a	50	1	542669	2 608 900 928	29.91 £	
93x93	100	6 holes	C0a	50	1	542676	2 608 900 929	28.04 £	
93x93	120	6 holes	C0a	50	1	542683	2 608 900 930	28.04 £	
93x93	180	6 holes	C0a	50	1	542690	2 608 900 931	28.04 £	
93x93	240	6 holes	C0a	50	1	542706	2 608 900 932	28.04 £	
93x93	320	6 holes	C0a	50	1	542713	2 608 900 933	28.04 £	
93x93	400	6 holes	C0a	50	1	542720	2 608 900 934	28.04 £	

EXPERT C470 Sandpaper Sets for Delta Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 6									
93x93	60	15 holes	C1a	6	5	541709	2 608 900 832	5.18 £	
	120								
	240								

F460 sanding sheets for Multitools and Deltasanders, Best for Wood and Paint, 93mm

best for **Wood+Paint**



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 5								
93x93	40	6 holes	C1a	5	5	959865	2 608 621 684	7.09 £
93x93	60	6 holes	C1a	5	5	959872	2 608 621 685	7.09 £
93x93	80	6 holes	C1a	5	5	959889	2 608 621 686	6.62 £
93x93	120	6 holes	C1a	5	5	959896	2 608 621 687	6.3 £
93x93	180	6 holes	C1a	5	5	959902	2 608 621 688	6.3 £
93x93	240	6 holes	C1a	5	5	959919	2 608 621 689	6.3 £
Pack of 6								
93x93	60 120 240	6 holes	C1a	6	5	959926	2 608 621 690	7.4 £
Pack of 10								
93x93	60 80 120 180 240	6 holes	PC1b	10	5	509497	2 608 607 540	9.46 £



EXPERT M480 Sanding Nets for Multi Sanders

EXPERT



- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust extraction than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION				
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Pack of 10								
100x150	80	open net	C1a	10	5	540634	2 608 900 725	18.5 £
100x150	100	open net	C1a	10	5	540641	2 608 900 726	18.5 £
100x150	120	open net	C1a	10	5	540658	2 608 900 727	18.5 £
100x150	150	open net	C1a	10	5	540665	2 608 900 728	18.5 £
100x150	180	open net	C1a	10	5	540672	2 608 900 729	18.5 £
100x150	220	open net	C1a	10	5	540689	2 608 900 730	18.5 £
100x150	240	open net	C1a	10	5	540696	2 608 900 731	18.5 £
100x150	320	open net	C1a	10	5	540702	2 608 900 732	18.5 £
100x150	400	open net	C1a	10	5	540719	2 608 900 733	18.5 £

EXPERT M480 Sanding Net Sets for Multi Sanders

EXPERT



- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust extraction than standard sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES			ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 10	100x150	4x80 3x120 3x180	open net	C1a	10	5	568645	2 608 901 208	22.49 £

EXPERT C470 Sandpapers with 7 holes for Multi Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES			ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 10	100x150	40	7 holes	C1a	10	5	544526	2 608 901 114	17.31 £
	100x150	60	7 holes	C1a	10	5	544533	2 608 901 115	15.94 £
	100x150	80	7 holes	C1a	10	5	544540	2 608 901 116	14.97 £
	100x150	120	7 holes	C1a	10	5	544557	2 608 901 117	14.37 £
	100x150	180	7 holes	C1a	10	5	544564	2 608 901 118	14.37 £
	100x150	240	7 holes	C1a	10	5	544571	2 608 901 119	14.37 £
	100x150	320	7 holes	C1a	10	5	545042	2 608 901 166	14.36 £
	100x150	400	7 holes	C1a	10	5	545059	2 608 901 167	14.37 £

EXPERT C470 Sandpapers with 11 holes for Multi Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT		
Pack of 10										
102x62, 93	40	11 holes	C1a	10	5	542249	2 608 900 886	15.61 £		
102x62, 93	80	11 holes	C1a	10	5	542256	2 608 900 887	13.22 £		
102x62, 93	120	11 holes	C1a	10	1	542263	2 608 900 888	13.2 £		
102x62, 93	180	11 holes	C1a	10	5	542270	2 608 900 889	13.2 £		

C470 and C430 sanding sheets for multi-sanders, Best for Wood and Paint, Expert for Wood and Paint, 102x62, 93 mm, 11 holes


best **Wood+Paint**

- ▶ C470 Best for Wood and Paint **suitable for** sanding wood, paint, varnish, roughcast (2x K40, 2x K80, 4x K120, 2x K180)

expert **Wood+Paint**

- ▶ C430 Expert for Wood and Paint **suitable for** sanding all types of wood, wooden materials and paint (3x K40, 6x K80, 3x K120, 3x K180)


- ▶ **Appropriate for** multi-sanders from Bosch, Skil




PRODUCT PROPERTIES			ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 25									
102x62, 93	2x40 2x80 2x180 3x40 3x120 3x180 4x120 6x80	11 holes	C1c	25	1	327695	2 608 607 417	23.18 £	




C430 sanding sheets for delta sanders, Expert for Wood and Paint, 32 mm


- expert  **Wood+Paint**
- Suitable for sanding all types of wood, wooden materials and paint
 - Appropriate for delta sanders from Bosch, Skil



PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 5									
32x88	40	no holes	C1a	5	5	159845	2 608 605 166	4.98 £	
32x88	60	no holes	C1a	5	5	159852	2 608 605 167	4.98 £	
32x88	80	no holes	C1a	5	5	159869	2 608 605 168	4.98 £	
32x88	120	no holes	C1a	5	5	159876	2 608 605 169	4.98 £	
32x88	240	no holes	C1a	5	5	159883	2 608 605 170	4.98 £	
Pack of 6									
32x88	60 120 240	no holes	C1a	6	5	159890	2 608 605 171	5.99 £	

C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 102x62, 93 mm, 11 holes


- expert  **Wood+Paint**
- Suitable for sanding all types of wood, wooden materials and paint
 - Appropriate for multi-sanders from Bosch, Skil




Pack of 10								
102x62, 93	40	11 holes	C1a	10	1	323284	2 608 607 407	15.23 £
102x62, 93	80	11 holes	C1a	10	1	323291	2 608 607 408	12.81 £
102x62, 93	120	11 holes	C1a	10	1	323307	2 608 607 409	12.81 £
102x62, 93	180	11 holes	C1a	10	1	323314	2 608 607 410	12.81 £





C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 100x170 mm


expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
▶ Appropriate for multi-sanders from Black+Decker




PRODUCT PROPERTIES				ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT	
Pack of 5										
100x170	40	8 holes	C1a	5	5	160001		2 608 605 182	12.11 £	
100x170	60	8 holes	C1a	5	5	160018		2 608 605 183	10.79 £	
100x170	80	8 holes	C1a	5	5	160025		2 608 605 184	11.2 £	
100x170	120	8 holes	C1a	5	5	160032		2 608 605 185	10.07 £	
100x170	180	8 holes	C1a	5	5	170611		2 608 605 577	10.57 £	
100x170	240	8 holes	C1a	5	5	170628		2 608 605 578	10.57 £	
Pack of 6										
100x170	60 120 240	8 holes	C1a	6	5	160049		2 608 605 186	11.76 £	

**C430 sanding sheets for multi-sanders, Expert for Wood and Paint, 93 x 135 mm**

expert  **Wood+Paint** ▶ Suitable for sanding all types of wood, wooden materials and paint
▶ Appropriate for multi-sanders from Bosch, Black+Decker




Pack of 5									
95X135	40	4 holes	C1a	5	5	337076		2 608 607 428	11.91 £
95X135	80	4 holes	C1a	5	5	337083		2 608 607 429	11.05 £
95X135	120	4 holes	C1a	5	5	337090		2 608 607 430	9.89 £
95X135	180	4 holes	C1a	5	5	337106		2 608 607 431	9.89 £
Pack of 6									
95X135	80 120 180	4 holes	C1a	6	5	337113		2 608 607 432	11.33 £

**Cleaning fleece for multi-sanders, 102x62, 93 mm**

▶ Appropriate for multi-sanders from Bosch, Skil
▶ Medium to fine quality








2-piece cleaning fleece set									
102x62, 93	Medium Fine	no holes	C1c	2	1	327718		2 608 607 419	16.83 £



SHEETS FOR ORBITAL SANDERS

Perfect for large surfaces.

			
	M480	C470	C430
	EXPERT	EXPERT	
Page number	566	567	571
Grit range	80 – 400	40 – 400	40 – 240
Grit type	Aluminium oxide	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	C-Paper
Dimension mm	80 x 133 / 93 x 186 / 115 x 230	80 x 133 / 93 x 186 / 93 x 230 / 115 x 107 / 115 x 140 / 115 x 230 / 115 x 280	80 x 133 / 93 x 186 / 93 x 230 / 115 x 230 / 115 x 280
			

MATERIALS

Softwood / hardwood	✓	✓	✓
Resinous wood	✓	✓	✓
Plywood	✓	✓	✓
Paint / varnish	✓	✓	✓
Filler	✓	✓	-
Plaster	✓	✓	-
Solid surface materials (Corian, Varicor)	✓	✓	-
Glass fibre reinforced plastics (GRP)	✓	-	-
Perspex	✓	-	-

*Bosch EXPERT products vs. Bosch standard products

EXPERT M480 Sanding Nets for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust extraction than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT	
Pack of 10										
80x133	80	open net	C1a	10	5	540726		2 608 900 734	12.95 £	
80x133	100	open net	C1a	10	5	540733		2 608 900 735	12.95 £	
80x133	120	open net	C1a	10	5	540740		2 608 900 736	12.95 £	
80x133	150	open net	C1a	10	5	540757		2 608 900 737	12.95 £	
80x133	180	open net	C1a	10	5	540764		2 608 900 738	12.95 £	
80x133	220	open net	C1a	10	5	540771		2 608 900 739	12.95 £	
80x133	240	open net	C1a	10	5	540788		2 608 900 740	12.95 £	
80x133	320	open net	C1a	10	5	540795		2 608 900 741	12.95 £	
80x133	400	open net	C1a	10	5	540801		2 608 900 742	12.95 £	
93x186	80	open net	C1a	10	5	540818		2 608 900 743	16.59 £	
93x186	100	open net	C1a	10	5	540825		2 608 900 744	16.59 £	
93x186	120	open net	C1a	10	5	540832		2 608 900 745	16.59 £	
93x186	150	open net	C1a	10	5	540849		2 608 900 746	16.59 £	
93x186	180	open net	C1a	10	5	540856		2 608 900 747	16.59 £	
93x186	220	open net	C1a	10	5	540863		2 608 900 748	16.59 £	
93x186	240	open net	C1a	10	5	540870		2 608 900 749	16.59 £	
93x186	320	open net	C1a	10	5	540887		2 608 900 750	16.59 £	
93x186	400	open net	C1a	10	5	540894		2 608 900 751	16.59 £	
115x230	80	open net	C1a	10	5	540993		2 608 900 761	25.31 £	
115x230	100	open net	C1a	10	5	541006		2 608 900 762	24.89 £	
115x230	120	open net	C1a	10	5	541013		2 608 900 763	24.89 £	
115x230	150	open net	C1a	10	5	541020		2 608 900 764	24.89 £	
115x230	180	open net	C1a	10	5	541037		2 608 900 765	24.89 £	
115x230	220	open net	C1a	10	5	541044		2 608 900 766	24.89 £	
115x230	240	open net	C1a	10	5	541051		2 608 900 767	24.89 £	
115x230	320	open net	C1a	10	5	541068		2 608 900 768	24.89 £	
115x230	400	open net	C1a	10	5	541075		2 608 900 769	24.89 £	
Pack of 50										
93x186	80	open net	C0a	50	1	540900		2 608 900 752	63.79 £	
93x186	100	open net	C0a	50	1	540917		2 608 900 753	63.72 £	
93x186	120	open net	C0a	50	1	540924		2 608 900 754	63.79 £	
93x186	150	open net	C0a	50	1	540931		2 608 900 755	63.72 £	
93x186	180	open net	C0a	50	1	540948		2 608 900 756	63.72 £	
93x186	220	open net	C0a	50	1	540955		2 608 900 757	63.72 £	
93x186	240	open net	C0a	50	1	540962		2 608 900 758	63.72 £	
93x186	320	open net	C0a	50	1	540979		2 608 900 759	63.72 £	
93x186	400	open net	C0a	50	1	540986		2 608 900 760	63.72 £	
115x230	80	open net	C0a	50	1	541082		2 608 900 770	95.69 £	
115x230	100	open net	C0a	50	1	541099		2 608 900 771	95.59 £	
115x230	120	open net	C0a	50	1	541105		2 608 900 772	95.69 £	
115x230	180	open net	C0a	50	1	873673		2 608 621 274	95.59 £	
115x230	220	open net	C0a	50	1	541112		2 608 900 773	95.59 £	
115x230	240	open net	C0a	50	1	873697		2 608 621 276	95.59 £	
115x230	320	open net	C0a	50	1	541129		2 608 900 774	95.59 £	
115x230	400	open net	C0a	50	1	541136		2 608 900 775	95.59 £	

EXPERT M480 Sanding Net Sets for Orbital Sanders

EXPERT




- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust extraction than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 10									
80x133	4x80	open net	C1a	10	5	568614	2 608 901 205	17.53 £	
	3x120								
	3x180								
93x186	4x80	open net	C1a	10	5	568621	2 608 901 206	24.48 £	
	3x120								
	3x180								
115x230	4x80	open net	C1a	10	5	568638	2 608 901 207	42.47 £	
	3x120								
	3x180								

EXPERT C470 Sandpapers with 6 holes for Orbital Sanders

EXPERT




- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION								
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT			
Pack of 10											
115x107	40	6 holes	C1a	10	5	542287	2 608 900 890	11.6 £			
	60	6 holes							542294	2 608 900 891	9.77 £
	80	6 holes							542300	2 608 900 892	9.63 £
	120	6 holes							542317	2 608 900 893	9.63 £
	180	6 holes							542324	2 608 900 894	9.63 £
	240	6 holes							542331	2 608 900 895	9.63 £

EXPERT C470 Sandpaper Sets with 6 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 10	115x140	2x40 2x60 2x80 2x120 2x180	6 holes	C1a	10	5	544519	2 608 901 113	7.42 £

EXPERT C470 Sandpapers with 8 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.

PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 10	80x133	40	8 holes	C1a	10	5	542157	2 608 900 877	8.03 £
	80x133	60	8 holes	C1a	10	5	542164	2 608 900 878	7.82 £
	80x133	80	8 holes	C1a	10	5	542171	2 608 900 879	7.5 £
	80x133	100	8 holes	C1a	10	5	542188	2 608 900 880	7.5 £
	80x133	120	8 holes	C1a	10	5	542195	2 608 900 881	7.5 £
	80x133	180	8 holes	C1a	10	5	542201	2 608 900 882	7.5 £
	80x133	240	8 holes	C1a	10	5	542218	2 608 900 883	7.5 £
	80x133	320	8 holes	C1a	10	5	542225	2 608 900 884	7.5 £
	80x133	400	8 holes	C1a	10	5	542232	2 608 900 885	7.5 £
	93x186	40	8 holes	C1a	10	5	541914	2 608 900 853	13.53 £
	93x186	60	8 holes	C1a	10	5	541921	2 608 900 854	11.39 £
	93x186	80	8 holes	C1a	10	5	541938	2 608 900 855	10.89 £
	93x186	100	8 holes	C1a	10	5	542126	2 608 900 874	10.89 £
	93x186	120	8 holes	C1a	10	5	541945	2 608 900 856	10.89 £
	93x186	180	8 holes	C1a	10	5	541952	2 608 900 857	10.89 £
	93x186	240	8 holes	C1a	10	5	541969	2 608 900 858	10.89 £
	93x186	320	8 holes	C1a	10	5	542089	2 608 900 870	10.89 £
	93x186	400	8 holes	C1a	10	5	541976	2 608 900 859	10.89 £
	93x230	40	8 holes	C1a	10	5	541716	2 608 900 833	7.75 £

EXPERT C470 Sandpapers with 8 holes for Orbital Sanders

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
93x230	60	8 holes	C1a	10	5	541723	2 608 900 834	7.47 £	
93x230	80	8 holes	C1a	10	5	541730	2 608 900 835	7.4 £	
93x230	100	8 holes	C1a	10	5	542096	2 608 900 871	7.4 £	
93x230	120	8 holes	C1a	10	5	541747	2 608 900 836	7.4 £	
93x230	180	8 holes	C1a	10	5	541754	2 608 900 837	7.4 £	
93x230	240	8 holes	C1a	10	5	541761	2 608 900 838	7.4 £	
93x230	320	8 holes	C1a	10	5	542102	2 608 900 872	7.4 £	
93x230	400	8 holes	C1a	10	5	541778	2 608 900 839	7.4 £	
Pack of 50									
93x186	40	8 holes	C0a	50	1	542737	2 608 900 935	45.08 £	
93x186	60	8 holes	C0a	50	1	542744	2 608 900 936	37.8 £	
93x186	80	8 holes	C0a	50	1	542751	2 608 900 937	36.42 £	
93x186	100	8 holes	C0a	50	1	542768	2 608 900 938	36.42 £	
93x186	120	8 holes	C0a	50	1	542775	2 608 900 939	36.42 £	
93x186	180	8 holes	C0a	50	1	542782	2 608 900 940	36.42 £	
93x186	400	8 holes	C0a	50	1	542799	2 608 900 941	36.42 £	

EXPERT C470 Sandpaper Sets with 8 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 10									
93x230	3x60 4x80 3x120	8 holes	C1a	10	5	544502	2 608 901 112	15.37 £	

EXPERT C470 Sandpapers with 14 holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 10									
115x230	40	14 holes	C1a	10	5	541983	2 608 900 860	20.32 £	
115x230	60	14 holes	C1a	10	5	541990	2 608 900 861	17.03 £	
115x230	80	14 holes	C1a	10	5	542003	2 608 900 862	16.37 £	
115x230	100	14 holes	C1a	10	5	542133	2 608 900 875	16.37 £	
115x230	120	14 holes	C1a	10	5	542010	2 608 900 863	16.37 £	
115x230	180	14 holes	C1a	10	5	542027	2 608 900 864	16.37 £	
115x230	240	14 holes	C1a	10	5	542034	2 608 900 865	16.37 £	
115x230	320	14 holes	C1a	10	5	542065	2 608 900 868	15.27 £	
115x230	400	14 holes	C1a	10	5	542041	2 608 900 866	16.25 £	
115x280	40	14 holes	C1a	10	5	541846	2 608 900 846	11.59 £	
115x280	60	14 holes	C1a	10	5	541853	2 608 900 847	11.22 £	
115x280	80	14 holes	C1a	10	5	541860	2 608 900 848	11.1 £	
115x280	100	14 holes	C1a	10	5	542140	2 608 900 876	11.1 £	
115x280	120	14 holes	C1a	10	5	541877	2 608 900 849	11.1 £	
115x280	180	14 holes	C1a	10	5	541884	2 608 900 850	11.1 £	
115x280	240	14 holes	C1a	10	5	541891	2 608 900 851	11.1 £	
115x280	320	14 holes	C1a	10	5	542072	2 608 900 869	14.33 £	
115x280	400	14 holes	C1a	10	5	541907	2 608 900 852	11.1 £	
Pack of 50									
115x230	40	14 holes	C0a	50	1	542805	2 608 900 942	67.65 £	
115x230	60	14 holes	C0a	50	1	542812	2 608 900 943	56.81 £	
115x230	80	14 holes	C0a	50	1	542829	2 608 900 944	54.57 £	
115x230	100	14 holes	C0a	50	1	542836	2 608 900 945	54.57 £	
115x230	120	14 holes	C0a	50	1	542843	2 608 900 946	54.57 £	
115x230	180	14 holes	C0a	50	1	542850	2 608 900 947	54.57 £	
115x230	240	14 holes	C0a	50	1	542867	2 608 900 948	54.52 £	
115x230	320	14 holes	C0a	50	1	542874	2 608 900 949	54.52 £	
115x230	400	14 holes	C0a	50	1	542881	2 608 900 950	54.52 £	

EXPERT C470 Sandpapers with no holes for Orbital Sanders

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Clamp it on.




PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
Pack of 10									
93x230	40	no holes	C1a	10	5	541785	2 608 900 840	7.22 £	
93x230	60	no holes	C1a	10	5	541792	2 608 900 841	7.4 £	
93x230	80	no holes	C1a	10	5	541808	2 608 900 842	7.4 £	
93x230	100	no holes	C1a	10	5	542119	2 608 900 873	7.4 £	
93x230	120	no holes	C1a	10	5	541815	2 608 900 843	7.4 £	
93x230	180	no holes	C1a	10	5	541822	2 608 900 844	7.4 £	
93x230	240	no holes	C1a	10	5	541839	2 608 900 845	7.4 £	
93x230	320	no holes	C1a	10	5	542058	2 608 900 867	8.33 £	

C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 80x133 mm, 8 holes

expert **Wood+Paint**

- ▶ Suitable for sanding all types of wood, wooden materials and paint
- ▶ Appropriate for orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee




PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 10									
80x133	60	8 holes	C1a	10	5	160964	2 608 605 279	5.31 £	
80x133	80	8 holes	C1a	10	5	160971	2 608 605 280	5.32 £	
80x133	120	8 holes	C1a	10	5	160988	2 608 605 281	5.27 £	
80x133	180	8 holes	C1a	10	5	160995	2 608 605 282	5.3 £	
80x133	240	8 holes	C1a	10	5	161008	2 608 605 283	5.29 £	



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x186 mm, 8 holes

expert **Wood+Paint**


- ▶ Suitable for sanding all types of wood, wooden materials and paint
- ▶ Appropriate for orbital sanders from Bosch, AEG, Festool, Hitachi, Milwaukee




PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 10									
93x186	40	8 holes	C1a	10	5	161190	2 608 605 302	8.78 £	
93x186	60	8 holes	C1a	10	5	161206	2 608 605 303	7.35 £	
93x186	80	8 holes	C1a	10	5	161213	2 608 605 304	7.14 £	
93x186	120	8 holes	C1a	10	5	161237	2 608 605 306	7.14 £	
93x186	180	8 holes	C1a	10	5	161251	2 608 605 308	7.14 £	
93x186	240	8 holes	C1a	10	5	161268	2 608 605 309	7.14 £	
93x186	4x60 4x120 2x180	8 holes	C1a	10	5	161275	2 608 605 310	7.14 £	



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x230 mm, 8 holes


- expert  **Wood+Paint**
- Suitable for sanding all types of wood, wooden materials and paint
 - Appropriate for orbital sanders from Bosch, Festool, Makita, Metabo, Skil




PRODUCT PROPERTIES				ORDERING INFORMATION					
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 10									
93x230	40	8 holes	C1a	10	5	161114	2 608 605 294	6.72 £	
93x230	60	8 holes	C1a	10	5	161121	2 608 605 295	6.33 £	
93x230	80	8 holes	C1a	10	5	161138	2 608 605 296	5.28 £	
93x230	120	8 holes	C1a	10	5	161152	2 608 605 298	5.31 £	
93x230	180	8 holes	C1a	10	5	161176	2 608 605 300	5.31 £	
93x230	240	8 holes	C1a	10	5	161183	2 608 605 301	5.29 £	



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 93x230 mm


- expert  **Wood+Paint**
- Suitable for sanding all types of wood, wooden materials and paint
 - Appropriate for conventional orbital sanders




Pack of 10								
93x230	40	no holes	C1a	10	5	170673	2 608 605 583	5.46 £
93x230	60	no holes	C1a	10	5	161282	2 608 605 311	5.28 £
93x230	80	no holes	C1a	10	5	161299	2 608 605 312	5.29 £
93x230	120	no holes	C1a	10	5	161305	2 608 605 313	5.33 £
93x230	180	no holes	C1a	10	5	161312	2 608 605 314	5.45 £
93x230	240	no holes	C1a	10	5	161329	2 608 605 315	5.29 £



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 115x230 mm, 14 holes

- expert  **Wood+Paint**
- Suitable for sanding all types of wood, wooden materials and paint
 - Appropriate for orbital sanders from Bosch, Festool, Holz-Her, Makita, Metabo, Skil




Pack of 10								
115x230	40	14 holes	C1a	10	5	170680	2 608 605 584	14.34 £
115x230	60	14 holes	C1a	10	5	161336	2 608 605 316	12.39 £
115x230	80	14 holes	C1a	10	5	161343	2 608 605 317	11.21 £
115x230	120	14 holes	C1a	10	5	161350	2 608 605 318	10.45 £
115x230	180	14 holes	C1a	10	5	161367	2 608 605 319	10.45 £
115x230	240	14 holes	C1a	10	5	161374	2 608 605 320	10.44 £
115x230	4x60 4x120 2x180	14 holes	C1a	10	5	161398	2 608 605 322	10.45 £



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 115x280 mm, 14 holes

expert  **Wood+Paint**

- ▶ **Suitable for** sanding all types of wood, wooden materials and paint
- ▶ **Appropriate for** orbital sanders from Bosch, AEG, Festool, Hitachi, Kress, Makita, Metabo, Skil




PRODUCT PROPERTIES			ORDERING INFORMATION						
Sheet dimensions mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Pack of 10									
115x280	40	14 holes	C1a	10	5	161589		2 608 605 341	10.06 £
115x280	60	14 holes	C1a	10	5	161596		2 608 605 342	9.5 £
115x280	80	14 holes	C1a	10	5	161602		2 608 605 343	7.95 £
115x280	120	14 holes	C1a	10	5	161626		2 608 605 345	7.93 £
115x280	180	14 holes	C1a	10	5	161640		2 608 605 347	7.95 £
115x280	240	14 holes	C1a	10	5	161657		2 608 605 348	7.97 £



C430 sanding sheets for orbital sanders, Expert for Wood and Paint, 115x280 mm

expert  **Wood+Paint**

- ▶ **Suitable for** sanding all types of wood, wooden materials and paint
- ▶ **Appropriate for** conventional orbital sanders



Pack of 10									
115x280	40	no holes	C1a	10	5	170697		2 608 605 585	8.18 £
115x280	60	no holes	C1a	10	5	161404		2 608 605 323	7.95 £
115x280	80	no holes	C1a	10	5	161411		2 608 605 324	7.93 £
115x280	120	no holes	C1a	10	5	161428		2 608 605 325	7.98 £



REMOVAL WITHOUT LIMITS

Belts for belt sanders.



X440

Page number	576
Grit range	40 – 220
Grit type	Aluminium oxide
Backing material	X-Cloth
Dimension mm	13 x 457 / 60 – 100 x 400 – 620

MATERIALS

Softwood / hardwood	✓
Resinous wood	✓
Plywood	✓
Paint / varnish	✓
Filler	✓
Plaster	✓
Solid surface materials (Corian, Varicor)	✓
Glass fibre reinforced plastics (GRP)	✓
Perspex	✓

HIGH PERFORMANCE METAL SANDING

Belts for belt sanders.



	N470	X450	Y580
	EXPERT		
Page number	581	579	582
Grit range	Coarse, Medium, Fine	40 – 120	40 – 180
Grit type	Aluminium Oxide	Zirconia	Zirconia
Backing material	Cloth backing	X-Cloth	Y-/X-Cloth
Dimension mm	13 x 457 / 40 x 760 / 100 x 285	13 x 457 / 40 x 305	13 x 457 / 40 x 760 / 100 x 285




MATERIALS


Stainless steel (inox)	✓	-	✓
Mild steel (metal)	✓	✓	✓
Sheet metal	✓	✓	-
Plasterboard	✓	✓	-
Aluminium	✓	✓	-

*Bosch EXPERT products vs. Bosch standard products

Sanding Belts for Belt Sanders

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

best  **Wood+Paint** ▶ Suitable for sanding all types of wood, hardwood, chipboard, construction boards and paint



PRODUCT PROPERTIES			ORDERING INFORMATION					
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Pack of 3								
40	305	40	C1e	3	4	188562	2 608 606 929	12.31 £
Pack of 3								
Suitable for PBS 60; PBS 60 E								
60	400	40	C1e	3	4	163361	2 608 606 000	7.58 £
60	400	60	C1e	3	4	163378	2 608 606 001	7.13 £
60	400	80	C1e	3	4	163385	2 608 606 002	6.93 £
60	400	100	C1e	3	4	163392	2 608 606 003	6.97 £
60	400	150	C1e	3	4	163408	2 608 606 004	6.96 £
60	400	220	C1e	3	4	163415	2 608 606 005	6.95 £
60	400	60 80 100	C1e	3	4	163439	2 608 606 007	6.94 £
Pack of 3								
Suitable for AEG; Black+Decker; Holz-Her; Kress; Metabo								
65	410	40	C1e	3	4	163514	2 608 606 015	10.57 £
65	410	80	C1e	3	4	163538	2 608 606 017	9.44 £
65	410	100	C1e	3	4	163545	2 608 606 018	9.44 £
65	410	120	C1e	3	4	163552	2 608 606 019	9.44 £
65	410	150	C1e	3	4	163569	2 608 606 020	9.43 £
65	410	180	C1e	3	4	163576	2 608 606 021	9.43 £
65	410	220	C1e	3	4	163583	2 608 606 022	9.44 £
65	410	60 80 100	C1e	3	4	163590	2 608 606 023	9.44 £
Pack of 3								
Suitable for Bosch; Makita; Peugeot; Skil; Stayer								
75	457	40	C1e	3	4	163682	2 608 606 032	9.44 £
75	457	60	C1e	3	4	163699	2 608 606 033	10.27 £
75	457	80	C1e	3	4	163705	2 608 606 034	9.65 £
75	457	100	C1e	3	4	163712	2 608 606 035	9.65 £
75	457	120	C1e	3	4	163729	2 608 606 036	9.65 £
75	457	150	C1e	3	4	163736	2 608 606 037	9.65 £
75	457	180	C1e	3	4	163743	2 608 606 038	9.65 £
75	457	220	C1e	3	4	163750	2 608 606 039	9.65 £
75	457	60 80 100	C1e	3	4	163767	2 608 606 040	10.15 £
Pack of 3								
Suitable for Elu MHB 157; Elu MHB 158								
75	480	40	C1e	3	4	163781	2 608 606 042	11.68 £
75	480	60	C1e	3	4	163798	2 608 606 043	11.03 £
75	480	80	C1e	3	4	163804	2 608 606 044	11.03 £
75	480	100	C1e	3	4	163811	2 608 606 045	11.03 £
75	480	120	C1e	3	4	163828	2 608 606 046	11.03 £
75	480	150	C1e	3	4	163835	2 608 606 047	11.03 £
75	480	180	C1e	3	4	163842	2 608 606 048	11.03 £

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION					
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
75	480	220	C1e	3	4	163859	2 608 606 049	11.01 £
75	480	60 80 100	C1e	3	4	163958	2 608 606 059	11.6 £

Pack of 3

Suitable for Black+Decker

75	508	40	C1e	3	4	163965	2 608 606 060	10.24 £
75	508	60	C1e	3	4	163972	2 608 606 061	9.68 £
75	508	80	C1e	3	4	163989	2 608 606 062	9.18 £
75	508	100	C1e	3	4	163996	2 608 606 063	8.9 £
75	508	120	C1e	3	4	164009	2 608 606 064	8.9 £
75	508	150	C1e	3	4	164016	2 608 606 065	8.9 £
75	508	220	C1e	3	4	164030	2 608 606 067	8.91 £
75	508	60 80 100	C1e	3	4	164047	2 608 606 068	9.18 £

Pack of 3

Suitable for Bosch; AEG; DeWalt; Festool; Holz-Her; Makita; Skil

75	533	40	C1e	3	4	164054	2 608 606 069	12.35 £
75	533	60	C1e	3	4	164061	2 608 606 070	11.6 £
75	533	80	C1e	3	4	164078	2 608 606 071	10.92 £
75	533	100	C1e	3	4	164085	2 608 606 072	10.92 £
75	533	120	C1e	3	4	247955	2 608 607 258	10.92 £
75	533	150	C1e	3	4	164092	2 608 606 073	10.92 £
75	533	180	C1e	3	4	247979	2 608 607 260	10.92 £
75	533	60 80 100	C1e	3	4	164146	2 608 606 078	11.54 £

Pack of 10

Suitable for Bosch; AEG; DeWalt; Festool; Holz-Her; Makita; Skil

75	533	40	P0n	10	1	164160	2 608 606 080	23.43 £
75	533	60	P0n	10	1	164177	2 608 606 081	21.91 £
75	533	80	P0n	10	1	164184	2 608 606 082	21 £
75	533	100	P0n	10	1	164191	2 608 606 083	20.98 £
75	533	120	P0n	10	1	247962	2 608 607 259	21 £
75	533	150	P0n	10	1	164207	2 608 606 084	20.99 £
75	533	180	P0n	10	1	247986	2 608 607 261	21.01 £
75	533	220	P0n	10	1	164214	2 608 606 085	20.98 £

Pack of 3

Suitable for Hitachi; Makita; Ryobi

75	610	40	C1e	3	4	164252	2 608 606 089	14.78 £
75	610	60	C1e	3	4	164269	2 608 606 090	13.87 £
75	610	80	C1e	3	4	164276	2 608 606 091	13.04 £
75	610	100	C1e	3	4	164283	2 608 606 092	13.04 £
75	610	120	C1e	3	4	164290	2 608 606 093	13.04 £
75	610	150	C1e	3	4	164306	2 608 606 094	13.04 £
75	610	60 80 100	C1e	3	4	164313	2 608 606 095	13.69 £

Pack of 3

Suitable for AEG; Atlas Copco; DeWalt; Elu; Festool; Ryobi

100	560	40	C1e	3	4	164498	2 608 606 113	20.84 £
100	560	60	C1e	3	4	164504	2 608 606 114	19.51 £

X440 Sanding Belts for Belt Sanders, Best for Wood and Paint

PRODUCT PROPERTIES			ORDERING INFORMATION					
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
100	560	80	C1e	3	4	164511	2 608 606 115	18.43 £
100	560	100	C1e	3	4	164528	2 608 606 116	18.43 £
100	560	120	C1e	3	4	164535	2 608 606 117	18.43 £
100	560	150	C1e	3	4	164542	2 608 606 118	18.42 £
100	560	60 80 100	C1e	3	4	164634	2 608 606 128	19.35 £

Pack of 3

Suitable for Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma

100	610	40	C1e	3	4	164658	2 608 606 129	18 £
100	610	60	C1e	3	4	164665	2 608 606 130	16.87 £
100	610	80	C1e	3	4	164672	2 608 606 131	15.99 £
100	610	100	C1e	3	4	164689	2 608 606 132	15.99 £
100	610	120	C1e	3	4	247993	2 608 607 262	15.99 £
100	610	150	C1e	3	4	164696	2 608 606 133	15.99 £
100	610	60 80 100	C1e	3	4	164757	2 608 606 139	16.74 £

Pack of 10

Suitable for Bosch; Hitachi; Holz-Her; Makita; Ryobi; Wegoma

100	610	40	P0n	10	1	164702	2 608 606 134	34.24 £
100	610	60	P0n	10	1	164719	2 608 606 135	34.24 £
100	610	80	P0n	10	1	164726	2 608 606 136	34.26 £
100	610	100	P0n	10	1	164733	2 608 606 137	34.24 £
100	610	120	P0n	10	1	248006	2 608 607 263	34.25 £
100	610	150	P0n	10	1	164740	2 608 606 138	34.28 £

Pack of 3

Suitable for Bosch; AEG; Atlas Copco; Hitachi; Makita; Metabo

100	620	40	C1e	3	4	164771	2 608 606 141	18.49 £
100	620	60	C1e	3	4	164788	2 608 606 142	16.87 £
100	620	80	C1e	3	4	164795	2 608 606 143	15.99 £
100	620	100	C1e	3	4	164801	2 608 606 144	15.99 £
100	620	150	C1e	3	4	164818	2 608 606 145	15.99 £
100	620	220	C1e	3	4	164825	2 608 606 146	15.99 £

Pack of 3

Suitable for Peugeot; Skil

100	552	40	C1e	3	4	164979	2 608 606 161	18.24 £
100	552	60	C1e	3	4	164986	2 608 606 162	16.65 £
100	552	80	C1e	3	4	164993	2 608 606 163	15.71 £
100	552	100	C1e	3	4	165006	2 608 606 164	15.71 £
100	552	120	C1e	3	4	165013	2 608 606 165	15.71 £


Pack of 3

Suitable for GVS 350 AE Professional

40	305	60	C1e	3	4	165426	2 608 606 206	11.96 £
40	305	80	C1e	3	4	165433	2 608 606 207	11.96 £
40	305	120	C1e	3	4	165440	2 608 606 208	11.96 £
40	305	180	C1e	3	4	165457	2 608 606 209	11.96 £
40	305	60 80 120	C1e	3	4	165471	2 608 606 211	11.96 £

X450 Sanding Belt for Belt sander, Best for Metal

expert **100** Metal



PRODUCT PROPERTIES			ORDERING INFORMATION						
--------------------	--	--	----------------------	--	--	--	--	--	--


Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Pack of 3									
40	305	60	C1e	3	4	174879		2 608 606 220	13.57 £
40	305	80	C1e	3	4	174886		2 608 606 221	13.57 £
40	305	120	C1e	3	4	174893		2 608 606 222	13.59 £
40	305	180	C1e	3	4	174909		2 608 606 223	13.61 £



Sanding Belts for Power Files

X440 Sanding Belts for Power Files, Best for Wood and Paint

best  **Wood+Paint** ▶ Suitable for sanding all types of wood and paint



PRODUCT PROPERTIES			ORDERING INFORMATION						
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
13	457	40	C1k	3	4	165396	2 608 606 203	7.99 £	
13	457	60	C1k	3	4	165402	2 608 606 204	7.23 £	
13	457	120	C1k	3	4	165419	2 608 606 205	6.89 £	

X450 Sanding Belts for Power Files, Expert for Metal

expert  **Metal**



13	457	40	C1k	3	4	174848	2 608 606 217	8.98 £
13	457	60	C1k	3	4	174855	2 608 606 218	7.99 £
13	457	120	C1k	3	4	174862	2 608 606 219	7.48 £

HIGH SPEED METAL FINISHING

EXPERT N470 Sanding Belts

ASSORTMENT: fine / medium / coarse

EXPERT

- 1 Maximum abrasion with Bosch Surface Structure
- 2 Rapid stock removal by high performance grits
- 3 3D structure allows grit through the fleece




EXPERT N470 Sanding Belts for Belt Sanders

EXPERT



- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than a standard belt.




PRODUCT PROPERTIES			ORDERING INFORMATION					
Belt dimensions, width mm	Belt dimensions, length mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
40	760	Coarse	P0f	10	1	572239	2 608 901 254	169.51 £
40	760	Medium	P0f	10	1	572246	2 608 901 255	157.96 £
40	760	Fine	P0f	10	1	572253	2 608 901 256	157.96 £

EXPERT N470 Sanding Sleeves for Burnishing Machines

EXPERT



- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discoloration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than a standard belt.




PRODUCT PROPERTIES				ORDERING INFORMATION					
Dimensions mm	Grit	Diameter mm	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
100 x 290	Coarse	90	290	POf	10	1	572260	2 608 901 257	207.43 £
100 x 290	Medium	90	290	POf	10	1	572277	2 608 901 258	188.57 £
100 x 290	Fine	90	290	POf	10	1	572284	2 608 901 259	188.57 £

Y580 sanding sleeves for burnishing machines, Best for Inox

best **for Inox**

- ▶ Suitable for sanding stainless steel (inox)
- ▶ Hardly any discoloration thanks to cooling additives
- ▶ With zirconia - for a high material removal rate
- ▶ Appropriate for expansion rollers



PRODUCT PROPERTIES		ORDERING INFORMATION					
Dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
100 x 285	40	C0a	5	1	807623	2 608 608 Z79	28.8 £
100 x 285	60	C0a	5	1	807630	2 608 608 Z80	27.14 £
100 x 285	80	C0a	5	1	807647	2 608 608 Z81	26.51 £
100 x 285	120	C0a	5	1	807654	2 608 608 Z82	26.51 £
100 x 285	180	C0a	5	1	807661	2 608 608 Z83	26.51 £



Expansion Wheel for Burnishing Machines

- ▶ Suitable for sanding sleeves and all conventional burnishing machines



PRODUCT PROPERTIES				ORDERING INFORMATION					
Max. speed rpm	Diameter mm	Length, sheet mm	Diameter, shank mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3,400	90	100	19	C0a	1	1	732932	2 608 000 610	128.15 £



SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

Because manual sanding is everywhere.


					
	M480	C470	Foams	C420	J450
	EXPERT	EXPERT	EXPERT		
Page number	587	587	593	585	589
Grit range	80 – 400	40 – 400	Medium – super fine	40 – 240	60 – 320
Grit type	Aluminium oxide	Aluminium oxide	–	Aluminium oxide	Aluminium oxide
Backing material	Net, knitted fabric	C-Paper	PU	C-Paper	J-Cloth
Dimension mm	93 x 5 000 / 115 x 5 000	230 x 280 / 93 x 5 000 / 115 x 5 000 / 93 x 50 000 / 115 x 50 000	69 x 97 x 26 / 98 x 120 x 13	230 x 280	93 x 5 000 / 115 x 5 000 / 93 x 50 000 / 115 x 50 000
	 	 	 		

MATERIALS

Softwood / hardwood	✓	✓	✓	✓	✓
Resinous wood	✓	✓	✓	✓	✓
Plywood	✓	✓	✓	✓	✓
Paint / varnish	✓	✓	✓		✓
Filler	✓	✓	✓	-	✓
Plaster	✓	✓	✓		✓
Solid surface materials (Corian, Varicor)	✓	✓	-	-	✓
Glass fibre reinforced plastics (GRP)	✓	-	-	-	-
Perspex	✓	-	-	-	-

SHEETS AND ROLLS FOR HAND SANDING AND ORBITAL SANDERS

The manual option.



	N880	J475
	EXPERT	
Page number	591	586
Grit range	Coarse – ultra Fine	40 – 400
Grit type	Aluminium oxide / Silicon carbide	Aluminium oxide
Backing material	Nonwoven	J-Cloth
Dimension mm	Ø 125 / Ø 150 / 152 x 229 / 100 x 10 000 / 115 x 10 000 / 150 x 10 000	230 x 280 / 38 x 25 000

MATERIALS

Stainless steel (inox)	✓	✓
Mild steel (metal)	✓	✓
Sheet metal	✓	✓
Plasterboard	✓	✓
Aluminium	✓	✓

EXPERT C470 Sandpapers for Handsanding

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES		ORDERING INFORMATION						
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT
Pack of 1								
230x280	40	P0f	1	25	542959		2 608 900 957	1.33 £
230x280	60	P0f	1	50	542966		2 608 900 958	1.16 £
230x280	80	P0f	1	50	542973		2 608 900 959	1.17 £
230x280	100	P0f	1	50	542980		2 608 900 960	1.09 £
230x280	120	P0f	1	50	542997		2 608 900 961	1.11 £
230x280	150	P0f	1	50	543000		2 608 900 962	1.09 £
230x280	180	P0f	1	50	543017		2 608 900 963	1.03 £
230x280	220	P0f	1	50	543024		2 608 900 964	0.92 £
230x280	240	P0f	1	50	543031		2 608 900 965	1.02 £
230x280	320	P0f	1	50	543048		2 608 900 966	0.91 £
230x280	400	P0f	1	50	543055		2 608 900 967	0.88 £

C420 paper sanding sheets for hand sanding and for orbital sanders, Standard for Wood and Paint, 230x280 mm

standard **Wood+Paint**

- ▶ Suitable for sanding softwood
- ▶ Appropriate for hand sanding blocks, orbital sanders




PRODUCT PROPERTIES		ORDERING INFORMATION						
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Pack of 1								
230x280	40	P0f	1	50	914659		2 608 621 591	0.68 £
230x280	60	P0f	1	50	914659		2 608 621 592	0.58 £
230x280	80	P0f	1	50	914666		2 608 621 593	0.58 £
230x280	100	P0f	1	50	914673		2 608 621 594	0.47 £
230x280	120	P0f	1	50	914680		2 608 621 595	0.47 £
230x280	180	P0f	1	50	914697		2 608 621 596	0.47 £
230x280	240	P0f	1	50	914703		2 608 621 597	0.47 £



J475 cloth sanding sheets for hand sanding and for orbital sanders, Best for Metal, 230x280 mm

best **Metal** ▶ Suitable for sanding all metals
 ▶ Appropriate for hand sanding blocks, orbital sanders



PRODUCT PROPERTIES		ORDERING INFORMATION						
Sheet dimensions mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 1								
230x280	40	POf	1	25	678384	2 608 608 C05	2.05 £	
230x280	60	POf	1	25	678391	2 608 608 C06	1.89 £	
230x280	80	POf	1	25	678407	2 608 608 C07	1.72 £	
230x280	100	POf	1	25	678414	2 608 608 C08	2.26 £	
230x280	120	POf	1	25	678421	2 608 608 C09	1.72 £	
230x280	150	POf	1	25	678438	2 608 608 C10	2.08 £	
230x280	180	POf	1	25	678445	2 608 608 C11	1.72 £	
230x280	220	POf	1	25	678452	2 608 608 C12	1.89 £	
230x280	240	POf	1	25	678469	2 608 608 C13	1.64 £	
230x280	280	POf	1	25	678476	2 608 608 C14	1.92 £	
230x280	320	POf	1	25	678483	2 608 608 C15	1.64 £	
230x280	400	POf	1	25	678490	2 608 608 C16	1.95 £	



EXPERT M480 Sanding Net Rolls

EXPERT



- ▶ Ideal for highly effective dust-free sanding of flat surfaces; to rough and prepare surfaces for painting; and to prepare or finish drywall.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x better dust extraction than standard sandpaper.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT		
5 m										
93	5	80	P1f	1	1	541143	2 608 900 776	36.45 £		
93	5	100	P1f	1	1	541150	2 608 900 777	36.45 £		
93	5	120	P1f	1	1	541167	2 608 900 778	36.45 £		
93	5	150	P1f	1	1	541174	2 608 900 779	36.45 £		
93	5	180	P1f	1	1	541181	2 608 900 780	36.45 £		
93	5	220	P1f	1	1	541198	2 608 900 781	36.45 £		
93	5	240	P1f	1	1	541204	2 608 900 782	36.45 £		
93	5	320	P1f	1	1	541211	2 608 900 783	36.45 £		
93	5	400	P1f	1	1	541228	2 608 900 784	36.45 £		
115	5	80	P1f	1	1	541235	2 608 900 785	45 £		
115	5	100	P1f	1	1	541242	2 608 900 786	45 £		
115	5	120	P1f	1	1	541259	2 608 900 787	45 £		
115	5	150	P1f	1	1	541266	2 608 900 788	45 £		
115	5	180	P1f	1	1	541273	2 608 900 789	45 £		
115	5	220	P1f	1	1	541280	2 608 900 790	45 £		
115	5	240	P1f	1	1	541297	2 608 900 791	45 £		
115	5	320	P1f	1	1	541303	2 608 900 792	45 £		
115	5	400	P1f	1	1	541310	2 608 900 793	45 £		

EXPERT C470 Sandpaper Rolls for Hand sanding

EXPERT



- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES				ORDERING INFORMATION						
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT		
5 m										
93	5	40	P1f	1	1	542409	2 608 900 902	17.09 £		
93	5	60	P1f	1	1	542416	2 608 900 903	14.25 £		
93	5	80	P1f	1	1	542423	2 608 900 904	12.47 £		
93	5	120	P1f	1	1	542430	2 608 900 905	12.47 £		
93	5	180	P1f	1	1	542447	2 608 900 906	12.47 £		
93	5	240	P1f	1	1	542454	2 608 900 907	12.47 £		
115	5	40	P1f	1	1	542348	2 608 900 896	20.99 £		
115	5	60	P1f	1	1	542355	2 608 900 897	16.6 £		

EXPERT C470 Sandpaper Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION				
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
115	5	80	P1f	1	1	542362	2 608 900 898	15.32 £
115	5	120	P1f	1	1	542379	2 608 900 899	15.32 £
115	5	180	P1f	1	1	542386	2 608 900 900	15.32 £
115	5	240	P1f	1	1	542393	2 608 900 901	15.32 £
50 m								
93	50	40	P0f	1	1	543062	2 608 900 968	93.73 £
93	50	60	P0f	1	1	543079	2 608 900 969	81.96 £
93	50	80	P0f	1	1	543086	2 608 900 970	83.39 £
93	50	100	P0f	1	1	543093	2 608 900 971	77.47 £
93	50	120	P0f	1	1	543109	2 608 900 972	79.02 £
93	50	180	P0f	1	1	543116	2 608 900 973	73.27 £
93	50	240	P0f	1	1	543123	2 608 900 974	72.32 £
93	50	320	P0f	1	1	543130	2 608 900 975	64.95 £
93	50	400	P0f	1	1	543147	2 608 900 976	62.02 £
115	50	40	P0f	1	1	543154	2 608 900 977	115.5 £
115	50	60	P0f	1	1	543161	2 608 900 978	101.07 £
115	50	80	P0f	1	1	543178	2 608 900 979	101.79 £
115	50	100	P0f	1	1	543185	2 608 900 980	95.42 £
115	50	120	P0f	1	1	543192	2 608 900 981	97.34 £
115	50	180	P0f	1	1	543208	2 608 900 982	90.22 £
115	50	240	P0f	1	1	543215	2 608 900 983	89.05 £
115	50	320	P0f	1	1	543222	2 608 900 984	79.92 £
115	50	400	P0f	1	1	543239	2 608 900 985	76.29 £

C410 sanding rolls, Standard for Wood and Paint

standard  Wood+Paint ▶ Suitable for sanding softwood


PRODUCT PROPERTIES			ORDERING INFORMATION					
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
5 m								
93	5	40	P1f	1	4	180672	2 608 606 802	8.04 £
115	5	40	P1f	1	4	180825	2 608 606 817	9.64 £
115	5	60	P1f	1	4	180832	2 608 606 818	8.68 £
115	5	80	P1f	1	4	180849	2 608 606 819	7.47 £
115	5	120	P1f	1	4	180856	2 608 606 820	7.14 £
115	5	180	P1f	1	4	180863	2 608 606 821	7.14 £
115	5	240	P1f	1	4	180870	2 608 606 822	7.14 £

C355 paper sanding rolls, Best for Coatings and Composites - waterproof

best  **Coatings+Composites**

► Suitable for sanding hard minerals, varnish, plastic


► Appropriate for hand sanding blocks



PRODUCT PROPERTIES			ORDERING INFORMATION						
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
5 m									
93	5	120	P1f	1	1	549837		2 608 607 772	18.08 £
93	5	180	P1f	1	1	549844		2 608 607 773	18.08 £
93	5	240	P1f	1	1	549851		2 608 607 774	18.1 £
93	5	320	P1f	1	1	549868		2 608 607 775	18.08 £
93	5	400	P1f	1	1	549875		2 608 607 776	18.08 £
115	5	180	P1f	1	1	549981		2 608 607 787	15.99 £
115	5	240	P1f	1	1	549998		2 608 607 788	15.97 £
115	5	400	P1f	1	1	550000		2 608 607 789	15.97 £

J450 sanding rolls, Expert for Wood and Paint


expert  **Wood+Paint**



5m									
93	5	100	P1f	1	1	912426		2 608 621 457	19.28 £
5m									
115	5	60	P1f	1	1	912495		2 608 621 464	27 £
115	5	80	P1f	1	1	912501		2 608 621 465	24.83 £
115	5	100	P1f	1	1	912518		2 608 621 466	23.85 £
115	5	120	P1f	1	1	912525		2 608 621 467	23.85 £
115	5	180	P1f	1	1	912549		2 608 621 469	23.85 £
115	5	240	P1f	1	1	912563		2 608 621 471	23.85 £
115	5	320	P1f	1	1	912570		2 608 621 472	23.85 £
50m									
93	50	60	P1f	1	1	912587		2 608 621 473	146.91 £
93	50	80	P1f	1	1	912594		2 608 621 474	135.15 £
93	50	100	P1f	1	1	912600		2 608 621 475	129.75 £
93	50	120	P1f	1	1	912617		2 608 621 476	129.75 £
93	50	180	P1f	1	1	912631		2 608 621 478	129.75 £
93	50	240	P1f	1	1	912655		2 608 621 480	129.75 £
93	50	320	P1f	1	1	912662		2 608 621 481	129.75 £
115	50	60	P1f	1	1	912679		2 608 621 482	181.64 £
115	50	80	P1f	1	1	912686		2 608 621 483	167.1 £
115	50	100	P1f	1	1	912693		2 608 621 484	160.43 £
115	50	120	P1f	1	1	912709		2 608 621 485	160.43 £
115	50	180	P1f	1	1	912723		2 608 621 487	160.43 £
115	50	240	P1f	1	1	912747		2 608 621 489	160.43 £
115	50	320	P1f	1	1	912754		2 608 621 490	160.43 £

J475 economy rolls, Best for Metal

best **Metal** ▶ Suitable for sanding all metals




PRODUCT PROPERTIES			ORDERING INFORMATION						
Roll width mm	Roll length m	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
25 m									
38	25	40	POf	1	1	678629	2 608 608 C29	56.71 £	
38	25	60	POf	1	1	678636	2 608 608 C30	53.99 £	
38	25	80	POf	1	1	678643	2 608 608 C31	52.25 £	
38	25	100	POf	1	1	678650	2 608 608 C32	51.3 £	
38	25	120	POf	1	1	678667	2 608 608 C33	50.81 £	
38	25	180	POf	1	1	678681	2 608 608 C35	48.93 £	
38	25	240	POf	1	1	678704	2 608 608 C37	50.12 £	
38	25	280	POf	1	1	678711	2 608 608 C38	48.7 £	
38	25	320	POf	1	1	678728	2 608 608 C39	49.27 £	

EXPERT N880 Fleece Pads for Hand sanding

EXPERT



- ▶ Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- ▶ Best for metalworkers: Long Lasting Quality.
- ▶ Lasts up to 3x longer than standard coated hand sanding sheet.




PRODUCT PROPERTIES				ORDERING INFORMATION				
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
115 x 140	Coarse A	brown	C1b	2	10	571874	2 608 901 218	11.25 £
115 x 140	Medium S	black	C1b	2	10	571881	2 608 901 219	8.14 £
115 x 140	Very fine A	red	C1b	2	10	571904	2 608 901 221	6.25 £
115 x 140	Very fine GP	green	C1b	2	10	571898	2 608 901 220	6.25 £
152 x 229	Cleaning	white	C0a	20	20	571805	2 608 901 211	1.66 £
152 x 229	Coarse A	brown	C0a	20	20	571812	2 608 901 212	2.5 £
152 x 229	Extra cut S	black	C0a	20	20	571799	2 608 901 210	2.5 £
152 x 229	Medium A	maroon	C0a	20	20	571836	2 608 901 214	1.67 £
152 x 229	Medium S	black	C0a	20	20	571829	2 608 901 213	1.79 £
152 x 229	Ultra fine S	grey	C0a	20	20	571850	2 608 901 216	1.66 £
152 x 229	Very fine A	red	C0a	20	20	571843	2 608 901 215	1.67 £
152 x 229	Very fine GP	green	C0a	20	20	571867	2 608 901 217	1.67 £

EXPERT N880 Fleece Rolls for Hand sanding

EXPERT



- ▶ Ideal for cleaning stainless steel, for example to achieve a final surface finish; for light deburring and surface blending.
- ▶ Best for metalworkers: Long Lasting Quality.
- ▶ Lasts up to 3x longer than standard coated hand sanding sheet.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
100	10	Coarse A	brown	P0f	1	1	571911	2 608 901 222	85.13 £
100	10	Medium S	black	P0f	1	1	571928	2 608 901 223	61.64 £
100	10	Very fine A	red	P0f	1	1	571935	2 608 901 224	47.3 £
100	10	Very fine GP	green	P0f	1	1	571942	2 608 901 225	47.3 £
115	10	Cleaning	white	P0f	1	1	571959	2 608 901 226	54.36 £
115	10	Coarse A	brown	P0f	1	1	571966	2 608 901 227	81.41 £
115	10	Medium A	maroon	P0f	1	1	571980	2 608 901 229	54.36 £
115	10	Medium S	black	P0f	1	1	571973	2 608 901 228	97.84 £
115	10	Ultra fine S	grey	P0f	1	1	572000	2 608 901 231	54.36 £
115	10	Very fine A	red	P0f	1	1	571997	2 608 901 230	70.67 £
115	10	Very fine GP	green	P0f	1	1	572017	2 608 901 232	65.38 £
150	10	Cleaning	white	P0f	1	1	572024	2 608 901 233	70.95 £
150	10	Coarse A	brown	P0f	1	1	572031	2 608 901 234	127.7 £

EXPERT N880 Fleece Rolls for Handsanding

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION						
Roll width mm	Roll length m	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT
150	10	Medium A	maroon	P0f	1	1	572055		2 608 901 236	85.13 £
150	10	Medium S	black	P0f	1	1	572048		2 608 901 235	92.22 £
150	10	Ultra fine S	grey	P0f	1	1	572079		2 608 901 238	70.95 £
150	10	Very fine A	red	P0f	1	1	572062		2 608 901 237	70.95 £
150	10	Very fine GP	green	P0f	1	1	572086		2 608 901 239	70.95 £


LONG LIFE SANDING WOOD AND PAINT

EXPERT Sanding Foams

ASSORTMENT: Medium / Fine / Superfine


EXPERT

- 1 Strong, flexible bonding with Bosch Surface Structure
- 2 Tear Resistant foam is extremely strong and durable
- 3 Sponge moulds to shapes for even pressure on surface



EXPERT S470 Combi Blocks

EXPERT



- ▶ Ideal for general sanding, for example to remove old paint from window frames; thin edge is ideal for sanding surface next to glass of walls; rounded edge can follow shape of routed edges on wooden tables.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Lasts up to 5x longer than standard sandpaper.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545127	2 608 901 174	11.13 £	
69 x 97 x 26	Fine	yellow	C0a	1	50	545066	2 608 901 168	1.95 £	

EXPERT S471 Standard Blocks

EXPERT




- ▶ Ideal for flat sanding, for example to remove old paint from window frames; square edges and firm pad helps to give shape, for example by sanding away sharp edges.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Lasts up to 5x longer than standard sandpaper.



PRODUCT PROPERTIES				ORDERING INFORMATION						
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT		
69 x 97 x 26	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545134	2 608 901 175	7.18 £		
69 x 97 x 26	Medium	orange	C0a	1	20	545158	2 608 901 177	1.98 £		
69 x 97 x 26	Fine	yellow	C0a	1	20	545165	2 608 901 178	1.98 £		
69 x 97 x 26	Super fine	green	C0a	1	20	545172	2 608 901 179	1.98 £		
69 x 97 x 26	Medium	orange	C0a	1	50	545073	2 608 901 169	1.26 £		
69 x 97 x 26	Fine	yellow	C0a	1	50	545080	2 608 901 170	1.26 £		
69 x 97 x 26	Super fine	green	C0a	1	50	545189	2 608 901 180	1.26 £		

EXPERT S473 Standard Pads

EXPERT



- ▶ Ideal for sanding curved surfaces, even tight curves such as the legs of a table or of a chair. This broad, thin pad is very flexible and can grab around cylindrical surfaces for easy, even sanding; form-following sanding of furniture to remove old paint or finish natural wood.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Lasts up to 5x longer than standard sandpaper.




PRODUCT PROPERTIES				ORDERING INFORMATION						
Dimensions mm	Grade	Product colour	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT		
98 x 120 x 13	Medium / Fine / Superfine	orange / yellow / green	C1b	3	5	545141	2 608 901 176	6.15 £		
98 x 120 x 13	Medium	orange	C0a	1	50	545097	2 608 901 171	1.08 £		
98 x 120 x 13	Fine	yellow	C0a	1	50	545103	2 608 901 172	1.08 £		
98 x 120 x 13	Super fine	green	C0a	1	50	545110	2 608 901 173	1.08 £		

Accessories for orbital sanders or for hand sanding

Hand sanding blocks

- ▶ **Suitable for** sanding paint, soft or hard wood, glass fibre plastics and smudging materials such as filler or roughcast
- ▶ Two grit grades, “medium” and “fine”, on the hand sanding block
- ▶ Carbide sanding sheet permanently bonded to the hand sanding block – guarantees robustness and long life



PRODUCT PROPERTIES			ORDERING INFORMATION						
Width, sheet mm	Length, sheet mm	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Hand sanding block with hook-and-loop-type fastening system, 2 sides: Medium-hard (blue), extra-soft (white)									
70	125	-	C0a	1	1	672191	2 608 608 586	25.81 £	



Hand sander made of plastic								
85	165	-	C1e	1	1	755542	2 608 601 218	

Hole punches for unpunched sanding sheets



PRODUCT PROPERTIES			ORDERING INFORMATION						
Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Hole punch made of plastic Suitable for GSS 23 AE; GSS 230 AVE Professional									
93	230	8	P0f	1	1	018593	2 608 190 016	16.04 £	



Hole punch made of plastic Suitable for GSS 23 AE; GSS 280 AVE Professional								
115	280	14	P0f	1	1	018135	2 608 190 017	17.9 £

METAL SANDING

The most efficient solutions

The best your tool can get. Bosch Professional Accessories.



FIBRE AND FLAP DISCS FOR ANGLE GRINDERS

Get the quality finish.



	N477	R782	R781	R780
	EXPERT	EXPERT	EXPERT	
Page number	616	600	603	606
Grit range	Extra coarse - very fine	36+ - 120+	36+ - 80+	36 - 120
Grit type	Aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide	Ceramic aluminium oxide
Backing material	3D Fibre fleece	Fibre	Fibre	Fibre
Diameter mm	100 - 125	115 - 180	115 - 180	115 - 180
X-LOCK	✓	✓	✓	✓
M14	✓	✓	✓	✓


MATERIALS

Stainless steel (inox)	✓	✓	-	✓
Mild steel (metal)	✓	✓	✓	✓
Sheet metal	✓	✓	✓	✓
Construction wood	✓	-	✓	-
Aluminium	✓	✓	-	✓

*Bosch EXPERT products vs. Bosch standard products



R574



R444



X581



X571



X551

607	608	610	611	613
24 - 120	24 - 120	40 - 80	40 - 120	40 - 120
Zirconia	Aluminium oxide	Zirconia	Zirconia	Zirconia
Fibre	Fibre	X-Cloth	X-Cloth	X-Cloth
115 - 230	100 - 230	115 - 125	115 - 180	115 - 180
✓	✓	-	✓	-
✓	✓	✓	✓	✓
-	-	✓	✓	✓
✓	✓	✓	✓	✓
✓	✓	-	✓	✓
✓	✓	-	✓	✓
✓	✓	-	✓	✓


MAXIMUM SPEED GRINDING STAINLESS STEEL

EXPERT R782 Prisma Discs X-LOCK

ASSORTMENT: Grit: 36+ - 120+

EXPERT

- 1 Fast stock removal with Bosch Prisma Ceramic technology
- 2 Stays faster for longer due to self-sharpening effect
- 3 Cooling top coat lets you grind faster without overheating
- 4 Cambered design ensures disc stays flat for maximum performance




EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs

EXPERT



- ▶ Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than standard fibre disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.




PRISMA
TECHNOLOGY

UP TO
4x*
SPEED

PRODUCT PROPERTIES				ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
115	22.23	36	●	P1b	5	5	537290	2 608 621 804	22.88 £	
115	22.23	60	●	P1b	5	5	537306	2 608 621 805	16.02 £	
115	22.23	80	●	P1b	5	5	538297	2 608 621 806	16.02 £	
115	22.23	120	●	P1b	5	5	538303	2 608 621 807	16.02 £	
125	22.23	36	●	P1b	5	5	538310	2 608 621 808	26.31 £	

EXPERT R782 Prisma Ceramic X-LOCK Fibre Discs**EXPERT**

PRODUCT PROPERTIES					ORDERING INFORMATION				
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
125	22.23	60	●	P1b	5	5	538327	2 608 621 809	19.94 £
125	22.23	80	●	P1b	5	5	538334	2 608 621 810	19.94 £
125	22.23	120	●	P1b	5	5	538341	2 608 621 811	19.94 £
115	22.23	36	●	P0b	25	1	538433	2 608 621 820	95.34 £
115	22.23	60	●	P0b	25	1	538440	2 608 621 821	66.74 £
115	22.23	80	●	P0b	25	1	538457	2 608 621 822	66.74 £
115	22.23	120	●	P0b	25	1	538464	2 608 621 823	66.74 £
125	22.23	36	●	P0b	25	1	538471	2 608 621 824	109.64 £
125	22.23	60	●	P0b	25	1	538488	2 608 621 825	76.74 £
125	22.23	80	●	P0b	25	1	538495	2 608 621 826	76.74 £
125	22.23	120	●	P0b	25	1	538501	2 608 621 827	76.74 £

EXPERT R782 Prisma Ceramic Fibre Discs**EXPERT**

- ▶ Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than standard fibre disc.
- ▶ With 16 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES				ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
100	16	36	●	P0b	25	1	538396	2 608 621 816	90.7 £
100	16	60	●	P0b	25	1	538402	2 608 621 817	63.49 £
100	16	80	●	P0b	25	1	538419	2 608 621 818	63.49 £
100	16	120	●	P0b	25	1	538426	2 608 621 819	63.49 £

EXPERT R782 Prisma Ceramic Fibre Discs

EXPERT



- ▶ Ideal for grinding stainless steel, such as removing raised welds from fabricated stainless steel structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than standard fibre disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	Price without VAT
180	22.23	36	P0b	25	1	538518		2 608 621 828	214.52 £
180	22.23	60	P0b	25	1	538525		2 608 621 829	150.16 £
180	22.23	80	P0b	25	1	538532		2 608 621 830	150.16 £
180	22.23	120	P0b	25	1	538549		2 608 621 831	150.16 £


MAXIMUM SPEED GRINDING METAL

EXPERT R781 Prisma Discs X-LOCK

ASSORTMENT: Grit: 36+ - 80+

EXPERT

- 1 Fast stock removal with Bosch Prisma Ceramic technology
- 2 Stays faster for longer due to self-sharpening effect
- 3 Cooling top coat lets you grind faster without overheating
- 4 Cambered design ensures disc stays flat for maximum performance




EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT



- ▶ Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than standard fibre disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



12 603

PRODUCT PROPERTIES				ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
115	22.23	36	●	P1b	5	5	537047	2 608 621 779	20.59 £	
115	22.23	60	●	P1b	5	5	537054	2 608 621 780	14.42 £	
115	22.23	80	●	P1b	5	5	537061	2 608 621 781	14.42 £	
125	22.23	36	●	P1b	5	5	537078	2 608 621 782	23.68 £	
125	22.23	60	●	P1b	5	5	537085	2 608 621 783	16.58 £	

EXPERT R781 Prisma Ceramic X-LOCK Fibre Discs

EXPERT

PRODUCT PROPERTIES				ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	X-LOCK	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT
125	22.23	80	●	P1b	5	5	537092		2 608 621 784	16.58 £
115	22.23	36	●	P0b	25	1	537160		2 608 621 791	85.81 £
115	22.23	60	●	P0b	25	1	537177		2 608 621 792	60.06 £
115	22.23	80	●	P0b	25	1	537184		2 608 621 793	60.06 £
125	22.23	36	●	P0b	25	1	537191		2 608 621 794	98.68 £
125	22.23	60	●	P0b	25	1	537207		2 608 621 795	69.07 £
125	22.23	80	●	P0b	25	1	537214		2 608 621 796	69.07 £

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT



- ▶ Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than standard fibre disc.
- ▶ With 16 mm bore for standard locking nut angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...		Part number	Price without VAT
100	16	36	P0b	25	1	537139		2 608 621 788	81.64 £
100	16	60	P0b	25	1	537146		2 608 621 789	57.14 £
100	16	80	P0b	25	1	537153		2 608 621 790	57.14 £

EXPERT R781 Prisma Ceramic Fibre Discs

EXPERT




- ▶ Ideal for grinding metal, such as removing raised welds from fabricated metal structures.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 4x faster than standard fibre disc.
- ▶ With 22.23 mm bore for standard locking nut angle grinders.

PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	Price without VAT
180	22.23	36	P0b	25	1	537221		2 608 621 797	193.06 £
180	22.23	60	P0b	25	1	537238		2 608 621 798	144.48 £
180	22.23	80	P0b	25	1	537245		2 608 621 799	140.87 £

2-STEP SYSTEM SOLUTION

1. Step: R780 Ceramic Fibre Disc.



HIGH PERFORMANCE

High Stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain

STABLE GRINDING

Process because of thick and vulcanized backing

REDUCED DISCOLOURATION

Thanks to top size coating, it is perfect for Inox as well as mild steel applications

X-LOCK Fibre sanding discs, R780, Best for Metal + Inox - EN 13743

best Metal+Inox



- ▶ Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK fibre discs also fit on standard angle grinders
- ▶ High stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain
- ▶ **Stable grinding** process because of thick and vulcanised backing
- ▶ **Reduced discolouration** thanks to top size coating, it is perfect for Inox, mild steel, cast iron, non-ferrous metals and aluminium



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
115	22.23	36	C0a	1	50	960212	2 608 619 177	2 £
115	22.23	50	C0a	1	50	960229	2 608 619 178	1.73 £
115	22.23	60	C0a	1	50	960236	2 608 619 179	1.67 £
115	22.23	80	C0a	1	50	960243	2 608 619 180	1.58 £
115	22.23	100	C0a	1	50	960250	2 608 619 181	1.58 £
115	22.23	120	C0a	1	50	960267	2 608 619 182	1.58 £
125	22.23	36	C0a	1	50	960274	2 608 619 183	2.25 £
125	22.23	50	C0a	1	50	960281	2 608 619 184	2.1 £
125	22.23	60	C0a	1	50	960298	2 608 619 185	1.94 £
125	22.23	80	C0a	1	50	960304	2 608 619 186	1.86 £
125	22.23	100	C0a	1	50	960311	2 608 619 187	1.86 £
125	22.23	120	C0a	1	50	960328	2 608 619 188	1.86 £



Fibre sanding discs R780, Best for Metal and Inox - EN 13743

best for **Metal+Inox**

- ▶ High stock removal in coarser grits and consistent surface quality in finer grits due to strong ceramic grain
- ▶ **Stable grinding** process because of thick and vulcanised backing
- ▶ **Reduced discolouration** thanks to top size coating, it is perfect for Inox, mild steel, cast iron, non-ferrous metals and aluminium




PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
115	22.23	36	C0a	1	50	915168	2 608 621 604	2 £	
115	22.23	50	C0a	1	50	915175	2 608 621 605	1.73 £	
115	22.23	60	C0a	1	50	915182	2 608 621 606	1.67 £	
115	22.23	80	C0a	1	50	915199	2 608 621 607	1.58 £	
115	22.23	100	C0a	1	50	915205	2 608 621 608	1.58 £	
115	22.23	120	C0a	1	50	915212	2 608 621 609	1.58 £	
125	22.23	36	C0a	1	50	915229	2 608 621 610	2.25 £	
125	22.23	50	C0a	1	50	915236	2 608 621 611	2.1 £	
125	22.23	60	C0a	1	50	915243	2 608 621 612	1.94 £	
125	22.23	80	C0a	1	50	915250	2 608 621 613	1.86 £	
125	22.23	100	C0a	1	50	915267	2 608 621 614	1.86 £	
125	22.23	120	C0a	1	50	915274	2 608 621 615	1.86 £	
180	22.23	36	C0a	1	50	915281	2 608 621 616	4.04 £	
180	22.23	50	C0a	1	50	915298	2 608 621 617	3.76 £	
180	22.23	60	C0a	1	50	915304	2 608 621 618	3.53 £	
180	22.23	80	C0a	1	50	915311	2 608 621 619	3.32 £	
180	22.23	100	C0a	1	50	915328	2 608 621 620	3.32 £	
180	22.23	8,500	C0a	1	50	915335	2 608 621 621	3.32 £	

X-LOCK Fibre sanding discs, R574, Best for Metal - EN 13743

best for **Metal**

- ▶ Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK fibre discs also fit on standard angle grinders.
- ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting on steel, cast iron, sheet steel and stainless steel
- ▶ Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.80 or 0.84 mm vulcanised fibre
- ▶ High material removal rate and long lifetime
- ▶ Sanding discs for clamping on a rubber backing pad



115	22.23	24	U0	1	50	959971	2 608 619 153	1.24 £
115	22.23	36	U0	1	50	959988	2 608 619 154	1.19 £
115	22.23	60	U0	1	50	959995	2 608 619 155	1.02 £
115	22.23	80	U0	1	50	960007	2 608 619 156	0.96 £
115	22.23	100	U0	1	50	960014	2 608 619 157	0.96 £
115	22.23	120	U0	1	50	960021	2 608 619 158	0.96 £
125	22.23	24	U0	1	50	960038	2 608 619 159	1.6 £
125	22.23	36	U0	1	50	960045	2 608 619 160	1.53 £
125	22.23	60	U0	1	50	960052	2 608 619 161	1.4 £
125	22.23	80	U0	1	50	960069	2 608 619 162	1.24 £
125	22.23	100	U0	1	50	960076	2 608 619 163	1.24 £
125	22.23	120	U0	1	50	960083	2 608 619 164	1.24 £

Fibre sanding discs R574, Best for Metal - EN 13743

best  Metal




- ▶ Suitable for fine and coarse sanding, material removal, deburring and de-rusting on steel, cast iron, sheet steel and stainless steel
- ▶ Fibre sanding disc with zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, 0.80 or 0.84 mm vulcanised fibre
- ▶ High material removal rate and long lifetime
- ▶ Sanding discs for clamping on a rubber backing pad



PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
125	22.23	24	U0	1	50	179966		2 608 606 731	1.6 £
125	22.23	36	U0	1	50	247924		2 608 607 255	1.53 £
125	22.23	60	U0	1	50	179980		2 608 606 733	1.4 £
125	22.23	80	U0	1	50	179997		2 608 606 734	1.24 £
125	22.23	100	U0	1	50	180009		2 608 606 735	1.24 £
125	22.23	120	U0	1	50	180016		2 608 606 736	1.24 £
180	22.23	24	U0	1	50	180054		2 608 606 740	14.19 £
180	22.23	36	U0	1	50	247931		2 608 607 256	2.33 £
180	22.23	60	U0	1	50	180078		2 608 606 742	1.83 £
180	22.23	80	U0	1	50	180085		2 608 606 743	1.7 £
180	22.23	100	U0	1	50	180092		2 608 606 744	1.7 £
180	22.23	120	U0	1	50	180108		2 608 606 745	1.7 £
115	22.23	36	U0	1	50	247917		2 608 607 254	1.19 £
115	22.23	60	U0	1	50	179928		2 608 606 727	1.02 £
115	22.23	80	U0	1	50	179935		2 608 606 728	0.96 £
115	22.23	100	U0	1	50	179942		2 608 606 729	0.96 £
115	22.23	120	U0	1	50	179959		2 608 606 730	0.96 £

X-LOCK Fibre sanding discs R444, Expert for Metal - EN 13743

expert  Metal



- ▶ Changing fibre discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK fibre discs also fit on standard angle grinders.
- ▶ Suitable for fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- ▶ Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- ▶ Sanding discs for clamping on a rubber backing pad



115	22.23	24	C0a	1	50	960090		2 608 619 165	0.95 £
115	22.23	36	C0a	1	50	960106		2 608 619 166	0.89 £
115	22.23	60	C0a	1	50	960113		2 608 619 167	0.79 £
115	22.23	80	C0a	1	50	960120		2 608 619 168	0.75 £
115	22.23	100	C0a	1	50	960137		2 608 619 169	0.75 £
115	22.23	120	C0a	1	50	960144		2 608 619 170	0.75 £
125	22.23	24	C0a	1	50	960151		2 608 619 171	1.2 £
125	22.23	36	C0a	1	50	960168		2 608 619 172	1.12 £
125	22.23	60	C0a	1	50	960175		2 608 619 173	1.04 £
125	22.23	80	C0a	1	50	960182		2 608 619 174	1 £
125	22.23	100	C0a	1	50	960199		2 608 619 175	1 £
125	22.23	120	C0a	1	50	960205		2 608 619 176	1 £

Fibre sanding discs R444, Expert for Metal - EN 13743expert  **Metal**

- ▶ **Suitable for** fine and coarse sanding, material removal, deburring and de-rusting, for different materials such as wood, paint, metal, stone
- ▶ Fibre sanding disc with semi-friable aluminium oxide, fully synthetic resin bonded, 0.65 or 0.80 mm vulcanised fibre
- ▶ Sanding discs for clamping on a rubber backing pad




PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
100	16	24	U0	1	50	185158		2 608 606 916	0.8 £
100	16	36	U0	1	50	247856		2 608 607 248	0.8 £
100	16	60	U0	1	50	185172		2 608 606 918	0.72 £
100	16	80	U0	1	50	185189		2 608 606 919	0.64 £
100	16	100	U0	1	50	185196		2 608 606 920	0.64 £
100	16	120	U0	1	50	185202		2 608 606 921	0.64 £
115	22.23	24	U0	1	50	162845		2 608 605 464	0.95 £
115	22.23	36	U0	1	50	247863		2 608 607 249	0.89 £
115	22.23	60	U0	1	50	162869		2 608 605 466	0.79 £
115	22.23	80	U0	1	50	162876		2 608 605 467	0.75 £
115	22.23	100	U0	1	50	162883		2 608 605 468	0.75 £
115	22.23	120	U0	1	50	162890		2 608 605 469	0.75 £
125	22.23	24	U0	1	50	162944		2 608 605 474	1.2 £
125	22.23	80	U0	1	50	162975		2 608 605 477	1 £
125	22.23	100	U0	1	50	162982		2 608 605 478	1 £
125	22.23	120	U0	1	50	162999		2 608 605 479	1 £
180	22.23	24	U0	1	50	163040		2 608 605 484	1.89 £
180	22.23	36	U0	1	50	247887		2 608 607 251	1.73 £
180	22.23	60	U0	1	50	163064		2 608 605 486	1.59 £
180	22.23	80	U0	1	50	163071		2 608 605 487	1.46 £
180	22.23	120	U0	1	50	163095		2 608 605 489	1.46 £

EXPERT N475 Surface Conditioning Material X-LOCK Flap Discs

EXPERT



- ▶ The EXPERT SCM Disc uses Bosch Surface Structure to offer speed and quality. It is the best choice for metalworkers who want a great finish and highly efficient working.
- ▶ The Bosch EXPERT Surface Conditioning Material Disc: Ideal for refining metal surfaces.
- ▶ Up to 3x faster than a benchmark Bosch disc.
- ▶ Click it on with X-LOCK – the fastest accessory-changing system on the market. Also fits nut and thread angle grinders.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
115	22.23	Coarse	U0	1		589190	2 608 901 470	11.55 £
125	22.23	Coarse	U0	1		589220	2 608 901 473	13.65 £
115	22.23	Medium	U0	1		589206	2 608 901 471	11.55 £
125	22.23	Coarse	U0	1		589237	2 608 901 474	13.65 £
115	22.23	Very fine	U0	1		589213	2 608 901 472	11.55 £
125	22.23	Very fine	U0	1		589244	2 608 901 475	13.65 £

X581 flap discs, Best for Inox, angled version - EN 13743

best **for** **Inox**

- ▶ Particularly suitable for working on stainless steel (inox)
- ▶ Powerful thanks to high-performance zirconia, fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- ▶ Very high material removal rate and very long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for surface sanding and working on welded seams at a work angle of 15-25°



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
115	22.23	40	U0	1	10	590846	2 608 608 263	9.88 £
115	22.23	60	U0	1	10	590853	2 608 608 264	9.89 £
115	22.23	80	U0	1	10	590860	2 608 608 265	9.88 £
125	22.23	60	U0	1	10	528795	2 608 607 639	9.49 £



X581 flap discs, Best for Inox, straight version - EN 13743


 best 


- ▶ Particularly suitable for working on stainless steel (inox)
- ▶ Powerful thanks to high-performance zirconia, fully synthetic resin bonded, sturdy X-cloth and highly active additive coating
- ▶ Very high material removal rate and very long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
115	22.23	40	U0	1	10	590884	2 608 608 267	9.89 £
115	22.23	60	U0	1	10	590891	2 608 608 268	9.89 £
115	22.23	80	U0	1	10	590907	2 608 608 269	9.88 £
125	22.23	40	U0	1	10	590976	2 608 608 276	9.49 £

X-LOCK X571 flap discs, Best for Metal, angled version - EN 13743

 best 


- ▶ Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK Flap discs also fit on standard angle grinders.
- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



115	22.23	40	U0	1	10	960410	2 608 619 197	6.66 £
115	22.23	60	U0	1	10	960427	2 608 619 198	6.66 £
115	22.23	80	U0	1	10	960434	2 608 619 199	6.66 £
115	22.23	120	U0	1	10	960441	2 608 619 200	6.66 £
125	22.23	40	U0	1	10	960458	2 608 619 201	7.65 £
125	22.23	60	U0	1	10	960465	2 608 619 202	7.65 £
125	22.23	80	U0	1	10	960472	2 608 619 203	7.65 £
125	22.23	120	U0	1	10	960489	2 608 619 204	7.65 £

X-LOCK X571 flap discs, Best for Metal, straight version - EN 13743

best  Metal

X-LOCK	✓
M14/Ø 22,23	✓



- ▶ Changing Flap discs is fast and convenient thanks to the keyless X-LOCK system.
- ▶ X-LOCK Flap discs also fit on standard angle grinders.
- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
115	22.23	40	U0	1	10	960496		2 608 619 205	6.66 £
115	22.23	60	U0	1	10	960502		2 608 619 206	6.66 £
115	22.23	80	U0	1	10	960519		2 608 619 207	6.66 £
115	22.23	120	U0	1	10	960526		2 608 619 208	6.66 £
125	22.23	40	U0	1	10	960533		2 608 619 209	7.65 £
125	22.23	60	U0	1	10	960540		2 608 619 210	7.65 £
125	22.23	80	U0	1	10	960557		2 608 619 211	7.65 £
125	22.23	120	U0	1	10	960564		2 608 619 212	7.65 £

X571 flap discs, Best for Metal, angled version - EN 13743

best  Metal



- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



115	22.23	40	U0	1	10	162708		2 608 605 450	6.66 £
115	22.23	60	U0	1	10	162715		2 608 605 451	6.66 £
115	22.23	80	U0	1	10	162722		2 608 605 452	6.66 £
115	22.23	120	U0	1	10	270205		2 608 607 319	6.66 £
125	22.23	40	U0	1	10	185219		2 608 606 922	7.65 £
125	22.23	60	U0	1	10	185226		2 608 606 923	7.65 £
125	22.23	80	U0	1	10	185233		2 608 606 924	7.65 £
125	22.23	120	U0	1	10	270212		2 608 607 320	7.65 £
180	22.23	40	U0	1	10	180023		2 608 606 737	14.2 £
180	22.23	60	U0	1	10	180030		2 608 606 738	14.2 £

X571 flap discs, Best for Metal, straight version - EN 13743

best **for Metal**



- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia, fully synthetic resin bonded, sturdy X-cloth
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
115	22.23	40	U0	1	10	270236		2 608 607 322	6.66 £
115	22.23	60	U0	1	10	270243		2 608 607 323	6.66 £
115	22.23	80	U0	1	10	270250		2 608 607 324	6.66 £
115	22.23	120	U0	1	10	270267		2 608 607 325	6.66 £
125	22.23	40	U0	1	10	270274		2 608 607 326	7.65 £
125	22.23	60	U0	1	10	270281		2 608 607 327	7.65 £
125	22.23	80	U0	1	10	270670		2 608 607 328	7.65 £

X571 flap discs, Best for Metal, straight version - EN 13743 - plastic

best **for Metal**



- ▶ Especially suitable for treatment of stainless steel, steel, cast iron and sheet steel
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth and highly active additive
- ▶ Consistently high material removal rate and long lifetime
- ▶ Flap disc on carrier plate made of plastic
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	270731		2 608 607 334	6.66 £
115	22.23	60	U0	1	10	270748		2 608 607 335	6.66 £
115	22.23	80	U0	1	10	270755		2 608 607 336	6.66 £
115	22.23	120	U0	1	10	270991		2 608 607 337	6.66 £
125	22.23	40	U0	1	10	270762		2 608 607 338	7.65 £
125	22.23	60	U0	1	10	270779		2 608 607 339	7.65 £
125	22.23	80	U0	1	10	270786		2 608 607 340	7.65 £
180	22.23	40	U0	1	10	270809		2 608 607 342	14.19 £
180	22.23	60	U0	1	10	270816		2 608 607 343	14.19 £
180	22.23	80	U0	1	10	270823		2 608 607 344	14.2 £

X551 flap discs, Expert for Metal, angled version - EN 13743

expert **for Metal**



- ▶ Particularly suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Angled version - for working on edges/welded seams and surface sanding at a work angle of 15-25°



115	22.23	40	U0	1	10	180177		2 608 606 752	4.78 £
115	22.23	60	U0	1	10	180184		2 608 606 753	5.33 £
115	22.23	80	U0	1	10	180191		2 608 606 754	5.33 £
115	22.23	120	U0	1	10	270847		2 608 607 346	4.78 £
125	22.23	40	U0	1	10	179812		2 608 606 716	5.52 £
125	22.23	60	U0	1	10	179829		2 608 606 717	5.52 £
125	22.23	80	U0	1	10	179836		2 608 606 718	5.52 £
125	22.23	120	U0	1	10	270854		2 608 607 347	5.52 £

X551 flap discs, Expert for Metal, straight version - EN 13743

expert **for Metal**

- ▶ Particularly suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of glass fibre
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
115	22.23	40	U0	1	10	270878	2 608 607 349	4.78 £	
115	22.23	60	U0	1	10	270885	2 608 607 350	4.78 £	
115	22.23	80	U0	1	10	270892	2 608 607 351	4.78 £	
115	22.23	120	U0	1	10	270908	2 608 607 352	4.78 £	
125	22.23	40	U0	1	10	270915	2 608 607 353	5.52 £	
125	22.23	60	U0	1	10	270922	2 608 607 354	5.52 £	
125	22.23	80	U0	1	10	270939	2 608 607 355	5.52 £	
125	22.23	120	U0	1	10	270953	2 608 607 356	5.52 £	

X551 flap discs, Expert for Metal, straight version - EN 13743 - plastic

expert **for Metal**

- ▶ Particularly suitable for metalworking
- ▶ Powerful thanks to zirconia/semi-friable aluminium oxide, fully synthetic resin bonded, sturdy X-cloth
- ▶ The low-cost alternative as an ideal solution
- ▶ Flap disc on carrier plate made of plastic
- ▶ Straight version - for surface sanding and working on welded seams at a work angle of 5-15°



115	22.23	40	U0	1	10	271011	2 608 607 361	4.78 £
115	22.23	60	U0	1	10	271028	2 608 607 362	4.77 £
125	22.23	40	U0	1	10	271042	2 608 607 365	5.52 £
125	22.23	60	U0	1	10	271059	2 608 607 366	5.52 £
125	22.23	80	U0	1	10	271066	2 608 607 367	5.52 £
125	22.23	120	U0	1	10	271073	2 608 607 368	5.52 £

X-LOCK cleaning disc N377, Best for Metal, 50 m/s



PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT	
optimum speed 5,500 rpm									
115	22.23	black	U0	1	5	538556	2 608 621 832	15.59 £	

X-LOCK cleaning disc N377, Best for Metal, 50 m/s


PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
optimum speed 5,000 rpm									
125	22.23	black	U0	1	5	538563	2 608 621 833	17.17 £	

Cleaning disc, N377, Best for Metal, 50m/s
best for Metal


- ▶ **Suitable for** working on metal, non-ferrous metals and stainless steel
- ▶ Ideal for removing rust, paint, oxide layers, lime deposits, moss and graffiti on stone, marble and concrete, seal residues
- ▶ Low clogging thanks to open structure of the fleece. Coating made of silicon carbide
- ▶ Cleaning disc on carrier plate made of glass fibre
- ▶ **Appropriate for** controllable angle grinders with a max. speed of 7,600 rpm using discs with 125 mm diameter and with max. 8,300 rpm using discs with 115 mm diameter, e.g. Bosch GWS 14-125 Inox Professional angle grinder



PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
optimum speed 5,500 rpm									
115	22.23	black	U0	1	5	528726	2 608 607 632	17.49 £	
optimum speed 5,000 rpm									
125	22.23	black	U0	1	5	528733	2 608 607 633	19.17 £	


HIGH SPEED METAL FINISHING

EXPERT N477 Surface Conditioning Material Discs

ASSORTMENT: very fine - extra coarse

EXPERT

- 1 Maximum abrasion with Bosch Surface Structure
- 2 Rapid stock removal by high performance grits
- 3 3D structure allows grit through the fleece




EXPERT N477 SCM Discs for Angle Grinders

EXPERT



- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discolouration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than a standard disc.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
115	22	Coarse	C0a	25	25	572345	2 608 901 265	4.9 £
115	22	Extra coarse	C0a	25	25	572338	2 608 901 264	5.4 £
115	22	Medium	C0a	25	25	572352	2 608 901 266	4.66 £
115	22	Very fine	C0a	25	25	572369	2 608 901 267	4.41 £
125	22	Coarse	C0a	25	25	572383	2 608 901 269	5.72 £


EXPERT N477 SCM Discs for Angle Grinders

EXPERT

PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
125	22	Extra coarse	C0a	25	25	572376	2 608 901 268	6.29 £
125	22	Medium	C0a	25	25	572390	2 608 901 270	5.43 £
125	22	Very fine	C0a	25	25	572406	2 608 901 271	5.16 £

EXPERT N477 SCM Discs for Angle Grinders

EXPERT



- ▶ Ideal for refining metal surfaces, for example after grinding away a weld; for refining metal surfaces prior to painting; and for removing flaws, rust and discoloration.
- ▶ Best for metalworkers: fast and efficient.
- ▶ Up to 4x faster than a standard disc.
- ▶ Just stick it on with hook and loop.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Disc diameter mm	Bore diameter mm	Version	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
100	16	Coarse	C0a	25	25	572307	2 608 901 261	4.17 £
100	16	Extra coarse	C0a	25	25	572291	2 608 901 260	4.59 £
100	16	Medium	C0a	25	25	572314	2 608 901 262	3.96 £
100	16	Very fine	C0a	25	25	572321	2 608 901 263	3.75 £

Sandpapers for Angle Grinders and Drills

EXPERT C470 Sandpapers with no holes for Angle Grinders and Drills

EXPERT


- ▶ Ideal for highly effective fast sanding of flat surfaces; to remove old paint; or to smooth, prepare and finish surfaces.
- ▶ EXPERT Abrasives - the very best for all trades.
- ▶ Up to 2x faster than standard sandpaper.
- ▶ Just stick it on with hook and loop.




PRODUCT PROPERTIES			ORDERING INFORMATION						
Disc diameter mm	Grit	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode	4 059 952...	Part number	Price without VAT
Pack of 50									
125	40	no holes	C0a	50	1	542898		2 608 900 951	53.96 £
125	60	no holes	C0a	50	1	542904		2 608 900 952	43.73 £
125	80	no holes	C0a	50	1	542911		2 608 900 953	38.93 £
125	100	no holes	C0a	50	1	544922		2 608 901 154	30.84 £
125	120	no holes	C0a	50	1	542928		2 608 900 954	35.56 £
125	180	no holes	C0a	50	1	542935		2 608 900 955	35.53 £
125	240	no holes	C0a	50	1	542942		2 608 900 956	35.53 £
125	320	no holes	C0a	50	1	544939		2 608 901 155	30.84 £
125	400	no holes	C0a	50	1	544946		2 608 901 156	30.84 £

Sandpapers for Drills

F460 paper sanding sheets for drills, Expert for Wood and Paint

best for **Wood+Paint**

- ▶ **Appropriate for** Bosch backing pad 1 609 200 240
- ▶ **Suitable for** sanding all types of wood, chipboard and construction boards, also for metal
- ▶ Outstanding lifetime and best price/performance ratio



PRODUCT PROPERTIES		ORDERING INFORMATION						
Disc diameter mm	Grit	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Pack of 5								
125	40	C1c	5	5	004039	1 609 200 160	4.29 £	
125	60	C1c	5	5	004046	1 609 200 161	4.29 £	
125	80	C1c	5	5	004053	1 609 200 162	4.29 £	
125	120	C1c	5	5	004060	1 609 200 163	4.29 £	
125	180	C1c	5	5	004077	1 609 200 164	4.29 £	
Pack of 10								
125	40	C1c	5	5	004084	1 609 200 165	6.26 £	
	60							
	80							
	120							
	180							


Accessories for Sanding and Polishing with Drills

Backing Pad with Shank for Drills



PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Shank diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Backing pad for 125 mm abrasive diameter for clamping with screw/disc								
125	8	C1c	1	1	004435	1 609 200 240	4.03 £	

Polishing Accessories for Drills



PRODUCT PROPERTIES		ORDERING INFORMATION						
Working diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Polishing sponge Foam with rubber backing pad								
125		C1d	1	1	004480	1 609 200 250	6.05 £	
Lambswool bonnet Use with polishing sponge and rubber backing pad								
125		C1c	1	5	004466	1 609 200 245	4.08 £	

Sanding sleeves for straight grinders

Shank for sanding sleeves



PRODUCT PROPERTIES				ORDERING INFORMATION						
Max. speed rpm	Shank diameter mm	Diameter, shank mm	Width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
9,500	6	60	30	P1c	1	1	192828		2 608 620 038	31.89 £
36,000	6	15	30	P1c	1	1	192781		2 608 620 034	20.32 £

Flap wheels - Aluminium oxide

- ▶ **Suitable for** universal application in wood, metal, paint, plastic
- ▶ **Appropriate for** drills
- ▶ For surface machining, edge chamfering, deburring and structuring
- ▶ Shape: Cylindrical







PRODUCT PROPERTIES				ORDERING INFORMATION						
Straight shank mm	Grit	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
6	60	50	20	C1d	1	1	004572		1 609 200 287	9.37 £
6	120	50	20	C1d	1	1	004589		1 609 200 288	9.37 £

Polishing accessories for GPO 14 CE Professional



► **Appropriate for** GPO 14 CE Professional

PRODUCT PROPERTIES		ORDERING INFORMATION					
Working diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
 <p>Hard Foam disc Polishing orange peel effect, paint runs and dust inclusions</p>							
170	P1d	1	1	632393	2 608 612 023	27.6 £	
 <p>Foam disc Removing holograms Finishing of dark and sensitive colours</p>							
170	P1d	1	1	632416	2 608 612 025	27.6 £	
 <p>Lambskin disc Polishing old varnish after surface sanding</p>							
170	P1d	1	1	632423	2 608 612 026	39.92 £	
 <p>Backing pad for foam disc and lambskin disc with hook-and-loop-type fastening system</p>							
150	P1d	1	1	632430	2 608 612 027	48.67 £	

Polishing sponge for polishers



- **Suitable for** rubbing in wax and polishing weather-worn paints, stone, plastics and non-ferrous metal, and for polishing slightly dirty, scratched or pre-polished surfaces
- For use with polish or for working in surface sealing agents on even or curved surfaces
- **Appropriate for** GPO 12; GPO 12 E, GOP 14,4 V-EC Professional

Polishing sponge with M14 thread						
160	P0b	1	1	026550	1 608 613 013	32.6 £

Felt polishing disc for polishers



- **Suitable for** polishing stone, plastics and non-ferrous metal, and for pre-polishing very dirty or scratched, even surfaces
- For use with polish or grinding paste on even surfaces
- **Appropriate for** GPO 12; GPO 12 E Professional

Felt polishing disc with M14 thread						
180	P0b	1	1	026543	1 608 612 002	106.4 £

Lambswool bonnet for polishers

- ▶ **Suitable for** polishing old varnish and after surface sanding
- ▶ **Note:** For use with polishing sponge (1 608 613 013) or felt polishing disc (1 608 612 002) or backing pad (2 608 601 209)
- ▶ **Appropriate for** GPO 12; GPO 12 E Professional



PRODUCT PROPERTIES		ORDERING INFORMATION					
Working diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Lambswool bonnet	180	P0f	1	1	026499	1 608 610 000	19.24 £



MACHINE ACCESSORIES

Improve your power tool

The best your tool can get. Bosch Professional Accessories.







Bosch System Chucks

Bosch System Chucks for Rotary Hammers


PRODUCT PROPERTIES			ORDERING INFORMATION							
Chuck capacity mm	Mount, range	R/L rotation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
	SDS plus quick-change chuck Suitable for GBH 4 DFE; GBH 4 DSC Professional; PBH 300 E		SDS plus	SDS	C0a	1	1	077606	2 608 572 059	56.75 £
	SDS plus quick-change chuck Suitable for GBH 24 VFR Professional; PBH 200 FRE; PBH 240 RE		SDS plus	SDS	C1a	1	1	144247	2 608 572 112	36.24 £
	Keyless chuck with adapter Suitable for GBH 2-24 DFR; GBH 24 VF; GBH 24 VFR Professional; PBH 200 FRE; PBH 220 RE; PBH 240 RE		1.5-13.0	SDS	C1a	1	1	127608	1 617 000 328	89.69 £
	SDS plus keyless chuck Suitable for GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36 VF-LI; GBH 2600 Professional		SDS plus	SDS	C0a	1	1	336932	2 608 572 213	64.96 £
	Keyless chuck with adapter Suitable for GBH 2-24 DF; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-28 DFV; GBH 3-28 DFR; GBH 4-32 DFR; GBH 18V-26 F; GBH 36 VF-LI; GBH 2600 Professional		1.5-13.0	SDS	C0a	1	1	336925	2 608 572 212	106.03 £
	Quick-change drill chuck SDS plus Suitable for GBH 18V-34 CF Professional		SDS plus	SDS plus	C1b	1	1	514994	2 608 000 704	39.38 £
	Keyless drill chuck Suitable for GBH 18V-34 CF Professional		-	-	C1b	1	1	530147	2 608 000 710	63 £
	Keyless chuck with adapter Suitable for GBH 3-28 FE Professional		1.5-13.0	SDS	C1a	1	1	217644	2 608 572 146	119.23 £

Bosch System Chucks for Impact Drills


PRODUCT PROPERTIES							ORDERING INFORMATION								
Chuck capacity mm	Mount, range	Impact-proof	R/L rotation	Bench-mounted drill	TC clamping jaws	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT			
	Keyed chuck up to 16 mm Replacement key 1 607 950 045 Suitable for GSB 650 RE Professional; PSB 450; PSB 500; PSB 550 RA Micro-Filter; PSB 550 RE; PSB 570; PSB 600; PSB 600-2; PSB 650 RA; PSB 700 RE; PSB 700 RES; PSB 750-2 RE; PSB 750-2 RPE "Auto-Lock"; PSB 1000 RPE						1.5-13.0	1/2" - 20	-	C1a	1	1	125949	2 608 571 056	19.11 £
	Keyless chuck, chrome-plated Suitable for GSB 13 RE; GSB 16; GSB 16 RE; GSB 18-2 RE; GSB 19-2 RE; GSB 20-2; GSB 650 RE; GSB 1600 RE Professional; PSB 450; PSB 550 RE						1.5-13.0	1/2" - 20	-	P1a	1	1	223416	2 608 572 149 ⁱ	43.68 £
	Keyless chuck, chrome-plated Suitable for GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 21-2 RCT; GSB 21-2 RE; GSB 24-2 Professional; PSB 850; PSB 1000; PSB 1200 „Auto-Lock“						1.5-13.0	1/2" - 20	-	C1a	1	1	223423	2 608 572 150	48.39 £
	Keyed chuck up to 13 mm, chrome-plated Replacement key 1 607 950 045 Suitable for GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 21-2 RCT; GSB 21-2 RE; GSB 22-2 RCE; GSB 22-2 RE; GSB 24-2 Professional; PSB 850; PSB 1000; PSB 1200 „Auto-Lock“						1.5-13.0	1/2" - 20	-	C1a	1	1	223409	2 608 571 068	35.55 £

ⁱ = Phase Out Date 12.2021

Bosch System Chucks for Drills and Screwdrivers

PRODUCT PROPERTIES					ORDERING INFORMATION						
Chuck capacity mm	Mount, range	R/L rotation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT			
	Keyless chuck Suitable for GSR 10,8 V-LI-2 Professional		1.0-10.0	1/2" - 20	●	C1a	1	1	509268	2 608 572 257	42.53 £

Bosch System Chucks for Drills and Screwdrivers

	Keyless chuck 1-10 mm Suitable for PSB 12 VE-2; PSB 14.4 VE-2; PSB 18 VE-2; PSB 24 VE-2; PSR 9.6 VE-2; PSR 12 VE-2; PSR 14.4 LI-2; PSR 14.4 VE-2; PSR 18 LI-2; PSR 18 VE-2; PSR Universal+ LI-2		1.0-10.0	3/8" - 24	●	C1a	1	1	332996	2 608 572 210	21.12 £
---	---	--	----------	-----------	---	-----	---	---	--------	----------------------	---------

Morse Taper and Reduction Sleeves



PRODUCT PROPERTIES	ORDERING INFORMATION					
Reduction sleeve MT 3 to MT 2 Suitable for GBM 32-4 Professional	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	P0b	1	1	204507	3 600 320 014	29.21 £

Angle Drill Heads



PRODUCT PROPERTIES	ORDERING INFORMATION						
Angle drill head for light rotary hammers with SDS plus toolholder, spindle collar diameter 43 mm	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	-	C0a	1	1	015790	1 618 580 000	286.9 £






Distance ring for Angle Drill Head	48.5	P0b	2	1	785853	2 608 000 623	7.94 £
------------------------------------	------	-----	---	---	--------	----------------------	--------





Angle Drill Head for Light Rotary Hammers with SDS plus Toolholder, Spindle Collar Diameter 50 mm Fits: GBH 2-24D (0 611 2A0 ...); GBH 2400 (0 611 253 ...); GBH 2-26 DRE (0 611 253 ...); GBH 2-26 DBR (0 611 255 ...); GBH 2-28 D (0 611 267 ...); GBH 2-28 DV (0 611 267 ...); RH 228 VC (0 611 268 ...); GBH 3-28 DRE (0 611 23A ...); GBH 36V-LI (0 611 900 ...)	-	C0a	1	1	651646	2 608 000 502	295.53 £
--	---	-----	---	---	--------	----------------------	----------

Accessories for Rotary Hammers


Drill Bit Adapters for Drill Bits

PRODUCT PROPERTIES				ORDERING INFORMATION				
Shank	For drill bit shank	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	SDS max	SDS plus	P1e	1	1	033435	1 618 598 159	82.65 £
	SDS max	Large spline	P1e	1	1	034548	1 618 598 161	132.55 £
	Large spline	SDS plus	P0h	1	1	028981	1 618 598 124	82.98 £

SDS Shanks for Drill Chucks





	SDS plus	1/2"-20 UNF	C1c	1	5	012584	1 617 000 132	20.21 £
	SDS max	1/2"-20 UNF	P0h	1	1	034180	2 608 550 036	44.75 £

Striking Tool SDS plus for Anchors




PRODUCT PROPERTIES				ORDERING INFORMATION						
Drive/thread	Shank	Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	M10	SDS plus	8.4	86	P0b	1	1	057240	1 618 600 008	12.27 £

Handles for Rotary Hammers and Impact Drills



Handles for Impact Drills

PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	Handle for impact drills Suitable for GBH 2-23 RE; GBH 2-24; GBH 24 V; GBH 24 VF; GBH 24 VFR; GBN 2 SE; GBN 2 SR; GSB 16 RE; GSB 18-2; GSB 18-2 RE; GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET; GSB 22; GSB 22-2 RCE; GSB 22-2 RE; GSB 1600 RE Professional; PBH 20	P0b	1	1	266734	2 602 025 120	17.52 £
	Handle for impact drills Suitable for GBH 2-18 E; GBH 2-18 RE Professional; PBH 2100 RE; PBH 2500 RE; PBH 2500 SRE; PSB 14.4 V-i; PSB 500; PSB 500 RE; PSB 500-2; PSB 550 RA Micro-Filter; PSB 550 RE; PSB 570; PSB 570 RE; PSB 580 RE; PSB 600; PSB 600 RE; PSB 600 RES; PSB 600 RPE; PSB 600-2; PSB 650 RA; PSB 650 RE; PSB 650 RPE; PSB 700 RE; PSB 700 RES; PSB 730-2 RPE; PSB 750; PSB 850; PSB 1000; PSB 1000 RPE; PSB 1200; PSB 2100 RE; PSB 2100 SRE; PSB 6500 RE	P0b	1	1	144216	2 602 025 102	13.03 £
	Handle for impact drills Suitable for GSB 16 RE; GSB 19-2 RE; GSB 19-2 REA; GSB 1600 RE Professional	P0b	1	1	521987	2 602 025 190	9.13 £
	Handle for impact drills Suitable for GSB 21-2 RCT; GSB 21-2 RE Professional	P0b	1	1	543828	2 602 025 193	14.89 £

Handles for Rotary Hammers

PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	Handle for rotary hammers Suitable for GBH 4 DFE; GBH 4 DSC; GBH 4-top Professional; PBH 300 E	P0b	1	1	076678	2 602 025 077	34.22 £
	Handle for rotary hammers Suitable for GAH 500 DSR; GBM 13 HRE Professional	P0b	1	1	027014	1 612 025 032	12.22 £
	Handle for rotary hammers Suitable for GBH 10 DC; GBH 11 DE Professional	P0b	1	1	084697	2 602 025 086	37.5 £

Handles for Rotary Hammers

	PRODUCT PROPERTIES		ORDERING INFORMATION					
			Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
	Handle for rotary hammers Suitable for GSH 10 C; GSH 11 E Professional		P0b	1	1	072380	2 602 025 076	35.39 £
	Handle for rotary hammers Suitable for GBH 5-40; GBH 5-40 D; GBH 8 DCE; GBH 38 Professional		P0b	1	1	042482	2 602 025 062	50.42 £
	Handle for rotary hammers Suitable for GSH 4; GSH 5 Professional		P0b	1	1	042499	2 602 025 063	43.1 £
	Handle for rotary hammers Suitable for GBH 7 DE; GBH 7-46 DE Professional		P0b	1	1	167178	2 602 025 103	45.23 £
	Handle for rotary hammers Suitable for GBH 5-38; GBH 5-40; GBH 5-40 DC; GSH 5; GSH 388 Professional		P0b	1	1	251037	2 602 025 117	12.95 £
	Handle for rotary hammers Suitable for GBH 4-32 DFR Professional		P0f	1	1	466585	2 602 025 176	14.89 £
	Auxiliary Handle for GBH 18V-34 CF and GBH 18V-36 C Suitable for GBH 18V-34 CF; GBH 18V-36 C Professional		C1b	1	1	514987	2 608 000 703	13.39 £

Keyless Drill Chucks

Keyless chucks up to 10 mm

PRODUCT PROPERTIES						ORDERING INFORMATION							
Chuck capacity mm	Mount, range	Impact-proof	Only for spindle lock	R/L rotation	Locking mechanism	Bench-mounted drill	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Suitable for PSR 2.4 V; PSR 3.6 V													
1.0-6.0	1/4" external hex shank		●				2	C1a	1	1	085434	2 608 572 072	12.76 £
1.0-10.0	1/4" external hex shank			●			3	P1a	1	1	085441	2 608 572 075	34.56 £
1.0-10.0	3/8" - 24	●		●			5	C1a	1	1	092036	2 608 572 068	34.94 £



Keyless chucks up to 16 mm

PRODUCT PROPERTIES								ORDERING INFORMATION						
Chuck capacity mm	Mount, range	Impact-proof	Only for spindle lock	R/L rotation	Locking mechanism	Bench-mounted drill	TC clamping jaws	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
1.0-13.0	1/2" - 20					●		2	C1a	1	1	037921	1 608 572 017	88.29 £
2.0-13.0	1/2" - 20	●		●	●			3	C1a	1	1	064682	2 608 572 034	45.63 £
2.0-13.0	3/8" - 24		●	●				4	C1a	1	1	080255	2 608 572 060	47.23 £
2.0-13.0	1/2" - 20		●	●				4	C1a	1	1	082754	2 608 572 062	41.21 £
1.5-13.0	1/2" - 20	●		●	●		●	5	P1a	1	1	111942	2 608 572 105	73.83 £



Keyless chucks with SDS plus shank

PRODUCT PROPERTIES				ORDERING INFORMATION					
Chuck capacity mm	Mount, range R/L rotation	Locking mechanism	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
1.5-13.0	SDS plus ● ●		1	P1a	1	1	370073	2 608 572 227	79.6 £

1



Keyed Drill Chucks

Keyed Drill Chucks up to 10 mm

PRODUCT PROPERTIES						ORDERING INFORMATION					
Chuck capacity mm	Mount, range	Impact-proof	Replacement key R/L rotation	Bench-mounted drill	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
1.0-10.0	3/8" - 24	●	D	●	1	P1a	1	1	002608	1 608 571 053	30.12 £
1.0-10.0	3/8" - 24	●	B	●	1	C1a	1	1	016506	1 608 571 058	20.42 £
1.0-10.0	1/2" - 20		D	●	1	C1a	1	1	057004	1 608 571 061	28.58 £

1



Keyed Drill Chucks up to 13 mm

PRODUCT PROPERTIES						ORDERING INFORMATION						
Chuck capacity mm	Mount, range	Impact-proof	Replacement key R/L rotation	Locking mechanism	Bench-mounted drill	Illustration, No.	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Hammer-resistant version												
2.5-13.0	SDS plus		D	●	●	2	P1a	1	1	006231	1 618 571 014	84.23 £

1




Keyed Drill Chucks up to 16 mm

3.0-16.0	5/8" - 16	●	A	●	●	1	P1a	1	1	047241	1 608 571 056	71.73 £
----------	-----------	---	---	---	---	---	-----	---	---	--------	---------------	---------

1






Replacement Keys for Drill Chucks



PRODUCT PROPERTIES						ORDERING INFORMATION					
Ref. type	Replacement key, type	Outer length (L1) mm	Key length (L2) mm	Key width (KW) mm	Key diameter (Z) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
S3	A	110	50	4	8	C1d	1	5	024556	1 607 950 041	9.15 £
ZS14	B	60	30	-	6	C1d	1	5	016476	1 607 950 042	3.95 £
S2	C	110	40	4	6	C1d	1	5	002363	1 607 950 044	6.92 £
S2	D	110	40	-	6	C1d	1	5	002370	1 607 950 045	4.02 £
S14	F	80	30	5	6	C1d	1	5	033480	1 607 950 053	4.13 £

Depth Stops and Handles for Drills

Depth Stops for Drills

PRODUCT PROPERTIES		ORDERING INFORMATION					
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	Depth stop Appropriate for auxiliary handle 1 612 025 032 Made of steel, without scale						
210	P0b	1	1	068062	1 613 001 010	3.57 £	
	Depth stop Appropriate for auxiliary handle 2 602 025 077 and 2 602 025 062 Made of steel, without scale						
310	P0b	1	1	027069	1 613 001 003	5.1 £	
	Depth stop Appropriate for auxiliary handle 2 602 025 102 Made of plastic, with scale						
210	P0b	1	1	144223	2 603 001 019	2.88 £	

Handles for Drills


PRODUCT PROPERTIES		ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	Handle for drills Suitable for GBM 13; GBM 13 HRE; GBM 16-2 RE; GRW 11 E; GSB 22-2 RCE Professional						
	P0b	1	1	026987	1 612 025 020	31.35 £	

Stirrer Baskets

Stirrer baskets for hand-held stirrers, from the bottom upwards

- ▶ Suitable for plaster, concrete, mortar, epoxy resin
- ▶ Mixing effect from bottom upwards
- ▶ M14 outer thread


PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter, basket mm	Total length mm	Mixing quantity, from kg	Mixing quantity, to kg	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Suitable for GRW 9; GRW 11 E; GRW 12 E; GRW 18-2 E Professional									
135	590	25	40	C1d	1	1	061339	3 609 201 038	134.79 £
160	590	30	60	C1d	1	1	078795	2 607 990 017	101.5 £



Stirrer baskets for drills, from the top downwards

- ▶ Suitable for emulsion, gloss paint, cement, filler and cement-bonded materials
- ▶ Mixing effect from the top downwards, no splashing
- ▶ M14 outer thread

Suitable for GRW 9; GRW 11 E; GRW 12 E; GRW 18-2 E Professional									
120	590	15	25	C1d	1	1	078771	2 607 990 014	63.05 £



Paint mixer for drills

- ▶ Suitable for swirling paints, varnishes

Paint mixer with 6 mm straight shank									
60	350	1	5	C1d	1	1	004596	1 609 200 291	4.71 £




Adapter for stirrer baskets



PRODUCT PROPERTIES		ORDERING INFORMATION						
Length mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
	Adapter for stirrer baskets with 1/2"-20 UNF inside thread							
	60	C1d	1	1	080538		2 607 990 019	16.23 £

Routing Accessories for Drills

Freehand Router Bits









PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter (D) mm	Total length (L2) mm	Shank diameter (d) mm	Shank diameter (d) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3-piece freehand router bit set									
Suitable for wood and non-ferrous metals									
3-piece set with shapes: round, cylindrical, conical									
Recommended speed: 1000 to 3000 rpm									
16	60	6	-	PC1a	1	1	004602	1 609 200 307	12.98 £
16	65				1				
16-7	48				1				



Backing Pads for Angle Grinders

X-LOCK Backing Pads for Fibre Sanding Discs

- ▶ Changing backing pads is fast and convenient thanks to the keyless X-LOCK system
- ▶ High temperature resistant, low vibration running, break-resistant

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
  <p>X-LOCK Backing Pad Soft Ideal for fine grit sanding P60 and finer Extended lifetime thanks to thermostable plastic</p>							
115	C1d	1	1	938471	2 608 601 711	11 £	
125	C1a	1	1	938501	2 608 601 714	11.85 £	
  <p>X-LOCK Backing Pad Medium Ideal for medium grit sanding P36 to P60 Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic</p>							
115	C1a	1	1	938488	2 608 601 712	23.63 £	
125	C1a	1	1	938518	2 608 601 715	26.78 £	
  <p>X-LOCK Backing Pad Hard, ideal for grit size P50 and rougher Ideal for rough grit sanding P50 and rougher Extended lifetime thanks to ventilation ribs for cooling and thermostable plastic</p>							
115	C1a	1	1	938495	2 608 601 713	26.78 £	
125	C1a	1	1	938525	2 608 601 716	29.93 £	
<p>X-LOCK Clip, Easy tool free disc changing</p>							
-	P1b	1	1	938563	2 608 601 720	9.45 £	




X-LOCK Backing Pads for Fibre Sanding Discs



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
X-LOCK Backing Pad, Hook and Loop Ideal for all paper sanding sheets with hook & loop fastening							
115	C1d	1	1	938570	2 608 601 721	14.83 £	
125	C1d	1	1	959018	2 608 601 722	16.21 £	



X-LOCK Backing Pad for SCM discs with center pin Ideal for all SCM (surface conditioning) discs						
115	C1a	1	1	959025	2 608 601 723	47.25 £
125	C1a	1	1	959032	2 608 601 724	56.7 £



Regular Backing Pads for Fibre Sanding Discs

- High temperature resistant, low vibration running, break-resistant



Backing Pad with M10 flange thread						
100	C1a	1	1	047265	2 608 601 046	10.4 £
Backing Pad Soft with M14 flange thread						
115	C1a	1	1	031202	2 608 601 005	8.15 £
125	C1a	1	1	016551	1 608 601 033	11.85 £
180	C1a	1	1	653206	2 608 601 209	23.3 £
230	C1a	1	1	653213	2 608 601 210	39.63 £



Round nut with M10 flange thread						
100	P0b	1	1	109253	2 603 345 018	4.43 £
Round nut with M14 flange thread						
115	P0b	1	1	029711	2 603 345 002	5.05 £
125	P0b	1	1	024266	1 603 345 004	12.23 £
180	P0b	1	1	024266	1 603 345 004	12.23 £
230	P0b	1	1	024266	1 603 345 004	12.23 £

Regular Backing Pads for Fibre Sanding Discs

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Hook-and-loop-type fastening plate with M14 flange thread							
115	C1d	1	1	086585		2 608 601 076	12.44 £
125	C1d	1	1	086592		2 608 601 077	13.22 £



Locking Nuts for Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION					
Thickness mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
SDS clic quick-locking nut M14							
Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm)							
manufactured in or after 08/90							
Note: The disc must be centred at the supporting flange, not at the nut							
14	C1a	1	1	033206	1 603 340 031		25.2 £



SDS clic Nut Display (15 pcs)							
Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm)							
manufactured in or after 08/90							
Note: The disc must be centred at the supporting flange, not at the nut							
13	C0a	15	1	291002	2 607 019 033		420.91 £

Locking Nuts for Angle Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Locking Nut for M14 Thread							
for clamping sanding discs with 115-150 mm diameter							
manufactured before 08/90							
-	PC1c	1	1	016384	1 603 340 015		4.64 £
Locking Nut for M14 Thread							
for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.							
-	P0b	1	1	052078	1 603 340 040		7.44 £
Locking Nut for M10 Thread							
for small angle grinders with 100 mm diameter							
-	P0f	1	1	102742	2 603 340 018		4.65 £
Fast tool less exchange of any disks, such as diamond cutting disks, bonded cutting and grinding disks.							
-	P0b		1	799669	2 608 000 625		8.11 £



Locking Nuts for Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	Quick-Clamping Nut with Bar M14 Suitable for GWS 18V-10 C; GWS 18V-10 PSC; GWS 18V-10 SC Professional				3 165 140...		
-		P0b	1	1	949316	2 608 000 684	16.78 £

Backing Flanges for Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	Backing flange for M14 thread for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90				3 165 140...		
		PC1c	1	5	046947	1 605 703 099	8.94 £
	Backing flange for discs with 115/125 mm diameter Suitable for PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125						
			1	1	498463	2 603 703 039	3.72 £

BEST PROTECTION FOR ANGLE GRINDER USERS

EXPERT Vibration Control Handles

ASSORTMENT: M10 / M14

EXPERT

- 1 Comfort and protection with a Bosch Vibration Control handle
- 2 Thick rubber for extra grip and control



EXPERT Handle for Vibration Control M10 Angle Grinders

EXPERT



- ▶ Ideal for working with angle grinders.
- ▶ Best for tradesmen: protective and comfortable.
- ▶ Up to 30% less vibration than a standard angle grinder handle.
- ▶ Fits all M10 angle grinders.



PRODUCT PROPERTIES		ORDERING INFORMATION					
Handle M10 with Vibration Control		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Appropriate for small angle grinders		C1d	1	1	530505	2 608 900 000	23.36 £

EXPERT Handle for Vibration Control M14 Angle Grinders

EXPERT



- ▶ Ideal for working with angle grinders.
- ▶ Best for tradesmen: protective and comfortable.
- ▶ Up to 30% less vibration than a standard angle grinder handle.
- ▶ Fits all M14 angle grinders.



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Handle M14 with Vibration Control Appropriate for large angle grinders	C1d	1	1	530512	2 608 900 001	16.15 £

Handles for Angle Grinders

- ▶ For left-handers and right-handers

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. Suitable for GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13	Pof	1	1	016377	1 602 025 024	4.48 £



Handle appropriate for all Angle Grinders with M14 thread. Suitable for GNA 3-5 Professional	Pof	1	1	070232	2 602 025 075	12.36 £
--	-----	---	---	--------	----------------------	---------

Handle M10 with Vibration Control Suitable for PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125		1	1	498449	2 602 025 182	15.5 £
--	--	---	---	--------	----------------------	--------



Handle M 10 Suitable for PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125		1	1	498456	2 602 025 183	5.78 £
--	--	---	---	--------	----------------------	--------



Bow Handles for Angle Grinders

- ▶ **Appropriate for** all Bosch two-hand angle grinders, for left-handers and right-handers
- ▶ With safety device to prevent inadvertent release



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
<p>Bow handle</p> <p>Suitable for GWS 20-180; GWS 20-180 H; GWS 20-180 JH; GWS 20-230; GWS 20-230 H; GWS 20-230 JH; GWS 21-180 HV; GWS 21-180 JHV; GWS 21-230 HV; GWS 21-230 JHV; GWS 22-180 H; GWS 22-180 JH; GWS 22-230 JH; GWS 23-180 / 180 J; GWS 23-230 / 230 J; GWS 24-180 BV + SDS; GWS 24-180 JBV; GWS 24-180 JBV + SDS; GWS 24-180 JBX + SDS; GWS 24-180 JH; GWS 24-230 BV; GWS 24-230 BV + SDS; GWS 24-230 BX + SDS; GWS 24-230 H; GWS 24-230 JBV; GWS 24-230 JBV + SDS; GWS 24-230 JBX; GWS 24-230 JH; GWS 24-230 Profi; GWS 25-180 / 180 J; GWS 25-230 / 230 J; GWS 26-180 BV + SDS; GWS 26-180 JBV; GWS 26-180 JH; GWS 26-230 BV + SDS; GWS 26-230 JBV; GWS 26-230 JH; GWS 26-230 JH + SDS; GWS 180; GWS 180 J; GWS 230 Professional; PWS 20-230; PWS 20-230 J; PWS 1900</p>	P0b	1	1	048002	1 607 000 247	63.16 £

DUST EXTRACTION GUARDS



For Bosch angle grinder.



- ▶ Suitable for dust extraction when cutting with Bosch angle grinders
- ▶ Appropriate for hose system with 35 mm diameter
- ▶ Bosch extraction guards offer accurate guiding and large surface areas as well as very good extraction performance thanks to the nozzle effect
- ▶ With handle that can be fixed from either side for full protection and steep extraction outlet for cutting close to edges

Cutting Guides with Dust Extraction Outlet – Tool-Free

- ▶ Extraction guard with 35 mm diameter extraction pipe, easy-to-use adjustment.

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
 <p>Cutting guide with dust extraction outlet before 2009</p> <p>Suitable for GWS 7-115 (0 601 800 0..); GWS 9-125 (0 601 801 0..); GWS 10-125 C (0 601 802 3..); GWS 10-125 CE (0 601 803 5..); GWS 14-125 C (0 601 804 5..); GWS 14-125 CE (0 601 805 5..); GWS 1400 (0 601 804 7..) Professional; PWS 13-125 CE (0 603 348 0../0 603 348 6../0 603 348 7..)</p>						
115 125	C0a	1	1	272544	1 605 510 291	114.96 £
 <p>Cutting guide with dust extraction outlet Tool-free attachment</p> <p>Suitable for PWS 7-125 CE (0 603 399 8..); PWS 8-125 CE (0 603 399 B..); PWS 9-125 (0 603 399 A..); PWS 700-115 (0 603 164 2..); PWS 720-115 (0 603 164 0..); PWS 720-125 (0 603 164 0..); PWS 750-115 (0 603 184 1..); PWS 750-125 (0 603 164 1..)</p>						
115 125	C0a	1	1	498432	2 605 510 292	33.65 £

Cutting Guides with Dust Extraction Outlet – Clamp Fitting

- ▶ Extraction guard with 35 mm diameter dust extraction pipe.
- ▶ With coded lugs



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
Cutting guide with dust extraction outlet							
Suitable for GWS 20-230 (0 601 752 0..); GWS 20-230 H (0 601 850 0..); GWS 20-230 JH (0 601 850 9..); GWS 21-230 HV (0 601 852 B..); GWS 21-230 JHV (0 601 852 3../0 601 852 G..); GWS 22-230 JH (0 601 882 M../0 601 882 Z..); GWS 23-230 / 230 J (0 601 754 0..); GWS 24-230 B + SDS (0 601 854 1..); GWS 24-230 BV (0 601 854 B..); GWS 24-230 BX + SDS (0 601 864 1..); GWS 24-230 H (0 601 854 4../0 601 854 L../0 601 884 1..); GWS 24-230 JBV (0 601 854 G..); GWS 24-230 JBX (0 601 864 8..); GWS 24-230 JH (0 601 854 M..); GWS 25-230 / 230 J (0 601 756 1..); GWS 26-230 B (0 601 856 3../0 601 856 K..); GWS 26-230 BV (0 601 856 S..); GWS 26-230 JBV (0 601 856 G..); GWS 26-230 JH (0 601 856 M..); GWS 26-230 JH + SDS (0 601 856 5..) Professional; PWS 20-230 (0 603 359 9../0 603 359 W..); PWS 20-230 J (0 603 359 8../0 603 359 V..)							
230	P0f	1	1	024426	1 605 510 180	120.28 £	

Dust Extraction Elbow



- ▶ For all Bosch Angle Grinders and protective guards with 35 mm diameter dust extraction system.

Dust extraction elbow						
35	P0f	1	1	053013	1 600 793 007	32.63 £

Dust extraction and protective guards

For Bosch angle grinders.



Diameter mm

Part number

Appropriate machines

Dust extraction guards for sanding

GWS 8-115 (3 601 H20 ...)	115	2 605 510 224
GWS 8-115 Z (3 601 H31 0..)	125	
GWS 8-125 (3 601 H27...)		
GWS 9-115 (3 601 G90 ...)		
GWS 9-125 (3 601 G91 ...)		
GWS 10-125 (3 601 H21 ...)		
GWS 10-125 Z (3 601 H32 0..)		
GWS 11-125 (3 601 G92 ...)		
GWS 11-125 CI (3 601 H22 ...)		
GWS 11-125 CIE (3 601 H23 ...)		
GWS 11-125 CIH (3 601 H30 1../B..)		
GWS 12-125 CI (3 601 G93 ...)		
GWS 12-125 CIE (3 601 G94 ...)		
GWS 14-125 CI (3 601 H24 ...)		
GWS 14-125 CIE (3 601 H25 ...)		
GWS 14-125 CIT (3 601 H29 ...)		
GWS 15-125 CI (3 601 G95 ...)		
GWS 15-125 CIE (3 601 G96 ...)		
GWS 15-125 CIH (3 601 H30 2../C..)		
GWS 15-125 CIEH (3 601 H30 3../D..)		
GWS 15-125 CIT (3 601 G97 ...)		
GWS 15-125 CITH (3 601 H30 4../E..)		
GWS 1000 (3 601 H21 ...)		
GWS 1400 Professional (3 601 H24 ...)		
PWS 10-125 CE (0 603 C47 000/030)		
PWS 13-125 CE (3 603 C48 000)		
PWS 6-115 (3 603 C99 2..; 3 603 C99 3..; 3 603 C99 4..)	125	1 605 510 281
PWS 7-100 (3 603 C99 640)		
PWS 7-115 (3 603 C99 5..; 3 603 C99 6..)		
PWS 7-125 (3 603 C99 7..; 3 603 C99 8..)		
PWS 7-125 CE; PWS 8-125 CE		
PWS 8-125 CE (3 603 C99 B..; 3 603 C99 9..; 3 603 C99 A..)		
PWS 9-125 CE		
PWS 10-125 CE; PWS 13-125 CE		
PWS 550		
PWS 550 (3 603 C99 0..)		
PWS 600		
PWS 600 (3 603 C99 1..)		
PWS 9-125 CE; PWS 700		
PWS 720; PWS 850 CE		
GWS 7-115 – GWS 14-125 CE		
GWS 5-100 (0 601 375 0..)	100	1 619 P06 546
GWS 6-100 (0 601 375 0..)		
GWS 6-100 E (0 601 375 7..)		
GWS 580 (0 601 375 0..)		
GWS 670 (0 601 375 0..)		
GWS 7-100 (3 601 C88 1..)		



Diameter mm

Part number

Appropriate machines

Protective guards without cover for grinding

GWS 5-115 (0 601 376 2..)	115	1 619 P06 547		
GWS 6-115 (0 601 375 0..; 0 601 375 7..; 0 601 375 9..)				
GWS 6-115 E (0 601 375 5..; 0 601 375 7..; 0 601 375 9..)				
GWS 580 (0 601 376 0..)				
GWS 780 C (0 601 377 56..)				
GWS 850 C (0 601 377 5..)				
GWS 7-115 (3 601 C88 1..; 3 601 C88 2..)				
PWS 600 (3 603 D11 0..); PWS 650 (3 603 D11 0..); PWS 680 (3 603 D11 0..)				
GWS 6-125 (0 601 375 1..)			125	1 619 P06 548
GWS 6-125 E (0 601 375 9..)				
GWS 850 C (0 601 377 7..; 0 601 377 9..)				
GWS 850 CE (0 601 377 7..; 0 601 377 9..)				
GWS 7-125 (3 601 C88 1..)				
PWS 680-125 (3 603 D11 0..)				
GWS 7-115 (0 601 700 0..)	115	2 605 510 102		
GWS 7-125 (0 601 700 048); GWS 9-125 (0 601 701 0..)	125	2 605 510 101		
GWS 10-125 C (0 601 702 7..)				
GWS 10-125 CE Professional (0 601 703 7..)				
GWS 8-115 (3 601 H20 ...)	115	1 605 510 364		
GWS 8-115 Z (3 601 H31 0..)				
GWS 9-115 (3 601 G90 ...)				
GWS 1000 (3 601 H21 0..)				
GWS 1400 (3 601 H24 0..)				



Diameter mm

Part number

Appropriate machines

Protective guards without cover for grinding

GWS 8-125 (3 601 H27...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0...) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-126 CIH (3 601 H39 1.../B...) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIEH (3 601 H30 3.../D...) GWS 15-125 CIH (3 601 H30 2.../C...) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4.../E...) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (3 603 C47 0...) PWS 13-125 CE (3 603 C48 0...)	125	1 605 510 365
GWS 14-150 CI (0 601 H26 ...) GWS 15-150 CI (3 601 G98 ...) GWS 15-150 CIH (0 601 H30 5.../F...)	150	1 605 510 366
GWS 22-180 LVI (3 601 H90 D...) GWS 24-180 LVI (3 601 H92 F...) GWS 26-180 JBV (3 601 H55 U...)	180	2 605 510 280
GWS 22-230 LVI (3 601 H91 D.../C...) GWS 24-230 LVI (3 601 H93 F.../H...) GWS 24-230 JBX (3 601 H64 4.../R.../T...) GWS 26-230 BV (3 601 H56 S...) GWS 26-230 JBV (3 601 H56 U...) GWS 26-230 (3 601 H56 5...)	230	2 605 510 281
GWS 20-180/H/JH (0 601 849 ...) GWS 21-180 HV/JHV (0 601 851 ...) GWS 22-180 H/JH (3 601 H81 ...) GWS 23-180/J (0 601 753 ...) GWS 24-180 BX/JBX (0 601 863 ...) GWS 24-180 H (3 601 H53 1...) GWS 24-180 H/BV/JBV (0 601 853 ...) GWS 24-180 JH (3 601 H53 M...) GWS 25-180/J (0 601 755 ...) GWS 26-180 B (3 601 H55 K...) GWS 26-180 BV/JBV (0 601 856 ...) GWS 26-180 H (3 601 H55 1...; 3 601 H56 1.../L...) GWS 26-180 JH (3 601 H55 M...) GWS 180/J, 20-180/J, (0 601 751 ...)	180	2 605 510 297




Diameter mm

Part number

Appropriate machines

Protective guards without cover for grinding

GWS 20-230 H/J/JH (0 601 850 ...) GWS 21-230 HV/JHV (0 601 852 ...) GWS 22-230 H/JH (3 601 H82 ...) GWS 23-230/J (0 601 754 ...) GWS 24-230 BX/JBX (0 601 864 ...) GWS 24-230 H (3 601 H54 1.../L...) GWS 24-230 H/BV/JBV (0 601 854 ...) GWS 24-230 JH (3 601 H54 M...) GWS 25-230/J (0 601 756 ...) GWS 26-230 B (3 601 H56 3.../K...) GWS 26-230 BV/JBV (0 601 856 ...) GWS 26-230 JBV (3 601 H56 5...) GWS 26-230 JH (3 601 H56 M...) GWS 230, 20-230/J (0 601 752 ...) PWS 20-230/J (0 603 359 ...) PWS 20-230/1900 (0 603 C59 V.../W...) PWS 1900 (0 603 359 0...)	230	2 605 510 298
PWS 700-115; PWS 720-115 PWS 750-115 (0 601 164 0...)	115	2 605 510 288



Diameter mm

Part number

Appropriate machines

Protective guards with cover for cut-off grinding

PWS 7-125 CE (3 603 C98 8.) PWS 8-125 CE (3 603 C99 B.) PWS 9-125 (3 603 C99 A.) PWS 720-125; PWS 750-125 (0 601 164 1.)	125	2 605 510 289
PWS 6-115 PWS 6-115 (3 603 C99 2.; 3 603 C99 3.; 3 603 C99 4.) PWS 7-115 (0 601 800 ...) PWS 7-115 (3 603 C99 5.; 3 603 C99 6.) PWS 550 PWS 550 (3 603 C99 0.) PWS 600 (3 603 C99 1.) PWS 600 (0 601 800 ...-0 601 806 ...) GWS 7-115 (0 601 800 ...) PWS 600 (3 603 D11 0.) PWS 650 (3 603 D11 0.) PWS 680 (3 603 D11 0.)	115	2 605 510 192
GWS 7-125 (0 601 800 048) PWS 8-125; PWS 9-125 CE GWS 9-125 (0 601 801 ...) GWS 10-125 C (0 601 802 ...) GWS 10-125 CE (0 601 803 ...) GWS 14-125 C (0 601 804 ...) GWS 14-125 CE (0 601 805 ...) GWS 1000 (0 601 802 ...) PWS 7-125 (3 603 C99 7.; 3 603 C99 8.) PWS 8-125 CE (3 603 C99 B.; 3 603 C99 9.; 3 603 C99 A.) PWS 680-125 (3 603 D11 0.)	125	2 605 510 193
GWS 14-150 CI; GWS 14-150 C Professional 0 601 800 ...-0 601 806...	150	2 605 510 194
GWS 6-125 (0 601 375 1./3.) GWS 850 C (0 601 377 9.) GWS 850 CE (0 601 378 7./9.) GWS 850 CE Professional GWS 780 (0 601 377 3.) GWS 850 C, Ban, manufacture before 12.09	125	2 605 510 172
GWS 5-100 (0 601 375 0.) GWS 6-100 (0 601 375 0.) GWS 6-100 E (0 601 375 7.) GWS 580 (0 601 375 0.) GWS 670 GWS 7-100 (3 601 C88 1.)	100	1 619 P06 549
GWS 5-115 (0 601 376 2.) GWS 6-115 (0 601 375 0.; 0 601 375 7.; 0 601 375 9.) GWS 6-115 E (0 601 375 5.; 0 601 375 7.; 0 601 375 9.) GWS 7-115 (3 601 C88 1.) GWS 7-115 E (3 601 C88 1.) GWS 580 (0 601 376 0.) GWS 780 C (0 601 377 56.) GWS 850 C (0 601 377 5.)	115	1 619 P06 550
GWS 6-125 (0 601 375 1.) GWS 6-125 E (0 601 375 9.) GWS 7-125 (3 601 C88 1.) GWS 850 C (0 601 377 7.; 0 601 377 9.) GWS 850 CE (0 601 377 7.; 0 601 377 9.)	125	1 619 P06 551
GWS 22-180 LVI (3 601 H90 D.) GWS 24-180 LVI (3 601 H92 F.) GWS 26-180 JBV (3 601 H55 U.)	180	2 602 025 282
GWS 22-230 LVI (3 601 H91 D./C.) GWS 24-230 LVI (3 601 H93 F./H.) GWS 24-230 JBX (3 601 H64 4./R./T.) GWS 26-230 BV (3 601 H56 S.) GWS 26-230 JBV (3 601 H56 U.) GWS 26-230 (3 601 H56 5.)	230	2 602 025 283



Diameter mm

Part number

Appropriate machines

Protective guards with cover for cut-off grinding

GWS 20-180/H/JH (0 601 849 ...) GWS 21-180 HV/JHV (0 601 851 ...) GWS 22-180 H/JH (3 601 H81 ...) GWS 23-180/J (0 601 753 ...) GWS 24-180 BX/JBX (0 601 863 ...) GWS 24-180 H (3 601 H53 1.) GWS 24-180 H/BV/JBV (0 601 853 ...) GWS 24-180 JH (3 601 H53 M.) GWS 25-180/J (0 601 755 ...) GWS 26-180 B (3 601 H55 K.) GWS 26-180 BV/JBV (0 601 856 ...) GWS 26-180 H (3 601 H56 1./L.) GWS 26-180 JH (3 601 H55 M.) GWS 180/J, 20-180/J, (0 601 751 ...)	180	2 605 510 299
GWS 20-230 H/J/JH (0 601 850 ...) GWS 21-230 HV/JHV (0 601 852 ...) GWS 22-230 H/JH (3 601 H82 ...) GWS 23-230/J (0 601 754 ...) GWS 24-230 BX/JBX (0 601 864 ...) GWS 24-230 H (3 601 H54 1./L.) GWS 24-230 H/BV/JBV (0 601 854 ...) GWS 24-230 JH (3 601 H54 M.) GWS 25-230/J (0 601 756 ...) GWS 26-230 B (3 601 H56 3./K.) GWS 26-230 BV/JBV (0 601 856 ...) GWS 26-230 JBV (3 601 H56 5.) GWS 26-230 JH (3 601 H56 M.) GWS 230, 20-230/J (0 601 752 ...) PWS 20-230/1900 0 603 C59 V./W.) PWS 20-230/J (0 603 359 ...) PWS 1900 (0 603 359 0.)	230	2605 510 300
GWS 8-115 (0 601 820 ...; 0 601 H20 ...) GWS 8-115 Z (3 601 H31 0.) GWS 9-115 (3 601 G90 ...) GWS 1000 Professional (3 601 H23 ...)	115	2 605 510 256
GWS 8 - GWS 14 Professional (0 601 821 ...-0 601 829...) GWS 8-125 (3 601 H27...) GWS 9-115 (3 601 G90 ...) GWS 9-125 (3 601 G91 ...) GWS 10-125 (3 601 H21 ...) GWS 10-125 Z (3 601 H32 0.) GWS 11-125 (3 601 G92 ...) GWS 11-125 CI (3 601 H22 ...) GWS 11-125 CIE (3 601 H23 ...) GWS 11-125 CIH 3 601 H30 1./B.) GWS 12-125 CI (3 601 G93 ...) GWS 12-125 CIE (3 601 G94 ...) GWS 14-125 CI (3 601 H24 ...) GWS 14-125 CIE (3 601 H25 ...) GWS 14-125 CIT (3 601 H29 ...) GWS 15-125 CI (3 601 G95 ...) GWS 15-125 CIE (3 601 G96 ...) GWS 15-125 CIH (3 601 H30 2./C.) GWS 15-125 CIEH (3 601 H30 3./D.) GWS 15-125 CIT (3 601 G97 ...) GWS 15-125 CITH (3 601 H30 4./E.) GWS 1400 Professional (3 601 H24 ...) PWS 10-125 CE (3 603 C47 0.) PWS 13-125 CE (3 603 C48 0.)	125	2 605 510 257
GWS 14-150 CI (3 601 H26 ...) GWS 15-150 CI (3 601 G98 ...) GWS 15-150 CIH (3 601 H30 5./F.)	150	2 605 510 258
PWS 700-115; PWS 720-115 PWS 750-115 (0 603 164 0.)	115	2 605 510 290
PWS 7-125 CE (3 603 C98 8.) PWS 8-125 CE (3 603 C99 B.) PWS 9-125 (3 603 C99 A.) PWS 720-125; PWS 750-125 (0 601 164 1.)	125	2 605 510 291
GWS 24-300 GWS 24-300 J Professional	300	1 605 510 224

Protective Guards for Bosch Angle Grinders

Protective Guards without Cover for Grinding

- ▶ Without cover for general grinding and sanding work
- ▶ EN/EC 60745

PRODUCT PROPERTIES		ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
 <p>Protective guard without cover with clamp fitting, with coding and screw-type fastening</p> <p>Suitable for GWS 5-100 (0 601 376 0..); GWS 5-115 (0 601 376 2..); GWS 6-115 (0 601 375 0../0 601 375 9..); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9..); GWS 7-115 (0 601 388 1../0 601 700 0../0 601 800 0..); GWS 7-115 E (0 601 388 2..); GWS 18 V-LI (0 601 93A 3..); GWS 660 (0 601 375 0..); GWS 780 C (0 601 377 5..) Professional; PWS 600 (0 603 411 0..); PWS 650 (0 603 411 0..); PWS 680 (0 603 411 0..)</p>	115	Pof	1	1	492751	1 619 P06 547	8.3 £
 <p>Protective guard without cover with easy-to-use adjustment and tool-free attachment</p> <p>Suitable for GWS 8-115 (0 601 820 0../0 601 820 2..); GWS 8-115 Z (0 601 831 0../0 601 831 5..); GWS 9-115 (0 601 790 0..); GWS 9-115 P (0 601 790 2..); GWS 10-125 (0 601 821 0..); GWS 1400 (0 601 824 0..); GWX 9-115 S (0 601 7B1 0..); GWX 18V-10 C (0 601 7B0 2..); GWX 18V-10 SC (0 601 7B0 4..) Professional</p>	115	Pof	1	1	364089	1 605 510 364	16.43 £
 <p>Protective guard without cover with easy-to-use adjustment and tool-free attachment</p> <p>Suitable for GWS 8-125 (0 601 827 0../0 601 827 2..); GWS 8-125 C (0 601 377 7..); GWS 9-125 (0 601 701 0../0 601 791 0../0 601 801 0../0 603 791 0..); GWS 9-125 C (3 174 5..); GWS 9-125 CES (3 174 9..); GWS 9-125 CMS (3 174 8..); GWS 9-125 CS (3 174 6..); GWS 9-125 CSS (3 174 7..); GWS 10-125 (0 601 821 0..); GWS 10-125 C (0 601 702 7../0 601 802 3..); GWS 10-125 CE (0 601 703 7../0 601 803 5..); GWS 10-125 Z (0 601 832 0../0 601 832 2..); GWS 11-125 (0 601 792 0..); GWS 11-125 CI (0 601 822 0../0 601 822 2..); GWS 11-125 CIE (0 601 823 2..); GWS 11-125 CIH (0 601 830 1../0 601 830 B../0 601 839 1../0 601 839 B..); GWS 11-125 P (0 601 792 2..); GWS 12-125 CI (0 601 793 0..); GWS 12-125 CIE (0 601 794 0..); GWS 12-125 CIEP (0 601 794 2..); GWS 12-125 CIP (0 601 793 2..); GWS 14-125 CI (0 601 824 2../0 601 824 3../0 601 824 7..); GWS 14-125 CIE (0 601 825 2..); GWS 14-125 CIT (0 601 829 2../0 601 829 A..); GWS 14-125 Inox (0 601 829 J..); GWS 15-125 CI (0 601 795 0..); GWS 15-125 CI + accessories (0 601 795 0..); GWS 15-125 CIE (0 601 796 0..); GWS 15-125 CIEH (0 601 830 3..); GWS 15-125 CIEP (0 601 796 2..); GWS 15-125 CIH (0 601 830 2..); GWS 15-125 CIP (0 601 795 2..); GWS 15-125 CIT (0 601 797 0..); GWS 15-125 CITH (0 601 830 4..); GWS 1000 (0 601 802 3../0 601 821 8../0 601 823 ...); GWS 1000 + SDS (0 601 821 8..); GWS 1400 (0 601 804 7../0 601 824 .../0 601 824 0../0 601 824 8..); GWX 10-125 (0 601 7B3 0..); GWX 13-125 (0 601 7B5 0..); GWX 13-125 S (0 601 7B6 0..); GWX 14-125 (0 601 7B7 0..); GWX 15-125 PS (0 601 7B9 0..); GWX 17-125 (0 601 7C3 0..); GWX 17-125 S (0 601 7C4 0..); GWX 17-125 T (0 601 7C5 0..); GWX 18V-10 C (0 601 7B0 2..) Professional; PWS 10-125 CE (0 603 347 0..); PWS 13-125 CE (0 603 348 6../0 603 348 7..)</p>	125	Pof	1	1	364096	1 605 510 365	18.84 £
 <p>Protective guard without cover for grinding with clamp fitting, with coding and quick fastening</p> <p>Suitable for GWS 22-180 LVI (0 601 890 D..); GWS 26-180 JBV (0 601 855 G../0 601 856 ...); GWS 26-180 LVI (0 601 894 F..) Professional</p>	180	Pof	1	1	482547	2 605 510 280	35.25 £

Protective Guards without Cover for Grinding

PRODUCT PROPERTIES		ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Protective guard without cover for grinding with clamp fitting, with coding and quick fastening Suitable for GWS 22-230 LVI (0 601 891 C../0 601 891 D.); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T.); GWS 24-230 JVX (0 601 864 U.); GWS 24-230 LVI (0 601 893 F../0 601 893 H.); GWS 26-230 BV (0 601 856 S.); GWS 26-230 JBV (0 601 856 G../0 601 856 U.); GWS 26-230 JH + SDS (0 601 856 5.); GWS 26-230 LVI (0 601 895 F.) Professional							
	230	Pof	1	1	482554	2 605 510 281	38.21 £



Protective guard with clamp fitting, with coding and screw-type fastening Suitable for GWS 20-180 (0 601 751 O.); GWS 20-180 H (0 601 849 O.); GWS 20-180 JH (0 601 849 9.); GWS 21-180 HV (0 601 851 B.); GWS 21-180 JHV (0 601 851 G.); GWS 22-180 H (0 601 881 Y.); GWS 22-180 JH (0 601 881 M.); GWS 23-180 / 180 J (0 601 753 O.); GWS 24-180 (0 601 853 4../0 601 8A3 O.); GWS 24-180 B + SDS (0 601 853 1.); GWS 24-180 BV + SDS (0 601 853 C.); GWS 24-180 H (0 601 883 1.); GWS 24-180 JBV (0 601 853 G.); GWS 24-180 JBV + SDS (0 601 853 F.); GWS 24-180 JBX + SDS (0 601 863 8.); GWS 24-180 JH (0 601 853 M.); GWS 25-180 / 180 J (0 601 755 1.); GWS 26-180 B (0 601 855 K.); GWS 26-180 BV (0 601 856 ...); GWS 26-180 H (0 601 855 1../0 601 856 L.); GWS 26-180 JBV (0 601 856 ...); GWS 26-180 JH (0 601 855 M.); GWS 26-230 H (0 601 856 1.) Professional							
	180	C0a	1	1	542166	2 605 510 297	19.3 £

Protective guard with clamp fitting, with coding and screw-type fastening Suitable for GWS 20-230 (0 601 752 O.); GWS 20-230 H (0 601 850 O.); GWS 20-230 JH (0 601 850 9.); GWS 21-230 HV (0 601 852 B.); GWS 21-230 JHV (0 601 852 3../0 601 852 G.); GWS 22-230 JH (0 601 882 M../0 601 882 Z.); GWS 23-230 / 230 J (0 601 754 O.); GWS 24-230 BV (0 601 854 B.); GWS 24-230 BV + SDS (0 601 854 C.); GWS 24-230 BX + SDS (0 601 864 1.); GWS 24-230 H (0 601 854 4../0 601 884 1../0 601 884 L.); GWS 24-230 JBV (0 601 854 G.); GWS 24-230 JBV + SDS (0 601 854 F.); GWS 24-230 JH (0 601 854 M../0 601 884 2../0 601 884 M.); GWS 24-230 Profi (0 601 854 5.); GWS 25-230 / 230 J (0 601 756 1.); GWS 26-230 B (0 601 856 3../0 601 856 K.); GWS 26-230 BV + SDS (0 601 856 B.); GWS 26-230 JBV (0 601 856 G.); GWS 26-230 JH (0 601 856 4.); GWS 26-230 JH + SDS (0 601 856 5.) Professional; PWS 20-230 (0 603 359 9../0 603 359 W.); PWS 20-230 J (0 603 359 8../0 603 359 V.); PWS 1900 (0 603 359 1.)							
	230	C0a	1	1	542173	2 605 510 298	22.1 £

Protective Guards with Cover for Cut-Off Grinding

- ▶ Cover for safe cut-off grinding
- ▶ EN/EC 60745






Protective guard with cover for cutting with clamp fitting, screw-type fastening Suitable for GWS 6-100 (0 601 375 O.); GWS 6-100 S (0 601 375 O.); GWS 6-115 (0 601 375 O.); GWS 6-115 E (0 601 375 7.); GWS 7-100 (0 601 388 1.) Professional							
	100	Pof	1	1	492775	1 619 P06 549	11.85 £

Protective guard with cover with clamp fitting, with coding and screw-type fastening Suitable for GWS 5-100 (0 601 376 O.); GWS 5-115 (0 601 376 2.); GWS 6-115 (0 601 375 O../0 601 375 9.); GWS 6-115 E (0 601 375 5../0 601 375 7../0 601 375 9.); GWS 7-115 (0 601 388 1../0 601 700 O../0 601 800 O.); GWS 7-115 E (0 601 388 2.); GWS 18 V-LI (0 601 93A 3.); GWS 660 (0 601 375 O.); GWS 780 C (0 601 377 5.) Professional; PWS 600 (0 603 411 O.); PWS 650 (0 603 411 O.); PWS 680 (0 603 411 O.)							
	115	Pof	1	1	492782	1 619 P06 550	11.85 £

Protective Guards with Cover for Cut-Off Grinding

PRODUCT PROPERTIES		ORDERING INFORMATION						
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	Protective guard with cover for cutting Tool-free attachment Suitable for PWS 700-115 (0 603 164 2..); PWS 720-115 (0 603 164 0..); PWS 750-115 (0 603 164 0..)	115	Pof	1	1	498357	2 605 510 290	9.71 £
	Protective guard with cover with clamp fitting, with coding and screw-type fastening Suitable for GWS 6-125 (0 601 375 1..); GWS 6-125 E (0 601 375 9..); GWS 7-115 (0 601 800 0..); GWS 7-125 (0 601 388 1..)/0 601 700 0..); GWS 780 C (0 601 377 5..); GWS 850 C (0 601 377 3..)/0 601 377 7..)/0 601 377 9..); GWS 850 CE (0 601 377 9..)/0 601 378 7..)/0 601 378 9..) Professional; PWS 680-125 (0 603 411 0..)	125	Pof	1	1	492799	1 619 P06 551	12.61 £
	Protective guard with cover for cutting with easy-to-use adjustment and tool-free attachment Suitable for GWS 8-14 (0 601 820 .../0 601 821 .../0 601 822 .../0 601 823 .../0 601 824 .../0 601 825 ...); GWS 8-115 (0 601 820 0..)/0 601 820 2..); GWS 8-125 (0 601 827 0..)/0 601 827 2..); GWS 8-125 C (0 601 377 7..); GWS 9-125 (0 601 701 0..)/0 601 791 0..)/0 601 801 0..)/0 603 791 0..); GWS 9-125 C (3 174 5..); GWS 9-125 CES (3 174 9..); GWS 9-125 CMS (3 174 8..); GWS 9-125 CS (3 174 6..); GWS 9-125 CSS (3 174 7..); GWS 10-125 (0 601 821 0..); GWS 10-125 C (0 601 702 7..)/0 601 802 3..); GWS 10-125 CE (0 601 703 7..)/0 601 803 5..); GWS 10-125 Z (0 601 832 0..)/0 601 832 2..); GWS 11-125 (0 601 792 0..); GWS 11-125 CI (0 601 822 0..)/0 601 822 2..); GWS 11-125 CIE (0 601 823 2..); GWS 11-125 CIH (0 601 830 1..)/0 601 830 B..)/0 601 839 1..)/0 601 839 B..); GWS 11-125 P (0 601 792 2..); GWS 12-125 CI (0 601 793 0..); GWS 12-125 CIE (0 601 794 0..); GWS 12-125 CIEP (0 601 794 2..); GWS 12-125 CIP (0 601 793 2..); GWS 14 (0 601 826 ...); GWS 14-125 CI (0 601 824 2..)/0 601 824 3..)/0 601 824 7..); GWS 14-125 CIE (0 601 825 2..); GWS 14-125 CIT (0 601 829 2..)/0 601 829 A..); GWS 14-125 Inox (0 601 829 J..); GWS 15-125 CI (0 601 795 0..); GWS 15-125 CI + accessories (0 601 795 0..); GWS 15-125 CIE (0 601 796 0..); GWS 15-125 CIEH (0 601 830 3..); GWS 15-125 CIEP (0 601 796 2..); GWS 15-125 CIH (0 601 830 2..); GWS 15-125 CIP (0 601 795 2..); GWS 15-125 CIT (0 601 797 0..); GWS 15-125 CITH (0 601 830 4..); GWS 17-125 CI (0 601 79G 0..); GWS 1000 (0 601 802 3..)/0 601 821 8..)/0 601 823 ...); GWS 1000 + SDS (0 601 821 8..); GWS 1400 (0 601 804 7..)/0 601 824 .../0 601 824 0..)/0 601 824 8..); GWX 10-125 (0 601 7B3 0..); GWX 13-125 (0 601 7B5 0..); GWX 14-125 (0 601 7B7 0..); GWX 15-125 PS (0 601 7B9 0..); GWX 17-125 (0 601 7C3 0..); GWX 17-125 S (0 601 7C4 0..); GWX 17-125 T (0 601 7C5 0..); GWX 18V-10 C (0 601 7B0 2..) Professional; PWS 10-125 CE (0 603 347 0..); PWS 13-125 CE (0 603 348 0..)	125	Pof	1	1	418706	2 605 510 257	11.07 £
	Protective guard with cover for cutting Tool-free attachment Suitable for AdvancedGrind 18 (0 603 3D9 0..); PWS 7-125 CE (0 603 398 8..); PWS 8-125 CE (0 603 399 B..); PWS 9-125 (0 603 399 A..); PWS 720-125 (0 603 164 0..); PWS 750-125 (0 603 164 1..)	125	Pof	1	1	498425	2 605 510 291	9.71 £
	Protective guard with cover for cutting with clamp fitting, with coding and quick fastening Suitable for GWS 22-180 LVI (0 601 890 D..); GWS 26-180 JBV (0 601 855 G..); GWS 26-180 LVI (0 601 894 F..) Professional	180	Pof	1	1	485715	2 602 025 282	62.39 £

Protective Guards with Cover for Cut-Off Grinding

PRODUCT PROPERTIES		ORDERING INFORMATION					
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
 <p>Protective guard with clamp fitting, with coding and screw-type fastening</p> <p>Suitable for GWS 20-180 (0 601 751 0..); GWS 20-180 H (0 601 849 0..); GWS 20-180 JH (0 601 849 9..); GWS 21-180 HV (0 601 851 B.); GWS 21-180 JHV (0 601 851 G.); GWS 22-180 H (0 601 881 Y.); GWS 22-180 JH (0 601 881 M.); GWS 23-180 / 180 J (0 601 753 0.); GWS 24-180 (0 601 853 4../0 601 8A3 0.); GWS 24-180 B + SDS (0 601 853 1.); GWS 24-180 BV + SDS (0 601 853 C.); GWS 24-180 JBV (0 601 853 G.); GWS 24-180 JBV + SDS (0 601 853 F.); GWS 24-180 JBX + SDS (0 601 863 8.); GWS 24-180 JH (0 601 853 M../0 601 883 M.); GWS 25-180 / 180 J (0 601 755 1.); GWS 26-180 B (0 601 855 K.); GWS 26-180 BV (0 601 856 ...); GWS 26-180 H (0 601 855 1../0 601 856 L.); GWS 26-180 JBV (0 601 856 ...); GWS 26-180 JH (0 601 855 M.); GWS 26-230 H (0 601 856 1..) Professional</p>	180	C0a	1	1	542180	2 605 510 299	33.99 £
 <p>Protective guard with cover for cutting with clamp fitting, with coding and quick fastening</p> <p>Suitable for GWS 22-230 LVI (0 601 891 C../0 601 891 D.); GWS 24-230 JBX (0 601 864 4../0 601 864 R../0 601 864 T.); GWS 24-230 JVX (0 601 864 U.); GWS 24-230 LVI (0 601 893 F../0 601 893 H.); GWS 26-230 BV (0 601 856 S.); GWS 26-230 JBV (0 601 856 G../0 601 856 U.); GWS 26-230 JH + SDS (0 601 856 5.); GWS 26-230 LVI (0 601 895 F..) Professional</p>	230	P0f	1	1	485722	2 602 025 283	65.6 £
 <p>Protective guard with clamp fitting, with coding and screw-type fastening</p> <p>Suitable for GWS 20-230 (0 601 752 0.); GWS 20-230 H (0 601 850 0.); GWS 20-230 JH (0 601 850 9.); GWS 21-230 HV (0 601 852 B.); GWS 21-230 JHV (0 601 852 3../0 601 852 G.); GWS 22-230 JH (0 601 882 M../0 601 882 Z.); GWS 23-230 / 230 J (0 601 754 0.); GWS 24-230 B + SDS (0 601 854 1.); GWS 24-230 BV (0 601 854 B.); GWS 24-230 BX + SDS (0 601 864 1.); GWS 24-230 H (0 601 854 4../0 601 854 L../0 601 884 1.); GWS 24-230 JBV (0 601 854 G.); GWS 24-230 JBX (0 601 864 8.); GWS 24-230 JH (0 601 854 M../0 601 884 2../0 601 884 M.); GWS 24-230 Profi (0 601 854 5.); GWS 25-230 / 230 J (0 601 756 1.); GWS 26-230 B (0 601 856 3../0 601 856 K.); GWS 26-230 BV + SDS (0 601 856 B.); GWS 26-230 JBV (0 601 856 G.); GWS 26-230 JH (0 601 856 M.); GWS 26-230 JH + SDS (0 601 856 5.) Professional; PWS 20-230 (0 603 349 0../0 603 359 9../0 603 359 W.); PWS 20-230 J (0 603 359 8../0 603 359 V.); PWS 1900 (0 603 359 1..)</p>	230	C0a	1	1	542197	2 605 510 300	44.1 £
 <p>Protective guard with clamp fitting, with coding and quick fastening</p> <p>Suitable for GWS 24-300 Professional</p>	300	P0f	1	1	047180	1 605 510 224	109.32 £

DUST EXTRACTION AND PROTECTIVE GUARDS

For Bosch angle grinder.



- ▶ Dust extraction guards for dust-free sanding
- ▶ Protective guards for additional safety when grinding
- ▶ Note: Please verify with the operating instructions of the machine for more detailed use

Dust Extraction Guards for Sanding

- ▶ With brush ring
- ▶ **Suitable for** dust-free sanding of paint, varnish, plastics and wood in conjunction with sanding plates and fibre sanding sheets or with tungsten carbide grinding heads (not suitable for metals).

PRODUCT PROPERTIES		ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
115 125	C0a	1	1	375160	2 605 510 224	54.48 £





Dust extraction guard with brush ring


Tool-free attachment

Suitable for GWS 8-115 (0 601 820 0../0 601 820 2..); GWS 8-115 Z (0 601 831 0..); GWS 8-125 (0 601 827 0../0 601 827 2..); GWS 9-115 (0 601 790 0..); GWS 9-125 (0 601 791 0..); GWS 10-125 (0 601 821 0..); GWS 10-125 Z (0 601 832 0..); GWS 11-125 (0 601 792 0..); GWS 11-125 CI (0 601 822 0../0 601 822 2..); GWS 11-125 CIE (0 601 823 2..); GWS 11-125 CIH (0 601 830 1../0 601 830 B..); GWS 12-125 CI (0 601 793 0..); GWS 12-125 CIE (0 601 794 0..); GWS 14-125 CI (0 601 824 2../0 601 824 3../0 601 824 7..); GWS 14-125 CIE (0 601 825 2..); GWS 14-125 CIT (0 601 829 2../0 601 829 A..); GWS 15-125 CI (0 601 795 0..); GWS 15-125 CIE (0 601 796 0..); GWS 15-125 CIEH (0 601 830 3../0 601 830 4..); GWS 15-125 CIH (0 601 830 2../0 601 830 3..); GWS 15-125 CIT (0 601 797 0..); GWS 15-125 CITH (0 601 830 4..); GWS 1000 (0 601 821 0../0 601 821 8..); GWS 1400 (0 601 824 .../0 601 824 0..) Professional

Dust Extraction Guards for Sanding

PRODUCT PROPERTIES		ORDERING INFORMATION					
 <p>Cutting guide with dust extraction outlet for sanding, with clamp fitting</p> <p>The suction hood is an attachable accessory that keeps the workplace clean by dust-free sanding, it is suitable for sanding edges.</p> <p>Suitable for GWS 7-115 (0 601 800 0..); GWS 9-125 (0 601 801 0..); GWS 10-125 C (0 601 802 3..); GWS 10-125 CE (0 601 803 5..); GWS 14-125 C (0 601 804 5..); GWS 14-125 CE (0 601 805 5..) Professional; PWS 6-100 (0 603 401 0..); PWS 6-115 (0 603 401 0..); PWS 7-125 (0 603 399 8..); PWS 8-125 CE (0 603 404 6..); PWS 9-125 CE (0 603 405 6../0 603 405 9..); PWS 13-125 CE (0 603 348 6../0 603 348 7..); PWS 600 (0 603 400 0..); PWS 850 CE (0 603 404 7..)</p>	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	125	C0a	1	1	272568	1 605 510 281	65.96 £
 <p>Replacement brush for 2 605 510 224</p>	-	C0a	2	1	375177	2 605 510 226	16.43 £

Clamping element set for small angle grinders

PRODUCT PROPERTIES		ORDERING INFORMATION					
 <p>3-piece clamping element set for small angle grinders consisting of round nut (1 603 340 015), flange (1 605 703 084), two-hole spanner (1 607 950 043). Compatible with Angle grinders manufactured before 08-1990</p>	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
	PC1c	3	1	049047	1 607 000 158	9.2 £	

SDS clic Quick-Locking Nuts M14



PRODUCT PROPERTIES		ORDERING INFORMATION						
Thickness mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
14		C1a	1	1	033206		1 603 340 031	25.2 £

SDS clic quick-locking nut M14

Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm)

manufactured in or after 08/90

Note: The disc must be centred at the supporting flange, not at the nut

Locking Flanges for Clamping Diamond Cutting Discs



PRODUCT PROPERTIES		ORDERING INFORMATION						
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
		P0b	1	1	056809		2 603 345 003	19.87 £

Flange sets

for clamping 300 mm diameter discs

Suitable for GSF 100 A (0 601 367 7..); GWS 24-300 (0 601 364 0..) Professional

Two-Hole Spanners for Angle Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Two-hole spanner, bent at right angles Appropriate for cup wheels	PC1c	1	1	002356	1 607 950 004	10 £
Two-hole spanner, straight for clamping all discs on angle grinders	PC1c	1	1	016483	1 607 950 043	4.83 £
Two-hole spanner, straight for clamping all discs on two-hand angle grinders and straight grinders Suitable for GGS 6 S Professional	P0b	1	1	040891	1 607 950 048	5.86 £



Hand Protectors for Angle Grinders

- ▶ Appropriate for all Bosch Angle Grinders in combination with auxiliary handle
- ▶ Protects the hands when using rubber backing pads







PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Hand protector in combination with auxiliary handle	PC1c	1	1	001885	1 601 329 013	15.32 £

Cyclon Dust Box for Large Angle Grinders



PRODUCT PROPERTIES		ORDERING INFORMATION					
Cyclon Tech Dust Box for Large Angle Grinders also fits to: GWS 24-230 JZ		Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT
		C0a	1	1	233882	2 608 000 741	7.64 £

Accessories for Bosch Concrete Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION							
Diameter mm	Thickness mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
	SDS clic quick-locking nut M14 Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 Note: The disc must be centred at the supporting flange, not at the nut	-	14	C1a	1	1	033206	1 603 340 031	25.2 £
	SDS clic Nut Display (15 pcs) Appropriate for all angle grinders with thread M14 (available thread length – protrudes beyond thickest tool – larger than 6 mm) manufactured in or after 08/90 Note: The disc must be centred at the supporting flange, not at the nut	-	13	C0a	15	1	291002	2 607 019 033	420.91 £
	Locking Nut for M14 Thread for clamping all discs with 115 - 230 mm diameter, manufactured after 08/90.	-	-	P0b	1	1	052078	1 603 340 040	7.44 £
	Backing flange for M14 thread for clamping all discs with 115 - 150 mm diameter, manufactured after 08/90	-	-	PC1c	1	5	046947	1 605 703 099	8.94 £

Collets for Bosch Straight Grinders

Collets without Locking Nut for Straight Grinders

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Diameter inches	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	

Collet without locking nut

Suitable for GGS 27; GGS 27 C Professional



3	-	P0b	1	1	049023	2 608 570 008	13.97 £
---	---	-----	---	---	--------	---------------	---------

Collet without locking nut

Suitable for GGS 8 C; GGS 28; GGS 28 C; GGS 28 CE; GGS 28 LC; GGS 28 LCE; GGS 28 LPC Professional

3	-	P0b	1	1	620031	2 608 570 136	14.66 £
6	-	P0b	1	1	620048	2 608 570 137	14.66 £
8	-	P0b	1	1	620055	2 608 570 138	14.66 £
-	1/4	P0b	1	1	620079	2 608 570 140	14.66 £
-	1/8	P0b	1	1	620062	2 608 570 139	14.66 £

Collet without locking nut

Suitable for GGS 27; GGS 27 C Professional; POF 500 A; POF 600 ACE

6	-	P1c	1	1	013505	2 608 570 047	12.01 £
8	-	P1c	1	1	006705	2 608 570 049	12.73 £
-	1/4	P1c	1	1	006699	2 608 570 048	13.79 £



Locking nut without collet

Suitable for GGS 8 C; GGS 18 V-LI; GGS 18V-10 SLC; GGS 28; GGS 28 C; GGS 28 CE; GGS 28 LC; GGS 28 LCE; GGS 28 LPC Professional

-	-	P0b	1	1	620086	2 608 570 141	6.7 £
---	---	-----	---	---	--------	---------------	-------

Collets with Locking Nut for Straight Grinders



Collet with locking nut

Suitable for GGS 7 C; GGS 27 L; GGS 27 LC; GGS 1212 Professional

3	-	P0b	1	1	031103	2 608 570 082	35.26 £
-	1/8	P0b	1	1	032612	2 608 570 083	35.26 £
6	-	P0b	1	1	031110	2 608 570 084	44.02 £
-	1/4	P0b	1	1	031127	2 608 570 085	35.26 £

Collets with Locking Nut for Straight Grinders





Collet with locking nut

Suitable for GGS 16 Professional

10	-	P0b	1	1	026048	1 608 570 040	45.1 £
8	-	P0b	1	1	026055	1 608 570 041	44.77 £
6	-	P0b	1	1	026062	1 608 570 043	47.29 £

Spanners for Bosch Straight Grinders

Spanners for Bosch Straight Grinders

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
 <p>Spanner Suitable for GGS 16 Professional</p>	PC1c	1	1	048491	1 607 950 525	3.24 £
 <p>Two-hole spanner, straight for clamping all discs on two-hand angle grinders and straight grinders Suitable for GGS 6 S Professional</p>	P0b	1	1	040891	1 607 950 048	5.86 £

Locking Nuts and Flanges for Straight Grinders



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Round nut for level discs						
Suitable for GGS 6 Professional	P0b	1	1	048767	1 603 345 034	27.77 £


LONG LIFE FOR SANDING SHEETS

EXPERT Multihole Backing Pads

ASSORTMENT: soft - hard

EXPERT

- 1 Most efficient dust removal with Bosch Particle Control
- 2 Hole layout offers long life for all sanding sheets



EXPERT Multihole Backing Pads for Bosch 150 mm

EXPERT



- ▶ Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- ▶ Best for cabinet woodworkers: clean and efficient.
- ▶ Up to 2x longer life for multihole sheets, compared to a standard backing pad.
- ▶ 150 mm Backing Pad for Bosch Random Orbital Sanders.



PRODUCT PROPERTIES		ORDERING INFORMATION						
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Suitable for GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional								
Hard	150	Multi-Hole	C1a	1	1	530611	2 608 900 011	34.02 £
Medium	150	Multi-Hole	C1a	1	1	530604	2 608 900 010	34.35 £
soft	150	Multi-Hole	C1a	1	1	530598	2 608 900 009	32.95 £

EXPERT Multihole Backing Pads Universal 150 mm

EXPERT



- ▶ Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- ▶ Best for cabinet woodworkers: clean and efficient.
- ▶ Up to 2x longer life for multihole sheets, compared to a standard backing pad.
- ▶ 150 mm Backing Pad for Random Orbital Sanders, with adapters to fit most tool brands.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Suitable for GET 75-150; GEX 34-150; GEX 40-150 Professional; 3M; DeWalt; Dynabrade; Festool; Makita; Mirka; Rupes								
Hard	150	Multi-Hole	C1a	1	1	530581	2 608 900 008	39.7 £
Medium	150	Multi-Hole	C1a	1	1	530574	2 608 900 007	36.51 £
soft	150	Multi-Hole	C1a	1	1	530567	2 608 900 006	37.57 £

EXPERT Multihole Backing Pads Universal 125 mm

EXPERT



- ▶ Ideal for sanding wood. Soft pad for fine sanding and finishing of distinct curves and arches; medium pad for intermediate sanding of flat and curved surfaces; hard pad for coarse form-giving sanding of flat surfaces and narrow edges.
- ▶ Best for cabinet woodworkers: clean and efficient.
- ▶ Up to 2x longer life for multihole sheets, compared to a standard backing pad.
- ▶ 125 mm Backing Pad for Random Orbital Sanders, with adapters to fit most tool brands.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 4 059 952...	Part number	Price without VAT
Suitable for GET 55-125; GEX 34-125 Professional; 3M; Dynabrade; Mirka; Rupes								
Hard	125	Multi-Hole	C1a	1	1	530550	2 608 900 005	33.74 £
Medium	125	Multi-Hole	C1a	1	1	530543	2 608 900 004	36.01 £
soft	125	Multi-Hole	C1a	1	1	530536	2 608 900 003	33.26 £

Backing Pads

PRODUCT PROPERTIES				ORDERING INFORMATION						
Version	Diameter mm	Perforation		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT

Sanding pad

Suitable for PEX 115

Hard	115	8		C1c	1	1	079198		2 608 601 064	11.56 £
medium-hard	115	8		C1c	1	1	079181		2 608 601 065	10.36 £



Sanding pad

Suitable for PEX 11; PEX 115

soft	115	8		C1c	1	1	079174		2 608 601 066	10.85 £
-------------	-----	---	--	-----	---	---	--------	--	----------------------	---------

Sanding pad

Suitable for GEX 12V-125; GEX 18V-125; GEX 125-1 AE Professional

soft	125	8		C1c	1	1	465489		2 608 000 351	17.77 £
Hard	125	8		C1c	1	1	465496		2 608 000 352	17.77 £



Sanding pad

Suitable for GEX 125-1 AE Professional

Medium	125	8		C1c	1	1	454957		2 608 000 349	17.77 £
---------------	-----	---	--	-----	---	---	--------	--	----------------------	---------

Sanding Pad

Suitable for GEX 12V-125; GEX 18V-125 Professional

Medium	125	8		C1c	1	1	572437		2 608 000 714	15.75 £
---------------	-----	---	--	-----	---	---	--------	--	----------------------	---------



Sanding pad

Suitable for PEX 12; PEX 12 A; PEX 125; PEX 125 AE

Hard	125	8		C1c	1	1	077446		2 608 601 061	12.41 £
medium-hard	125	8		C1c	1	1	077453		2 608 601 062	12.41 £
soft	125	8		C1c	1	1	077460		2 608 601 063	12.41 £



Sanding pad

Suitable for GEX 12 A; GEX 12 AE; GEX 125 A; GEX 125 AC Professional

extra-soft	125	8		C1c	1	1	219488		2 608 601 117	23.68 £
soft	125	8		C1c	1	1	219495		2 608 601 118	23.68 £
Hard	125	8		C1c	1	1	219501		2 608 601 119	32 £



Backing Pads

PRODUCT PROPERTIES			ORDERING INFORMATION					
Version	Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Sanding pad								
Suitable for GEX 125-150 AVE Professional								
medium-hard	125	8	C1c	1	1	623476	2 608 601 607	20.06 £



Sanding pad								
Suitable for GEX 125 AC; GEX 150 AC Professional; PEX 15 AE								
soft	150	8	C1c	1	1	063074	2 608 601 051	20.92 £
medium-hard	150	-	C1c	1	1	063081	2 608 601 052	20.92 £
Hard	150	-	C1c	1	1	063098	2 608 601 053	20.92 £



Sanding pad								
Suitable for GEX 125 AC; GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional								
extra-soft	150	-	C1c	1	1	219457	2 608 601 114	20.54 £
soft	150	-	C1c	1	1	219464	2 608 601 115	21.76 £
Hard	150	-	C1c	1	1	219471	2 608 601 116	21.03 £




Sanding pad								
Suitable for GEX 125 AC; GEX 125-150 AVE; GEX 150 AC; GEX 150 Turbo Professional								
medium-hard	150	8	C1c	1	1	375214	2 608 601 185	39.23 £



Backing Pad Savers for Random Orbital Sanders

► Backing Pad Savers for Random Orbital Sanders

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Pad Savers for random orbit sanders								
125	punched	P1b	2	1	968409		2 608 000 689	6.08 £
150	punched	P1b	2	1	968416		2 608 000 690	7.82 £




Adapters for Random Orbit Sanders



- **Suitable as** further cushioning layer for especially soft work
- Ideal for sanding or polishing contours and curved surfaces

PRODUCT PROPERTIES		ORDERING INFORMATION						
		Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
Adapter, punched								
		C1d	1	1	220729		2 608 601 127	13.51 £



Suction Sockets for Random Orbital Sanders

Suction Socket for GET 75-150
Suitable for GET 75-150 Professional

		P1d	1	1	967297		2 607 017 499	30 £
--	--	-----	---	---	--------	--	----------------------	------



Dust Box, Filter and Dust Bags for Random Orbital Sanders



Filter

Suitable for GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	C0a	1	1	624152	2 605 190 930	25.64 £



Dust bag

Suitable for GEX 12V-125; GEX 18V-125 Professional

			1	572444	2 608 000 715	11.03 £
--	--	--	---	--------	---------------	---------

Auxiliary Handle for Random Orbit Sanders



Auxiliary handle

Suitable for GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	P0b	1	1	624138	2 602 026 177	29.31 £










Auxiliary Handle GET 55 + 75

Suitable for GET 55-125; GET 75-150 Professional

	P1d	1	1	967303	2 607 017 500	19.5 £
--	-----	---	---	--------	---------------	--------



Sanding Plates for Orbital Sanders


PRODUCT PROPERTIES			ORDERING INFORMATION						
Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	Sanding plate extended Triangular shape for narrow angled surfaces, can be used on both sides, with hook-and-loop-type fastening. Dimensions same as Bosch delta sander and sanding sheet Suitable for GSS 230 A; GSS 230 AE; GSS 230 AVE Professional								
93	185	-	P0b	1	1	105767	2 608 000 189	33.51 £	
	Sanding plate with hook-and-loop-type fastening, normal use Suitable for GSS 230 A; GSS 230 AE; GSS 230 AVE Professional								
93	185	-	P0b	1	1	111898	2 608 000 202	19.98 £	
	Sanding plate without hook-and-loop-type fastening, for finishing Suitable for GSS 230 A; GSS 230 AE; GSS 230 AVE Professional								
93	185	-	P0b	1	1	127271	2 608 000 213	18.82 £	
	Sanding plate with hook-and-loop-type fastening, normal use Suitable for GSS 280 A; GSS 280 AE; GSS 280 AVE Professional								
115	230	-	P0b	1	1	111904	2 608 000 204	19.45 £	
	Sanding plate with hook-and-loop-type fastening Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional								
110	100	-	PC1c	1	1	822978	2 608 601 443	15.28 £	
	Sanding plate with hook-and-loop-type fastening Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional								
80	130	-	PC1c	1	1	822985	2 608 601 444	15.28 £	
	Sanding plate delta with hook-and-loop-type fastening Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional								
100	150	-	PC1c	1	1	822992	2 608 601 445	18.53 £	
	Swing plate for sanding plate 2 608 601 442 & 2 608 601 443 Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional								
110	100	-	PC1c	1	1	823005	2 608 601 446	18.53 £	
	Orbital plate for sanding plate 2 608 601 444 Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional								
80	130	-	PC1c	1	1	823012	2 608 601 447	11.68 £	

Sanding Plates for Orbital Sanders

PRODUCT PROPERTIES			ORDERING INFORMATION					
Width, sheet mm	Length, sheet mm	Perforation	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Swing plate for sanding plate 2 608 601 445								
Suitable for GSS 18V-10; GSS 140-1 A; GSS 160 Multi; GSS 160-1 A; GSS Delta 1-A Professional								
110	150	-	PC1c	1	1	823029	2 608 601 448	12.62 £



Sanding plate with hook-and-loop-type fastening								
Suitable for GSS 140-1 A; GSS 160-1 A; GSS Delta 1-A Professional								
92	182	14	PC1c	1	1	014342	2 608 000 072	19.31 £



Sanding Plates for Delta Sanders

Sanding Plates for Bosch Delta Sanders



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT



Sanding plate

Suitable for GDA 280E Professional; PDA 180; PDA 180 E; PDA 240 E

	C1d	1	1	109505	2 608 000 211	8.4 £
--	-----	---	---	--------	----------------------	-------



Sanding plate

Suitable for PDA 100; PDA 120 E

	C1d	1	1	076401	2 608 000 149	11.12 £
--	-----	---	---	--------	----------------------	---------

Sanding Fingers for Bosch Delta Sanders



► **Suitable for** sanding in tight gaps

► **Appropriate for** GDA 280 E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM Ventaro 1400



Hook-and-loop-type fastening replacement material for sanding finger

	C1c	2	1	110907	2 601 099 074	5.13 £
--	-----	---	---	--------	----------------------	--------



Sanding finger, flat

	C1d	1	1	109482	2 608 000 199	7.55 £
--	-----	---	---	--------	----------------------	--------



Sanding finger, oval

	C1d	1	1	109475	2 608 000 198	7.84 £
--	-----	---	---	--------	----------------------	--------

Louvre sanding attachment for Bosch Delta Sanders



► Suitable for sanding louvre doors and shutters

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
<p>Louvre sanding attachment</p> <p>Suitable for GDA 280E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; PSM 200 AES; Ventaro 1400</p>	C1d	1	1	109499	2 608 000 200	7.78 £
<p>Hook-and-loop-type fastening replacement material for louvre sanding attachment</p> <p>Suitable for GDA 280E Professional; PDA 180; PDA 180 E; PDA 240 E; PSM 160 A; Ventaro 140</p>	C1d	2	1	076395	2 601 099 044	4.35 £



Accessories for Bosch Belt Sanders

Sanding frames for belt sanders



PRODUCT PROPERTIES	ORDERING INFORMATION					
Sanding frame with brush and plastic insert Ideal for plane sanding without tilting, protecting the surface Easy and tool-free assembly Suitable for GBS 75 A; GBS 75 AE Professional; PBS 75 A; PBS 75 AE	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	C1a	1	1	015691	2 608 005 026	150.79 £

Parallel and angle guide for belt sanders



Parallel and angle guide Suitable for GBS 75 AE Professional; PBS 7 A; PBS 7 AE; PBS 60	C1a	1	1	015189	2 607 001 079	41.67 £
---	-----	---	---	--------	---------------	---------

Fine sanding plate for belt sanders



- **Suitable for** very soft sanding
- **Note:** Please observe operating instructions

Fine sanding plate with graphite base Suitable for GBS 75 AE Professional	C1a	1	1	109222	2 601 098 043	3.97 £
---	-----	---	---	--------	---------------	--------

Auxiliary Handles for Compact Belt Sanders






PRODUCT PROPERTIES	ORDERING INFORMATION					
Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread. Suitable for GUF 4-22 A; GWS 9-125 S; GWS 13-125 CI; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 CI; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 CI; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	Pof	1	1	016377	1 602 025 024	4.48 £

ACCESSORIES FOR CIRCULAR SAWS



- ▶ Exact straight cuts due to guided sawing on the new Bosch guide rail system
- ▶ Precise work is possible, even with several rails, due to the self-aligning VEL connecting piece

Guide Rails for Hand-Held Circular Saws

PRODUCT PROPERTIES		ORDERING INFORMATION					
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	Guide rail FSN 70 Pair of G-clamps not included Suitable for GKS 18 V; GKS 24 V; GKS 55; GKS 55 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE						
700	C0a	1	1	087186	2 602 317 030	97.45 £	
	Guide rail FSN 140 Pair of G-clamps not included (rubber lip as spare part 2 601 010 044) Suitable for GKS 18 V; GKS 24 V; GKS 55; GKS 55 CE; GKS 65 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE						
1,400	C0a	1	1	087193	2 602 317 031	148.19 £	
	Connector for guide rails FSN 70, FSN 140						
-	P0b	1	1	024181	1 602 319 003	17.53 £	

Parallel Guide for Hand-Held Circular Saws

PRODUCT PROPERTIES					ORDERING INFORMATION					
Material	Width mm	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Parallel guide Suitable for GKS 55; GKS 65; GKS 66 CE; GKS 75 S; GKS 85; GKS 85 G; GKS 85 S; GKS 160 Professional					PC1c	1	1	019033	1 608 190 007	19.25 £
Parallel guide Suitable for GKS 18 V; GKS 24 V Professional; PKS 40; PKS 46; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE					PC1c	1	1	055512	2 608 005 018	16.84 £



Accessories for Hand-Held Circular Saws

Pair of G-clamps for FSN 70, FSN 140					P0b	2	1	516532	2 608 000 426	52.14 £
Adapter for guide rail Suitable for GKS 190 Professional					C0a	1	1	229852	2 607 001 375	23.74 £



Accessories for Benchtop Circular Saws

PRODUCT PROPERTIES					ORDERING INFORMATION					
Material	Width mm	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Nylon carrying bag Suitable for GCM 10 Professional					P0b	1	1	274081	2 605 439 019	100.81 £
Foldable sub-frame Outer dimensions LxWxH: 810x820x590 mm; Support surface: 665x605 mm Suitable for GTS 10 Professional					C0a	1	1	316194	2 607 001 912	218.09 £
Insert plate Suitable for GCM 10 S Professional					P0b	1	1	317238	2 607 960 019	8.9 £



Accessories for Benchtop Circular Saws

PRODUCT PROPERTIES					ORDERING INFORMATION					
Material	Width mm	Height mm	Length mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Insert plate										
Suitable for GCM 12 SD Professional										
-	-	-	-	-	P0b	1	1	334792	2 607 960 020	11.82 £
Push stick										
Suitable for GTS 10 Professional										
-	-	-	-	-	P1b	1	1	316361	2 607 001 914	17.51 £



Anti-Splinter Guard for Jigsaws

- ▶ The anti-splinter guard effectively prevents tearing out on the top of the material. All you have to do is insert it into the sole plate. Another **tip**: it is best to saw with the grain or diagonal to the grain.

PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT



Anti-splinter guard

Suitable for GST 14.4 V; GST 18 V; GST 75 BE; GST 80 Professional; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE

	C1d	5	5	006651	2 607 010 079	4.44 £
--	-----	---	---	--------	----------------------	--------



Anti-splinter guard

Suitable for GST 12V-70; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 1400 BCE; GST 1400 CE Professional

	P1d	5	5	516297	2 601 016 096	6.5 £
--	-----	---	---	--------	----------------------	-------

Plates for Base Plate for Jigsaws



- ▶ The interchangeable plates ensure good movement on different materials

Metal plate for base plate

Suitable for GST 14,4 V-LI; GST 18 V-LI; GST 140 BCE; GST 140 CE Professional

	P1d	1	1	605809	2 601 098 123	12.89 £
--	-----	---	---	--------	----------------------	---------

Dust Extraction Devices for Jigsaws



Dust extraction set

Suitable for GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional

	P1d	1	1	516280	2 605 510 294	9.77 £
--	-----	---	---	--------	----------------------	--------



Dust extraction set

Suitable for GST 14,4 V-LI; GST 18 V-LI; GST 140 BCE; GST 140 CE Professional

	P1d	1	1	605816	2 605 510 301	18.56 £
--	-----	---	---	--------	----------------------	---------

Parallel Guides with Circle Cutter for Jigsaws



Parallel guide with circle cutter

max width parallel 140 mm, max radius 150 mm

Suitable for GST 14.4 V; GST 18 V; GST 24V; GST 75 BE; GST 90 BE; GST 90 E; GST 120 E; GST 135 BCE; GST 135 CE; GST 140 BCE; GST 140 CE; GST 150 BCE; GST 150 CE; GST 160 BCE; GST 160 CE Professional; PST 650; PST 650 L; PST 680 E; PST 680 EL; PST 700 E; PST 700 PE; PST 800 PEL; PST 900 PEL; PST 1000 CE; PST 1000 PEL

	P1d	1	1	516273	2 608 040 289	14.74 £
--	-----	---	---	--------	----------------------	---------

Screwdriver for Jigsaws without SDS system



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Screwdriver Appropriate for all jigsaws without SDS system	C1d	1	1	004497	1 609 200 265	3.17 £

Parallel Guides for Bosch Routers

- ▶ Complete with fine adjustment
- ▶ **Suitable for** all routing work parallel to the workpiece edge

PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT



Parallel guide

Suitable for GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1250 CE; GOF 1250 LCE; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional

10	C0a	1	1	247252		2 607 001 387	92.21 £
----	-----	---	---	--------	--	----------------------	---------



Parallel guide

Suitable for GKF 600 (0 601 60A 1..) Professional

-	C0a	1	1	431798		2 608 000 331	26.31 £
---	-----	---	---	--------	--	----------------------	---------

Circle guide and guide rail adapter set for Bosch routers

- ▶ Screw the centring pin into the guide rail adapter to use this accessory
- ▶ Adapter enables guide rails FSN 70 (2 602 317 030) and FSN 140 (2 602 317 031) to also be used with router
- ▶ Continuously variable adjustment of the router enables cuts at the following circle radii:
 - With GOF 900: 95 to 655 mm
 - With GOF 1200: 100 to 660 mm
 - With GOF 1300: 100 to 660 mm
 - With GOF 2000: 100 to 660 mm
 - With POF 800: 95 to 655 mm

PRODUCT PROPERTIES		ORDERING INFORMATION					
Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT



Guide rail FSN 70

Pair of G-clamps not included

Suitable for GKS 18 V; GKS 24 V; GKS 55; GKS 55 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE

700	C0a	1	1	087186		2 602 317 030	97.45 £
-----	-----	---	---	--------	--	----------------------	---------



Guide rail FSN 140

Pair of G-clamps not included

(rubber lip as spare part 2 601 010 044)

Suitable for GKS 18 V; GKS 24 V; GKS 55; GKS 55 CE; GKS 65 CE; GKS 66 CE; GKS 68 B; GKS 68 BC; GKS 85; GKS 85 G; GMF 1400 CE; GOF 130; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE; GUF 4-22 A Professional; PKS 40; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE; POF 1200 AE; POF 1400 ACE

1,400	C0a	1	1	087193		2 602 317 031	148.19 £
-------	-----	---	---	--------	--	----------------------	----------


Circle guide and guide rail adapter set for Bosch routers



PRODUCT PROPERTIES		ORDERING INFORMATION					
	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Suitable for GMF 1400 CE; GOF 130; GOF 900 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100; POF 1100 AE; POF 1200 AE; POF 1300; POF 1300 ACE; POF 1400 ACE							
	-	C1a	1	1	062886	2 609 200 143	91.61 £

Extra-Long Guide Bars for Bosch Routers

► For routing work that standard guide bars are not long enough for



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Guide bar Suitable for GOF 130; GOF 900 A; GOF 900 ACE Professional; POF 800 ACE; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE							
8	800	P0b	2	1	062893	2 609 200 144	34.66 £
Guide bar Appropriate for all routers with guide rod diameter 10 mm, distance between holes 100 mm Suitable for GMF 1400 CE; GOF 900 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 A; GOF 1600 CE; GOF 2000 CE Professional							
10	800	P0b	2	1	062909	2 609 200 145	39.29 £

Handles for Bosch Routers



PRODUCT PROPERTIES		ORDERING INFORMATION					
		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Handle For circle cutting guide 2 609 200 143 and sub-frame 2 607 020 300							
		P0f	1	1	001939	1 603 481 001	10.87 £

Collets for Tool Versions as of 02/1985 for Bosch Routers

► Collets for holding the router bit



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Diameter inches		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Collet without locking nut								
Suitable for GGS 27; GGS 27 C Professional; POF 500 A; POF 600 ACE								
6	-		P1c	1	1	013505	2 608 570 047	12.01 £
8	-		P1c	1	1	006705	2 608 570 049	12.73 £
-	1/4		P1c	1	1	006699	2 608 570 048	13.79 £

Collets for Bosch Routers

► **Note:** We recommend using the correct size of collet rather than working with a shank sleeve.



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Diameter inches	Key width mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Collet								
Suitable for GOF 130; GOF 900; GOF 900 A; GOF 900 ACE; GOF 900 CE Professional; POF 800 ACE; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE								
-	1/4	19		1	1	062671	2 608 570 101	32.48 £
6	-	19	P0b	1	1	062664	2 608 570 100	35.06 £
8	-	19	P0b	1	1	062688	2 608 570 102	35.06 £

Collet

Suitable for GMF 1400 CE; GMF 1600 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional

-	3/8	24	P0b	1	1	062725	2 608 570 106	41.18 £
12	-	24	P0b	1	1	062732	2 608 570 107	41.18 £

Collet

Suitable for GMF 1400 CE; GOF 1200 A; GOF 1300 ACE; GOF 1300 CE; GOF 1600 CE; GOF 2000 CE Professional

-	1/2	24	P0b	1	1	062749	2 608 570 108	38.86 £
---	-----	----	-----	---	---	--------	----------------------	---------

Collet

Suitable for GKF 12V-8; GKF 600 CE Professional

6	-	-	P0b	1	1	431842	2 608 570 133	26.11 £
8	-	-	P0b	1	1	431859	2 608 570 134	26.11 £

Collet

UK version only

Suitable for GKF 600 (0 601 60A 1..) Professional

-	1/4	-	P0b	1	1	431866	2 608 570 135	23.84 £
---	-----	---	-----	---	---	--------	----------------------	---------

Collet

Suitable for POF 400/500, POF 52/50

-	1/4	-		1	1	006712	2 608 570 066	14.94 £
---	-----	---	--	---	---	--------	----------------------	---------

Template Guides with Quick Fastening Lock, Tool-Free for Bosch Routers

- Indispensable for work with templates (template guide runs along the template and transfers the shape onto the workpiece)
- Bayonet lock for rapid, tool-free changing
- **Note:** When making a template for use with a template guide, the distance between the guide and the router bit has to be taken into consideration. This distance is calculated using the following formula: (diameter (Ø) of template guide (K) – diameter (Ø) of router bit (F))/2

PRODUCT PROPERTIES				ORDERING INFORMATION				
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
Template guide with quick fastening lock, tool-free Suitable for GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 130; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE; POF 1400 ACE								
13	P0b	1	1	062831	2 609 200 138	19.71 £		
17	P0b	1	1	062848	2 609 200 139	17.18 £		
24	P0b	1	1	062855	2 609 200 140	23.3 £		
30	P0b	1	1	062879	2 609 200 142	20.3 £		
Template guide with quick fastening lock, without tools Suitable for GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE								
16	P0b	1	1	600590	2 608 000 471	17.18 £		
Template guide with quick fastening lock, tool-free Suitable for GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 130; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE								
27	P0b	1	1	062862	2 609 200 141	23.3 £		
Template guide with quick fastening lock, tool-free Suitable for GKF 600; GMF 1400 CE; GMF 1600 CE; GOF 900; GOF 900 ACE; GOF 900 CE; GOF 1250 CE; GOF 1250 LCE; GOF 1600 CE; GOF 2000 CE Professional; POF 800; POF 1100 AE; POF 1200 AE; POF 1300 ACE								
40	P0b	1	1	252188	2 609 200 312	27.92 £		




Accessories for Copy Routing

PRODUCT PROPERTIES				ORDERING INFORMATION					
Diameter mm	Diameter inches	Outer diameter inch	Length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3-piece centring pins set for GOF									
8	1/4	1/4	125	P0b	3	1	647885	2 608 000 498	31.55 £
12	1/2	1/2							



Accessories for Bosch Multifunction Router GMF 1400 CE



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Hexagon nutsetter	Suitable for GMF 1400 CE; GMF 1600 CE Professional					
	P1b	1	1	418324	2 608 000 328	13.42 £

Accessories for Bosch Palm Router GKF 600 Professional

Accessories for Bosch Palm Router GKF 600 Professional

	PRODUCT PROPERTIES				ORDERING INFORMATION		
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
 <p>Pilot</p>	C0a	1	1	431804	2 608 000 332	30.78 £	
 <p>Round base plate</p>	P1d	1	1	431811	2 608 000 333	27.27 £	
 <p>Angled router cage</p>	C0a	1	1	431828	2 608 000 334	51.3 £	
 <p>Base plate with handle and dust extraction outlet</p>	C0a	1	1	431835	2 608 000 335	61.13 £	

Handles for Bosch Mini Angle Grinders and Compact Belt Sanders



► For convenient and safe guiding of the machine

Handle appropriate for all Angle Grinders and Compact Belt Sanders with M10 thread.

Suitable for GUF 4-22 A; GWS 9-125 S; GWS 13-125 Cl; GWS 13-125 CIE; GWS 15-125 CIEP; GWS 17-125 Cl; GWS 17-125 CIE; GWS 17-125 CIT; GWS 17-150 Cl; GWS 18V-125 C; GWS 18V-125 PC; GWS 18V-125 PSC; GWS 18V-125 SC; GWS 19-125 CIE; GWS 1000; GWS 1400; GWX 9-115 S; GWX 9-125 S; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 15-125 PS; GWX 17-125; GWX 17-125 S; GWX 17-125 T; GWX 17-150; GWX 18V-10 C; GWX 18V-10 PC; GWX 18V-10 PSC; GWX 18V-10 SC; GWX 19-125 S Professional; PSF 22 A; PWS 6-13

P0f	1	1	016377	1 602 025 024	4.48 £
-----	---	---	--------	----------------------	--------

Accessories for Rotocut

Rotocut Router Bits



PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter (D) mm	Working length (L) mm	Total length (G) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
3.17	35	70	P1c	5	1	233316	2 608 620 203	44.97 £

Rotocut cutting bit B 32 CU



Suitable for various types of wood <19 mm, plastics, abrasive materials, soft wall tiles, plasterboard, hard fibre board

ACCESSORIES FOR PLANERS



- ▶ Accessories for a wide variety of planing applications in interior fitting work or furniture manufacture

Parallel and Angle Guides for Bosch Planers


PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
 <p>Parallel and angle guide with 45° setting Suitable for GHO 14,4 V; GHO 18 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 100; PHO 1500; PHO 2000; PHO 3100</p>	C1a	1	1	015165	2 607 001 077	45.8 £
 <p>Parallel guide without 45° setting Suitable for GHO 14,4 V; GHO 18 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 100; PHO 1500; PHO 2000; PHO 3100</p>	C1a	1	1	013383	2 607 000 102	25.45 £

Rebating Depth Guides for Bosch Planers







PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Suitable for GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82 C Professional; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 3100	PC1c	1	1	002523	1 608 132 006	5.36 £
Suitable for GHO 14,4 V; GHO 18 V Professional; PHO 1; PHO 15-82; PHO 16-82; PHO 20-82; PHO 100	PC1c	1	1	006507	2 607 000 073	13.83 £

ACCESSORIES FOR BOSCH NIBBLERS





- ▶ Punches and dies for curved or straight cuts with Bosch nibblers
- ▶ For easy working, even when performing narrow curved cuts or complicated cutouts in different types of sheet metal


Punches

	PRODUCT PROPERTIES				ORDERING INFORMATION		
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
 <p>Punch for curve cut Suitable for GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530</p>	P0h	1	1	031523	2 608 639 013	28.69 £	
 <p>Universal punch Suitable for GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530</p>	P0h	1	1	031554	2 608 639 022	30.52 £	
 <p>Punch for straight cut Suitable for GNA 16 (SDS) Professional</p>	P0b	1	1	088640	2 608 639 027	18.79 £	
 <p>Universal cutting oil Use of the universal cutting oil increases the operational life several times over when cutting metal</p>	M0b	1	1	271240	2 607 001 409	10.33 £	

Dies

	PRODUCT PROPERTIES		ORDERING INFORMATION					
	System recommendation		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	Die suitable for flat sheet metals up to 2 mm Suitable for GNA 1.6 L; GNA 2,0; GNA 16 (SDS) Professional; 1530							
	GNA 1.3/1.6/2.0		P0b	1	1	031561	2 608 639 900	113.41 £
	Die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm Suitable for GNA 3,2; GNA 3-5 Professional							
	GNA 3.2 + 3.5		P0b	1	1	088633	2 608 639 026	116.31 £
	Die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm Suitable for GNA 16 (SDS) Professional							
	GNA 16		P0b	1	1	088657	2 608 639 028	47.5 £
	Die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm Suitable for GNA 2,0 Professional; 1530							
	GNA 2.0		P0b	1	1	031547	2 608 639 021	103.29 £
	Special punch and die suitable for corrugated and most trapezoidal sheet metals up to 1.2 mm Suitable for GNA 1,3; GNA 1,6; GNA 2,0 Professional; 1530							
	GNA 2.0		P0b	1	1	031578	2 608 639 902	125.7 £

ACCESSORIES FOR BOSCH SHEET METAL AND UNIVERSAL SHEARS



- ▶ Shear blades for Bosch shears, for easy cutting of a wide variety of materials
- ▶ Re-sharpenable reversible blades for cost-effective use


Shear blade sets

PRODUCT PROPERTIES		ORDERING INFORMATION					
System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
5-piece blade set suitable for sheet metals Suitable for GSC 2,8 Professional							
GSC 2.8	C1d	5	1	029803	2 607 010 025	34.87 £	
6-piece blade set suitable for sheet metals Suitable for GSC 1,6; GSC 9.6 V Professional; Typ 1500							
GSC 1.6, type 1500, cordless GSC 9.6 V	C1d	6	1	031783	3 607 010 028	48.64 £	



Upper blades for Bosch sheet metal and universal shears

PRODUCT PROPERTIES	ORDERING INFORMATION					
System recommendation	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



Upper blade and lower blade

Suitable for GSC 12V-13; GSC 16; GSC 160 Professional

GSC 16 (metalworking) + GSC 160	C0a	1	1	088664	2 608 635 243	24.08 £
--	-----	---	---	--------	----------------------	---------



Upper blade

Only for fabrics, plastics, wallpaper, cardboard, leather, floor coverings

Suitable for GUS 9.6 V; GUS 12V-300 Professional

GUS 9.6 V	C0a	1	1	031516	2 608 635 126	46.71 £
------------------	-----	---	---	--------	----------------------	---------

Universal Cutting Oil

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT



Universal cutting oil

Use of the universal cutting oil increases the operational life several times over when cutting metal

	M0b	1	1	271240	2 607 001 409	10.33 £
--	-----	---	---	--------	----------------------	---------

NAILS



For Bosch pneumatic nailer.



- ▶ Suitable for roof construction, wood construction, door and window frames, furniture frames, pallet construction, case construction
- ▶ All nails are additionally resin-coated (for better penetration and greater retention power)
- ▶ All nails are manufactured in Europe and therefore guarantee high, consistent quality
- ▶ Treatment with resin means the nails are easier to drive into the material. This simultaneously ensures a better hold

34° clipped head strip nails, resin-coated – smooth version



▶ Appropriate for GSN 90-34 DK Professional



PRODUCT PROPERTIES				ORDERING INFORMATION					
Type	Shank diameter (d) mm	Head diameter	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Bright									
SN34DK 50	2.8	7.0 (D-shape)	50	C0a	3,000	1	563291	2 608 200 000	64.76 £
SN34DK 65	2.8	7.0 (D-shape)	65	C0a	3,000	1	563307	2 608 200 001	73.78 £
SN34DK 75	2.8	7.0 (D-shape)	75	C0a	3,000	1	563314	2 608 200 002	84.85 £
SN34DK 80	3.1	7.1 (D-shape)	80	C0a	3,000	1	563321	2 608 200 003	99.29 £
SN34DK 90	3.1	7.1 (D-shape)	90	C0a	2,500	1	563338	2 608 200 004	86.17 £
Galvanised									
SN34DK 50G	2.8	7.0 (D-shape)	50	C0a	3,000	1	563345	2 608 200 005	82.71 £
SN34DK 65G	2.8	7.0 (D-shape)	65	C0a	3,000	1	563352	2 608 200 006	100.65 £
SN34DK 75G	2.8	7.0 (D-shape)	75	C0a	3,000	1	563369	2 608 200 007	113.72 £
SN34DK 80G	3.1	7.1 (D-shape)	80	C0a	3,000	1	563376	2 608 200 008	136.52 £
SN34DK 90G	3.1	7.1 (D-shape)	90	C0a	2,500	1	563383	2 608 200 009	119.3 £

34° clipped head strip nails, resin-coated – grooved version



► Appropriate for GSN 90-34 DK Professional



PRODUCT PROPERTIES				ORDERING INFORMATION					
Type	Shank diameter (d) mm	Head diameter	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Bright									
SN34DK 50R	2.8 7.0 (D-shape)		50	C0a 3,000	1	563437		2 608 200 014	67.57 £
SN34DK 65R	2.8 7.0 (D-shape)		65	C0a 3,000	1	563444		2 608 200 015	78.6 £
SN34DK 75R	2.8 7.0 (D-shape)		75	C0a 3,000	1	563451		2 608 200 016	88.88 £
SN34DK 80R	3.1 7.1 (D-shape)		80	C0a 3,000	1	563468		2 608 200 017	107.56 £
SN34DK 90R	3.1 7.1 (D-shape)		90	C0a 2,500	1	563475		2 608 200 018	93.07 £
Galvanised									
SN34DK 50RG	2.8 7.0 (D-shape)		50	C0a 3,000	1	563482		2 608 200 019	88.9 £
SN34DK 65RG	2.8 7.0 (D-shape)		65	C0a 3,000	1	563499		2 608 200 020	105.5 £
SN34DK 75RG	2.8 7.0 (D-shape)		75	C0a 3,000	1	563505		2 608 200 021	117.9 £
SN34DK 80RG	3.1 7.1 (D-shape)		80	C0a 3,000	1	563512		2 608 200 022	144.81 £
SN34DK 90RG	3.1 7.1 (D-shape)		90	C0a 2,500	1	563529		2 608 200 023	124.02 £

21° full head strip nails, resin-coated – smooth version



► Appropriate for GSN 90-21 RK Professional



Bright									
SN21RK 60	2.8	7.0	60	C0a 4,000	1	563574		2 608 200 028	88.25 £
SN21RK 75	2.8	7.0	75	C0a 3,000	1	563581		2 608 200 029	76.55 £
SN21RK 80	3.1	7.0	80	C0a 3,000	1	563598		2 608 200 030	92.98 £
SN21RK 90	3.1	7.0	90	C0a 2,500	1	563604		2 608 200 031	82.74 £
Galvanised									
SN21RK 60G	2.8	7.0	60	C0a 4,000	1	563611		2 608 200 032	115.76 £
SN21RK 75G	2.8	7.0	75	C0a 3,000	1	563628		2 608 200 033	99.29 £
SN21RK 80G	3.1	7.0	80	C0a 3,000	1	563635		2 608 200 034	122.73 £
SN21RK 90G	3.1	7.0	90	C0a 2,500	1	563642		2 608 200 035	111.72 £

21° full head strip nails, resin-coated – grooved version

► Appropriate for GSN 90-21 RK Professional



PRODUCT PROPERTIES				ORDERING INFORMATION					
Type	Shank diameter (d) mm	Head diameter	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Galvanised									
SN21RK 60RG	2.8	7.0	60	C0a 4,000	1	563659		2 608 200 036	115.88 £
SN21RK 75RG	2.8	7.0	75	C0a 3,000	1	563666		2 608 200 037	99.29 £
SN21RK 90RG	3.1	7.0	90	C0a 2,500	1	563673		2 608 200 038	111.75 £
Hot-dip galvanised									
SN21RK 65RHG	2.8	7.0	65	C0a 4,000	1	563680		2 608 200 039	171.01 £
SN21RK 75RHG	2.8	7.0	75	C0a 3,000	1	563697		2 608 200 040	144.81 £
SN21RK 90RHG	3.1	7.0	90	C0a 2,500	1	563703		2 608 200 041	162.74 £

FINISH NAILS AND BRADS

For Bosch pneumatic nailer.




- ▶ Suitable for case construction, upholstery, picture frames, furniture manufacture, wall coverings, fibre plasterboard, decorative strips and skirting boards, door and window frames
- ▶ Version: galvanised and also available in weatherresistant stainless steel
- ▶ All finish nails and brads are manufactured in Europe and therefore guarantee high, consistent quality
- ▶ Finish nails and brads provide a firm hold with heads that are scarcely visible

1.2/18g brads – galvanised version


▶ Appropriate for GSK 50 Professional

PRODUCT PROPERTIES					ORDERING INFORMATION					
Type	Wire dimension mm	Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Galvanised version										
SK50 16G	1.2	2	1	16	C0a	5,000	1	563826	2 608 200 511	18.25 £
SK50 19G	1.2	2	1	19	C0a	5,000	1	563833	2 608 200 512	18.77 £
SK50 25G	1.2	2	1	25	C0a	5,000	1	563840	2 608 200 513	22.22 £
SK50 30G	1.2	2	1	30	C0a	5,000	1	563857	2 608 200 514	23.72 £
SK50 35G	1.2	2	1	35	C0a	5,000	1	563864	2 608 200 515	25.82 £
SK50 40G	1.2	2	1	40	C0a	5,000	1	563871	2 608 200 516	27.92 £
SK50 45G	1.2	2	1	45	C0a	5,000	1	563888	2 608 200 517	30.58 £
SK50 50G	1.2	2	1	50	C0a	5,000	1	563895	2 608 200 518	33.23 £



1.6/16g finish nails - galvanised version


► Appropriate for GSK 64 Professional



PRODUCT PROPERTIES					ORDERING INFORMATION					
Type	Wire dimension mm	Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Galvanised version										
SK64 25G	1.6	2.8	1.45	25	C0a 2,500	1	563710		2 608 200 500	13.48 £
SK64 30G	1.6	2.8	1.45	30	C0a 2,500	1	563727		2 608 200 501	15.25 £
SK64 35G	1.6	2.8	1.45	35	C0a 2,500	1	563734		2 608 200 502	16.38 £
SK64 40G	1.6	2.8	1.45	40	C0a 2,500	1	563741		2 608 200 503	17.61 £
SK64 45G	1.6	2.8	1.45	45	C0a 2,500	1	563758		2 608 200 504	18.19 £
SK64 50G	1.6	2.8	1.45	50	C0a 2,500	1	563765		2 608 200 505	19.34 £
SK64 55G	1.6	2.8	1.45	55	C0a 2,500	1	563772		2 608 200 506	21.68 £
SK64 63G	1.6	2.8	1.45	63	C0a 2,500	1	563789		2 608 200 507	23.42 £

20° 1.6/16g finish nails – galvanised version


► Appropriate for GSK 18 V-Li Professional



Galvanised version										
SK64-20 G	1.6	2.8	1.35	38	C0a 2,000	1	621694		2 608 200 529	32.62 £
SK64-20 G	1.6	2.8	1.35	44	C0a 2,000	1	621700		2 608 200 530	36.28 £
SK64-20 G	1.6	2.8	1.35	50	C0a 2,000	1	621717		2 608 200 531	36.89 £
SK64-20 G	1.6	2.8	1.35	57	C0a 2,000	1	621724		2 608 200 532	44.27 £
SK64-20 G	1.6	2.8	1.35	63	C0a 2,000	1	621731		2 608 200 533	46.04 £
SK64-20 G	1.6	2.8	1.35	32	C0a 2,000	1	621687		2 608 200 528	31.94 £

20° 1.6/16g finish nails – stainless version


► Appropriate for GSK 18 V-Li Professional



Stainless version										
SK64-20 NR	1.6	2.8	1.35	38	C0a 2,000	1	621748		2 608 200 534	80.89 £
SK64-20 NR	1.6	2.8	1.35	50	C0a 2,000	1	621755		2 608 200 535	98.45 £
SK64-20 NR	1.6	2.8	1.35	63	C0a 2,000	1	621762		2 608 200 536	117.15 £

STAPLES

For Bosch pneumatic stapler.




- ▶ Suitable for attaching heat insulation materials, fibre plasterboard, steps and handrails, building fences, door and window frames, upholstery, picture frames
- ▶ Version: all staples are galvanised and resin-coated
- ▶ All staples are manufactured in Europe and therefore guarantee high, consistent quality
- ▶ Narrow crown staples are also a good solution in decoration because the spine of the staple penetrates deep into the wood and is barely noticeable

1.2/18g narrow crown staples, chisel point, resin-coated – galvanised version

▶ Appropriate for GTK 40 Professional


PRODUCT PROPERTIES				ORDERING INFORMATION					
Type	Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Galvanised version									
TK40 15G	5.8	1.2	15	C0a	5,000	1	563901	2 608 200 700	19.02 £
TK40 20G	5.8	1.2	20	C0a	5,000	1	563918	2 608 200 701	22.59 £
TK40 25G	5.8	1.2	25	C0a	5,000	1	563925	2 608 200 702	25.03 £
TK40 30G	5.8	1.2	30	C0a	5,000	1	563932	2 608 200 703	29 £
TK40 35G	5.8	1.2	35	C0a	5,000	1	563949	2 608 200 704	32.26 £
TK40 38G	5.8	1.2	38	C0a	5,000	1	563956	2 608 200 705	36.9 £



Fine wire staples, type 53


- ▶ **Suitable for** e.g. textiles, cardboard, flat wooden slats, woven wire
- ▶ **Appropriate for** tackers from AEG, Arrow, Black+Decker, Bosch, Esco, kwb, Maestri, Mekano, Metabo, Neckermann/Bullcraft, Novus, Outifrance, Piranha, Rocagraf, Stanley, Skil Wolfcraft

PRODUCT PROPERTIES			ORDERING INFORMATION					
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
11.4	0.74	6	C1a	1,000	1	012126	1 609 200 326	3.6 £
11.4	0.74	8	C1a	1,000	1	004756	1 609 200 365	3.23 £
11.4	0.74	10	C1a	1,000	1	004763	1 609 200 366	3.33 £
11.4	0.74	12	C1a	1,000	1	004770	1 609 200 367	3.74 £
11.4	0.74	14	C1a	1,000	1	004787	1 609 200 368	3.85 £



Weatherproof staples made of stainless steel.


11.4	0.74	6	C1a	1,000	1	084147	2 609 200 214	10.6 £
11.4	0.74	8	C1a	1,000	1	084154	2 609 200 215	12.27 £
11.4	0.74	10	C1a	1,000	1	084161	2 609 200 216	13.38 £



Narrow crown staples, type 55

- ▶ **Suitable for** particularly firm connections, also for thicker materials
- ▶ **Appropriate for** tackers from AEG, Bosch, Black+Decker, Buama, Esco, kwb, Lux, Metabo, Novus, Wolfcraft


6	1.08	12	C1a	1,000	1	004800	1 609 200 370	5.85 £
---	------	----	-----	-------	---	--------	----------------------	--------



Narrow crown staples, type 55, resin-coated


- ▶ **Suitable for** fixing wall and ceiling coverings in conjunction with joint or profile wood claws. The glue effect of the resin coat offers a firm hold over a long period of time.
- ▶ **Appropriate for** tackers from AEG, Bosch, Black+Decker, Buama, Esco, kwb, Metabo, Novus, Wolfcraft

6	1.08	28	C1a	1,000	1	004855	1 609 200 375	8.38 £
---	------	----	-----	-------	---	--------	----------------------	--------



Pins, type 40


- ▶ **Suitable for** simple stapling applications in thick materials
- ▶ **Appropriate for** tackers from Bosch, kwb, Novus



PRODUCT PROPERTIES			ORDERING INFORMATION				
Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
23	C1a 1,000	1	005005	1 609 200 390		12.26 £	

Nails, type 47


- ▶ Bosch tacker nails made of hard steel wire with lengths between 16 and 30 mm
- ▶ Width of head depending on machine 1.8 or 2.8 mm
- ▶ **Appropriate for** tackers from AEG, Bosch, Esco, kwb, Lux, Mekano, Metabo, Novus, Peugeot, Rocafix, Rocagraf, Stanley, Swingline, Wolfcraft



PRODUCT PROPERTIES			ORDERING INFORMATION					
Width (B) mm	Thickness (D) mm	Length (L) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
1.8	1.27	16	C1a 1,000	1	004862	1 609 200 376		11.82 £
1.8	1.27	19	C1a 1,000	1	004879	1 609 200 377		12.46 £
1.8	1.27	23	C1a 1,000	1	004886	1 609 200 378		12.97 £
1.8	1.27	26	C1a 1,000	1	004893	1 609 200 379		13.53 £
1.8	1.27	28	C1a 1,000	1	004909	1 609 200 380		14.01 £

Nails, type 48

- ▶ Bosch tacker nails are made from hard steel wire
- ▶ **Appropriate for** Tacker PTK 14 from Bosch



1.8	1.45	14	C1a 1,000	1	008396	1 609 200 393		8.65 £
-----	------	----	-----------	---	--------	----------------------	--	--------



Screw Belts for MA55

Screw Belts



- ▶ Suitable for drywall applications
- ▶ Appropriate for MA 55

PRODUCT PROPERTIES				ORDERING INFORMATION					
Description	Screw head	Diameter mm	Screw length mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Coarse thread									
Suitable for plasterboard on wood									
Suitable for GSR 6-25 TE; GSR 6-45 TE; GSR 18 V-EC TE; GTB 12V-11; MA 55 Professional									
S-G	PH2	3.9	25	C0a	1,000	1	688277	2 608 000 547	28.26 £




Plasterboard screw

Suitable for plasterboard on wood and metal (up to 0.7 mm thick)

Suitable for GSR 6-25 TE; GSR 6-45 TE; GSR 18 V-EC TE; GTB 12V-11; MA 55 Professional

G	PH2	3.9	30	C0a	1,000	1	688338	2 608 000 553	33.05 £
---	-----	-----	----	-----	-------	---	--------	---------------	---------



Fine thread with drilling head

Suitable for plasterboard on metal (0.7 - 2.2 mm thick)

Suitable for GSR 6-25 TE; GSR 6-45 TE; GSR 18 V-EC TE; GTB 12V-11; MA 55 Professional

S-FB	PH2	3.9	35	C0a	1,000	1	688345	2 608 000 554	38.49 £
------	-----	-----	----	-----	-------	---	--------	---------------	---------

ACCESSORIES FOR GLUE GUNS



- ▶ Glue sticks made of hot-melt adhesive for easy repairing, fixing, installation, sealing and jointing work
- ▶ Appropriate for all makes of glue guns

Glue Sticks, Transparent

- ▶ For elastic, tough connections
- ▶ **Suitable for** seals, PVC, plastics, leather, ceramics, fabric, glass
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

PRODUCT PROPERTIES			ORDERING INFORMATION					
Diameter mm	Length mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
11	45	125	C1a	1	1	005265	1 609 201 219	5.34 £
11	200	500	C1a	1	1	005647	1 609 201 396	16.83 £

Glue Sticks, Black

- ▶ For elastic, tough connections
- ▶ **Suitable for** seals, carpet, metal
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

11	200	500	C1a	1	1	048439	2 607 001 178	17.47 £
----	-----	-----	-----	---	---	--------	----------------------	---------

Glue Sticks, Grey

- ▶ For elastic, tough connections
- ▶ **Suitable for** electrical applications, cable fasteners, PVC, carpet
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu



PRODUCT PROPERTIES			ORDERING INFORMATION						
Diameter mm	Length mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
11	200	500	C1a	1	1	048422		2 607 001 177	17.82 £

Glue Sticks, Yellow








- ▶ For hard, firm connections
- ▶ **Suitable for** wood, veneer, cardboard, packages, seals, metal
- ▶ **Appropriate for** glue guns from Bosch, Black+Decker, Bostik, Bühnen, Metabo, Pattex, Peugeot, Steinel, Uhu

11	200	500	C1a	1	1	048415		2 607 001 176	16.17 £
----	-----	-----	-----	---	---	--------	--	----------------------	---------

Accessories for Bosch Heat Guns



Nozzles for Bosch Heat Guns

► **Appropriate for** GHG 500-2; GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 500-2; PHG 600-3; PHG 630 DCE





PRODUCT PROPERTIES		ORDERING INFORMATION						
Width mm	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
 <p>Surface nozzle with surface distribution of the hot air for drying, removing paint, thawing</p>								
75	33.5	C1a	1	1	006095	1 609 390 451	14.69 £	
50	33.5	C1a	1	1	013109	1 609 201 795	16.52 £	
 <p>Glass protection nozzle with special side wings to protect heat-sensitive materials such as glass.</p>								
75	33.5	C1a	1	1	006101	1 609 390 452	14.46 £	
 <p>Glass protection nozzle with special side wings to protect heat-sensitive materials such as glass</p>								
50	33.5	C1a	1	1	013116	1 609 201 796	16.52 £	
 <p>Reflector nozzle with frontal deflection for soldering, tinning and shrinking.</p>								
32	33.5	C1a	1	1	006118	1 609 390 453	12.2 £	
 <p>Reduction nozzle with half diameter for work in corners or for concentrating the hot air jet onto smaller surfaces, e.g. for desoldering</p>								
-	20	C1a	1	1	015110	1 609 201 648	9.99 £	

Nozzles for Bosch Heat Guns with Electronic


► **Appropriate for** GHG 600-3; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 600-3; PHG 630 DCE

PRODUCT PROPERTIES		ORDERING INFORMATION						
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT		
 <p>Reduction nozzle as round nozzle for a concentrated hot air jet or as an adapter for special nozzles Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE</p>								
14	C1a	1	1	015134	1 609 201 647	10.22 £		
 <p>Reducing nozzle Basic attachment for all auxiliary nozzles with 9 mm diameter Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE</p>								
9	C1a	1	1	013123	1 609 201 797	12.46 £		

Nozzles for Bosch Heat Guns with Electronic

PRODUCT PROPERTIES			ORDERING INFORMATION					
	Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	Welding shoe with side channel for feeding plastic welding wire up to 5 mm in diameter. In conjunction with reducing nozzle 9 mm diameter							
	Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE							
	10		C1a	1	1	013130	1 609 201 798	20.93 £
	Slot nozzle for narrow-surface overlap welding of PVC foils. In conjunction with reducing nozzle 9 mm diameter							
	Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE							
	10		C1a	1	1	013147	1 609 201 799	12.46 £
	Cutting nozzle for a highly concentrated hot air jet for cutting hard foam of up to 100 mm thickness. In conjunction with 9 mm diameter reduction nozzle							
	Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE							
	10		C1a	1	1	013154	1 609 201 800	33.35 £
	Welding nozzle with opening for feeding plastic welding wire up to 4 mm in diameter. In conjunction with 9 mm diameter reduction nozzle							
	Suitable for GHG 20-60; GHG 20-63; GHG 23-66; GHG 600 CE; GHG 630 DCE; GHG 660 LCD Professional; PHG 630 DCE							
	10		C1a	1	1	013161	1 609 201 801	29.93 £

Plastic Welding Rods

PRODUCT PROPERTIES			ORDERING INFORMATION					
Length mm	Diameter mm	Weight g	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	Plastic welding rod Polyethylene (HDPE) black							
	225	4	100	C1a	1	013185	1 609 201 807	32.6 £
	Plastic welding rod Hard PVC, transparent							
	225	4	100	C1a	1	013192	1 609 201 808	32.6 £

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for wall chasers, slot cutters and
angle grinders 670 – 1.400 W.



Dust extrac-
tion guard
Ø 115,
125 mm

Elbow

Hose Ø 19 x
3,000 mm

Hose Ø 19 x
5,000 mm

Adapter for
19 to 35 mm

Page number	648	649	734	734	737
Part Number	1 605 510 291	1 600 793 007	2 600 793 009	1 610 793 002	1 609 200 933

WALL CHASERS AND SLOT CUTTERS

GNF 20 CA	-	-	✓	✓	✓
GNF 35 CA	-	-	✓	✓	✓
GNF 65 A	-	-	✓	✓	✓
GSF 100 A	-	-	✓	✓	✓

ANGLE GRINDER 670 – 1,400 W

GWS 5-100 .. GWS 5-115 ..	-	✓	✓	✓	✓
GWS 6-100 .. GWS 6-115 .. GWS 6-125 ..	-	✓	✓	✓	✓
GWS 7-115 GWS 7-125	✓	✓	✓	✓	✓
GWS 8-115 GWS 8-115 Z GWS 8-125	-	✓	✓	✓	✓
GWS 9-125	✓	✓	✓	✓	✓
GWS 10-125 GWS 10-125 Z	-	✓	✓	✓	✓
GWS 10-125 C GWS 10-125 CE	✓	✓	✓	✓	✓
GWS 11-125 CI/CIE/ CIH	-	✓	✓	✓	✓
GWS 14-125 C GWS 14-125 CE	✓	✓	✓	✓	✓
GWS 14-125 CI/CIE/ CIT	-	✓	✓	✓	✓
GWS 14-150 C	-	✓	✓	✓	✓
GWS 14-150 CI	-	✓	✓	✓	✓
GWS 15-150 CIH	-	✓	✓	✓	✓
GWS 15-125 CIH / CIEH / CITH	-	✓	✓	✓	✓
GWS 850 ...	-	✓	✓	✓	✓
GWS 1000	✓	✓	✓	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W,
special cut-off grinders and concrete grinders.



	Dust extrac- tion guard Ø 230 mm	Dust extrac- tion guard Ø 300 mm	Elbow	Hose Ø 19 x 3,000 mm	Hose Ø 19 x 5,000 mm	Adapter for 19 to 35 mm
--	--	--	-------	----------------------------	----------------------------	-------------------------------

Page number	649	649	649	734	734	737
Part Number	1 605 510 180	1 605 510 215	1 600 793 007	2 600 793 009	1 610 793 002	1 609 200 933

ANGLE GRINDER WITH 2,000 – 2,500 W

GWS 25-230 / J	✓	-	✓	✓	✓	✓
GWS 26-180 B	-	-	✓	✓	✓	✓
GWS 26-180 BV / JBV	-	-	✓	✓	✓	✓
GWS 26-180 H/ JH	-	-	✓	✓	✓	✓
GWS 26-180 JBV	-	-	✓	✓	✓	✓
GWS 26-230	-	-	✓	✓	✓	✓
GWS 26-230 B / BV / JBV	✓	-	✓	✓	✓	✓
GWS 26-230 BV	-	-	✓	✓	✓	✓
GWS 26-230 JBV	✓	-	✓	✓	✓	✓
GWS 26-230 JH	✓	-	✓	✓	✓	✓
GWS 180 / J	-	-	✓	✓	✓	✓
GWS 230	✓	-	✓	✓	✓	✓

SPECIAL CUT-OFF GRINDERS

GWS 24-300 GWS 24-300 J	-	✓	-	✓	✓	✓
----------------------------	---	---	---	---	---	---

CONCRETE GRINDERS

GBR 14 CA	-	-	-	✓	✓	-
-----------	---	---	---	---	---	---

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for angle grinders 2.000 – 2.500 W, special cut-off grinders and concrete grinders.



Dust extraction guard
Ø 230 mm

Elbow

Hose
Ø 19 x
3,000 mm

Hose
Ø 19 x
5,000 mm

Adapter
for 19 to
35 mm

Page number	649	649	734	734	737
Part Number	1 605 510 180	1 600 793 007	2 600 793 009	1 610 793 002	1 609 200 933

ANGLE GRINDER WITH 2,000 – 2,500 W

GWS 20-180 / H / JH	-	✓	✓	✓	✓
GWS 20-180 / J	-	✓	✓	✓	✓
GWS 20-230 / J	✓	✓	✓	✓	✓
GWS 20-230 H / J / JH	✓	✓	✓	✓	✓
GWS 21-180 HV / JHV	-	✓	✓	✓	✓
GWS 21-230 HV / JHV	✓	✓	✓	✓	✓
GWS 22-180 H / JH	-	✓	✓	✓	✓
GWS 22-180 LVI	-	✓	✓	✓	✓
GWS 22-230 H / JH	✓	✓	✓	✓	✓
GWS 22-230 LVI	-	✓	✓	✓	✓
GWS 23-180 / J	-	✓	✓	✓	✓
GWS 23-230 / J	-	✓	✓	✓	✓
GWS 24-180 BX / JBX	-	✓	✓	✓	✓
GWS 24-180 H / BV / JBV	-	✓	✓	✓	✓
GWS 24-180 H / JH	-	✓	✓	✓	✓
GWS 24-180 LVI	-	✓	✓	✓	✓
GWS 24-230 BX / JBX	✓	✓	✓	✓	✓
GWS 24-230 H / BV / JBV	✓	✓	✓	✓	✓
GWS 24-230 H / JH	✓	✓	✓	✓	✓
GWS 24-230 JBX	-	✓	✓	✓	✓
GWS 24-230 LVI	-	✓	✓	✓	✓
GWS 25-180 / J	-	✓	✓	✓	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for jigsaws and all-purpose saws.



Hose Ø 35 x 5,000 mm

Page number	735
Part Number	2 607 002 164

JIGSAWS

GST 90 E	✓
GST 100 GST 100 B GST 100 BCE GST 100 CE	✓
GST 120 BE GST 120 E	✓
GST 135 BCE GST 135 CE	✓
GST 150 BCE GST 150 CE	✓
GST 14,4 V	✓
GST 18 V	✓
GST 24 V	✓
GST 75 BE	✓

ALL-PURPOSE SAW

GFZ 14-35 A	✓
GFZ 16-35 AC	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for hand-held circular saws and planers.



Hose \varnothing 35 x 5,000 mm

Page number	735
Part Number	2 607 002 164

HAND-HELD CIRCULAR SAWS

GKS 54	✓
GKS 54 CE	✓
GKS 55	✓
GKS 55 CE	✓
GKS 55 GCE	✓
GKS 65	✓
GKS 65 CE	✓
GKS 65 G	✓
GKS 65 GCE	✓
GKS 66 CE	✓
GKS 85 S	✓
GKS 85 G	✓
GKS 160	✓
GKS 190	✓
GKS 18 V-LI	✓
GKS 24 V	✓
GKS 36 V-LI	✓

PLANERS

GHO 15-82	✓
GHO 26-82	✓
GHO 31-82	✓
GHO 36-82 C	✓
GHO 40-82 C	✓
GHO 14.4 V	✓

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for routers and jointer.



Adapter

Adapter

Hose Ø 35 x 5,000 mm

Page number	744	743	735
Part Number	2 608 000 489	1 600 499 005	2 607 002 164

ROUTERS

GKF 600	✓	-	✓
GOF 900 ACE	✓	-	✓
GOF 1300 ACE	✓	-	✓
GOF 2000 CE	✓	-	✓
GOF 1600 CE	✓	-	✓
GMF 1600 CE	✓	-	✓

UNIVERSAL ROUTER

GUF 4-22 A	-	✓	✓
------------	---	---	---

BISCUIT JOINTER

GFF 22 A	-	✓	✓
----------	---	---	---

ACCESSORIES FOR BOSCH GAS 15 / GAS 25 / GAS 50 AND 50 M

Dust extraction for sanders and benchtop tools.



Adapter

Adapter

Page number	743	743
Part Number	1 600 499 005	2 600 306 007

BELT SANDERS

GBS 75 AE Set	-	-
GBS 100 AE	✓	-

ORBITAL SANDERS

GSS 16 A	-	✓
GSS 23 AE GSS 23 A	-	✓
GSS 140 A	-	-
GSS 230 AE	-	-
GSS 280 A GSS 280 AE	-	-

DELTA SANDERS

GDA 280 E	-	-
-----------	---	---

RANDOM ORBIT SANDERS

GEX 125 A GEX 125 AC	-	✓
GEX 125-1 AE	-	-
GEX 150 AC	-	✓
GEX 150 Turbo	-	-

BENCHTOP TOOLS

GCM 8 S	-	-
GCM 10 GCM 10 J GCM 10 S GCM 10 SD	-	-
GCM 12 GCM 12 SD	-	-
GTS 10	-	-
GKG 24 V	-	-

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for jigsaws and delta sanders.



Hose Ø 19 × 3,000 mm

Hose Ø 19 × 5,000 mm

Adapter for Ø 19 to 35 mm

Page number	734	734	737
Part Number	2 600 793 009	1 610 793 002	2 607 000 748

JIGSAWS

PST 650			
PST 650 E	✓	✓	✓
PST 650 PE			
PST 680 E	✓	✓	✓
PST 700 E			
PST 700 PE	✓	✓	✓
PST 700 PEL			
PST 750 PE	✓	✓	✓
PST 800 PEL	✓	✓	✓
PST 850 PE	✓	✓	✓
PST 900 PEL	✓	✓	✓
PST 1000 PEL	✓	✓	✓

DELTA SANDERS

PDA 180			
PDA 180 E	✓	✓	✓
PDA 240 E	✓	✓	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for random orbit, orbital sanders and planers.



Adapter	Hose ø 19 × 3,000 mm	Hose ø 19 × 5,000 mm	Adapter for ø 19 to 35 mm
---------	-------------------------	-------------------------	------------------------------

Page number	743	734	734	737
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 748

RANDOM ORBIT SANDERS

PEX 150 A	✓	✓	✓	✓
PEX 220 A	✓	✓	✓	✓
PEX 270 AE	✓	✓	✓	✓
PEX 400 AE	✓	✓	✓	✓
PEX 420 AE	✓	✓	✓	✓

ORBITAL SANDERS

PSM 80 A	✓	✓	✓	✓
PSM 160 A	✓	✓	✓	✓
PSS 190 AE	✓	✓	✓	✓
PSS 200 A/AC	✓	✓	✓	✓
PSS 250 AE	✓	✓	✓	✓
PSS 280 A	✓	✓	✓	✓
PSS 300 AE	✓	✓	✓	✓

PLANERS

PHO 16-82	✓	-	-	-
PHO 20-82	✓	-	-	-
PHO 25-82	✓	-	-	-
PHO 30-82	✓	-	-	-
PHO 35-82 C	✓	-	-	-
PHO 3100	✓	-	-	-

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Adapter	Hose \varnothing 19 x 3,000 mm	Hose \varnothing 19 x 5,000 mm	Hose \varnothing 35 x 3,000 mm	Hose \varnothing 35 x 5,000 mm	Adapter for \varnothing 19 to 35 mm
---------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	---------------------------------------

Page number	743	734	734	734	735	737
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	2 607 000 748

BELT SANDERS

PBS 60 PBS 60 E	-	✓	✓	-	-	✓
PBS 60 PBS 60 E	-	-	-	✓	✓	✓
PBS 60 PBS 60 E	-	-	-	-	-	-
PBS 75 A PBS 75 AE	-	✓	✓	-	-	✓
PBS 75 A PBS 75 AE	-	-	-	✓	✓	✓
PBS 75 A PBS 75 AE	-	-	-	-	-	-
PBS 7 AE	✓	✓	✓	-	-	✓

COMPACT BELT SANDERS

PVS 300 AE	-	✓	✓	-	-	✓
PVS 300 AE	-	-	-	✓	✓	✓

WALL CHASER

PSF 22 A	-	✓	✓	-	-	-
PSF 22 A	-	-	-	✓	✓	✓

ACCESSORIES FOR PAS 12-27 F / PAS 12-27 / PAS 11-21

External dust extraction for hand-held circular saws.



Hose \varnothing 35 x 3,000 mm

Hose \varnothing 35 x 5,000 mm

Adapter for \varnothing 19 to 35 mm

Page number	734	735	737
Part Number	2 607 000 837	1 609 202 230	2 607 000 748

HAND-HELD CIRCULAR SAWS

PKS 40	✓	✓	✓
PKS 40	-	-	-
PKS 46	✓	✓	✓
PKS 46	-	-	-
PKS 54 PKS 54 CE	✓	✓	✓
PKS 54 PKS 54 CE	-	-	-
PKS 55 PKS 55 A	✓	✓	✓
PKS 55 PKS 55 A	-	-	-
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	-	-	-

ACCESSORIES FOR PAS 12-27 F/ PAS 12-27/PAS 11-21

External dust extraction for routers.

Hose \varnothing 35 x 3,000 mmHose \varnothing 35 x 5,000 mmAdapter for
 \varnothing 19 to 35 mm

Page number	734	735	737
Part Number	2 607 000 837	1 609 202 230	2 607 000 748

ROUTERS

POF 400 A	✓	✓	✓
POF 400 A	-	-	-
POF 500 A	✓	✓	✓
POF 500 A	-	-	-
POF 600 ACE	✓	✓	✓
POF 600 ACE	-	-	-
POF 800 ACE	✓	✓	✓
POF 800 ACE	-	-	-
POF 1100 AE	✓	✓	✓
POF 1100 AE	-	-	-
POF 1200 AE	✓	✓	✓
POF 1200 AE	-	-	-
POF 1300 ACE	✓	✓	✓
POF 1300 ACE	-	-	-
POF 1400 AE	✓	✓	✓
POF 1400 AE	-	-	-

ACCESSORIES FOR PAS 12-27 F/ PAS 12-27/PAS 11-21

External dust extraction for angle grinders.



Cutting Guide

Cutting Guide

Cutting Guide

Hose Ø 35 x 3,000 mm

Hose Ø 35 x 5,000 mm

Adapter for Ø 19 to 35 mm

Page number	649	648	648	734	735	737
Part Number	1 605 510 180	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230	2 607 000 748

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	-	✓	-	-	-	-
PWS 7-115 (0 603 402 0..)	-	✓	-	-	-	-
PWS 7-125 (0 603 403 0..)	-	✓	-	-	-	-
PWS 7-125 (3 603 C99 8..)	-	-	✓	-	-	-
PWS 9-125 CE (0 603 405 7..)	-	✓	-	-	-	-
PWS 9-125 CE (3 603 C99 A..)	-	-	✓	-	-	-
PWS 10-125 CE (0 603 347 ...)	-	✓	-	-	-	-
PWS 10-125 CE (3 603 C47 0..)	-	-	-	✓	✓	✓
PWS 13-125 CE (0 603 348 ...)	-	✓	-	✓	✓	✓
PWS 13-125 CE (3 603 C48 0..)	-	-	-	✓	✓	✓
PWS 20-230 J	✓	-	-	✓	✓	✓
PWS 21-230	✓	-	-	✓	✓	✓
PWS 700 (0 603 402 0..)	-	✓	-	-	-	-
PWS 700-115 (0 603 A64 2..)	-	-	✓	-	-	-
PWS 720 (0 603 403 0..)	-	✓	-	-	-	-
PWS 720-115 (0 603 A64 0..)	-	-	✓	-	-	-
PWS 720-125 (0 603 A64 0..)	-	-	✓	-	-	-
PWS 750-115 (0 603 A84 1..)	-	-	✓	-	-	-
PWS 750-125 (0 603 A84 1..)	-	-	✓	-	-	-
PWS 850 CE (0 603 404 7..)	-	✓	-	-	-	-
PWS 1900	✓	-	-	✓	✓	✓

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for jigsaws and delta sanders.



Hose Ø 19 × 3,000 mm

Hose Ø 19 × 5,000 mm

Adapter for Ø 19 to 35 mm

Page number	734	734	737
Part Number	2 600 793 009	1 610 793 002	1 609 200 933

JIGSAWS

PST 650			
PST 650 E	✓	✓	✓
PST 650 PE			
PST 680 E	✓	✓	✓
PST 700 E			
PST 700 PE	✓	✓	✓
PST 700 PEL			
PST 750 PE	✓	✓	✓
PST 800 PEL	✓	✓	✓
PST 850 PE	✓	✓	✓
PST 900 PEL	✓	✓	✓
PST 1000 PEL	✓	✓	✓

DELTA SANDERS

PDA 180			
PDA 180 E	✓	✓	✓
PDA 240 E	✓	✓	✓

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for random orbit, orbital sanders and planers.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm
---------	-------------------------	-------------------------	-------------------------	-------------------------	------------------------------

Page number	743	734	734	734	735	737
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	1 609 200 933

RANDOM ORBIT SANDERS

PEX 150 A	✓	✓	✓	-	-	✓
PEX 220 A	✓	✓	✓	-	-	✓
PEX 270 AE	✓	✓	✓	-	-	✓
PEX 400 AE	✓	✓	✓	-	-	✓
PEX 420 AE	✓	✓	✓	-	-	✓

ORBITAL SANDERS

PSM 80 A	-	✓	✓	-	-	✓
PSM 160 A	✓	✓	✓	-	-	✓
PSS 190 AE	-	✓	✓	-	-	✓
PSS 200 A/AC	-	✓	✓	-	-	✓
PSS 250 AE	-	✓	✓	-	-	✓
PSS 280 A	-	✓	✓	-	-	✓
PSS 300 AE	-	✓	✓	-	-	✓

PLANERS

PHO 16-82	-	-	-	✓	✓	-
PHO 20-82	-	-	-	✓	✓	-
PHO 25-82	-	-	-	✓	✓	-
PHO 30-82	-	-	-	✓	✓	-
PHO 35-82 C	-	-	-	✓	✓	-
PHO 3100	-	-	-	✓	✓	-

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Adapter	Hose \varnothing 19 x 3,000 mm	Hose \varnothing 19 x 5,000 mm	Hose \varnothing 35 x 3,000 mm	Hose \varnothing 35 x 5,000 mm	Adapter for \varnothing 19 to 35 mm
---------	----------------------------------	----------------------------------	----------------------------------	----------------------------------	---------------------------------------

Page number	743	734	734	734	735	737
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	1 609 200 933

BELT SANDERS

PBS 60 PBS 60 E	-	✓	✓	-	-	✓
PBS 60 PBS 60 E	-	-	-	✓	✓	-
PBS 75 A PBS 75 AE	-	✓	✓	-	-	✓
PBS 75 A PBS 75 AE	-	-	-	✓	✓	-
PBS 7 AE	✓	✓	✓	-	-	✓

COMPACT BELT SANDERS

PVS 300 AE	-	✓	✓	-	-	✓
PVS 300 AE	-	-	-	✓	✓	✓

WALL CHASER

PSF 22 A	-	✓	✓	-	-	✓
PSF 22 A	-	-	-	✓	✓	-

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for hand-held circular saws and routers.



Hose \varnothing 35 x 3,000 mm

Hose \varnothing 35 x 5,000 mm

Page number	734	735
Part Number	2 607 000 837	1 609 202 230

HAND-HELD CIRCULAR SAWS

PKS 40	✓	✓
PKS 46	✓	✓
PKS 54 PKS 54 CE	✓	✓
PKS 55 PKS 55 A	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓

ROUTERS

POF 400 A	✓	✓
POF 500 A	✓	✓
POF 600 ACE	✓	✓
POF 800 ACE	✓	✓
POF 1100 AE	✓	✓
POF 1200 AE	✓	✓
POF 1300 ACE	✓	✓
POF 1400 AE	✓	✓

ACCESSORIES FOR PAS 11-25 F/ PAS 11-27/PAS 11-25 F, (PAS 12-50/ PAS 12-50 F)

External dust extraction for angle grinders.



Cutting Guide

Cutting Guide

Cutting Guide

Hose Ø 35 ×
3,000 mmHose Ø 35 ×
5,000 mm

Page number	649	648	648	734	735
Part Number	1 605 510 180	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	-	✓	-	✓	✓
PWS 7-115 (0 603 402 0..)	-	✓	-	✓	✓
PWS 7-125 (0 603 403 0..)	-	✓	-	✓	✓
PWS 7-125 (3 603 C99 8..)	-	-	✓	✓	✓
PWS 9-125 CE (0 603 405 7..)	-	✓	-	✓	✓
PWS 9-125 CE (3 603 C99 A..)	-	-	✓	✓	✓
PWS 10-125 CE (0 603 347 ...)	-	✓	-	✓	✓
PWS 10-125 CE (3 603 C47 0..)	-	-	-	✓	✓
PWS 13-125 CE (0 603 348 ...)	-	✓	-	✓	✓
PWS 13-125 CE (3 603 C48 0..)	-	-	-	✓	✓
PWS 20-230 J	✓	-	-	✓	✓
PWS 21-230	✓	-	-	✓	✓
PWS 700 (0 603 402 0..)	-	✓	-	✓	✓
PWS 700-115 (0 603 A64 2..)	-	-	✓	✓	✓
PWS 720 (0 603 403 0..)	-	✓	-	✓	✓
PWS 720-115 (0 603 A64 0..)	-	-	✓	✓	✓
PWS 720-125 (0 603 A64 0..)	-	-	✓	✓	✓
PWS 750-115 (0 603 A84 1..)	-	-	✓	✓	✓
PWS 750-125 (0 603 A84 1..)	-	-	✓	✓	✓
PWS 850 CE (0 603 404 7..)	-	✓	-	✓	✓
PWS 1900	✓	-	-	✓	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for jigsaws and delta sanders.



Hose \varnothing 19 x 3,000 mm

Hose \varnothing 19 x 5,000 mm

Adapter for \varnothing 19 to 35 mm

Page number	734	734	737
Part Number	2 600 793 009	1 610 793 002	2 607 000 748

JIGSAWS

PST 650			
PST 650 E	✓	✓	✓
PST 650 PE			
PST 680 E	✓	✓	✓
PST 700 E			
PST 700 PE	✓	✓	✓
PST 700 PEL			
PST 750 PE	✓	✓	✓
PST 800 PEL	✓	✓	✓
PST 850 PE	✓	✓	✓
PST 900 PEL	✓	✓	✓
PST 1000 PEL	✓	✓	✓

DELTA SANDERS

PDA 180	✓	✓	✓
PDA 180 E			
PDA 240 E	✓	✓	✓

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for random orbit, orbital sanders and planers.



Adapter	Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm
---------	-------------------------	-------------------------	-------------------------	-------------------------	------------------------------

Page number	743	734	734	734	735	737
Part Number	2 600 306 007	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	2 607 000 748

RANDOM ORBIT SANDERS

PEX 150 A	✓	✓	✓	-	-	✓
PEX 220 A	✓	✓	✓	-	-	✓
PEX 270 AE	✓	✓	✓	-	-	✓
PEX 400 AE	✓	✓	✓	-	-	✓
PEX 420 AE	✓	✓	✓	-	-	✓

ORBITAL SANDERS

PSM 80 A	-	✓	✓	-	-	✓
PSM 160 A	✓	✓	✓	-	-	✓
PSS 190 AE	-	✓	✓	-	-	✓
PSS 200 A/AC	-	✓	✓	-	-	✓
PSS 250 AE	-	✓	✓	-	-	✓
PSS 280 A	-	✓	✓	-	-	✓
PSS 300 AE	-	✓	✓	-	-	✓

PLANERS

PHO 16-82	-	-	-	✓	✓	✓
PHO 20-82	-	-	-	✓	✓	✓
PHO 25-82	-	-	-	✓	✓	✓
PHO 30-82	-	-	-	✓	✓	✓
PHO 35-82 C	-	-	-	✓	✓	✓
PHO 3100	-	-	-	✓	✓	-

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for belt sanders, compact belt sanders and wall chaser.



Hose Ø 19 × 3,000 mm	Hose Ø 19 × 5,000 mm	Hose Ø 35 × 3,000 mm	Hose Ø 35 × 5,000 mm	Adapter for Ø 19 to 35 mm	Adapter
----------------------	----------------------	----------------------	----------------------	---------------------------	---------

Page number	734	734	734	735	737	743
Part Number	2 600 793 009	1 610 793 002	2 607 000 837	1 609 202 230	2 607 000 748	2 600 306 007

BELT SANDERS

PBS 60 PBS 60 E	✓	✓	-	-	✓	-
PBS 60 PBS 60 E	-	-	✓	✓	-	-
PBS 75 A PBS 75 AE	✓	✓	-	-	✓	-
PBS 75 A PBS 75 AE	-	-	✓	✓	-	-
PBS 7 AE	✓	✓	-	-	✓	✓

COMPACT BELT SANDERS

PVS 300 AE	✓	✓	-	-	✓	-
------------	---	---	---	---	---	---

WALL CHASER

PSF 22 A	-	-	✓	✓	✓	-
----------	---	---	---	---	---	---

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for hand-held circular saws and routers.



Hose \varnothing 35 x 3,000 mm

Hose \varnothing 35 x 5,000 mm

Adapter for \varnothing 19 to 35 mm

Page number	734	735	737
Part Number	2 607 000 837	1 609 202 230	2 607 000 748

HAND-HELD CIRCULAR SAWS

PKS 40	✓	✓	✓
PKS 46	✓	✓	✓
PKS 54 PKS 54 CE	✓	✓	✓
PKS 55 PKS 55 A	✓	✓	✓
PKS 66 PKS 66 A PKS 66 AF PKS 66 CE	✓	✓	✓

ROUTERS

POF 400 A	✓	✓	-
POF 500 A	✓	✓	-
POF 600 ACE	✓	✓	-
POF 800 ACE	✓	✓	-
POF 1100 AE	✓	✓	-
POF 1200 AE	✓	✓	-
POF 1300 ACE	✓	✓	-
POF 1400 AE	✓	✓	-

ACCESSORIES FOR PAS 10-20 (PAS 850)

External dust extraction for angle grinders.



Cutting Guide

Cutting Guide

Cutting Guide

Hose Ø 35 ×
3,000 mm

Hose Ø 35 ×
5,000 mm






Page number	649	648	648	734	735
Part Number	1 605 510 180	1 605 510 291	2 605 510 292	2 607 000 837	1 609 202 230

ANGLE GRINDERS

PWS 7-100 (0 603 402 0..)	-	✓	-	✓	✓
PWS 7-115 (0 603 402 0..)	-	✓	-	✓	✓
PWS 7-125 (0 603 403 0..)	-	✓	-	✓	✓
PWS 7-125 (3 603 C99 8..)	-	-	✓	✓	✓
PWS 9-125 CE (0 603 405 7..)	-	✓	-	✓	✓
PWS 9-125 CE (3 603 C99 A..)	-	-	✓	✓	✓
PWS 10-125 CE (0 603 347 ...)	-	✓	-	✓	✓
PWS 10-125 CE (3 603 C47 0..)	-	-	-	✓	✓
PWS 13-125 CE (0 603 348 ...)	-	✓	-	✓	✓
PWS 13-125 CE (3 603 C48 0..)	-	-	-	✓	✓
PWS 20-230 J	✓	-	-	✓	✓
PWS 21-230	✓	-	-	✓	✓
PWS 700 (0 603 402 0..)	-	✓	-	✓	✓
PWS 700-115 (0 603 A64 2..)	-	-	✓	✓	✓
PWS 720 (0 603 403 0..)	-	✓	-	✓	✓
PWS 720-115 (0 603 A64 0..)	-	-	✓	✓	✓
PWS 720-125 (0 603 A64 0..)	-	-	✓	✓	✓
PWS 750-115 (0 603 A84 1..)	-	-	✓	✓	✓
PWS 750-125 (0 603 A84 1..)	-	-	✓	✓	✓
PWS 850 CE (0 603 404 7..)	-	✓	-	✓	✓
PWS 1900	✓	-	-	✓	✓

Accessories for External Dust Extraction using Bosch Dust Extractors

Nozzles for Bosch dust extractors

PRODUCT PROPERTIES	ORDERING INFORMATION						Price without VAT
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	
 <p>Crevice nozzle</p> <p>Suitable for GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F</p>	49	C1d	1	1	005173	1 609 200 971	9.44 £
 <p>Rubber nozzle</p> <p>Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F</p>	35	C1d	1	1	005319	1 609 201 229	23.97 £
 <p>Floor nozzle</p> <p>Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F</p>	35	C1d	1	1	005326	1 609 201 230	62.1 £
 <p>Multi-purpose nozzle</p> <p>for wet and dry applications with 2 inserts: rubber lip for water, brush for smooth surfaces</p> <p>Suitable for GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F</p>	35	C1d	1	1	015936	1 609 390 478	54.33 £
 <p>Small round brush</p> <p>Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F</p>	35	C1a	1	1	015967	1 609 390 481	11.66 £
 <p>Crevice nozzle</p> <p>Suitable for GAS12-25/12-25PS; GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 15 PS; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F</p>	35	C1d	1	1	056656	2 607 000 165	7.16 £
 <p>Small floor nozzle</p> <p>Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F</p>	35	C1d	1	1	056335	2 607 000 166	11.69 £

Nozzles for Bosch dust extractors



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
Coarse dirt nozzle							
Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F							
35	C1d	1	1	056359	2 607 000 170	18.26 £	



Crevice Nozzle						
Suitable for GAS 18V-10 L Professional; AdvancedVac 18V-8						
35	P1d	1	1	917926	2 608 000 661	5.54 £

Hoses for Bosch dust extractors



PRODUCT PROPERTIES		ORDERING INFORMATION					
Diameter mm	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Hose							
Suitable for GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F							
19	3	C0a	1	1	015462	2 600 793 009	42.24 £



Hose							
Suitable for GAS 11-21; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF; GAS 1200 L Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F							
19	5	C0a	1	1	006149	1 610 793 002	47.96 £



Hose							
Suitable for GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F							
35	3	C0a	1	1	097277	2 607 000 837	91.61 £







Hose with bayonet lock							
Suitable for GAS 25 L SFC; GAS 50; GAS 50 M Professional							
35	3	C0a	1	1	292771	2 609 390 392	104.44 £


Hoses for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION							
Diameter mm	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT		
 <p>Hose Adapter 1 609 390 474 is required for PAS 850 Suitable for GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 1000 RF; GDB 1600 DE; GDB 1600 WE; GDB 2500 WE; GFF 22 A; GNF 65 A; GUF 4-22 A Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 850; PAS 1000; PAS 1000 F</p>		35	5	C0a	1	1	053082	1 609 202 230	131.92 £
 <p>Antistatic hose, with bayonet lock Suitable for GAS 25 L SFC; GAS 50; GAS 50 M; GOF 130 Professional</p>		35	5	C0a	1	1	257572	2 607 002 164	278.81 £
 <p>Hose Suitable for GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 1000 RF Professional; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F</p>		49	3	C0a	1	1	062572	2 607 000 167	99.18 £
 <p>Hose with bayonet lock including power tool adapter Suitable for GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GOF 130 Professional</p>		22	5	P0b	1	1	713658	2 608 000 567	90.05 £
 <p>Antistatic hose, with bayonet lock including power tool adapter Suitable for GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GOF 130 Professional</p>		22	5	P0b	1	1	713665	2 608 000 568	154.46 £
 <p>Hose with bayonet lock including power tool adapter Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GNF 20 CA; GNF 35 CA; GNF 65 A; GOF 130 Professional</p>		35	5	P0b	1	1	713634	2 608 000 565	116.81 £
 <p>Hose with bayonet lock including power tool adapter Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GNF 20 CA; GNF 35 CA; GNF 65 A; GOF 130 Professional</p>		35	5	P0b	1	1	713641	2 608 000 566	195.96 £
 <p>Extension hose for GAS 12-25 PL and GAS 15 PS</p>		-	3		1	10	232298	2 608 000 712	42.95 £



Pipes for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION						Part number	Price without VAT
Diameter mm	Length [m]	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...				
	Pipe Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC; GAS 1000 RF Professional; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 1000; PAS 1000 F	35	0.5	C0a	1	1	605748	2 607 002 631	13.79 £
	Pipe Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 20 L SFC; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF Professional; PAS 11-21; PAS 11-25; PAS 11-25 F; PAS 12-27; PAS 12-27 F; PAS 12-50 F; PAS 1000; PAS 1000 F	35	0.5	C0a	2	1	062619	2 607 000 162	46.1 £
	Pipe Suitable for GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 1000 RF Professional; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F	49	0.5	C0a	1	1	017664	1 609 200 968	17.84 £
	Pipe, chrome-plated Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 25 L SFC; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 50; GAS 50 M; GAS 55 M AFC Professional	35	0.35	P0b	3	1	713733	2 608 000 575	56.43 £





Elbow for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION						Part number	Price without VAT
Diameter mm		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...				
	Elbow, antistatic Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	35	P0b	1	1	713719	2 608 000 573	18.33 £	





Suction regulator controls for Bosch dust extractors

	Suction regulator control Suitable for GAS 20 L SFC Professional	35	P0b	1	1	605731	2 607 002 630	12.55 £
	Suction regulator control Suitable for GAS 10-50 RFH; GAS 10-50 RFK; GAS 11-21; GAS 11-27; GAS 11-27 F; GAS 12-30F; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF Professional; PAS 10-20; PAS 11-25; PAS 11-25 F; PAS 12-50 F; PAS 1000; PAS 1000 F	35	P1d	1	1	056328	2 607 000 164	35.56 £

Reducing adapters and adapters for Bosch dust extractors

PRODUCT PROPERTIES		ORDERING INFORMATION						
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	Adapter for connecting 19 mm hose Diameter: 58 > 19 mm Suitable for GAS 12-30; GAS 12-50 RF; GAS 12-50 RFH; GAS 14-20 RFB; GAS 25 L SFC; GAS 50; GAS 50 M; GAS 1000 RF Professional; PAS 1000	35	C1d	1	1	005142	1 609 200 933	10.24 £
	2-piece adapter Diameter: 49/35/19 mm Suitable for GAS 12-50 RFH; GAS 1000 RF Professional; PAS 850; PAS 1000; PAS 1000 F	35	C1a	1	1	015899	1 609 390 474	9.2 £
	Adapter for hoses 1 609 202 230, 1 610 706 001, 1 610 793 002, 2 600 793 009, 2 607 000 167, 2 607 000 837 Diameter: 35/19 mm Suitable for GAS 11-21 Professional; PAS 11-21; PAS 11-27; PAS 11-27 F; PAS 12-27 F	35	P0b	1	1	205337	2 607 000 748	4.27 £
	Only suitable as reduction from 59 mm to 35 mm Bosch hose system, for specified tools Also suitable for GAS 1000 Suitable for GAS 12-50 RFH; GAS 1000 RF Professional; PAS 800; PAS 850; PAS 900; PAS 1000; PAS 1000 F	59	C1a	1	1	005180	1 609 200 976	6.3 £

Hose sleeves for hoses

	Hose sleeve Also suitable for GAS 25 Suitable for GAS 50 (0 601 989 1..); GAS 50 M (0 601 988 1..) Professional	19	P1d	1	1	435963	2 607 001 976	38.67 £
	Hose sleeve Suitable for GCM 12 GDL Professional	35	P1d	1	1	435970	2 607 001 977	22.24 £
	Power tool adapter Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 18V-10 L; GAS 35 H AFC; GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	22 35	P0b	1	1	726887	2 608 000 585	31.7 £
	Hose adapter Suitable for GAS 20 L SFC; GOF 130 Professional	35	P0b	1	1	605755	2 607 002 632	14.87 £

Bellows filter



PRODUCT PROPERTIES			ORDERING INFORMATION						
Size cm ²	Diameter mm	Height mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 6 949 509...	Part number	Price without VAT	
Bellows filter									
Suitable for GAS12-25/12-25PS; GAS 15 PS; GAS 20 L SFC Professional									
3,000	139	185	C0a	1	1	619240	2 607 432 024	35.45 £	



HEPA filter for GAS 12-25 PL and GAS 15 PS								
Suitable for GAS 15 PS (0 601 9E5 1..) Professional								
-	-	-	C0a	1	18	231291	2 608 000 699	34.36 £

Bellows filters, square



PRODUCT PROPERTIES		ORDERING INFORMATION						
Size cm ²	Dimensions (length x width x height) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Cellulose bellows filter, dry application								
Suitable for GAS 25 L SFC Professional								
4,300	257 x 69 x 187	C0a	1	1	257589	2 607 432 014	75.41 £	



Polyester bellows filter, wet application								
Suitable for GAS 25 L SFC Professional								
4,300	257 x 69 x 187	C0a	1	1	257596	2 607 432 015	99.17 £	








Cellulose bellows filter, dry application								
Suitable for GAS 50; GAS 50 M Professional								
8,600	257 x 69 x 187	C0a	2	1	257602	2 607 432 016	139.05 £	




Polyester bellows filter								
Suitable for GAS 50; GAS 50 M Professional								
8,600	257 x 69 x 187	C0a	2	1	257619	2 607 432 017	174.6 £	

Bellows filters, square

	PRODUCT PROPERTIES		ORDERING INFORMATION					
	Size cm ²	Dimensions (length x width x height) mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	Cellulose flat-pleated filter Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional							
	6,150	240 x 140 x 56	C1a	1	1	713566	2 607 432 033	31.68 £
	Polyester (PES) flat-pleated filter Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional							
	6,150	240 x 140 x 56	C1a	1	1	713573	2 607 432 034	58.39 £
	Polytetrafluoroethylene (PTFE) flat-pleated filter Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional							
	6,150	240 x 140 x 56	C1a	1	1	718233	2 607 432 041	190 £
	Cellulose - pleated filter Suitable for GAS 12V Professional; EasyVac 12							
	190	100 x 73 x 26	C1b	1	1	790185	2 607 432 046	11.69 £
	Filter for GAS 18V-1 Suitable for GAS 18V-1 Professional							
	230	97 x 79 x 30	C0a	1	1	923361	2 608 000 664	7.38 £

Textile filters

	PRODUCT PROPERTIES		ORDERING INFORMATION					
			Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
	Textile filter with plastic ring Suitable for PAS 11-21; PAS 12-27; PAS 12-27 F							
			P0b	1	1	205344	2 607 432 013	22.12 £

Pre-filters for Bosch dust extractors



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Pre-filter for GAS 12-25 PL		1	20	231307	2 608 000 700	29.21 £

Foam filters for Bosch dust extractors



Foam filter for GAS 12-25 PL		1	50	232281	2 608 000 711	5.15 £
------------------------------	--	---	----	--------	----------------------	--------



Foam filter for GAS 15 PS		1	50	231314	2 608 000 701	5.15 £
---------------------------	--	---	----	--------	----------------------	--------

Fleece filter bag



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Fleece bag for GAS 12-25 PL		5	10	232038	2 608 000 709	30.93 £

Fleece filter bag

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT



Fleece bag

Suitable for GAS 15; GAS 20 L SFC Professional

	P1c	5	1	605779	2 605 411 229	29.52 £
--	-----	---	---	--------	----------------------	---------



Fleece filter bag

Suitable for GAS 50; GAS 50 M Professional

	P0b	5	1	257633	2 605 411 163	44.1 £
--	-----	---	---	--------	----------------------	--------



Fleece filter bag

Suitable for GAS 25 L SFC Professional


	P0b	5	1	257985	2 605 411 167	36.54 £
--	-----	---	---	--------	----------------------	---------



Fleece filter bag

Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional

	P1b	5	1	713603	2 607 432 037	44.56 £
--	-----	---	---	--------	----------------------	---------



Wet filter bag

Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional

	P1b	5	1	713627	2 607 432 039	78.18 £
--	-----	---	---	--------	----------------------	---------



Fleece filter bag

Suitable for GAS 55 M AFC Professional

	P1b	5	1	713610	2 607 432 038	64.35 £
--	-----	---	---	--------	----------------------	---------

Paper filter bag



Paper filter bag


Suitable for PAS 900

	P0b	5	1	005777	1 609 201 628	20.53 £
--	-----	---	---	--------	----------------------	---------

Paper filter bag



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Paper filter bag Suitable for GAS 12-30F Professional; PAS 11-25; PAS 11-25 F	P0b	5	1	073615	2 605 411 061	24.95 £



Paper filter bag Suitable for GAS 12-50 RF Professional; PAS 12-50 F	P0b	5	1	073622	2 605 411 062	33.4 £
--	-----	---	---	--------	---------------	--------




Paper filter bag Suitable for GAS 55 M AFC Professional	P1b	5	1	713597	2 607 432 036	29.7 £
---	-----	---	---	--------	---------------	--------



Paper filter bags Suitable for PAS 11-21; PAS 12-27; PAS 12-27 F	P0b	5	1	210454	2 605 411 150	28.42 £
--	-----	---	---	--------	---------------	---------




Dust bag Suitable for Ventaro; Ventaro 140; Ventaro 1400	C1a	3	1	437141	2 605 411 225	14.66 £
--	-----	---	---	--------	---------------	---------



Paper filter bag Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC Professional	P1b	5	1	713580	2 607 432 035	23.29 £
--	-----	---	---	--------	---------------	---------

Disposal bag



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Disposal bag Suitable for GAS 15; GAS 20 L SFC; GAS 1200 L Professional	P1c	5	1	617161	2 605 411 231	35.7 £

Disposal bag



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Disposal bag Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC Professional	P1b	10	1	744850	2 607 432 043	48.57 £



Disposal Bag Plastic (5pcs) for GAS 12-25 PL It has a capacity of 20 litres.		5	30	231277	2 608 000 697	13.75 £
---	--	---	----	--------	----------------------	---------



Disposal Bag Plastic (5pcs) for GAS 15 PS It has a capacity of 5 litres.		5	30	231284	2 608 000 698	13.75 £
---	--	---	----	--------	----------------------	---------

Adapter

► For connecting power tools to hose



PRODUCT PROPERTIES	ORDERING INFORMATION						
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
Connector Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GBS 75 AE; GBS 100 A; GBS 100 AE; GDA 280E; GEX 125 A; GEX 125 AC; GEX 125-1 AE; GEX 150 AC; GEX 150 ACE; GEX 150 Turbo; GFF 22 A; GUF 4-22 A Professional; EasySander 12; PBS 7 A; PBS 7 AE; PBS 60; PBS 60 E; PBS 75 A; PBS 75 AE; PDA 240 E; PKS 14.4 V; PKS 40; PKS 46; PKS 54; PKS 54 CE; PKS 55; PKS 55 A; PKS 66; PKS 66 AF; PKS 66 CE; PRIO; PRR 250 ES; PSF 22 A; PSM 18 LI; PSM 80 A; PSM 160 A; PST 52 A; PST 52 AE; PST 53 A; PST 53 AE; PST 650 E; PST 6500 E; PVS 300 AE	25-35	C1a	1	1	001847	1 600 499 005	2.78 £










Adapter for random orbit, orbital and multi-sanders Suitable for GAS 35 L AFC; GAS 35 L SFC+; GAS 35 M AFC; GAS 55 M AFC; GEX 125; GEX 125 AC; GEX 150 AC; GSS 140; GSS 140 A; GSS 230; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15 AE; PEX 270 A; PEX 270 AE; PEX 400 A; PEX 420 AE; PSM 160 A; PSS 180; PSS 240 AE	-	P1b	1	1	063050	2 600 306 007	7.86 £
---	---	-----	---	---	--------	----------------------	--------



Adapter for planers Suitable for PHO 1; PHO 15-82; PHO 100	-	PC1c	1	1	006521	2 607 000 075	28.35 £
--	---	------	---	---	--------	----------------------	---------

Adapter

PRODUCT PROPERTIES		ORDERING INFORMATION						
	Diameter mm	Packaging type	Pack quantity	Minimum order quantity	Barcode		Part number	Price without VAT
	Adapter for routers Suitable for GMF 1400 CE; GOF 900; GOF 900 CE; GOF 1300 CE Professional							
	-	P0b	1	1	247269		2 608 190 038	5.99 £
	Dust extraction adapter, plunge unit for GMF 1600 CE; GOF 1600 CE Professional							
	-	P0b	1	1	617147		2 608 000 489	29.6 £
	Adapter for router Suitable for GOF 2000 CE Professional							
	-	P0b	1	1	247276		2 608 190 039	10.37 £
	Dust extraction adapter for routers Suitable for POF 1200 AE; POF 1400 ACE							
	-	P0b	1	1	452939		2 600 499 077	6.51 £
	Adapter for jigsaws Suitable for GST 60 P; GST 60 PAE; GST 60 PBAE Professional; PST 700; PST 800							
	-	C1a	1	1	015714		2 600 306 005	3.39 £
	Wallholder Suitable for GAS 18V-1 (0 601 9C6 2..) Professional							
	-	P1d	1	1	923408		2 608 000 668	3.7 £
	Vacuum Adapter Suitable for GAS 18V-10 L; GEX 150 Turbo; GFF 22 A Professional							
	35.8-45.3	P1d	1	1	945202		2 608 000 682	16.92 £

Dust extraction for jigsaws



PRODUCT PROPERTIES	ORDERING INFORMATION					
Dust extraction set Suitable for GST 100 BCE; GST 135 BCE; GST 140 BCE; GST 150 BCE; GST 150 CE Professional	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	P1d	1	1	516280	2 605 510 294	9.77 £



Dust extraction set Suitable for GST 14,4 V-LI; GST 18 V-LI; GST 140 BCE; GST 140 CE Professional	P1d	1	1	605816	2 605 510 301	18.56 £
---	-----	---	---	--------	---------------	---------




Shoulder Straps for Dust Extractors





PRODUCT PROPERTIES	ORDERING INFORMATION					
Shoulder Strap GAS 18V-10 L Suitable for GAS 18V-10 L (0 601 9C6 3..) Professional	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	P1d	1	1	553764	2 608 000 706	11.83 £

Accessories for Internal Dust Extraction when using Bosch Power Tools



Dust bags for benchtop circular saws

	PRODUCT PROPERTIES				ORDERING INFORMATION		
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT	
 <p>Dust bag for mitre saws Suitable for GCM 10 J Professional</p>	P0b	1	1	612685	2 605 411 230	6.09 £	
 <p>Dust bag with adapter Suitable for GCM 12 SD Professional</p>	P0b	1	1	334815	2 605 411 211	34.43 £	
 <p>Dust bag Suitable for GTS 10 Professional</p>	P0b	1	1	316248	2 605 411 205	44.25 £	

Adapters for benchtop circular saws

 <p>Dust extraction adapter Suitable for GCM 10 S Professional</p>	P0b	1	1	316316	2 600 499 071	5.29 £
 <p>Dust extraction adapter Suitable for GCM 10 Professional</p>	P0b	1	1	274074	2 608 601 171	11.55 £

Cloth dust bags

 <p>Dust bag for random orbit, belt, orbital sanders, hand-held circular saws Also suitable for GEX 150 ACE, PSS 28 AE, GSS 16 A, PBS 60/60 E Suitable for GSS 23 AE; GUF 4-22 A Professional; PEX 115 A; PEX 125 AE; PSS 23 A</p>	P1d	1	1	021487	2 605 411 009	10.73 £
 <p>Dust bag for orbital sanders Suitable for GSS 28 A Professional</p>	P1d	1	1	047036	2 605 411 900	35.46 £

Cloth dust bags



PRODUCT PROPERTIES	ORDERING INFORMATION					
Dust bag for orbital sanders Suitable for GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
	P0b	1	1	111911	2 605 411 112	11.18 £

Cloth dust bags with adapter



Dust bag for random orbit, orbital sanders and universal router

Suitable for GEX 150 ACE (0 601 370 7..); GSS 14 A (3 158 2..); GSS 16 A (0 601 289 0..); GSS 23 AE (0 601 070 7..); GUF 4-22 A (0 601 607 1..) Professional; PEX 115 (3 162 3..); PEX 115 A (3 162 4..); PKS 40 (0 603 328 0..); PSF 22 A (0 603 228 1..); PSS 23 A (3 166 6..); PSS 23 AE (3 166 7..); PSS 28 A (3 167 0..)

	P1d	1	1	002035	1 605 411 028	23.74 £
--	-----	---	---	--------	----------------------	---------

Dust bag for biscuit joiner
can be directly connected**Suitable for** GFF 22 A Professional

	C0a	1	1	184366	3 605 411 003	15.5 £
--	-----	---	---	--------	----------------------	--------



Dust bag for planers

Suitable for GH0 3-82 Professional

	P1d	1	1	002011	1 605 411 022	25.2 £
--	-----	---	---	--------	----------------------	--------



Dust bag for hand-held circular saws

Suitable for GKS 24 V; GKS 54; GKS 66 CE; GKS 68 BC; GKS 75 S; GKS 85 S Professional; PKS 40; PKS 46; PKS 54; PKS 54 CE; PKS 66; PKS 66 CE

	P1d	1	1	002042	1 605 411 029	21.12 £
--	-----	---	---	--------	----------------------	---------



Dust bag for planers

Suitable for PHO 1; PHO 15-82; PHO 100

	P1d	1	1	006514	2 607 000 074	24.02 £
--	-----	---	---	--------	----------------------	---------

Cloth dust bag with adapter, type 2 (oval)





Dust bag for belt and random orbit sanders

Also suitable for PEX 11/12/15 AE/115 A-1




Suitable for GBS 75 AE; GEX 34-125; GEX 34-150; GEX 125 AC; GEX 150 AC Professional; PEX 12 AE; PEX 15

	P1d	1	1	098458	2 605 411 096	25.2 £
--	-----	---	---	--------	----------------------	--------



Cloth dust bag with adapter, type 2 (oval)

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
 <p>Dust bag for planers Suitable for GHO 10-82; GHO 14,4 V; GHO 14,4 V-LI; GHO 15-82; GHO 18 V; GHO 26-82; GHO 31-82; GHO 36-82 C; GHO 40-82; GHO 40-82 C Professional; PCM 10; PHO 20-82; PHO 25-82; PHO 30-82; PHO 35-82 C; PHO 1500; PHO 2000; PHO 3100</p>	P1d	1	1	056366	2 605 411 035	34.44 £
 <p>Dust bag for belt and random orbit sanders Suitable for PBS 60; PBS 60 E; PEX 115 A; PEX 125 AE</p>	P1d	1	1	033862	1 605 411 026	23.74 £




Paper dust bags (one-way system)

 <p>Dust bag for belt, random orbit, orbital sanders, universal router Also suitable for PEX 11 A/11 AE/115 A-1, GEX 125 A Suitable for GEX 34-125; GEX 34-150; GEX 125 AC; GSS 16; GSS 23 AE; GUF 4-22 A Professional; PBS 60; PBS 75 A; PEX 115; PEX 115 A; PEX 115 AE; PSF 22 A</p>	P1d	3	1	077477	2 605 411 067	7.27 £
 <p>Dust bag for orbital sanders Suitable for GSS 230; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional</p>	P0b	3	1	111928	2 605 411 113	7.15 £
 <p>Dust bag for orbital sanders, universal router Suitable for GBS 75 A; GSS 14; GSS 14 A; GSS 16; GSS 16 A; GSS 23 AE; GUF 4-22 A Professional; PSF 22 A; PSS 23 AE; PSS 28 AE</p>	P1d	3	1	034760	2 605 411 027	13.19 £


Dust boxes and adapters

 <p>Dust box HW3 complete PEX 125 (old, round connection) PBS 60; PBS 75 (round connection) Suitable for GBS 75 A; GEX 34-125; GEX 34-150; GEX 125; GEX 125 AC; GEX 150 AC; GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional; PBS 7 A; PBS 7 AE; PBS 60; PBS 75 A; PBS 75 AE; PEX 11; PEX 12; PEX 15; PEX 125; PEX 400 A; PEX 400 AE</p>	C1d	1	1	198615	2 605 411 147	12.64 £
 <p>Cover for dust box HW3 complete</p>	C1d	1	1	198660	2 605 190 266	7.61 £

Dust boxes and adapters

PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
 <p>Additional adapter Fitted on dust box cover Suitable for GEX 125; GEX 150; GSS 230; GSS 280 Professional; PEX 11; PEX 12; PEX 15; PEX 400 A; PEX 400 AE; PEX 420 AE</p>	P0b	5	1	220316	2 605 702 034	3.72 £
 <p>Filter Suitable for GEX 34-125; GEX 40-150; GEX 125-150 AVE; GSS 230 AVE; GSS 280; GSS 280 AVE Professional</p>	C0a	1	1	624152	2 605 190 930	25.64 £
 <p>Angle adapter Suitable for PBS 60; PBS 60 E; PBS 75 A; PBS 75 AE; PEX 115 A; PEX 115 AE; PEX 125 A; PEX 125 AE</p>	C1d	1	1	207331	2 605 702 037	7.29 £

Extraction devices

 <p>► Appropriate for impact drills, two-speed impact drills and rotary hammers</p> <p>Filter Suitable for GBH 2-23 REA; GSB 19-2 REA Professional</p>	C0a	1	1	480642	2 607 002 614	26.65 £
---	-----	---	---	--------	----------------------	---------

Carrying Cases for Bosch Power Tools

Carrying cases for cordless tools

PRODUCT PROPERTIES				ORDERING INFORMATION						
Material	Width mm	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	



Plastic case

Suitable for GBH 36 V-EC Compact; GBH 36 V-LI; GBH 36 VF-LI Professional

K	505	395	145	U0	1	1	374958	2 605 438 179	101.64 £
---	-----	-----	-----	----	---	---	--------	---------------	----------

Plastic case

Suitable for GBH 36 V-EC Compact; GBH 36 V-LI Professional

K	360	480	131	C1b	1	1	483278	2 605 438 668	126.18 £
---	-----	-----	-----	-----	---	---	--------	---------------	----------



Plastic case

Suitable for GST 150 BCE; GST 150 CE Professional

K	114	388	356	U0	1	1	534048	2 605 438 686	38.29 £
---	-----	-----	-----	----	---	---	--------	---------------	---------

Carrying cases for drills and impact drills



Plastic case

Suitable for GBM 10-2; GBM 10-2 RE; GBM 13-2; GBM 13-2 RE; GSB 20-2; GSB 20-2 RCE; GSB 20-2 RE; GSB 20-2 RET Professional; PSB 650-1000 W

K	380	300	110	U0	1	1	068222	2 605 438 286	31.01 £
---	-----	-----	-----	----	---	---	--------	---------------	---------



Plastic case

Suitable for GSB 13 RE; GSB 1600 RE Professional

K	350	294	105	U0	1	1	413299	2 605 438 607	15.8 £
---	-----	-----	-----	----	---	---	--------	---------------	--------

Carrying cases for rotary and demolition hammers, screwdrivers



Plastic case

Suitable for GBH 2-26 DE; GBH 2-26 DFR; GBH 2-26 DFR + DMF 10 Zoom; GBH 2-26 DRE; GBH 2-26 E; GBH 2-26 RE Professional

K	445	360	114	U0	1	1	334051	2 605 438 098	40.48 £
---	-----	-----	-----	----	---	---	--------	---------------	---------



Plastic case




Suitable for GBH 5; GBH 5 DCE Professional

K	620	410	132	U0	1	1	042512	2 605 438 261	136.08 £
---	-----	-----	-----	----	---	---	--------	---------------	----------


Carrying cases for random orbit, delta, orbital, belt sanders, and angle grinders

PRODUCT PROPERTIES				ORDERING INFORMATION						
Material	Width mm	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
	Plastic case Suitable for GWS 5-100; GWS 5-115; GWS 6-100; GWS 6-100 S; GWS 6-115; GWS 6-115 E; GWS 6-125; GWS 7-100; GWS 7-115; GWS 7-115 E; GWS 7-125; GWS 8-100 C; GWS 8-115; GWS 8-115 Z; GWS 8-125; GWS 8-125 C; GWS 660; GWS 850; GWS 850 C Professional; PWS 600; PWS 1000; PWS 1500									
K	316	445	124	U0	1	1	492812	1 619 P06 556	36.14 £	
	Plastic case Suitable for PSM 160 A									
K	388	297	144	U0	1	1	327961	2 605 438 091	16.89 £	
	Plastic case Suitable for PSS 190 AC; PSS 200 A; PSS 200 AC; PSS 250 AE									
K	420	117	336	U0	1	1	361484	2 605 438 168	13.48 £	
	Plastic case Suitable for GWS 8-115; GWS 8-125; GWS 9-115; GWS 9-125; GWS 10-125; GWS 11-125; GWS 11-125 CI; GWS 11-125 CIE; GWS 12-125 CI; GWS 14-125 CI; GWS 14-125 CIE; GWS 14-125 CIT; GWS 14-125 Inox; GWS 14-150 CI; GWS 15-125 CI; GWS 15-150 CI; GWX 10-125; GWX 13-125; GWX 13-125 S; GWX 14-125; GWX 17-125; GWX 17-125 S; GWX 17-125 T Professional									
K	445	360	123	U0	1	1	362597	2 605 438 170	57.94 £	
	Plastic case Suitable for GEX 125 A; GEX 125 AC; GEX 150 AC; GEX 150 Turbo Professional									
K	720	317	173	U0	1	1	376563	2 605 438 186	87.54 £	
	Plastic case For all GWS with diameter 180-230 manufactured in or after 1998 Suitable for GWS 18-180; GWS 22-180 LVI; GWS 22-230 LVI; GWS 24-230 LVI; GWS 25-230 Professional; PWS 20-230; PWS 20-230 J									
K	720	317	170	U0	1	1	379878	2 605 438 197	59.86 £	
	Plastic case Suitable for GSS 230 A; GSS 230 AE; GSS 280 A; GSS 280 AE Professional									
K	420	330	130	U0	1	1	124331	2 605 438 368	28.19 £	
	Plastic case Suitable for GWS 7-115; GWS 7-125; GWS 8-125; GWS 9-125; GWS 10-125; GWS 14-125; GWS 14-150 Professional; PWS 9-125; PWS 10-125 CE; PWS 14-125; PWS 14-150									
K	380	300	115	U0	1	1	189170	2 605 438 404	18.15 £	


Carrying cases for random orbit, delta, orbital, belt sanders, and angle grinders

PRODUCT PROPERTIES				ORDERING INFORMATION						
Material	Width mm	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...		Part number	Price without VAT
Plastic case										
Suitable for GDA 280E Professional; PDA 120 E; PDA 180; PDA 180 E; PDA 240 E										
	K	390	300	110	U0	1	1	209090	2 605 438 414	18.21 £
Plastic case										
Suitable for GWS 11-125 CIH; GWS 15-125 CIEH; GWS 15-125 CIH; GWS 15-125 CITH; GWS 15-150 CIH Professional										
	K	360	480	131	U0	1	1	427487	2 605 438 619	66.31 £
Plastic case										
Suitable for PWS 700-115; PWS 720-115; PWS 720-125; PWS 750-115; PWS 750-125										
	K	286	343	127	U0	1	1	498470	2 605 438 678	16.26 £


Carrying cases for jigsaws and reciprocating saws

Plastic case										
Suitable for GST 150 BCE; GST 150 CE Professional										
	K	114	388	356	U0	1	1	534048	2 605 438 686	38.29 £

Carrying cases for circular saws

Suitable for PKS 46; PKS 54; PKS 54 CE										
	K	400	235	335		1	1	269780	2 605 438 508	32.47 £

Carrying cases for routers, biscuit joiner

Plastic case										
Suitable for POF 1200 AE; POF 1400 ACE										
	K	340	400	210	U0	1	1	452946	2 605 438 643	33.84 £

Carrying cases for planers



PRODUCT PROPERTIES				ORDERING INFORMATION						
Material	Width mm	Height mm	Depth mm	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Plastic case GHO 40-82 C Professional										
K	480	360	220	U0	1	1	315098	2 605 438 567	53.3 £	



CORDLESS WORKING

Accessories you can take anywhere

The best your tool can get. Bosch Professional Accessories.



9.6 V pod style battery packs



PRODUCT PROPERTIES			ORDERING INFORMATION						
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode	3 165 140...	Part number	Price without VAT
9.6 V pod-style battery pack Battery only appropriate for nickel cadmium (NiCd) / nickel metal hydride (NiMH) tools from the professional range in the same voltage class									
SD	2.6	NiMH	C1a	1	1	334655		2 607 335 682	81.68 £
9.6 V O battery pack									
LD	1.5	NiMH	C1a	1	1	892919		2 607 335 846	45.85 £

12 V straight-shape battery packs



GBA 12V 2.0Ah									
-	2	Li-Ion	C0a	1	1	948968		1 607 A35 0CS	58.37 £



GBA 12V 4.0Ah									
-	4	Li-Ion	C0a	1	1	949019		1 607 A35 0CX	85.5 £

12 V pod style battery packs



12 V pod-style battery pack Battery only appropriate for nickel cadmium (NiCd) / nickel metal hydride (NiMH) tools from the professional range in the same voltage class									
SD	2.6	NiMH	C1a	1	1	334662		2 607 335 684	100.58 £



12 V O battery pack									
LD	1.5	NiMH	C1a	1	1	892957		2 607 335 848	56.85 £

14.4 V slide-in battery packs

PRODUCT PROPERTIES			ORDERING INFORMATION					
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
14.4 V slide-in battery pack with ECP (Electronic Cell Protection) and CLI (Charge Level Indicator) Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
HD	4	Li-Ion	C1a	1	1	770576	2 607 336 814	78.65 £

14.4 V slide-in battery pack with ECP (Electronic Cell Protection) Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
SD	2	Li-Ion	C1a	1	1	801287	2 607 336 878	58.07 £



14.4 V pod style battery packs

14.4 V pod-style battery pack Battery only appropriate for nickel cadmium (NiCd) / nickel metal hydride (NiMH) tools from the professional range in the same voltage class								
SD	2.6	NiMH	C1a	1	1	334679	2 607 335 686	123.12 £



14.4 V O battery pack								
LD	1.5	NiMH	C1a	1	1	892988	2 607 335 850	67.13 £








18 V slide-in battery packs



PRODUCT PROPERTIES			ORDERING INFORMATION					
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
18 V slide-in battery pack with ECP (Electronic Cell Protection) and CLI (Charge Level Indicator) Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
HD	4	Li-Ion	C1a	1	1	770583	2 607 336 816	90.22 £



18 V slide-in battery packs

PRODUCT PROPERTIES			ORDERING INFORMATION					
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
18 V slide-in battery pack with ECP (Electronic Cell Protection)								
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
LD	2	Li-Ion	C1a	1	1	801348	2 607 336 906	67.86 £
								
18 V slide-in battery pack with ECP (Electronic Cell Protection) and CLI (Charge Level Indicator)								
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
HD	5	Li-Ion	C1a	1	1	801300	2 607 337 070	130.28 £
								
18 V slide-in battery with SCM (Single Cell Monitoring) and CLI (Charge Level Indicator)								
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
HD	6	Li-Ion	C1a	1	1	837859	2 607 337 264	141.15 £
								
ProCORE 18 V slide-in battery pack with Charge Level Indicator								
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
-	8	Li-Ion	P0a	1	1	987608	2 607 337 306	226.29 £
								
ProCORE 18 V slide-in battery pack with Charge Level Indicator								
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
-	4	Li-Ion	P0a	1	1	586021	2 607 337 320	126.62 £
								

36 V slide-in battery packs

PRODUCT PROPERTIES			ORDERING INFORMATION					
Applications	Battery capacity Ah	Cell technology	Packaging type	Pack quantity	Minimum order quantity	Barcode	Part number	Price without VAT
GBA 36V 6Ah Professional								
HD	6	Li-Ion	C0a	1	1	951951	1 600 A01 6D3	234.61 £
								
36 V slide-in battery pack with SCM (Single Cell Monitoring), ECP (Electronic Cell Protection) and CLI (Charge Level Indicator)								
Battery only appropriate for Li-Ion tools from the professional range in the same voltage class								
HD	4	Li-Ion	C1a	1	1	801324	2 607 336 916	206.05 £
								

BOSCH BATTERY CHARGERS

Charging times in minutes for Li-Ion battery packs.



GAL 1230 CV

Page number	762
3.6 V – 80% / 100% *	
1.3 Ah 1 607 A35 0CN	-
12 V – 80% / 100% *	
2.0 Ah 1 607 A35 0CS	33 / 45
2.5 Ah 1 607 A35 0CV	40 / 65
4.0 Ah 1 607 A35 0CX	65 / 85
6.0 Ah	98 / 133

* The charge times listed in minutes are approximate specifications, measured at a room temperature of 20°C / 68°F. Charging state, age and temperature of the battery influence the charge times considerably.

BOSCH BATTERY CHARGERS

Charging times in minutes for NiMH battery packs.



AL 2404



AL 2422 DC



AL 2425 DV



AL 2450 DV

Page number	100172613	100172613	100172613	100172613
9.6 V *				
1.5 Ah 2 607 335 846	240	46	44	19
2.6 Ah 2 607 335 682	433	80	76	33
12 V *				
1.5 Ah ¹ 2 607 335 292	240	46	44	19
1.5 Ah 2 607 335 848	240	46	44	19
2.6 Ah 2 607 335 684	433	80	76	33
14.4 V *				
1.5 Ah 2 607 335 850	240	46	44	19
2.6 Ah 2 607 335 686	433	80	76	33
18.0 V *				
1.5 Ah 2 607 335 852	240	46	44	19
2.6 Ah 2 607 335 688	433	80	76	33
24.0 V *				
2.6 Ah 2 607 337 298	433	80	76	33
2.6 Ah 2 607 335 562	433	80	76	33

1: Charging only possible with intermediate adapter

* The charge times listed in minutes are approximate specifications, measured at a room temperature of 20°C / 68°F. Charging state, age and temperature of the battery influence the charge times considerably.



AL 1820 CV



GAL 1880 CV



GAL 3680 CV

Page number	762	762	762
14.4 V – 80 % / 100 % *			
2.0 Ah 2 607 336 878	50 / 65	15 / 30	15 / 30
4.0 Ah 2 607 336 814	90 / 125	25 / 35	25 / 35
18 V – 80 % / 100 % *			
1.5 Ah 2 607 336 804	35 / 50	10 / 25	10 / 25
2.0 Ah ¹ 2 607 336 722	50 / 65	15 / 30	15 / 30
2.0 Ah 2 607 336 906	50 / 65	15 / 30	15 / 30
4.0 Ah 2 607 336 816	90 / 125	25 / 35	25 / 35
4.0 Ah ¹ 2 607 336 724	90 / 125	25 / 35	25 / 35
5.0 Ah 2 607 336 070	120 / 150	35 / 45	35 / 45
6.0 Ah 2 607 336 264	145 / 180	35 / 55	35 / 55
36 V – 80 % / 100 % *			
2.0 Ah 2 607 336 914	-	-	15 / 30
4.0 Ah 2 607 336 916	-	-	25 / 35
6.0 Ah 1 600 A01 6D3	-	-	35 / 55

1: Wireless chargeable

* The charge times listed in minutes are approximate specifications, measured at a room temperature of 20°C / 68°F. Charging state, age and temperature of the battery influence the charge times considerably.

Singlevolt chargers 12 V Li-Ion



PRODUCT PROPERTIES				ORDERING INFORMATION					
Charge current A	Input voltage(s) V	Country version		Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Li-ion charger GAL 12V-40 for straight-shape battery packs, for Pro & DIY									
4	230	UK		P0a	1	1	987653	2 607 226 222	62.06 £

Multivolt chargers 14.4 - 36 V Li-ion



Multi-volt quick charger GAL 18V-40 for all Bosch professional Li-ion slide-in batteries from 14.4 V to 18 V									
4	230	UK		P0a	1	1	987684	2 607 226 254	62 £



Multi-volt quick charger GAL 1880 CV for all Bosch professional Li-ion slide-in batteries from 14.4 V to 18 V									
8	230	UK		C0a	1	1	880879	2 607 225 924	59.13 £



Multi-volt quick charger GAL 3680 CV for all Bosch professional Li-ion slide-in batteries from 14.4 V to 36 V									
8	220 – 240	UK		C0a	1	1	847445	2 607 225 902	82.55 £

Intermediate adapter for battery chargers

- Used to charge bulb-shape batteries and flat-shape batteries without APT insertion end.



PRODUCT PROPERTIES			ORDERING INFORMATION						
				Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Adapter for chargers AL 60 DV 1411 / 1419 / 2411 / 2422 / 2425, AL 30 DV 1450 / 2450 and AL 2498 FC									
				C0a	1	1	109239	2 607 000 198	8.68 £

Accessories for Bosch Cordless Worklights GLI Professional, PLI



PRODUCT PROPERTIES		ORDERING INFORMATION					
Voltage(s) V	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT	
Bulb							
12	C1d	1	1	239561	2 609 200 306	4.77 £	
14.4	C1d	1	1	239578	2 609 200 307	6.71 £	
18	C1d	1	1	239578	2 609 200 307	6.71 £	
24	C1d	1	1	239585	2 609 200 308	7.23 £	

Accessories set for Bosch Pneumatic Pump PAG



PRODUCT PROPERTIES	ORDERING INFORMATION					
	Packaging type	Pack quantity	Minimum order quantity	Barcode 3 165 140...	Part number	Price without VAT
Accessory set consisting of pneumatic hose, sealing nut, rubber seal, valve for balls, bicycle and air mattresses	P1d	1	1	218450	2 607 010 333	8.96 £

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
1 600 499 005	743	1	1 608 612 002	622	1	1 609 201 799	709	1	1 618 630 001	162	1
1 600 793 007	649	1	1 608 613 013	622	1	1 609 201 800	709	1	1 618 630 003	161	1
1 600 A01 6D3	758	1	1 608 614 000	265	1	1 609 201 801	709	1	1 618 630 007	161	1
1 601 329 013	661	1	1 608 614 001	265	1	1 609 201 807	709	1	1 618 630 200	162	1
1 602 025 024	646, 678, 689	1	1 608 614 002	265	1	1 609 201 808	709	1	1 618 630 201	162	1
1 602 319 003	679	1	1 608 614 011	265	1	1 609 202 230	735	1	1 618 631 001	162	1
1 603 340 015	643	1	1 608 614 020	268	1	1 609 390 451	708	1	1 618 633 101	159, 164	1
1 603 340 031	643, 659, 663	1	1 608 620 055	274	1	1 609 390 452	708	1	1 618 633 102	159, 164	1
1 603 340 040	643, 663	1	1 608 622 015	270	1	1 609 390 453	708	1	1 618 660 000	165	1
1 603 345 004	641	1	1 608 622 029	265	1	1 609 390 474	737	1	1 618 661 000	165	1
1 603 345 034	666	1	1 608 690 014	150	1	1 609 390 478	733	1	1 618 662 000	165	1
1 603 481 001	685	1	1 608 690 015	150	1	1 609 390 481	733	1	1 619 P06 547	653	1
1 605 411 022	747	1	1 609 200 160	619	5	1 610 793 002	734	1	1 619 P06 549	654	1
1 605 411 026	748	1	1 609 200 161	619	5	1 610 795 007	166	1	1 619 P06 550	654	1
1 605 411 028	747	1	1 609 200 162	619	5	1 612 025 020	636	1	1 619 P06 551	655	1
1 605 411 029	747	1	1 609 200 163	619	5	1 612 025 032	630	1	1 619 P06 556	751	1
1 605 510 180	649	1	1 609 200 164	619	5	1 613 001 003	636	1	2 600 100 185	328	1
1 605 510 224	656	1	1 609 200 165	619	5	1 613 001 010	636	1	2 600 100 186	328	1
1 605 510 281	658	1	1 609 200 240	620	1	1 617 000 132	629	5	2 600 100 187	328	1
1 605 510 291	648	1	1 609 200 245	620	5	1 617 000 328	626	1	2 600 100 188	328	1
1 605 510 364	653	1	1 609 200 250	620	1	1 618 571 014	634	1	2 600 100 192	328	1
1 605 510 365	653	1	1 609 200 265	683	1	1 618 580 000	628	1	2 600 100 193	328	1
1 605 703 099	644, 663	5	1 609 200 269	270	1	1 618 596 455	94	1	2 600 100 194	328	1
1 607 000 158	658	1	1 609 200 270	269	1	1 618 596 456	94	1	2 600 100 195	328	1
1 607 000 247	647	1	1 609 200 271	269	1	1 618 596 457	94	1	2 600 100 197	328	1
1 607 950 004	660	1	1 609 200 273	270	1	1 618 596 458	94	1	2 600 100 201	328	1
1 607 950 041	635	5	1 609 200 274	270	1	1 618 596 459	94	1	2 600 100 202	328	1
1 607 950 042	635	5	1 609 200 286	274	1	1 618 596 460	94	1	2 600 100 203	328	1
1 607 950 043	660	1	1 609 200 287	621	1	1 618 596 461	94	1	2 600 100 207	328	1
1 607 950 044	635	5	1 609 200 288	621	1	1 618 596 462	94	1	2 600 100 208	328	1
1 607 950 045	635	5	1 609 200 291	637	1	1 618 596 502	93	1	2 600 100 209	328	1
1 607 950 048	660, 665	1	1 609 200 307	639	1	1 618 596 503	93	1	2 600 100 210	328	1
1 607 950 053	635	5	1 609 200 315	42	1	1 618 596 504	93	1	2 600 100 211	328	1
1 607 950 525	665	1	1 609 200 326	703	1	1 618 596 505	93	1	2 600 100 212	328	1
1 607 A35 0CS	756	1	1 609 200 365	703	1	1 618 596 507	93	1	2 600 100 214	328	1
1 607 A35 0CX	756	1	1 609 200 366	703	1	1 618 598 124	629	1	2 600 100 215	328	1
1 608 132 006	692	1	1 609 200 367	703	1	1 618 598 159	629	1	2 600 100 219	328	1
1 608 190 007	680	1	1 609 200 368	703	1	1 618 598 161	629	1	2 600 100 220	328	1
1 608 552 012	125	1	1 609 200 370	703	1	1 618 600 005	148	1	2 600 100 221	328	1
1 608 552 013	125	1	1 609 200 375	703	1	1 618 600 008	629	1	2 600 100 222	328	1
1 608 552 015	125	1	1 609 200 376	704	1	1 618 600 012	156	1	2 600 100 225	328	1
1 608 552 019	125	1	1 609 200 377	704	1	1 618 600 015	156	1	2 600 100 227	328	1
1 608 552 021	125	1	1 609 200 378	704	1	1 618 600 019	165	1	2 600 100 228	328	1
1 608 555 024	125	1	1 609 200 379	704	1	1 618 600 023	156	1	2 600 100 230	328	1
1 608 555 053	125	1	1 609 200 380	704	1	1 618 600 203	157	1	2 600 100 231	328	1
1 608 555 059	125	1	1 609 200 390	704	1	1 618 600 204	156	1	2 600 100 232	328	1
1 608 555 065	125	1	1 609 200 393	704	1	1 618 600 206	165	1	2 600 306 005	744	1
1 608 570 040	664	1	1 609 200 933	737	1	1 618 600 210	156	1	2 600 306 007	743	1
1 608 570 041	664	1	1 609 200 968	736	1	1 618 601 004	149	1	2 600 499 071	746	1
1 608 570 043	664	1	1 609 200 971	733	1	1 618 601 007	157	1	2 600 499 077	744	1
1 608 571 053	634	1	1 609 200 976	737	1	1 618 601 008	157	1	2 600 793 009	734	1
1 608 571 056	634	1	1 609 201 219	706	1	1 618 601 011	165	1	2 601 016 096	394, 682	5
1 608 571 058	634	1	1 609 201 229	733	1	1 618 601 017	158	1	2 601 098 043	677	1
1 608 571 061	634	1	1 609 201 230	733	1	1 618 601 019	157	1	2 601 098 123	682	1
1 608 572 017	632	1	1 609 201 396	706	1	1 618 601 101	157	1	2 601 099 044	676	1
1 608 600 069	259	1	1 609 201 628	741	1	1 618 601 102	158	1	2 601 099 074	675	1
1 608 600 232	258	1	1 609 201 647	708	1	1 618 601 302	158	1	2 602 025 062	631	1
1 608 600 233	258	1	1 609 201 648	708	1	1 618 609 003	159	1	2 602 025 063	631	1
1 608 600 241	258	1	1 609 201 795	708	1	1 618 609 005	166	1	2 602 025 075	646	1
1 608 601 033	641	1	1 609 201 796	708	1	1 618 623 205	160	1	2 602 025 076	631	1
1 608 610 000	623	1	1 609 201 797	708	1	1 618 623 206	160	1	2 602 025 077	630	1
			1 609 201 798	709	1	1 618 630 000	162	1	2 602 025 086	630	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 602 025 102	630	1	2 605 439 019	680	1	2 607 001 520	127	5	2 607 001 718	130	5
2 602 025 103	631	1	2 605 510 224	657	1	2 607 001 522	127	5	2 607 001 720	130	5
2 602 025 117	631	1	2 605 510 226	658	1	2 607 001 524	127	5	2 607 001 722	130	5
2 602 025 120	630	1	2 605 510 257	655	1	2 607 001 526	127	5	2 607 001 724	130	5
2 602 025 176	631	1	2 605 510 280	653	1	2 607 001 528	127	5	2 607 001 726	130	5
2 602 025 182	646	1	2 605 510 281	654	1	2 607 001 531	127	5	2 607 001 728	130	5
2 602 025 183	646	1	2 605 510 290	655	1	2 607 001 533	127	5	2 607 001 730	130	10
2 602 025 190	630	1	2 605 510 291	655	1	2 607 001 535	127	5	2 607 001 732	130	5
2 602 025 193	630	1	2 605 510 292	648	1	2 607 001 537	127	5	2 607 001 733	130	5
2 602 025 282	655	1	2 605 510 294	682, 745	1	2 607 001 539	127	5	2 607 001 734	130	5
2 602 025 283	656	1	2 605 510 297	654	1	2 607 001 540	127	5	2 607 001 735	130	5
2 602 026 177	672	1	2 605 510 298	654	1	2 607 001 542	127	5	2 607 001 736	133	10
2 602 317 030	679, 684	1	2 605 510 299	656	1	2 607 001 554	128	5	2 607 001 737	133	10
2 602 317 031	679, 684	1	2 605 510 300	656	1	2 607 001 558	128	5	2 607 001 738	133	5
2 603 001 019	636	1	2 605 510 301	682, 745	1	2 607 001 562	128	5	2 607 001 740	133	5
2 603 340 018	643	1	2 605 702 034	749	1	2 607 001 566	128	5	2 607 001 741	133	5
2 603 345 002	641	1	2 605 702 037	749	1	2 607 001 569	128	5	2 607 001 742	133	5
2 603 345 003	659	1	2 607 000 073	692	1	2 607 001 571	128	5	2 607 001 743	133	5
2 603 345 018	641	1	2 607 000 074	747	1	2 607 001 573	128	5	2 607 001 746	133	5
2 603 703 039	644	1	2 607 000 075	743	1	2 607 001 575	128	5	2 607 001 747	133	5
2 605 190 266	748	1	2 607 000 096	345	5	2 607 001 577	128	5	2 607 001 749	133	5
2 605 190 930	672, 749	1	2 607 000 102	691	1	2 607 001 579	128	5	2 607 001 750	132	5
2 605 411 009	746	1	2 607 000 157	140	5	2 607 001 581	128	5	2 607 001 752	132	5
2 605 411 027	748	1	2 607 000 162	736	1	2 607 001 583	128	5	2 607 001 753	132	5
2 605 411 035	748	1	2 607 000 164	736	1	2 607 001 585	128	5	2 607 001 757	132	5
2 605 411 061	742	1	2 607 000 165	733	1	2 607 001 587	128	5	2 607 001 758	132	5
2 605 411 062	742	1	2 607 000 166	733	1	2 607 001 588	128	5	2 607 001 759	132	5
2 605 411 067	748	1	2 607 000 167	735	1	2 607 001 590	128	5	2 607 001 761	132	5
2 605 411 096	747	1	2 607 000 170	734	1	2 607 001 601	129	5	2 607 001 762	132	5
2 605 411 112	747	1	2 607 000 198	762	1	2 607 001 604	129	5	2 607 001 763	132	5
2 605 411 113	748	1	2 607 000 206	141	5	2 607 001 607	129	5	2 607 001 767	132	5
2 605 411 147	748	1	2 607 000 748	737	1	2 607 001 611	129	5	2 607 001 768	132	5
2 605 411 150	742	1	2 607 000 837	734	1	2 607 001 615	129	5	2 607 001 912	680	1
2 605 411 163	741	1	2 607 001 077	691	1	2 607 001 619	129	5	2 607 001 914	681	1
2 605 411 167	741	1	2 607 001 079	677	1	2 607 001 622	129	5	2 607 001 976	737	1
2 605 411 205	746	1	2 607 001 176	707	1	2 607 001 625	129	5	2 607 001 977	737	1
2 605 411 211	746	1	2 607 001 177	707	1	2 607 001 628	129	5	2 607 002 164	735	1
2 605 411 225	742	1	2 607 001 178	706	1	2 607 001 630	129	5	2 607 002 503	127	1
2 605 411 229	741	1	2 607 001 292	345	1	2 607 001 632	129	5	2 607 002 506	128	1
2 605 411 230	746	1	2 607 001 375	680	1	2 607 001 634	129	5	2 607 002 507	128	1
2 605 411 231	742	1	2 607 001 387	684	1	2 607 001 636	129	5	2 607 002 517	128	1
2 605 411 900	746	1	2 607 001 409	44, 394, 477, 693, 696	1	2 607 001 638	129	5	2 607 002 519	127	1
2 605 438 091	751	1	2 607 001 457	130	5	2 607 001 640	129	5	2 607 002 556	134	5
2 605 438 098	750	1	2 607 001 459	130	5	2 607 001 642	129	5	2 607 002 560	134	5
2 605 438 168	751	1	2 607 001 461	130	5	2 607 001 644	129	5	2 607 002 563	134	5
2 605 438 170	751	1	2 607 001 464	130	5	2 607 001 646	129	5	2 607 002 567	134	5
2 605 438 179	750	1	2 607 001 466	130	5	2 607 001 648	129	5	2 607 002 584	140	5
2 605 438 186	751	1	2 607 001 468	131	5	2 607 001 650	129	5	2 607 002 585	143	1
2 605 438 197	751	1	2 607 001 468	131	5	2 607 001 652	129	5	2 607 002 586	143	1
2 605 438 261	750	1	2 607 001 471	131	10	2 607 001 654	129	5	2 607 002 614	749	1
2 605 438 286	750	1	2 607 001 473	131	5	2 607 001 656	129	5	2 607 002 630	736	1
2 605 438 368	751	1	2 607 001 475	131	5	2 607 001 658	129	5	2 607 002 631	736	1
2 605 438 404	751	1	2 607 001 477	131	5	2 607 001 660	129	5	2 607 002 632	737	1
2 605 438 414	752	1	2 607 001 479	131	5	2 607 001 662	129	5	2 607 002 786	137	6
2 605 438 508	752	1	2 607 001 481	131	5	2 607 001 664	129	5	2 607 002 797	127	10
2 605 438 567	753	1	2 607 001 483	131	5	2 607 001 666	129	5	2 607 002 798	128	10
2 605 438 607	750	1	2 607 001 485	131	5	2 607 001 668	129	5	2 607 002 799	130	10
2 605 438 619	752	1	2 607 001 487	131	5	2 607 001 670	129	5	2 607 002 800	130	10
2 605 438 643	752	1	2 607 001 506	127	5	2 607 001 672	129	5	2 607 002 801	130	10
2 605 438 668	750	1	2 607 001 508	127	5	2 607 001 674	129	5	2 607 002 802	130	10
2 605 438 678	752	1	2 607 001 511	127	5	2 607 001 676	129	5	2 607 002 803	123	10
2 605 438 686	750, 752	1	2 607 001 515	127	5	2 607 001 716	130	5	2 607 002 804	123	10
			2 607 001 518	127	10						

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 607 002 805	123	10	2 607 018 011	395	1	2 607 990 050	44	1	2 608 000 712	735	10
2 607 002 806	123	10	2 607 018 012	395	1	2 608 000 072	674	1	2 608 000 714	669	1
2 607 002 807	123	10	2 607 018 296	151	1	2 608 000 149	675	1	2 608 000 715	672	1
2 607 002 808	123	10	2 607 018 361	25	1	2 608 000 189	673	1	2 608 000 741	662	1
2 607 002 824	18	1	2 607 018 726	25	1	2 608 000 198	675	1	2 608 000 908	395	5
2 607 002 826	18	1	2 607 018 727	26	1	2 608 000 199	675	1	2 608 005 018	680	1
2 607 010 025	695	1	2 607 018 750	60	1	2 608 000 200	676	1	2 608 005 026	677	1
2 607 010 079	394, 682	5	2 607 019 033	643, 663	1	2 608 000 202	673	1	2 608 040 289	682	1
2 607 010 333	764	1	2 607 019 051	148	1	2 608 000 204	673	1	2 608 135 020	395	1
2 607 010 515	390	10	2 607 019 052	149	1	2 608 000 211	675	1	2 608 135 021	395	1
2 607 010 516	391	10	2 607 019 159	151	1	2 608 000 213	673	1	2 608 135 022	395	1
2 607 010 526	102	1	2 607 019 322	59	1	2 608 000 328	688	1	2 608 135 023	395	1
2 607 010 527	53	1	2 607 019 323	59	1	2 608 000 331	684	1	2 608 190 016	595	1
2 607 010 529	23	1	2 607 019 578	25	1	2 608 000 332	689	1	2 608 190 017	595	1
2 607 010 530	35	1	2 607 019 880	218	1	2 608 000 333	689	1	2 608 190 038	744	1
2 607 010 531	387	1	2 607 019 904	81	1	2 608 000 334	689	1	2 608 190 039	744	1
2 607 010 532	391	1	2 607 019 923	56	1	2 608 000 335	689	1	2 608 190 048	218, 470	1
2 607 010 533	53	5	2 607 019 924	33	1	2 608 000 349	669	1	2 608 200 000	697	1
2 607 010 535	24	1	2 607 019 925	33	1	2 608 000 351	669	1	2 608 200 001	697	1
2 607 010 538	24	1	2 607 019 926	33	1	2 608 000 352	669	1	2 608 200 002	697	1
2 607 010 539	36	1	2 607 019 929	78	1	2 608 000 426	680	1	2 608 200 003	697	1
2 607 010 540	386	1	2 607 225 902	762	1	2 608 000 471	687	1	2 608 200 004	697	1
2 607 010 541	386	1	2 607 225 924	762	1	2 608 000 489	744	1	2 608 200 005	697	1
2 607 010 542	386	1	2 607 226 222	762	1	2 608 000 493	526	1	2 608 200 006	697	1
2 607 010 572	387	1	2 607 226 254	762	1	2 608 000 495	444	12	2 608 200 007	697	1
2 607 010 573	387	1	2 607 335 682	756	1	2 608 000 498	687	1	2 608 200 008	697	1
2 607 010 574	387	1	2 607 335 684	756	1	2 608 000 502	628	1	2 608 200 009	697	1
2 607 010 629	388	1	2 607 335 686	757	1	2 608 000 547	705	1	2 608 200 014	698	1
2 607 010 630	388	1	2 607 335 846	756	1	2 608 000 553	705	1	2 608 200 015	698	1
2 607 010 631	388	1	2 607 335 848	756	1	2 608 000 554	705	1	2 608 200 016	698	1
2 607 010 901	443	1	2 607 335 850	757	1	2 608 000 565	735	1	2 608 200 017	698	1
2 607 010 902	443	1	2 607 336 814	757	1	2 608 000 566	735	1	2 608 200 018	698	1
2 607 010 903	385	1	2 607 336 816	757	1	2 608 000 567	735	1	2 608 200 019	698	1
2 607 010 904	386	1	2 607 336 878	757	1	2 608 000 568	735	1	2 608 200 020	698	1
2 607 010 905	386	1	2 607 336 906	758	1	2 608 000 573	736	1	2 608 200 021	698	1
2 607 010 906	443	1	2 607 336 916	758	1	2 608 000 575	736	1	2 608 200 022	698	1
2 607 010 907	443	1	2 607 337 070	758	1	2 608 000 585	737	1	2 608 200 023	698	1
2 607 010 908	444	1	2 607 337 264	758	1	2 608 000 589	540	1	2 608 200 028	698	1
2 607 011 170	389	5	2 607 337 306	758	1	2 608 000 590	540	1	2 608 200 029	698	1
2 607 011 171	389	5	2 607 337 320	758	1	2 608 000 610	582	1	2 608 200 030	698	1
2 607 011 436	387	1	2 607 432 013	739	1	2 608 000 623	628	1	2 608 200 031	698	1
2 607 011 437	387	1	2 607 432 014	738	1	2 608 000 625	643	1	2 608 200 032	698	1
2 607 011 438	388	1	2 607 432 015	738	1	2 608 000 636	526	1	2 608 200 033	698	1
2 607 017 034	53	1	2 607 432 016	738	1	2 608 000 661	734	1	2 608 200 034	698	1
2 607 017 035	103	1	2 607 432 017	738	1	2 608 000 664	739	1	2 608 200 035	698	1
2 607 017 037	135	1	2 607 432 024	738	1	2 608 000 668	744	1	2 608 200 036	699	1
2 607 017 047	33	1	2 607 432 033	739	1	2 608 000 672	345	1	2 608 200 037	699	1
2 607 017 080	102	1	2 607 432 034	739	1	2 608 000 682	744	1	2 608 200 038	699	1
2 607 017 081	102	1	2 607 432 035	742	1	2 608 000 684	644	1	2 608 200 039	699	1
2 607 017 083	102	1	2 607 432 036	742	1	2 608 000 689	671	1	2 608 200 040	699	1
2 607 017 164	136	6	2 607 432 037	741	1	2 608 000 690	671	1	2 608 200 041	699	1
2 607 017 319	135	10	2 607 432 038	741	1	2 608 000 697	743	30	2 608 200 500	701	1
2 607 017 320	135	1	2 607 432 039	741	1	2 608 000 698	743	30	2 608 200 501	701	1
2 607 017 326	136	6	2 607 432 041	739	1	2 608 000 699	738	18	2 608 200 502	701	1
2 607 017 327	136	6	2 607 432 043	743	1	2 608 000 700	740	20	2 608 200 503	701	1
2 607 017 328	137	6	2 607 432 046	739	1	2 608 000 701	740	50	2 608 200 504	701	1
2 607 017 467	340	1	2 607 960 019	680	1	2 608 000 703	631	1	2 608 200 505	701	1
2 607 017 470	340	1	2 607 960 020	681	1	2 608 000 704	626	1	2 608 200 506	701	1
2 607 017 473	341	1	2 607 990 010	158	1	2 608 000 706	745	1	2 608 200 507	701	1
2 607 017 476	342	1	2 607 990 014	637	1	2 608 000 709	740	10	2 608 200 511	700	1
2 607 017 499	671	1	2 607 990 017	637	1	2 608 000 710	626	1	2 608 200 512	700	1
2 607 017 500	672	1	2 607 990 019	638	1	2 608 000 711	740	50	2 608 200 513	700	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 200 514	700	1	2 608 522 343	123	5	2 608 550 071	138	5	2 608 570 137	664	1
2 608 200 515	700	1	2 608 522 344	123	5	2 608 550 072	138	5	2 608 570 138	664	1
2 608 200 516	700	1	2 608 522 345	124	5	2 608 550 073	138	5	2 608 570 139	664	1
2 608 200 517	700	1	2 608 522 346	123	5	2 608 550 074	85	1	2 608 570 140	664	1
2 608 200 518	700	1	2 608 522 347	124	5	2 608 550 075	85	1	2 608 570 141	664	1
2 608 200 528	701	1	2 608 522 348	123	5	2 608 550 076	85	1	2 608 571 056	627	1
2 608 200 529	701	1	2 608 522 349	123	5	2 608 550 077	85	1	2 608 571 068	627	1
2 608 200 530	701	1	2 608 522 350	121	5	2 608 550 078	85, 226	1	2 608 572 034	632	1
2 608 200 531	701	1	2 608 522 351	125	5	2 608 550 080	138	5	2 608 572 059	626	1
2 608 200 532	701	1	2 608 522 352	125	5	2 608 550 081	138	5	2 608 572 060	632	1
2 608 200 533	701	1	2 608 522 353	125	5	2 608 550 082	138	5	2 608 572 062	632	1
2 608 200 534	701	1	2 608 522 354	142	5	2 608 550 090	138	5	2 608 572 068	632	1
2 608 200 535	701	1	2 608 522 358	124	5	2 608 550 557	138	1	2 608 572 072	632	1
2 608 200 536	701	1	2 608 522 359	124	5	2 608 550 558	138	5	2 608 572 075	632	1
2 608 200 700	702	1	2 608 522 360	124	5	2 608 550 559	138	5	2 608 572 105	632	1
2 608 200 701	702	1	2 608 522 361	124	5	2 608 550 560	138	5	2 608 572 112	626	1
2 608 200 702	702	1	2 608 522 362	115	5	2 608 550 561	138	5	2 608 572 146	626	1
2 608 200 703	702	1	2 608 522 363	115	5	2 608 550 562	138	5	2 608 572 149 ⁱ	627	1
2 608 200 704	702	1	2 608 522 364	116	5	2 608 550 563	138	5	2 608 572 150	627	1
2 608 200 705	702	1	2 608 522 365	116	6	2 608 550 564	138	5	2 608 572 210	627	1
2 608 201 228	211	1	2 608 522 366	117	6	2 608 550 605	217	1	2 608 572 212	626	1
2 608 201 231	213	1	2 608 522 378	119	5	2 608 550 606	217	1	2 608 572 213	626	1
2 608 521 108	130	5	2 608 522 382	120	5	2 608 550 607	217	1	2 608 572 227	633	1
2 608 521 109	130	5	2 608 522 400	122	5	2 608 550 608	217	1	2 608 572 257	627	1
2 608 521 113	130	1	2 608 522 401	122	5	2 608 550 609	217	1	2 608 576 286	83	1
2 608 521 114	130	5	2 608 522 402	122	5	2 608 550 610	217	1	2 608 576 287	83	1
2 608 521 115	130	5	2 608 522 403	122	5	2 608 550 611	217	1	2 608 576 288	83	1
2 608 521 116	130	5	2 608 522 468	122	5	2 608 550 612	85	1	2 608 576 289	83	1
2 608 522 068	127	5	2 608 522 469	122	5	2 608 550 613	85	1	2 608 576 290	83	1
2 608 522 069	128	5	2 608 522 470	121	5	2 608 550 614	85	1	2 608 576 293	91	1
2 608 522 129	134	12	2 608 522 471	121	5	2 608 551 078	138	5	2 608 576 294	91	1
2 608 522 186	127	25	2 608 522 472	122	5	2 608 551 079	139	10	2 608 576 296	91	1
2 608 522 187	128	25	2 608 522 473	122	5	2 608 551 096	126	1	2 608 576 297	91	1
2 608 522 271	129	25	2 608 522 474	122	5	2 608 551 097	126	1	2 608 576 298	91	1
2 608 522 308	125	1	2 608 522 475	122	5	2 608 551 098	126	1	2 608 576 299	91	1
2 608 522 316	140	1	2 608 522 476	122	5	2 608 551 099	126	1	2 608 576 300	91	1
2 608 522 317	140	1	2 608 522 477	122	5	2 608 551 100	126	1	2 608 576 301	92	1
2 608 522 318	140	1	2 608 522 478	122	5	2 608 551 101	126	1	2 608 576 669	223	1
2 608 522 319	140	1	2 608 522 479	121	5	2 608 551 102	125	1	2 608 576 779	91	1
2 608 522 320	140	5	2 608 522 480	122	5	2 608 551 107	142	5	2 608 577 000	61	1
2 608 522 321	140	5	2 608 522 481	122	5	2 608 551 108	142	5	2 608 577 001	61	1
2 608 522 322	120	5	2 608 522 482	122	5	2 608 551 109	142	5	2 608 577 002	61	1
2 608 522 323	120	5	2 608 522 483	122	5	2 608 551 110	142	5	2 608 577 003	61	1
2 608 522 324	120	5	2 608 522 484	122	5	2 608 570 008	664	1	2 608 577 004	61	1
2 608 522 325	120	5	2 608 522 485	122	5	2 608 570 047	664, 686	1	2 608 577 005	61	1
2 608 522 326	119	5	2 608 522 486	122	5	2 608 570 048	664, 686	1	2 608 577 006	61	1
2 608 522 327	120	5	2 608 522 487	122	5	2 608 570 049	664, 686	1	2 608 577 007	61	1
2 608 522 328	119	5	2 608 522 488	122	5	2 608 570 066	686	1	2 608 577 008	61	1
2 608 522 329	119	5	2 608 522 489	122	5	2 608 570 082	664	1	2 608 577 009	61	1
2 608 522 330	119	5	2 608 522 490	122	5	2 608 570 083	664	1	2 608 577 010	61	1
2 608 522 331	119	5	2 608 522 491	121	5	2 608 570 084	664	1	2 608 577 011	61	1
2 608 522 332	119	5	2 608 550 036	629	1	2 608 570 085	664	1	2 608 577 012	61	1
2 608 522 333	123	5	2 608 550 037	138	5	2 608 570 100	686	1	2 608 577 013	61	1
2 608 522 334	124	5	2 608 550 039	138	5	2 608 570 101	686	1	2 608 577 014	61	1
2 608 522 335	123	5	2 608 550 040	138	5	2 608 570 102	686	1	2 608 577 015	61	1
2 608 522 336	124	5	2 608 550 041	138	5	2 608 570 106	686	1	2 608 577 016	61	1
2 608 522 337	123	5	2 608 550 057	85, 226	1	2 608 570 107	686	1	2 608 577 017	61	1
2 608 522 338	123	5	2 608 550 064	85	1	2 608 570 108	686	1	2 608 577 018	61	1
2 608 522 339	123	5	2 608 550 065	85	1	2 608 570 133	686	1	2 608 577 019	61	1
2 608 522 340	123	5	2 608 550 068	138	1	2 608 570 134	686	1	2 608 577 020	61	1
2 608 522 341	123	5	2 608 550 069	138	5	2 608 570 135	686	1	2 608 577 021	61	1
2 608 522 342	123	5	2 608 550 070	138	5	2 608 570 136	664	1	2 608 577 022	61	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 577 045	28	5	2 608 577 186	11	1	2 608 577 248	12	1	2 608 577 315	14	1
2 608 577 047	28	5	2 608 577 187	11	1	2 608 577 249	12	1	2 608 577 316	12	1
2 608 577 048	28	5	2 608 577 188	11	1	2 608 577 250	12	1	2 608 577 317	12	1
2 608 577 049	28	5	2 608 577 189	11	1	2 608 577 251	12	1	2 608 577 318	12	1
2 608 577 050	28	5	2 608 577 190	11	1	2 608 577 252	12	1	2 608 577 319	12	1
2 608 577 051	28	5	2 608 577 191	11	1	2 608 577 253	12	1	2 608 577 320	12	1
2 608 577 052	28	5	2 608 577 192	11	1	2 608 577 254	12	1	2 608 577 321	12	1
2 608 577 054	28	5	2 608 577 193	11	1	2 608 577 255	12	1	2 608 577 322	13	1
2 608 577 055	28	5	2 608 577 194	11	1	2 608 577 256	12	1	2 608 577 323	13	1
2 608 577 056	28	5	2 608 577 195	11	1	2 608 577 257	12	1	2 608 577 324	13	1
2 608 577 057	28	5	2 608 577 196	11	1	2 608 577 258	12	1	2 608 577 325	13	1
2 608 577 058	28	5	2 608 577 197	11	1	2 608 577 259	12	1	2 608 577 326	13	1
2 608 577 059	28	5	2 608 577 198	11	1	2 608 577 260	12	1	2 608 577 327	13	1
2 608 577 060	29	5	2 608 577 199	11	1	2 608 577 261	12	1	2 608 577 328	13	1
2 608 577 061	29	5	2 608 577 200	11	1	2 608 577 262	12	1	2 608 577 329	13	1
2 608 577 062	29	5	2 608 577 201	11	1	2 608 577 263	12	1	2 608 577 330	13	1
2 608 577 063	29	5	2 608 577 202	11	1	2 608 577 264	12	1	2 608 577 331	13	1
2 608 577 064	29	5	2 608 577 203	11	1	2 608 577 265	12	1	2 608 577 332	13	1
2 608 577 065	29	5	2 608 577 204	11	1	2 608 577 266	12	1	2 608 577 333	13	1
2 608 577 128	29	5	2 608 577 205	11	1	2 608 577 267	12	1	2 608 577 334	13	1
2 608 577 129	29	5	2 608 577 206	11	1	2 608 577 268	12	1	2 608 577 335	13	1
2 608 577 139	29	5	2 608 577 207	11	1	2 608 577 270	13	1	2 608 577 336	13	1
2 608 577 140	29	5	2 608 577 208	11	1	2 608 577 273	13	1	2 608 577 337	13	1
2 608 577 141	106	1	2 608 577 209	11	1	2 608 577 274	13	1	2 608 577 338	13	1
2 608 577 144	124	5	2 608 577 210	11	1	2 608 577 275	13	1	2 608 577 339	13	1
2 608 577 146	30	6	2 608 577 211	11	1	2 608 577 276	13	1	2 608 577 340	13	1
2 608 577 147	118	6	2 608 577 212	11	1	2 608 577 277	13	1	2 608 577 341	13	1
2 608 577 148	117	6	2 608 577 213	11	1	2 608 577 278	13	1	2 608 577 342	13	1
2 608 577 149	29	5	2 608 577 214	11	1	2 608 577 279	13	1	2 608 577 343	13	1
2 608 577 153	10	5	2 608 577 215	11	1	2 608 577 280	13	1	2 608 577 344	13	1
2 608 577 154	10	5	2 608 577 216	11	1	2 608 577 281	13	1	2 608 577 345	14	1
2 608 577 155	10	5	2 608 577 217	11	1	2 608 577 282	13	1	2 608 577 346	15	1
2 608 577 156	10	5	2 608 577 218	11	1	2 608 577 283	13	1	2 608 577 347	15	1
2 608 577 157	10	5	2 608 577 219	12	1	2 608 577 284	13	1	2 608 577 348	15	1
2 608 577 158	10	5	2 608 577 220	12	1	2 608 577 286	13	1	2 608 577 349	15	1
2 608 577 159	10	5	2 608 577 221	12	1	2 608 577 287	13	1	2 608 577 350	16	1
2 608 577 160	10	5	2 608 577 222	12	1	2 608 577 288	13	1	2 608 577 351	16	1
2 608 577 161	10	5	2 608 577 223	12	1	2 608 577 289	13	1	2 608 577 352	16	1
2 608 577 162	10	5	2 608 577 224	12	1	2 608 577 290	13	1	2 608 577 517	17	5
2 608 577 163	10	5	2 608 577 225	12	1	2 608 577 291	13	1	2 608 577 518	17	5
2 608 577 164	10	5	2 608 577 226	12	1	2 608 577 292	13	1	2 608 577 519	17	5
2 608 577 165	11	5	2 608 577 227	12	1	2 608 577 293	13	1	2 608 577 520	17	5
2 608 577 166	11	5	2 608 577 228	12	1	2 608 577 294	13	1	2 608 577 521	17	5
2 608 577 167	11	5	2 608 577 229	12	1	2 608 577 295	13	1	2 608 577 522	17	5
2 608 577 168	11	5	2 608 577 230	12	1	2 608 577 296	13	1	2 608 577 523	17	5
2 608 577 169	11	5	2 608 577 231	12	1	2 608 577 298	13	1	2 608 577 524	17	5
2 608 577 170	11	5	2 608 577 232	12	1	2 608 577 299	14	5	2 608 577 525	17	5
2 608 577 171	11	5	2 608 577 233	12	1	2 608 577 300	14	5	2 608 577 526	17	5
2 608 577 172	11	5	2 608 577 234	12	1	2 608 577 301	14	5	2 608 577 527	17	5
2 608 577 173	11	5	2 608 577 235	12	1	2 608 577 302	14	1	2 608 577 528	17	5
2 608 577 174	11	5	2 608 577 236	12	1	2 608 577 303	14	1	2 608 577 529	17	5
2 608 577 175	11	5	2 608 577 237	12	1	2 608 577 304	14	1	2 608 577 530	17	5
2 608 577 176	11	5	2 608 577 238	12	1	2 608 577 305	14	1	2 608 577 531	17	5
2 608 577 177	11	5	2 608 577 239	12	1	2 608 577 306	14	1	2 608 577 532	17	5
2 608 577 178	11	1	2 608 577 240	12	1	2 608 577 307	14	1	2 608 577 533	17	5
2 608 577 179	11	1	2 608 577 241	12	1	2 608 577 308	14	1	2 608 577 534	17	5
2 608 577 180	11	1	2 608 577 242	12	1	2 608 577 309	14	1	2 608 577 535	17	5
2 608 577 181	11	1	2 608 577 243	12	1	2 608 577 310	14	1	2 608 577 536	17	5
2 608 577 182	11	1	2 608 577 244	12	1	2 608 577 311	14	1	2 608 577 537	17	5
2 608 577 183	11	1	2 608 577 245	12	1	2 608 577 312	14	1	2 608 577 538	17	5
2 608 577 184	11	1	2 608 577 246	12	1	2 608 577 313	14	1	2 608 577 539	17	5
2 608 577 185	11	1	2 608 577 247	12	1	2 608 577 314	14	1	2 608 577 540	17	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 577 541	17	1	2 608 580 411	479	1	2 608 584 108	478	1	2 608 584 800	467	1
2 608 577 542	17	1	2 608 580 412	479	1	2 608 584 109	478	1	2 608 584 801	467	1
2 608 577 543	17	1	2 608 580 413	479	1	2 608 584 110	478	1	2 608 584 802	467	1
2 608 577 544	17	1	2 608 580 414	479	1	2 608 584 111	478	1	2 608 584 803	467	1
2 608 577 545	17	1	2 608 580 415	479	1	2 608 584 112	478	1	2 608 584 804	468	1
2 608 577 546	17	1	2 608 580 416	479	1	2 608 584 113	478	1	2 608 584 805	468	1
2 608 577 547	17	1	2 608 580 417	479	1	2 608 584 114	478	1	2 608 584 806	468	1
2 608 577 548	17	1	2 608 580 418	479	1	2 608 584 115	478	1	2 608 584 807	468	1
2 608 577 549	17	1	2 608 580 419	479	1	2 608 584 116	478	1	2 608 584 808	468	1
2 608 578 738	81	1	2 608 580 420	479	1	2 608 584 117	478	1	2 608 584 809	468	1
2 608 578 765	82	1	2 608 580 421	479	1	2 608 584 118	478	1	2 608 584 810	468	1
2 608 578 962	83	1	2 608 580 422	479	1	2 608 584 119	478	1	2 608 584 811	468	1
2 608 578 963	83	1	2 608 580 423	479	1	2 608 584 120	478	1	2 608 584 816	468	5
2 608 578 964	83	1	2 608 580 424	479	1	2 608 584 121	478	1	2 608 584 838	478	1
2 608 578 965	91	1	2 608 580 425	479	1	2 608 584 122	478	1	2 608 584 839	478	1
2 608 579 291	83	1	2 608 580 426	479	1	2 608 584 123	478	1	2 608 584 840	478	1
2 608 579 292	83	1	2 608 580 427	479	1	2 608 584 124	478	1	2 608 584 841	479	1
2 608 579 293	83	1	2 608 580 428	479	1	2 608 584 125	478	1	2 608 584 842	479	1
2 608 579 294	83	1	2 608 580 429	479	1	2 608 584 126	478	1	2 608 584 843	475, 481	5
2 608 579 295	83	1	2 608 580 430	479	1	2 608 584 127	478	1	2 608 584 846	478	1
2 608 579 296	91	1	2 608 580 431	479	1	2 608 584 128	478	1	2 608 584 847	478	1
2 608 579 297	91	1	2 608 580 432	479	1	2 608 584 129	478	1	2 608 584 848	478	1
2 608 579 298	91	1	2 608 580 433	479	1	2 608 584 130	478	1	2 608 584 849	478	1
2 608 579 299	91	1	2 608 580 434	479	1	2 608 584 131	478	1	2 608 584 850	478	1
2 608 580 301	217, 469	1	2 608 580 435	479	1	2 608 584 132	478	1	2 608 584 851	478	1
2 608 580 302	217, 469	1	2 608 580 436	479	1	2 608 584 133	478	1	2 608 584 852	478	1
2 608 580 303	217, 469	1	2 608 580 437	479	1	2 608 584 134	478	1	2 608 584 854	468	1
2 608 580 304	217, 469	1	2 608 580 438	479	1	2 608 584 135	478	1	2 608 584 855	468	1
2 608 580 305	217, 469	1	2 608 580 439	479	1	2 608 584 136	478	1	2 608 585 225	101	1
2 608 580 306	217, 469	1	2 608 580 440	479	1	2 608 584 137	478	1	2 608 585 433	21	1
2 608 580 307	217, 469	1	2 608 580 441	479	1	2 608 584 138	478	1	2 608 585 434	21	1
2 608 580 308	217, 469	1	2 608 580 442	479	1	2 608 584 140	478	1	2 608 585 435	21	1
2 608 580 309	217, 469	1	2 608 580 443	479	1	2 608 584 141	478	1	2 608 585 436	21	1
2 608 580 310	217, 469	1	2 608 580 444	479	1	2 608 584 142	478	1	2 608 585 437	21	1
2 608 580 311	217, 469	1	2 608 580 445	480	1	2 608 584 143	478	1	2 608 585 438	21	1
2 608 580 312	217, 469	1	2 608 580 446	480	1	2 608 584 144	478	1	2 608 585 439	21	1
2 608 580 313	217, 469	1	2 608 580 447	480	1	2 608 584 145	478	1	2 608 585 440	21	1
2 608 580 314	217, 469	1	2 608 580 448	480	1	2 608 584 147	478	1	2 608 585 441	21	1
2 608 580 315	217, 469	1	2 608 580 518	95	1	2 608 584 682	476	1	2 608 585 442	21	1
2 608 580 316	217, 469	1	2 608 580 519	95	1	2 608 584 777	226, 475, 481	1	2 608 585 443	21	1
2 608 580 317	217, 469	1	2 608 580 520	95	1	2 608 584 778	467	1	2 608 585 444	21	1
2 608 580 318	217, 469	1	2 608 580 522	95	1	2 608 584 779	467	1	2 608 585 445	21	1
2 608 580 319	217, 470	1	2 608 580 523	95	1	2 608 584 780	467	1	2 608 585 446	21	1
2 608 580 320	218, 470	1	2 608 580 524	95	1	2 608 584 781	467	1	2 608 585 447	21	1
2 608 580 321	218, 470	1	2 608 580 525	95	1	2 608 584 782	467	1	2 608 585 448	21	1
2 608 580 327	219, 470	1	2 608 580 526	95	1	2 608 584 783	467	1	2 608 585 449	21	1
2 608 580 394	217, 469	1	2 608 580 527	96	1	2 608 584 784	467	1	2 608 585 450	21	1
2 608 580 396	479	1	2 608 580 528	96	1	2 608 584 785	467	1	2 608 585 451	21	1
2 608 580 397	479	1	2 608 580 529	470, 474, 475	1	2 608 584 786	467	1	2 608 585 452	21	1
2 608 580 398	479	1	2 608 580 803	480	1	2 608 584 787	467	1	2 608 585 453	22	1
2 608 580 399	479	1	2 608 580 804	480	1	2 608 584 788	467	1	2 608 585 454	22	1
2 608 580 400	479	1	2 608 580 883	464	1	2 608 584 789	467	1	2 608 585 455	22	1
2 608 580 401	479	1	2 608 580 884	462	1	2 608 584 790	467	1	2 608 585 456	22	1
2 608 580 402	479	1	2 608 584 063	484	1	2 608 584 791	467	1	2 608 585 457	23	1
2 608 580 403	479	1	2 608 584 100	478	1	2 608 584 792	467	1	2 608 585 458	23	1
2 608 580 404	479	1	2 608 584 101	478	1	2 608 584 793	467	1	2 608 585 459	23	1
2 608 580 405	479	1	2 608 584 102	478	1	2 608 584 794	467	1	2 608 585 460	23	1
2 608 580 406	479	1	2 608 584 103	478	1	2 608 584 795	467	1	2 608 585 461	23	1
2 608 580 407	479	1	2 608 584 104	478	1	2 608 584 796	467	1	2 608 585 462	23	1
2 608 580 408	479	1	2 608 584 105	478	1	2 608 584 797	467	1	2 608 585 463	23	1
2 608 580 409	479	1	2 608 584 106	478	1	2 608 584 798	467	1	2 608 585 464	23	1
2 608 580 410	479	1	2 608 584 107	478	1	2 608 584 799	467	1	2 608 585 465	23	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 585 466	23	1	2 608 585 529	22	1	2 608 585 741	54	1	2 608 585 908	19	5
2 608 585 467	20	1	2 608 585 530	22	1	2 608 585 742	54	1	2 608 585 909	19	5
2 608 585 468	20	1	2 608 585 531	22	1	2 608 585 743	62	1	2 608 585 911	19	5
2 608 585 469	20	1	2 608 585 532	22	1	2 608 585 744	62	1	2 608 585 912	19	5
2 608 585 470	20	1	2 608 585 533	22	1	2 608 585 745	62	1	2 608 585 913	19	5
2 608 585 471	20	1	2 608 585 534	22	1	2 608 585 746	62	1	2 608 585 914	19	5
2 608 585 472	20	1	2 608 585 535	22	1	2 608 585 747	62	1	2 608 585 916	19	5
2 608 585 473	20	1	2 608 585 536	22	1	2 608 585 748	62	1	2 608 585 918	20	5
2 608 585 475	20	1	2 608 585 537	22	1	2 608 585 749	62	1	2 608 585 920	20	5
2 608 585 476	20	1	2 608 585 538	22	1	2 608 585 838	31	5	2 608 585 921	20	5
2 608 585 477	20	1	2 608 585 539	22	1	2 608 585 839	31	5	2 608 585 922	20	5
2 608 585 478	20	1	2 608 585 540	22	1	2 608 585 840	31	5	2 608 585 924	20	5
2 608 585 479	20	1	2 608 585 541	22	1	2 608 585 841	31	5	2 608 585 925	20	5
2 608 585 480	20	1	2 608 585 542	22	1	2 608 585 842	31	5	2 608 585 926	20	5
2 608 585 481	20	1	2 608 585 543	22	1	2 608 585 843	31	5	2 608 585 927	20	5
2 608 585 482	20	1	2 608 585 544	22	1	2 608 585 844	31	5	2 608 585 928	20	5
2 608 585 483	20	1	2 608 585 545	22	1	2 608 585 845	31	5	2 608 585 929	20	5
2 608 585 484	20	1	2 608 585 593	23	1	2 608 585 846	31	5	2 608 585 930	20	5
2 608 585 485	20	1	2 608 585 594	23	1	2 608 585 847	31	5	2 608 585 932	20	5
2 608 585 486	20	1	2 608 585 595	23	1	2 608 585 848	32	5	2 608 585 933	20	5
2 608 585 487	20	1	2 608 585 596	78	1	2 608 585 849	32	5	2 608 585 934	20	5
2 608 585 488	21	1	2 608 585 605	78	1	2 608 585 850	32	5	2 608 585 935	20	5
2 608 585 489	21	1	2 608 585 615	78	1	2 608 585 851	32	5	2 608 585 936	20	5
2 608 585 490	21	1	2 608 585 634	101	1	2 608 585 852	32	1	2 608 585 937	20	5
2 608 585 491	21	1	2 608 585 694	57	1	2 608 585 853	32	1	2 608 585 938	20	5
2 608 585 492	21	1	2 608 585 695	57	1	2 608 585 854	32	1	2 608 585 939	20	5
2 608 585 493	21	1	2 608 585 696	57	1	2 608 585 855	32	1	2 608 585 940	20	5
2 608 585 494	21	1	2 608 585 697	57	1	2 608 585 856	32	1	2 608 585 941	20	5
2 608 585 495	21	1	2 608 585 698	57	1	2 608 585 857	32	1	2 608 585 942	20	5
2 608 585 496	21	1	2 608 585 699	57	1	2 608 585 858	32	1	2 608 586 796	89	1
2 608 585 497	21	1	2 608 585 700	57	1	2 608 585 859	32	1	2 608 586 797	89	1
2 608 585 498	21	1	2 608 585 701	57	1	2 608 585 860	32	1	2 608 586 798	89	1
2 608 585 499	21	1	2 608 585 702	57	1	2 608 585 861	32	1	2 608 586 799	89	1
2 608 585 500	21	1	2 608 585 703	57	1	2 608 585 862	32	1	2 608 586 800	89	1
2 608 585 501	21	1	2 608 585 704	57	1	2 608 585 863	32	1	2 608 586 801	89	1
2 608 585 502	21	1	2 608 585 705	58	1	2 608 585 864	32	1	2 608 586 802	89	1
2 608 585 503	21	1	2 608 585 706	58	1	2 608 585 865	32	1	2 608 586 803	89	1
2 608 585 504	21	1	2 608 585 707	58	1	2 608 585 866	32	1	2 608 586 804	89	1
2 608 585 505	21	1	2 608 585 708	58	1	2 608 585 867	32	1	2 608 586 805	89	1
2 608 585 506	21	1	2 608 585 709	58	1	2 608 585 868	32	1	2 608 586 806	89	1
2 608 585 507	21	1	2 608 585 710	58	1	2 608 585 869	32	1	2 608 586 807	89	1
2 608 585 508	22	1	2 608 585 711	58	1	2 608 585 870	32	1	2 608 586 994	84	1
2 608 585 509	22	1	2 608 585 712	58	1	2 608 585 871	32	1	2 608 586 995	84	1
2 608 585 510	22	1	2 608 585 713	58	1	2 608 585 876	32	1	2 608 586 996	84	1
2 608 585 511	22	1	2 608 585 714	58	1	2 608 585 879	32	1	2 608 586 997	84	1
2 608 585 512	22	1	2 608 585 716	58	1	2 608 585 880	32	1	2 608 586 998	84	1
2 608 585 513	22	1	2 608 585 717	58	1	2 608 585 883	32	1	2 608 586 999	84	1
2 608 585 514	22	1	2 608 585 718	58	1	2 608 585 885	32	1	2 608 587 007	225	1
2 608 585 515	22	1	2 608 585 719	58	1	2 608 585 888	32	1	2 608 587 013	26	1
2 608 585 516	22	1	2 608 585 720	58	1	2 608 585 889	32	1	2 608 587 014	34	1
2 608 585 517	22	1	2 608 585 721	58	1	2 608 585 890	32	1	2 608 587 015	36	1
2 608 585 518	22	1	2 608 585 722	58	1	2 608 585 892	32	1	2 608 587 017	26	1
2 608 585 519	22	1	2 608 585 723	59	1	2 608 585 893	32	1	2 608 587 018	34	1
2 608 585 520	22	1	2 608 585 724	59	1	2 608 585 894	32	1	2 608 587 019	36	1
2 608 585 521	22	1	2 608 585 725	59	1	2 608 585 896	32	1	2 608 587 100	84	1
2 608 585 522	22	1	2 608 585 726	59	1	2 608 585 897	32	1	2 608 587 113	221	1
2 608 585 523	22	1	2 608 585 727	59	1	2 608 585 898	32	1	2 608 587 114	221	1
2 608 585 524	22	1	2 608 585 730	58	1	2 608 585 901	32	1	2 608 587 115	221	1
2 608 585 525	22	1	2 608 585 737	54	1	2 608 585 903	32	1	2 608 587 116	221	1
2 608 585 526	22	1	2 608 585 738	54	1	2 608 585 905	32	1	2 608 587 117	221	1
2 608 585 527	22	1	2 608 585 739	54	1	2 608 585 906	19	5	2 608 587 118	221	1
2 608 585 528	22	1	2 608 585 740	54	1	2 608 585 907	19	5	2 608 587 119	221	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 587 120	221	1	2 608 587 341	224	1	2 608 594 197	463	1	2 608 595 058	20	1
2 608 587 121	221	1	2 608 587 342	224	1	2 608 594 198	463	1	2 608 595 059	20	1
2 608 587 122	221	1	2 608 587 343	224	1	2 608 594 199	463	1	2 608 595 061	21	1
2 608 587 123	221	1	2 608 587 425	40	1	2 608 594 200	463	1	2 608 595 062	21	1
2 608 587 124	221	1	2 608 587 426	41	1	2 608 594 201	463	1	2 608 595 064	21	1
2 608 587 125	221	1	2 608 587 427	40	1	2 608 594 202	463	1	2 608 595 065	21	1
2 608 587 126	221	1	2 608 587 428	41	1	2 608 594 203	463	1	2 608 595 066	21	1
2 608 587 127	221	1	2 608 587 429	40	1	2 608 594 204	463	1	2 608 595 067	21	1
2 608 587 128	221	1	2 608 587 430	40	1	2 608 594 205	463	1	2 608 595 068	21	1
2 608 587 129	221	1	2 608 587 431	40	1	2 608 594 206	463	1	2 608 595 070	21	1
2 608 587 130	221	1	2 608 587 432	41	1	2 608 594 207	463	1	2 608 595 071	21	1
2 608 587 131	221	1	2 608 587 433	39	1	2 608 594 208	463	1	2 608 595 072	22	1
2 608 587 132	221	1	2 608 587 434	40	1	2 608 594 209	463	1	2 608 595 073	22	1
2 608 587 133	221	1	2 608 587 435	41	1	2 608 594 210	463	1	2 608 595 074	22	1
2 608 587 134	221	1	2 608 587 520	50	1	2 608 594 211	463	1	2 608 595 075	22	1
2 608 587 135	221	1	2 608 587 521	51	1	2 608 594 212	463	1	2 608 595 076	22	1
2 608 587 139	216	1	2 608 587 830	78	1	2 608 594 213	463	1	2 608 595 077	22	1
2 608 587 140	216	1	2 608 587 835	78	1	2 608 594 214	463	1	2 608 595 078	22	1
2 608 587 141	216	1	2 608 587 836	78	1	2 608 594 215	463	1	2 608 595 079	22	1
2 608 587 142	216	1	2 608 587 910	78	1	2 608 594 216	463	1	2 608 595 080	22	1
2 608 587 143	216	1	2 608 588 064	40	1	2 608 594 217	463	1	2 608 595 081	22	1
2 608 587 144	216	1	2 608 588 065	40	1	2 608 594 218	463	1	2 608 595 082	22	1
2 608 587 145	216	1	2 608 588 066	40	1	2 608 594 219	463	1	2 608 595 083	22	1
2 608 587 157	109	5	2 608 588 067	40	1	2 608 594 220	463	1	2 608 595 332	20	1
2 608 587 158	109	5	2 608 588 068	40	1	2 608 594 221	463	1	2 608 595 333	21	1
2 608 587 159	109	5	2 608 588 069	41	1	2 608 594 222	463	1	2 608 595 335	21	1
2 608 587 160	109	5	2 608 588 070	39	1	2 608 594 223	463	1	2 608 595 336	21	1
2 608 587 161	109	5	2 608 588 071	40	1	2 608 594 224	463	1	2 608 595 337	21	1
2 608 587 162	109	5	2 608 588 136	99	5	2 608 594 225	463	1	2 608 595 338	22	1
2 608 587 163	109	5	2 608 588 137	99	5	2 608 594 226	463	1	2 608 595 345	54	1
2 608 587 164	109	5	2 608 588 138	99	5	2 608 594 227	463	1	2 608 595 422	51	1
2 608 587 165	109	5	2 608 588 140	99	5	2 608 594 228	463	1	2 608 595 423	51	1
2 608 587 166	109	5	2 608 588 141	99	5	2 608 594 229	463	1	2 608 595 517	24	1
2 608 587 167	109	5	2 608 588 142	99	5	2 608 594 230	463	1	2 608 595 518	55	5
2 608 587 168	109	5	2 608 588 144	99	5	2 608 594 231	463	1	2 608 595 519	55	5
2 608 587 169	109	1	2 608 588 145	99	5	2 608 594 232	463	1	2 608 595 520	55	5
2 608 587 170	109	1	2 608 588 146	99	1	2 608 594 233	463	1	2 608 595 521	55	5
2 608 587 184	157	1	2 608 588 147	99	5	2 608 594 234	463	1	2 608 595 522	55	5
2 608 587 314	224	1	2 608 588 149	99	5	2 608 594 235	463	1	2 608 595 523	55	5
2 608 587 315	224	1	2 608 588 151	99	5	2 608 594 236	463	1	2 608 595 524	55	5
2 608 587 316	224	1	2 608 588 152	99	5	2 608 594 237	463	1	2 608 595 525	55	1
2 608 587 317	224	1	2 608 588 153	99	5	2 608 594 238	463	1	2 608 595 676	27	5
2 608 587 318	224	1	2 608 588 154	99	5	2 608 594 239	463	1	2 608 595 677	27	5
2 608 587 319	224	1	2 608 588 155	99	5	2 608 594 240	463	1	2 608 595 678	27	5
2 608 587 320	224	1	2 608 588 156	99	1	2 608 594 241	463	1	2 608 595 679	27	5
2 608 587 322	224	1	2 608 588 157	99	5	2 608 594 242	463	1	2 608 595 680	27	5
2 608 587 323	224	1	2 608 588 158	99	1	2 608 594 243	463	1	2 608 595 681	27	5
2 608 587 324	224	1	2 608 588 159	99	5	2 608 594 244	463	1	2 608 595 682	27	5
2 608 587 325	224	1	2 608 588 164	99	1	2 608 594 245	463	1	2 608 595 683	27	5
2 608 587 326	224	1	2 608 588 165	100	1	2 608 594 246	463	1	2 608 595 684	27	5
2 608 587 328	224	1	2 608 588 167	100	1	2 608 594 247	463	1	2 608 595 685	27	5
2 608 587 329	224	1	2 608 589 539	112	5	2 608 594 248	464	1	2 608 595 686	27	5
2 608 587 330	224	1	2 608 589 546	112	5	2 608 594 249	464	1	2 608 595 687	27	5
2 608 587 331	224	1	2 608 589 547	112	5	2 608 594 250	464	1	2 608 595 688	27	5
2 608 587 332	224	1	2 608 589 550	112	5	2 608 594 251	464	1	2 608 595 689	27	5
2 608 587 333	224	1	2 608 594 160	483	1	2 608 595 049	20	1	2 608 595 690	27	5
2 608 587 335	224	1	2 608 594 161	483	1	2 608 595 050	20	1	2 608 595 691	27	5
2 608 587 336	224	1	2 608 594 162	483	1	2 608 595 051	20	1	2 608 595 692	27	5
2 608 587 337	224	1	2 608 594 189	464	1	2 608 595 052	20	1	2 608 595 693	27	5
2 608 587 338	224	1	2 608 594 192	464	1	2 608 595 053	20	1	2 608 596 119	482	10
2 608 587 339	224	1	2 608 594 195	463	1	2 608 595 054	20	1	2 608 596 157	85	5
2 608 587 340	224	1	2 608 594 196	463	1	2 608 595 055	20	1	2 608 596 295	482	10

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 596 300	52	5	2 608 596 736	35	1	2 608 597 195	52	1	2 608 597 589	38	1
2 608 596 301	52	5	2 608 596 741	35	1	2 608 597 196	52	1	2 608 597 590	38	1
2 608 596 302	52	5	2 608 596 746	35	1	2 608 597 197	52	1	2 608 597 591	38	1
2 608 596 303	52	5	2 608 596 751	35	1	2 608 597 198	53	1	2 608 597 592	38	1
2 608 596 304	52	5	2 608 596 761	35	1	2 608 597 199	53	1	2 608 597 593	38	1
2 608 596 305	52	5	2 608 596 771	35	1	2 608 597 200	53	1	2 608 597 594	38	1
2 608 596 306	52	5	2 608 596 781	35	1	2 608 597 201	53	1	2 608 597 595	38	1
2 608 596 307	52	5	2 608 596 808	27	1	2 608 597 202	52	1	2 608 597 597	38	1
2 608 596 308	52	5	2 608 596 809	27	1	2 608 597 203	52	1	2 608 597 599	38	1
2 608 596 309	52	5	2 608 596 810	27	1	2 608 597 204	52	1	2 608 597 601	60	1
2 608 596 310	52	1	2 608 596 812	27	1	2 608 597 205	52	1	2 608 597 604	60	1
2 608 596 311	52	1	2 608 596 813	27	1	2 608 597 206	52	1	2 608 597 607	60	1
2 608 596 312	52	1	2 608 596 814	27	1	2 608 597 207	52	1	2 608 597 610	60	1
2 608 596 313	52	1	2 608 596 816	27	1	2 608 597 208	52	1	2 608 597 613	60	1
2 608 596 333	51	1	2 608 596 817	27	1	2 608 597 209	37	1	2 608 597 616	60	1
2 608 596 335	63	1	2 608 596 818	27	1	2 608 597 214	37	1	2 608 597 618	60	1
2 608 596 336	63	1	2 608 596 819	27	1	2 608 597 219	37	1	2 608 597 622	58	1
2 608 596 337	63	1	2 608 596 820	27	1	2 608 597 221	37	1	2 608 597 623	58	1
2 608 596 338	63	1	2 608 596 821	27	1	2 608 597 223	37	1	2 608 597 624	58	1
2 608 596 339	63	1	2 608 596 822	27	1	2 608 597 225	37	1	2 608 597 625	58	1
2 608 596 340	63	1	2 608 596 824	27	1	2 608 597 229	37	1	2 608 597 626	58	1
2 608 596 341	63	1	2 608 596 825	27	1	2 608 597 231	37	1	2 608 597 627	58	1
2 608 596 342	63	1	2 608 596 826	27	1	2 608 597 232	37	1	2 608 597 628	58	1
2 608 596 343	63	1	2 608 596 827	27	1	2 608 597 233	37	1	2 608 597 629	58	1
2 608 596 344	63	1	2 608 596 828	27	1	2 608 597 236	37	1	2 608 597 630	58	1
2 608 596 345	63	1	2 608 596 829	27	1	2 608 597 239	37	1	2 608 597 631	58	1
2 608 596 346	63	1	2 608 596 830	27	1	2 608 597 240	37	1	2 608 597 632	58	1
2 608 596 347	63	1	2 608 596 832	27	1	2 608 597 241	37	1	2 608 597 633	58	1
2 608 596 348	63	1	2 608 596 833	27	1	2 608 597 247	37	1	2 608 597 634	58	1
2 608 596 371	42	1	2 608 596 834	27	1	2 608 597 248	37	1	2 608 597 635	58	1
2 608 596 372	42	1	2 608 596 835	27	1	2 608 597 251	37	1	2 608 597 636	58	1
2 608 596 373	42	1	2 608 596 979	62	1	2 608 597 252	37	1	2 608 597 637	58	1
2 608 596 391	54	1	2 608 596 980	62	1	2 608 597 255	37	1	2 608 597 638	58	1
2 608 596 392	54	1	2 608 596 981	62	1	2 608 597 257	37	1	2 608 597 639	58	1
2 608 596 393	54	1	2 608 597 122	78	1	2 608 597 259	37	1	2 608 597 640	58	1
2 608 596 395	54	1	2 608 597 123	78	1	2 608 597 475	227	1	2 608 597 641	58	1
2 608 596 396	54	1	2 608 597 124	78	1	2 608 597 476	227	1	2 608 597 642	58	1
2 608 596 397	54	1	2 608 597 125	78	1	2 608 597 477	227	1	2 608 597 643	58	1
2 608 596 399	43	1	2 608 597 126	78	1	2 608 597 478	227	1	2 608 597 644	58	1
2 608 596 400	43	1	2 608 597 127	78	1	2 608 597 479	227	1	2 608 597 645	58	1
2 608 596 401	43	1	2 608 597 128	78	1	2 608 597 480	227	1	2 608 597 646	58	1
2 608 596 405	42	1	2 608 597 129	78	1	2 608 597 481	227	1	2 608 597 647	58	1
2 608 596 407	42	1	2 608 597 165	63	1	2 608 597 482	227	1	2 608 597 648	58	1
2 608 596 408	42	1	2 608 597 167	63	1	2 608 597 500	42	1	2 608 597 649	58	1
2 608 596 664	42	1	2 608 597 168	63	1	2 608 597 511	43	1	2 608 597 650	58	1
2 608 596 665	42	1	2 608 597 169	63	1	2 608 597 512	43	1	2 608 597 651	58	1
2 608 596 666	35	5	2 608 597 170	63	1	2 608 597 513	43	1	2 608 597 652	58	1
2 608 596 667	43	1	2 608 597 171	63	1	2 608 597 518	40	1	2 608 597 655	101	5
2 608 596 671	35	5	2 608 597 172	63	1	2 608 597 519	40	1	2 608 597 656	101	5
2 608 596 676	35	5	2 608 597 173	63	1	2 608 597 520	40	1	2 608 597 657	101	5
2 608 596 681	35	5	2 608 597 174	63	1	2 608 597 521	40	1	2 608 597 658	101	5
2 608 596 683	35	5	2 608 597 175	63	1	2 608 597 524	39	1	2 608 597 659	101	5
2 608 596 686	35	5	2 608 597 176	63	1	2 608 597 525	40	1	2 608 597 660	101	5
2 608 596 691	35	5	2 608 597 178	63	1	2 608 597 526	40	1	2 608 597 661	101	5
2 608 596 696	35	5	2 608 597 187	52	1	2 608 597 580	38	1	2 608 597 662	101	5
2 608 596 701	35	5	2 608 597 188	52	1	2 608 597 581	38	1	2 608 597 663	101	5
2 608 596 706	35	1	2 608 597 189	52	1	2 608 597 582	38	1	2 608 597 664	101	5
2 608 596 711	35	1	2 608 597 190	52	1	2 608 597 583	38	1	2 608 597 665	101	5
2 608 596 716	35	1	2 608 597 191	52	1	2 608 597 584	38	1	2 608 597 666	101	5
2 608 596 721	35	1	2 608 597 192	52	1	2 608 597 585	38	1	2 608 597 667	101	5
2 608 596 726	35	1	2 608 597 193	52	1	2 608 597 587	38	1	2 608 597 668	101	5
2 608 596 731	35	1	2 608 597 194	52	1	2 608 597 588	38	1	2 608 597 669	101	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 597 670	101	1	2 608 599 032	220	1	2 608 601 209	641	1	2 608 602 539	196	1
2 608 597 671	101	5	2 608 599 033	220	1	2 608 601 210	641	1	2 608 602 540	196	1
2 608 597 677	101	5	2 608 599 034	220	1	2 608 601 218	595	1	2 608 602 541	196	1
2 608 597 678	101	5	2 608 599 035	220	1	2 608 601 443	673	1	2 608 602 542	187	1
2 608 597 679	101	5	2 608 599 036	220	1	2 608 601 444	673	1	2 608 602 544	198, 204	1
2 608 597 680	101	5	2 608 599 037	222	1	2 608 601 445	673	1	2 608 602 545	198, 204	1
2 608 597 681	101	5	2 608 599 038	220	1	2 608 601 446	673	1	2 608 602 546	198, 204	1
2 608 597 682	101	5	2 608 600 004	251	25	2 608 601 447	673	1	2 608 602 553	214	1
2 608 597 683	101	5	2 608 600 005	249	25	2 608 601 448	674	1	2 608 602 586	200	1
2 608 597 684	101	5	2 608 600 017	255	25	2 608 601 513	246	50	2 608 602 587	200	1
2 608 597 685	101	5	2 608 600 029	44	1	2 608 601 514	246	25	2 608 602 597	181	1
2 608 597 686	101	5	2 608 600 091	249	25	2 608 601 520	257	1	2 608 602 598	181	1
2 608 597 688	101	1	2 608 600 215	243	25	2 608 601 573	212	1	2 608 602 599	181	1
2 608 597 689	101	1	2 608 600 218	255	10	2 608 601 575	212	1	2 608 602 600	181	1
2 608 597 690	101	1	2 608 600 220	243	25	2 608 601 607	670	1	2 608 602 601	181	1
2 608 597 691	101	1	2 608 600 221	249	25	2 608 601 705	257	1	2 608 602 602	197	1
2 608 597 692	101	1	2 608 600 222	251	25	2 608 601 711	640	1	2 608 602 603	197	1
2 608 597 693	101	1	2 608 600 223	255	10	2 608 601 712	640	1	2 608 602 604	197	1
2 608 597 694	101	1	2 608 600 226	249	25	2 608 601 713	640	1	2 608 602 605	197	1
2 608 597 704	101	1	2 608 600 227	251	25	2 608 601 714	640	1	2 608 602 615	189	1
2 608 597 705	101	5	2 608 600 228	255	10	2 608 601 715	640	1	2 608 602 616	189	1
2 608 597 706	101	1	2 608 600 315	255	10	2 608 601 716	640	1	2 608 602 617	189	1
2 608 597 709	102	1	2 608 600 316	249	25	2 608 601 720	640	1	2 608 602 618	189	1
2 608 597 716	101	1	2 608 600 317	251	25	2 608 601 721	641	1	2 608 602 619	189	1
2 608 597 719	101	1	2 608 600 318	249	25	2 608 601 722	641	1	2 608 602 620	202	1
2 608 597 720	101	1	2 608 600 320	251	25	2 608 601 723	641	1	2 608 602 621	202	1
2 608 597 773	78	5	2 608 600 321	249	25	2 608 601 724	641	1	2 608 602 622	202	1
2 608 597 898	101	5	2 608 600 323	251	25	2 608 601 762	211	1	2 608 602 623	202	1
2 608 597 899	101	5	2 608 600 324	249	25	2 608 601 763	211	1	2 608 602 624	202, 206	1
2 608 597 904	227	1	2 608 600 326	251	25	2 608 602 196	187	1	2 608 602 625	202, 206	1
2 608 597 905	227	1	2 608 600 385	251	25	2 608 602 197	187	1	2 608 602 626	202, 206	1
2 608 597 921	228	1	2 608 600 394	249	25	2 608 602 198	187	1	2 608 602 627	206	1
2 608 598 037	142	1	2 608 600 539	254	10	2 608 602 200	187	1	2 608 602 635	196	1
2 608 598 043	227	1	2 608 600 543	249	10	2 608 602 201	180	1	2 608 602 636	196	1
2 608 598 044	227	1	2 608 600 545	243	25	2 608 602 202	180	1	2 608 602 637	196	1
2 608 598 045	228	1	2 608 600 549	243	25	2 608 602 203	180	1	2 608 602 638	196	1
2 608 598 046	85	1	2 608 600 649	249	10	2 608 602 204	180	1	2 608 602 639	196	1
2 608 598 047	86	1	2 608 600 706	249	10	2 608 602 205	180	1	2 608 602 640	196	1
2 608 598 109	85, 226	1	2 608 600 710	243	25	2 608 602 217	253	10	2 608 602 641	181	1
2 608 598 110	85, 226	1	2 608 600 711	243	25	2 608 602 218	253	10	2 608 602 642	181	1
2 608 598 122	227	1	2 608 601 005	641	1	2 608 602 220	241	25	2 608 602 643	181	1
2 608 598 123	227	1	2 608 601 046	641	1	2 608 602 221	241	25	2 608 602 644	181	1
2 608 598 142	219	1	2 608 601 051	670	1	2 608 602 282	188	1	2 608 602 645	181	1
2 608 599 011	221	1	2 608 601 052	670	1	2 608 602 283	188	1	2 608 602 647	197	1
2 608 599 014	220	1	2 608 601 053	670	1	2 608 602 383	252	25	2 608 602 648	197	1
2 608 599 015	220	1	2 608 601 061	669	1	2 608 602 384	252	25	2 608 602 649	197	1
2 608 599 016	220	1	2 608 601 062	669	1	2 608 602 385	252	25	2 608 602 650	197	1
2 608 599 017	220	1	2 608 601 063	669	1	2 608 602 388	239	25	2 608 602 651	187	1
2 608 599 018	220	1	2 608 601 064	669	1	2 608 602 389	239	25	2 608 602 652	187	1
2 608 599 019	220	1	2 608 601 065	669	1	2 608 602 393	185	1	2 608 602 653	187	1
2 608 599 020	220	1	2 608 601 066	669	1	2 608 602 394	185	1	2 608 602 654	187	1
2 608 599 021	220	1	2 608 601 076	642	1	2 608 602 395	185	1	2 608 602 655	187	1
2 608 599 022	220	1	2 608 601 077	642	1	2 608 602 396	185	1	2 608 602 656	187	1
2 608 599 023	220	1	2 608 601 114	670	1	2 608 602 397	185	1	2 608 602 657	198, 204	1
2 608 599 024	220	1	2 608 601 115	670	1	2 608 602 478	180	1	2 608 602 658	198, 204	1
2 608 599 025	220	1	2 608 601 116	670	1	2 608 602 479	180	1	2 608 602 659	198, 204	1
2 608 599 026	220	1	2 608 601 117	669	1	2 608 602 488	254	10	2 608 602 660	198, 204	1
2 608 599 027	220	1	2 608 601 118	669	1	2 608 602 489	254	10	2 608 602 671	183	1
2 608 599 028	220	1	2 608 601 119	669	1	2 608 602 535	180	1	2 608 602 679	189	1
2 608 599 029	220	1	2 608 601 127	671	1	2 608 602 536	196	1	2 608 602 680	189	1
2 608 599 030	220	1	2 608 601 171	746	1	2 608 602 537	196	1	2 608 602 683	189	1
2 608 599 031	220	1	2 608 601 185	670	1	2 608 602 538	196	1	2 608 602 687	202	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 602 688	202	1	2 608 603 510	254	10	2 608 605 309	571	5	2 608 606 007	576	4
2 608 602 689	188	1	2 608 603 512	247	25	2 608 605 310	571	5	2 608 606 015	576	4
2 608 602 690	188	1	2 608 603 513	247	25	2 608 605 311	572	5	2 608 606 017	576	4
2 608 602 691	188	1	2 608 603 514	247	25	2 608 605 312	572	5	2 608 606 018	576	4
2 608 602 692	188	1	2 608 603 523	247	25	2 608 605 313	572	5	2 608 606 019	576	4
2 608 602 693	188	1	2 608 603 524	247	25	2 608 605 314	572	5	2 608 606 020	576	4
2 608 602 698	181	1	2 608 603 526	247	25	2 608 605 315	572	5	2 608 606 021	576	4
2 608 602 702	201	1	2 608 603 532	255	10	2 608 605 316	572	5	2 608 606 022	576	4
2 608 602 759	250	20	2 608 603 533	255	10	2 608 605 317	572	5	2 608 606 023	576	4
2 608 603 159	250	25	2 608 603 534	255	10	2 608 605 318	572	5	2 608 606 032	576	4
2 608 603 160	250	25	2 608 603 535	255	10	2 608 605 319	572	5	2 608 606 033	576	4
2 608 603 161	250	20	2 608 604 496	528	5	2 608 605 320	572	5	2 608 606 034	576	4
2 608 603 162	250	25	2 608 605 103	551	5	2 608 605 322	572	5	2 608 606 035	576	4
2 608 603 164	249	25	2 608 605 104	551	5	2 608 605 323	573	5	2 608 606 036	576	4
2 608 603 166	249	25	2 608 605 105	551	5	2 608 605 324	573	5	2 608 606 037	576	4
2 608 603 167	249	40	2 608 605 106	551	5	2 608 605 325	573	5	2 608 606 038	576	4
2 608 603 168	249	25	2 608 605 107	551	5	2 608 605 341	573	5	2 608 606 039	576	4
2 608 603 169	245	25	2 608 605 112	552	5	2 608 605 342	573	5	2 608 606 040	576	4
2 608 603 170	245	25	2 608 605 115	553	5	2 608 605 343	573	5	2 608 606 042	576	4
2 608 603 171	245	25	2 608 605 116	553	5	2 608 605 345	573	5	2 608 606 043	576	4
2 608 603 172	245	25	2 608 605 117	553	5	2 608 605 347	573	5	2 608 606 044	576	4
2 608 603 173	251	25	2 608 605 118	553	5	2 608 605 348	573	5	2 608 606 045	576	4
2 608 603 174	251	25	2 608 605 119	553	5	2 608 605 450	612	10	2 608 606 046	576	4
2 608 603 175	251	20	2 608 605 120	553	5	2 608 605 451	612	10	2 608 606 047	576	4
2 608 603 176	251	25	2 608 605 121	553	5	2 608 605 452	612	10	2 608 606 048	576	4
2 608 603 177	251	25	2 608 605 122	553	5	2 608 605 464	609	50	2 608 606 049	577	4
2 608 603 178	251	25	2 608 605 123	553	5	2 608 605 466	609	50	2 608 606 059	577	4
2 608 603 179	251	25	2 608 605 124	553	5	2 608 605 467	609	50	2 608 606 060	577	4
2 608 603 180	251	25	2 608 605 126	553	5	2 608 605 468	609	50	2 608 606 061	577	4
2 608 603 181	256	10	2 608 605 127	553	5	2 608 605 469	609	50	2 608 606 062	577	4
2 608 603 182	256	10	2 608 605 128	553	5	2 608 605 474	609	50	2 608 606 063	577	4
2 608 603 183	256	10	2 608 605 129	553	5	2 608 605 477	609	50	2 608 606 064	577	4
2 608 603 184	256	10	2 608 605 130	553	5	2 608 605 478	609	50	2 608 606 065	577	4
2 608 603 231	180	1	2 608 605 131	553	5	2 608 605 479	609	50	2 608 606 067	577	4
2 608 603 232	180	1	2 608 605 132	553	5	2 608 605 484	609	50	2 608 606 068	577	4
2 608 603 237	181	1	2 608 605 166	563	5	2 608 605 486	609	50	2 608 606 069	577	4
2 608 603 238	181	1	2 608 605 167	563	5	2 608 605 487	609	50	2 608 606 070	577	4
2 608 603 239	187	1	2 608 605 168	563	5	2 608 605 489	609	50	2 608 606 071	577	4
2 608 603 240	187	1	2 608 605 169	563	5	2 608 605 577	564	5	2 608 606 072	577	4
2 608 603 241	187	1	2 608 605 170	563	5	2 608 605 578	564	5	2 608 606 073	577	4
2 608 603 242	187	1	2 608 605 171	563	5	2 608 605 583	572	5	2 608 606 078	577	4
2 608 603 243	187	1	2 608 605 182	564	5	2 608 605 584	572	5	2 608 606 080	577	1
2 608 603 249	185	1	2 608 605 183	564	5	2 608 605 585	573	5	2 608 606 081	577	1
2 608 603 250	185	1	2 608 605 184	564	5	2 608 605 640	552	5	2 608 606 082	577	1
2 608 603 251	185	1	2 608 605 185	564	5	2 608 605 641	552	5	2 608 606 083	577	1
2 608 603 252	185	1	2 608 605 186	564	5	2 608 605 642	552	5	2 608 606 084	577	1
2 608 603 254	245	10	2 608 605 279	571	5	2 608 605 643	552	5	2 608 606 085	577	1
2 608 603 255	245	10	2 608 605 280	571	5	2 608 605 644	552	5	2 608 606 089	577	4
2 608 603 394	248	25	2 608 605 281	571	5	2 608 605 645	552	5	2 608 606 090	577	4
2 608 603 395	249	25	2 608 605 282	571	5	2 608 605 657	551	5	2 608 606 091	577	4
2 608 603 396	248	25	2 608 605 283	571	5	2 608 605 716	552	5	2 608 606 092	577	4
2 608 603 399	248	25	2 608 605 294	572	5	2 608 605 717	552	5	2 608 606 093	577	4
2 608 603 400	248	25	2 608 605 295	572	5	2 608 605 718	552	5	2 608 606 094	577	4
2 608 603 401	249	25	2 608 605 296	572	5	2 608 605 720	552	5	2 608 606 095	577	4
2 608 603 403	249	25	2 608 605 298	572	5	2 608 605 721	552	5	2 608 606 113	577	4
2 608 603 404	249	25	2 608 605 300	572	5	2 608 605 722	552	5	2 608 606 114	577	4
2 608 603 406	243	25	2 608 605 301	572	5	2 608 606 000	576	4	2 608 606 115	578	4
2 608 603 408	243	25	2 608 605 302	571	5	2 608 606 001	576	4	2 608 606 116	578	4
2 608 603 490	240	25	2 608 605 303	571	5	2 608 606 002	576	4	2 608 606 117	578	4
2 608 603 494	241	25	2 608 605 304	571	5	2 608 606 003	576	4	2 608 606 118	578	4
2 608 603 499	241	25	2 608 605 306	571	5	2 608 606 004	576	4	2 608 606 128	578	4
2 608 603 501	241	25	2 608 605 308	571	5	2 608 606 005	576	4	2 608 606 129	578	4

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 606 130	578	4	2 608 606 820	588	4	2 608 607 408	563	1	2 608 613 009	555	1
2 608 606 131	578	4	2 608 606 821	588	4	2 608 607 409	563	1	2 608 613 016	528	5
2 608 606 132	578	4	2 608 606 822	588	4	2 608 607 410	563	1	2 608 615 027	185	10
2 608 606 133	578	4	2 608 606 916	609	50	2 608 607 417	562	1	2 608 615 028	185	10
2 608 606 134	578	1	2 608 606 918	609	50	2 608 607 419	564	1	2 608 615 029	185	10
2 608 606 135	578	1	2 608 606 919	609	50	2 608 607 428	564	5	2 608 615 030	185	10
2 608 606 136	578	1	2 608 606 920	609	50	2 608 607 429	564	5	2 608 615 031	185	10
2 608 606 137	578	1	2 608 606 921	609	50	2 608 607 430	564	5	2 608 615 032	200	1
2 608 606 138	578	1	2 608 606 922	612	10	2 608 607 431	564	5	2 608 615 033	200	1
2 608 606 139	578	4	2 608 606 923	612	10	2 608 607 432	564	5	2 608 615 034	200	1
2 608 606 141	578	4	2 608 606 924	612	10	2 608 607 540	527, 560	5	2 608 615 035	200	1
2 608 606 142	578	4	2 608 606 929	576	4	2 608 607 632	615	5	2 608 615 036	186	10
2 608 606 143	578	4	2 608 607 246	551	5	2 608 607 633	615	5	2 608 615 037	186	10
2 608 606 144	578	4	2 608 607 247	552	5	2 608 607 639	610	10	2 608 615 038	186	10
2 608 606 145	578	4	2 608 607 248	609	50	2 608 607 772	589	1	2 608 615 039	186	10
2 608 606 146	578	4	2 608 607 249	609	50	2 608 607 773	589	1	2 608 615 040	185	1
2 608 606 161	578	4	2 608 607 251	609	50	2 608 607 774	589	1	2 608 615 041	186	1
2 608 606 162	578	4	2 608 607 254	608	50	2 608 607 775	589	1	2 608 615 042	186	1
2 608 606 163	578	4	2 608 607 255	608	50	2 608 607 776	589	1	2 608 615 043	186	1
2 608 606 164	578	4	2 608 607 256	608	50	2 608 607 787	589	1	2 608 615 044	186	1
2 608 606 165	578	4	2 608 607 258	577	4	2 608 607 788	589	1	2 608 615 045	186	1
2 608 606 203	580	4	2 608 607 259	577	1	2 608 607 789	589	1	2 608 615 046	186	1
2 608 606 204	580	4	2 608 607 260	577	4	2 608 608 263	610	10	2 608 615 047	186	1
2 608 606 205	580	4	2 608 607 261	577	1	2 608 608 264	610	10	2 608 615 048	186	1
2 608 606 206	578	4	2 608 607 262	578	4	2 608 608 265	610	10	2 608 615 057	185	1
2 608 606 207	578	4	2 608 607 263	578	1	2 608 608 267	611	10	2 608 615 058	185	1
2 608 606 208	578	4	2 608 607 319	612	10	2 608 608 268	611	10	2 608 615 059	185	1
2 608 606 209	578	4	2 608 607 320	612	10	2 608 608 269	611	10	2 608 615 060	185	1
2 608 606 211	578	4	2 608 607 322	613	10	2 608 608 276	611	10	2 608 615 061	185	1
2 608 606 217	580	4	2 608 607 323	613	10	2 608 608 586	595	1	2 608 615 062	185	1
2 608 606 218	580	4	2 608 607 324	613	10	2 608 608 C05	586	25	2 608 615 063	185	1
2 608 606 219	580	4	2 608 607 325	613	10	2 608 608 C06	586	25	2 608 615 064	185	1
2 608 606 220	579	4	2 608 607 326	613	10	2 608 608 C07	586	25	2 608 615 065	185	1
2 608 606 221	579	4	2 608 607 327	613	10	2 608 608 C08	586	25	2 608 615 066	185	1
2 608 606 222	579	4	2 608 607 328	613	10	2 608 608 C09	586	25	2 608 615 067	185	1
2 608 606 223	579	4	2 608 607 334	613	10	2 608 608 C10	586	25	2 608 615 068	200	1
2 608 606 716	613	10	2 608 607 335	613	10	2 608 608 C11	586	25	2 608 615 070	200	1
2 608 606 717	613	10	2 608 607 336	613	10	2 608 608 C12	586	25	2 608 615 071	200	1
2 608 606 718	613	10	2 608 607 337	613	10	2 608 608 C13	586	25	2 608 615 074	200	1
2 608 606 727	608	50	2 608 607 338	613	10	2 608 608 C14	586	25	2 608 615 131	179	1
2 608 606 728	608	50	2 608 607 339	613	10	2 608 608 C15	586	25	2 608 615 132	179	1
2 608 606 729	608	50	2 608 607 340	613	10	2 608 608 C16	586	25	2 608 615 136	180	1
2 608 606 730	608	50	2 608 607 342	613	10	2 608 608 C29	590	1	2 608 615 137	180	1
2 608 606 731	608	50	2 608 607 343	613	10	2 608 608 C30	590	1	2 608 615 138	180	1
2 608 606 733	608	50	2 608 607 344	613	10	2 608 608 C31	590	1	2 608 615 165	184	1
2 608 606 734	608	50	2 608 607 346	613	10	2 608 608 C32	590	1	2 608 615 166	184	1
2 608 606 735	608	50	2 608 607 347	613	10	2 608 608 C33	590	1	2 608 619 153	607	50
2 608 606 736	608	50	2 608 607 349	614	10	2 608 608 C35	590	1	2 608 619 154	607	50
2 608 606 737	612	10	2 608 607 350	614	10	2 608 608 C37	590	1	2 608 619 155	607	50
2 608 606 738	612	10	2 608 607 351	614	10	2 608 608 C38	590	1	2 608 619 156	607	50
2 608 606 740	608	50	2 608 607 352	614	10	2 608 608 C39	590	1	2 608 619 157	607	50
2 608 606 742	608	50	2 608 607 353	614	10	2 608 608 279	582	1	2 608 619 158	607	50
2 608 606 743	608	50	2 608 607 354	614	10	2 608 608 280	582	1	2 608 619 159	607	50
2 608 606 744	608	50	2 608 607 355	614	10	2 608 608 281	582	1	2 608 619 160	607	50
2 608 606 745	608	50	2 608 607 356	614	10	2 608 608 282	582	1	2 608 619 161	607	50
2 608 606 752	613	10	2 608 607 361	614	10	2 608 608 283	582	1	2 608 619 162	607	50
2 608 606 753	613	10	2 608 607 362	614	10	2 608 610 001	556	1	2 608 619 163	607	50
2 608 606 754	613	10	2 608 607 365	614	10	2 608 612 023	622	1	2 608 619 164	607	50
2 608 606 802	588	4	2 608 607 366	614	10	2 608 612 025	622	1	2 608 619 165	608	50
2 608 606 817	588	4	2 608 607 367	614	10	2 608 612 026	556, 622	1	2 608 619 166	608	50
2 608 606 818	588	4	2 608 607 368	614	10	2 608 612 027	622	1	2 608 619 167	608	50
2 608 606 819	588	4	2 608 607 407	563	1	2 608 613 005	555	1	2 608 619 168	608	50

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 619 169	608	50	2 608 620 727	261	1	2 608 621 690	527, 560	5	2 608 622 061	267	1
2 608 619 170	608	50	2 608 620 728	263	1	2 608 621 779	603	5	2 608 622 098	265	1
2 608 619 171	608	50	2 608 620 729	263	1	2 608 621 780	603	5	2 608 622 099	265	1
2 608 619 172	608	50	2 608 620 730	264	1	2 608 621 781	603	5	2 608 622 100	265	1
2 608 619 173	608	50	2 608 620 731	262	1	2 608 621 782	603	5	2 608 622 101	266	1
2 608 619 174	608	50	2 608 620 732	262	1	2 608 621 783	603	5	2 608 622 102	267	1
2 608 619 175	608	50	2 608 620 733	263	1	2 608 621 784	604	5	2 608 622 103	267	1
2 608 619 176	608	50	2 608 621 274	566	1	2 608 621 788	604	1	2 608 622 104	266	1
2 608 619 177	606	50	2 608 621 276	566	1	2 608 621 789	604	1	2 608 622 105	266	1
2 608 619 178	606	50	2 608 621 457	589	1	2 608 621 790	604	1	2 608 622 106	267	1
2 608 619 179	606	50	2 608 621 464	589	1	2 608 621 791	604	1	2 608 622 107	267	1
2 608 619 180	606	50	2 608 621 465	589	1	2 608 621 792	604	1	2 608 622 108	268	1
2 608 619 181	606	50	2 608 621 466	589	1	2 608 621 793	604	1	2 608 622 109	267	1
2 608 619 182	606	50	2 608 621 467	589	1	2 608 621 794	604	1	2 608 622 110	270	1
2 608 619 183	606	50	2 608 621 469	589	1	2 608 621 795	604	1	2 608 622 112	270	1
2 608 619 184	606	50	2 608 621 471	589	1	2 608 621 796	604	1	2 608 622 113	269	1
2 608 619 185	606	50	2 608 621 472	589	1	2 608 621 797	605	1	2 608 622 114	270	1
2 608 619 186	606	50	2 608 621 473	589	1	2 608 621 798	605	1	2 608 622 115	270	1
2 608 619 187	606	50	2 608 621 474	589	1	2 608 621 799	605	1	2 608 622 116	270	1
2 608 619 188	606	50	2 608 621 475	589	1	2 608 621 804	600	5	2 608 622 117	271	1
2 608 619 197	611	10	2 608 621 476	589	1	2 608 621 805	600	5	2 608 622 118	271	1
2 608 619 198	611	10	2 608 621 478	589	1	2 608 621 806	600	5	2 608 622 121	271	1
2 608 619 199	611	10	2 608 621 480	589	1	2 608 621 807	600	5	2 608 622 124	271	1
2 608 619 200	611	10	2 608 621 481	589	1	2 608 621 808	600	5	2 608 622 125	271	1
2 608 619 201	611	10	2 608 621 482	589	1	2 608 621 809	601	5	2 608 622 126	272	1
2 608 619 202	611	10	2 608 621 483	589	1	2 608 621 810	601	5	2 608 622 127	272	1
2 608 619 203	611	10	2 608 621 484	589	1	2 608 621 811	601	5	2 608 622 128	271	1
2 608 619 204	611	10	2 608 621 485	589	1	2 608 621 816	601	1	2 608 622 129	271	1
2 608 619 205	612	10	2 608 621 487	589	1	2 608 621 817	601	1	2 608 622 130	273	1
2 608 619 206	612	10	2 608 621 489	589	1	2 608 621 818	601	1	2 608 628 411	330	1
2 608 619 207	612	10	2 608 621 490	589	1	2 608 621 819	601	1	2 608 628 412	330	1
2 608 619 208	612	10	2 608 621 591	585	50	2 608 621 820	601	1	2 608 628 413	330	1
2 608 619 209	612	10	2 608 621 592	585	50	2 608 621 821	601	1	2 608 628 414	330	1
2 608 619 210	612	10	2 608 621 593	585	50	2 608 621 822	601	1	2 608 628 415	338	1
2 608 619 211	612	10	2 608 621 594	585	50	2 608 621 823	601	1	2 608 628 416	335	1
2 608 619 212	612	10	2 608 621 595	585	50	2 608 621 824	601	1	2 608 628 417	332	1
2 608 619 252	248	25	2 608 621 596	585	50	2 608 621 825	601	1	2 608 628 418	337	1
2 608 619 253	248	25	2 608 621 597	585	50	2 608 621 826	601	1	2 608 628 419	336	1
2 608 619 254	248	25	2 608 621 604	607	50	2 608 621 827	601	1	2 608 628 420	333	1
2 608 619 255	248	25	2 608 621 605	607	50	2 608 621 828	602	1	2 608 628 421	334	1
2 608 619 256	248	25	2 608 621 606	607	50	2 608 621 829	602	1	2 608 628 422	334	1
2 608 619 257	248	25	2 608 621 607	607	50	2 608 621 830	602	1	2 608 628 423	334	1
2 608 619 258	255	10	2 608 621 608	607	50	2 608 621 831	602	1	2 608 628 424	336	1
2 608 619 259	255	10	2 608 621 609	607	50	2 608 621 832	614	5	2 608 628 425	337	1
2 608 619 260	242	25	2 608 621 610	607	50	2 608 621 833	615	5	2 608 628 427	330	1
2 608 619 261	244	25	2 608 621 611	607	50	2 608 622 006	269	1	2 608 628 428	330	1
2 608 619 262	244	25	2 608 621 612	607	50	2 608 622 007	270	1	2 608 628 429	330	1
2 608 619 263	242	25	2 608 621 613	607	50	2 608 622 008	272	1	2 608 628 630	338	1
2 608 619 264	242	25	2 608 621 614	607	50	2 608 622 009	272	1	2 608 628 631	338	1
2 608 619 265	242	25	2 608 621 615	607	50	2 608 622 010	265	1	2 608 628 632	337	1
2 608 619 266	244	10	2 608 621 616	607	50	2 608 622 011	266	1	2 608 628 633	337	1
2 608 619 267	244	10	2 608 621 617	607	50	2 608 622 022	269	1	2 608 628 634	337	1
2 608 619 268	252	25	2 608 621 618	607	50	2 608 622 050	269	1	2 608 628 635	331	1
2 608 619 269	252	25	2 608 621 619	607	50	2 608 622 051	273	1	2 608 628 636	331	1
2 608 619 270	252	25	2 608 621 620	607	50	2 608 622 052	273	1	2 608 628 637	331	1
2 608 620 012	274	1	2 608 621 621	607	50	2 608 622 054	272	1	2 608 630 014	365	10
2 608 620 014	274	1	2 608 621 684	527, 560	5	2 608 622 055	273	1	2 608 630 030	365	10
2 608 620 034	621	1	2 608 621 685	527, 560	5	2 608 622 056	273	1	2 608 630 031	364	10
2 608 620 038	621	1	2 608 621 686	527, 560	5	2 608 622 057	266	1	2 608 630 032	365	10
2 608 620 203	690	1	2 608 621 687	527, 560	5	2 608 622 058	266	1	2 608 630 033	366	10
2 608 620 725	262	1	2 608 621 688	527, 560	5	2 608 622 059	265	1	2 608 630 037	366	10
2 608 620 726	261	1	2 608 621 689	527, 560	5	2 608 622 060	266	1	2 608 630 040	365	10

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 630 058	366	10	2 608 634 234	358	10	2 608 637 879	366	1	2 608 640 612	311	1
2 608 630 310	366	10	2 608 634 235	358	10	2 608 637 880	365	1	2 608 640 613	311	1
2 608 630 557	365	10	2 608 634 237	369	10	2 608 637 881	366	1	2 608 640 614	311	1
2 608 630 558	365	10	2 608 634 241	370	10	2 608 637 944	366	10	2 608 640 615	311	1
2 608 630 559	364	10	2 608 634 242	370	10	2 608 638 382	372	1	2 608 640 616	311	1
2 608 630 560	365	10	2 608 634 243	359	10	2 608 638 470	371	1	2 608 640 617	311	1
2 608 630 565	382	10	2 608 634 486	374	1	2 608 638 471	371	1	2 608 640 618	311	1
2 608 630 566	383	10	2 608 634 503	370	10	2 608 638 472	368	10	2 608 640 620	311	1
2 608 630 568	382	10	2 608 634 505	370	10	2 608 638 473	368	10	2 608 640 621	312	1
2 608 630 808	366	10	2 608 634 567	358	10	2 608 638 474	368	1	2 608 640 622	312	1
2 608 630 878	366	10	2 608 634 694	370	10	2 608 638 700	368	1	2 608 640 623	312	1
2 608 630 879	366	10	2 608 634 897	358	10	2 608 639 013	693	1	2 608 640 627	312	1
2 608 631 010	377	10	2 608 634 988	358	1	2 608 639 021	694	1	2 608 640 628	312	1
2 608 631 012	370	10	2 608 634 989	358	1	2 608 639 022	693	1	2 608 640 629	312	1
2 608 631 013	371	10	2 608 634 990	358	1	2 608 639 026	694	1	2 608 640 630	319	1
2 608 631 014	371	10	2 608 634 991	370	1	2 608 639 027	693	1	2 608 640 632	319	1
2 608 631 017	371	10	2 608 634 992	370	1	2 608 639 028	694	1	2 608 640 633	319	1
2 608 631 030	371	10	2 608 634 993	374	10	2 608 639 900	694	1	2 608 640 634	319	1
2 608 631 032	370	10	2 608 634 994	374	10	2 608 639 902	694	1	2 608 640 635	319	1
2 608 631 319	371	10	2 608 634 995	374	1	2 608 640 430	312	1	2 608 640 636	319	1
2 608 631 404	371	10	2 608 635 126	696	1	2 608 640 431	312	1	2 608 640 641	312	1
2 608 631 507	371	10	2 608 635 177	381	5	2 608 640 432	312	1	2 608 640 642	312	1
2 608 631 508	371	10	2 608 635 187	381	5	2 608 640 433	312	1	2 608 640 643	312	1
2 608 631 511	384	10	2 608 635 243	696	1	2 608 640 434	312	1	2 608 640 644	312	1
2 608 631 512	384	10	2 608 635 350	345	5	2 608 640 435	312	1	2 608 640 645	312	1
2 608 631 670	377	10	2 608 635 521	439	5	2 608 640 436	312	1	2 608 640 651	313	1
2 608 631 671	371	10	2 608 635 527	438	5	2 608 640 437	312	1	2 608 640 660	313	1
2 608 631 672	370	10	2 608 635 528	438	5	2 608 640 440	312	1	2 608 640 665	313	1
2 608 631 673	371	10	2 608 635 529	438	5	2 608 640 441	312	1	2 608 640 670	313	1
2 608 631 674	370	10	2 608 636 229	358	10	2 608 640 442	312	1	2 608 640 672	313	1
2 608 631 706	370	1	2 608 636 335	372	5	2 608 640 443	313	1	2 608 640 673	313	1
2 608 631 770	384	10	2 608 636 429	390	10	2 608 640 444	313	1	2 608 640 674	313	1
2 608 631 771	384	10	2 608 636 430	392	10	2 608 640 445	326	1	2 608 640 675	313	1
2 608 631 808	371	1	2 608 636 431	361	10	2 608 640 446	326	1	2 608 640 680	315	1
2 608 631 964	371	1	2 608 636 432	361	10	2 608 640 447	326	1	2 608 640 681	315	1
2 608 631 965	371	1	2 608 636 496	368	10	2 608 640 449	326	1	2 608 640 682	315	1
2 608 631 966	371	1	2 608 636 497	368	10	2 608 640 450	326	1	2 608 640 683	315	1
2 608 632 120	447	1	2 608 636 498	368	10	2 608 640 451	326	1	2 608 640 684	315	1
2 608 632 123	447	1	2 608 636 499	368	10	2 608 640 452	326	1	2 608 640 690	320	1
2 608 633 104	381	1	2 608 636 695	369	10	2 608 640 453	326	1	2 608 640 691	320	1
2 608 633 105	381	1	2 608 636 697	369	1	2 608 640 501	325	1	2 608 640 692	320	1
2 608 633 523	364	10	2 608 636 698	369	10	2 608 640 503	325	1	2 608 640 693	320	1
2 608 633 524	364	1	2 608 636 699	369	10	2 608 640 506	325	1	2 608 640 694	320	1
2 608 633 525	382	10	2 608 636 700	369	1	2 608 640 507	325	1	2 608 640 695	320	1
2 608 633 528	364	10	2 608 636 701	369	10	2 608 640 508	325	1	2 608 640 700	320	1
2 608 633 577	365	1	2 608 636 703	369	1	2 608 640 509	325	1	2 608 640 701	320	1
2 608 633 622	365	1	2 608 636 704	369	10	2 608 640 510	325	1	2 608 640 702	320	1
2 608 633 623	365	1	2 608 636 705	369	10	2 608 640 511	325	1	2 608 640 703	320	1
2 608 633 625	365	1	2 608 636 706	369	10	2 608 640 513	325	1	2 608 640 704	320	1
2 608 633 626	366	1	2 608 636 707	369	10	2 608 640 516	326	1	2 608 640 705	320	1
2 608 633 779	365	10	2 608 636 780	377	10	2 608 640 518	326	1	2 608 640 725	312	1
2 608 633 A31	363	10	2 608 636 781	377	10	2 608 640 582	311	1	2 608 640 727	312	1
2 608 633 A34	366	10	2 608 636 793	372	5	2 608 640 583	311	1	2 608 640 728	312	1
2 608 633 A35	363	10	2 608 636 879	392	10	2 608 640 586	311	1	2 608 640 729	312	1
2 608 633 A36	364	10	2 608 637 559	383	10	2 608 640 592	311	1	2 608 640 732	311	1
2 608 633 A37	364	10	2 608 637 590	365	10	2 608 640 593	311	1	2 608 640 761	320	1
2 608 633 A38	366	1	2 608 637 591	365	10	2 608 640 596	311	1	2 608 640 762	320	1
2 608 633 A39	363	1	2 608 637 723	382	10	2 608 640 597	311	1	2 608 640 770	326	1
2 608 633 A40	364	1	2 608 637 724	382	10	2 608 640 608	311	1	2 608 640 774	314	1
2 608 633 A41	364	1	2 608 637 876	365	1	2 608 640 609	311	1	2 608 640 775	314	1
2 608 633 A42	364	1	2 608 637 877	365	1	2 608 640 610	311	1	2 608 640 781	314	1
2 608 634 233	358	10	2 608 637 878	366	1	2 608 640 611	311	1	2 608 640 784	314	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 640 785	314	1	2 608 642 501	287	1	2 608 644 104	298	1	2 608 644 359	297	1
2 608 640 786	314	1	2 608 642 502	288	1	2 608 644 105	298	1	2 608 644 360	296	1
2 608 640 787	314	1	2 608 642 503	288	1	2 608 644 106	298	1	2 608 644 361	297	1
2 608 640 795	314	1	2 608 642 505	288	1	2 608 644 108	298	1	2 608 644 362	297	1
2 608 640 799	314	1	2 608 642 506	288	1	2 608 644 109	299	1	2 608 644 363	297	1
2 608 640 800	314	1	2 608 642 507	288	1	2 608 644 110	299	1	2 608 644 364	297	1
2 608 640 801	314	1	2 608 642 508	288	1	2 608 644 112	299	1	2 608 644 365	307	1
2 608 640 803	314	1	2 608 642 509	288	1	2 608 644 113	299	1	2 608 644 366	307	1
2 608 640 804	314	1	2 608 642 510	288	1	2 608 644 115	299	1	2 608 644 367	307	1
2 608 640 805	314	1	2 608 642 511	288	1	2 608 644 116	299	1	2 608 644 368	307	1
2 608 640 807	314	1	2 608 642 512	288	1	2 608 644 117	300	1	2 608 644 497	289	1
2 608 640 815	325	1	2 608 642 514	294	1	2 608 644 118	300	1	2 608 644 498	289	1
2 608 640 817	311	1	2 608 642 515	294	1	2 608 644 119	300	1	2 608 644 499	289	1
2 608 640 818	311	1	2 608 642 516	294	1	2 608 644 120	308	1	2 608 644 500	289	1
2 608 641 167	311	1	2 608 642 517	294	1	2 608 644 121	308	1	2 608 644 502	289	1
2 608 641 168	311	1	2 608 642 518	294	1	2 608 644 122	308	1	2 608 644 503	289	1
2 608 641 169	311	1	2 608 642 528	306	1	2 608 644 123	308	1	2 608 644 504	289	1
2 608 641 170	311	1	2 608 642 529	306	1	2 608 644 124	308	1	2 608 644 505	289	1
2 608 641 171	311	1	2 608 642 530	287	1	2 608 644 125	308	1	2 608 644 506	289	1
2 608 641 172	311	1	2 608 642 531	287	1	2 608 644 126	293	1	2 608 644 507	289	1
2 608 641 173	311	1	2 608 642 600	314	1	2 608 644 127	293	1	2 608 644 508	289	1
2 608 641 181	311	1	2 608 642 601	314	1	2 608 644 128	293	1	2 608 644 509	289	1
2 608 641 184	311	1	2 608 642 602	311	1	2 608 644 129	293	1	2 608 644 510	289	1
2 608 641 185	311	1	2 608 643 054	303	1	2 608 644 130	293	1	2 608 644 511	289	1
2 608 641 186	311	1	2 608 643 055	303	1	2 608 644 131	296	1	2 608 644 512	289	1
2 608 641 187	311	1	2 608 643 056	303	1	2 608 644 132	296	1	2 608 644 513	289	1
2 608 641 188	311	1	2 608 643 057	303	1	2 608 644 133	296	1	2 608 644 514	289	1
2 608 641 190	312	1	2 608 643 058	303	1	2 608 644 134	296	1	2 608 644 515	289	1
2 608 641 192	312	1	2 608 643 059	303	1	2 608 644 135	296	1	2 608 644 516	291	1
2 608 641 195	325	1	2 608 643 060	303	1	2 608 644 137	292	1	2 608 644 517	291	1
2 608 641 199	319	1	2 608 643 061	303	1	2 608 644 139	292	1	2 608 644 518	290	1
2 608 641 200	319	1	2 608 643 062	303	1	2 608 644 142	307	1	2 608 644 519	290	1
2 608 641 201	319	1	2 608 643 063	303	1	2 608 644 143	307	1	2 608 644 520	291	1
2 608 641 202	312	1	2 608 643 071	311	1	2 608 644 144	307	1	2 608 644 521	291	1
2 608 641 204	326	1	2 608 644 022	285	1	2 608 644 145	307	1	2 608 644 522	290	1
2 608 641 765	312	1	2 608 644 023	285	1	2 608 644 146	307	1	2 608 644 523	290	1
2 608 641 768	312	1	2 608 644 024	285	1	2 608 644 147	307	1	2 608 644 524	291	1
2 608 641 769	312	1	2 608 644 032	285	1	2 608 644 148	307	1	2 608 644 525	291	1
2 608 641 771	313	1	2 608 644 036	285	1	2 608 644 165	307	1	2 608 644 526	291	1
2 608 641 774	320	1	2 608 644 047	285	1	2 608 644 282	305	1	2 608 644 527	290	1
2 608 642 099	284	1	2 608 644 048	285	1	2 608 644 283	305	1	2 608 644 528	290	1
2 608 642 101	280	1	2 608 644 049	285	1	2 608 644 284	305	1	2 608 644 529	290	1
2 608 642 103	280	1	2 608 644 050	285	1	2 608 644 285	305	1	2 608 644 530	304	1
2 608 642 104	282	1	2 608 644 064	285	1	2 608 644 286	305	1	2 608 644 531	304	1
2 608 642 116	281	1	2 608 644 065	285	1	2 608 644 287	305	1	2 608 644 532	304	1
2 608 642 133	283	1	2 608 644 066	285	1	2 608 644 288	305	1	2 608 644 533	304	1
2 608 642 135	283	1	2 608 644 079	286	1	2 608 644 289	305	1	2 608 644 534	301	1
2 608 642 137	283	1	2 608 644 080	287	1	2 608 644 344	308	1	2 608 644 535	301	1
2 608 642 384	280	1	2 608 644 083	287	1	2 608 644 345	308	1	2 608 644 536	301	1
2 608 642 385	280	1	2 608 644 084	287	1	2 608 644 346	308	1	2 608 644 537	301	1
2 608 642 386	280	1	2 608 644 085	287	1	2 608 644 347	308	1	2 608 644 538	301	1
2 608 642 387	284	1	2 608 644 092	298	1	2 608 644 348	308	1	2 608 644 539	301	1
2 608 642 388	284	1	2 608 644 093	298	1	2 608 644 349	308	1	2 608 644 540	301	1
2 608 642 492	306	1	2 608 644 094	298	1	2 608 644 350	308	1	2 608 644 541	301	1
2 608 642 493	306	1	2 608 644 095	298	1	2 608 644 351	309	1	2 608 644 542	302	1
2 608 642 494	306	1	2 608 644 096	298	1	2 608 644 352	309	1	2 608 644 543	302	1
2 608 642 495	306	1	2 608 644 097	298	1	2 608 644 353	309	1	2 608 644 544	302	1
2 608 642 496	286	1	2 608 644 098	298	1	2 608 644 354	296	1	2 608 644 545	302	1
2 608 642 497	286	1	2 608 644 099	298	1	2 608 644 355	296	1	2 608 644 546	302	1
2 608 642 498	286	1	2 608 644 101	298	1	2 608 644 356	296	1	2 608 644 547	302	1
2 608 642 499	287	1	2 608 644 102	298	1	2 608 644 357	296	1	2 608 644 548	295	1
2 608 642 500	287	1	2 608 644 103	298	1	2 608 644 358	296	1	2 608 644 549	295	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 644 550	295	1	2 608 656 032	420	1	2 608 657 612	430	5	2 608 662 342	538	10
2 608 644 551	293	1	2 608 656 034	431	1	2 608 657 721	419	5	2 608 662 343	539	10
2 608 644 552	293	1	2 608 656 036	419	5	2 608 657 722	429	5	2 608 662 346	527	1
2 608 644 553	293	1	2 608 656 037	420	5	2 608 657 723	429	5	2 608 662 354	501	1
2 608 644 554	309	1	2 608 656 038	420	5	2 608 657 724	438	5	2 608 662 355	501	1
2 608 644 555	309	1	2 608 656 039	431	5	2 608 657 725	438	5	2 608 662 356	501	25
2 608 644 556	309	1	2 608 656 040	432	5	2 608 658 009	415	5	2 608 662 357	501	1
2 608 644 557	310	1	2 608 656 041	420	5	2 608 658 010	415	5	2 608 662 358	501	1
2 608 644 558	310	1	2 608 656 042	420	5	2 608 658 011	415	5	2 608 662 359	501	25
2 608 644 559	310	1	2 608 656 043	432	5	2 608 658 013	415	5	2 608 662 360	501	1
2 608 649 000	449	1	2 608 656 253	420	5	2 608 658 027	430	5	2 608 662 361	501	1
2 608 649 001	449	1	2 608 656 255	418	5	2 608 658 028	430	1	2 608 662 362	501	25
2 608 650 065	445	1	2 608 656 258	429	5	2 608 658 030	430	5	2 608 662 431	518	1
2 608 650 414	445	1	2 608 656 259	429	1	2 608 658 031	430	1	2 608 662 558	503	1
2 608 650 463	442	1	2 608 656 260	429	5	2 608 658 033	430	5	2 608 662 561	500	1
2 608 650 464	441	1	2 608 656 261	429	5	2 608 658 034	430	1	2 608 662 564	505	1
2 608 650 465	441	1	2 608 656 263	438	5	2 608 658 036	430	5	2 608 662 568	500	1
2 608 650 551	441	1	2 608 656 265	418	5	2 608 658 037	430	1	2 608 662 571	504	1
2 608 650 613	441	5	2 608 656 268	420	5	2 608 661 200	448	1	2 608 662 574	505	1
2 608 650 614	441	5	2 608 656 269	420	5	2 608 661 201	448	1	2 608 662 575	519	1
2 608 650 616	442	5	2 608 656 270	431	5	2 608 661 202	448	1	2 608 662 577	533	1
2 608 650 617	442	5	2 608 656 271	429	5	2 608 661 203	448	1	2 608 662 578	534	1
2 608 650 673	441	5	2 608 656 272	429	5	2 608 661 205	448	1	2 608 662 582	535	1
2 608 650 676	441	5	2 608 656 273	429	5	2 608 661 226	500	1	2 608 662 577	500	25
2 608 650 677	442	5	2 608 656 274	438	5	2 608 661 628	503	1	2 608 662 768	504	25
2 608 650 678	442	5	2 608 656 567	429	1	2 608 661 629	503	1	2 608 662 769	505	25
2 608 650 679	442	5	2 608 656 571	418	1	2 608 661 630	501	1	2 608 663 314	366	5
2 608 650 681	441	5	2 608 656 636	431	1	2 608 661 633	506	1	2 608 664 131	537	5
2 608 650 682	441	5	2 608 656 931	445	1	2 608 661 636	505	4	2 608 664 132	538	5
2 608 650 698	441	1	2 608 656 932	446	1	2 608 661 637	500	4	2 608 664 133	537	5
2 608 651 780	421	5	2 608 656 934	446	1	2 608 661 640	503	4	2 608 664 202	516	1
2 608 651 781	421	5	2 608 656 973	446	1	2 608 661 641	503	1	2 608 664 204	516	1
2 608 651 821	421	5	2 608 657 394	416	5	2 608 661 642	530	1	2 608 664 205	516	25
2 608 651 944	421	5	2 608 657 395	417	5	2 608 661 643	502	1	2 608 664 207	515	1
2 608 652 900	439	5	2 608 657 396	417	5	2 608 661 644	503	4	2 608 664 208	515	1
2 608 654 401	419	5	2 608 657 397	417	5	2 608 661 645	501	4	2 608 664 209	535	1
2 608 654 402	419	5	2 608 657 398	417	5	2 608 661 646	517	1	2 608 664 226	506	1
2 608 654 403	442	5	2 608 657 406	417	5	2 608 661 647	517	1	2 608 664 227	536	1
2 608 654 404	442	5	2 608 657 407	417	5	2 608 661 688	507	4	2 608 664 231	518	1
2 608 654 405	431	5	2 608 657 408	418	5	2 608 661 691	518	1	2 608 664 470	503	1
2 608 654 406	431	5	2 608 657 409	418	5	2 608 661 692	530	1	2 608 664 471	501	1
2 608 654 416	419	1	2 608 657 523	415	5	2 608 661 693	517	1	2 608 664 472	500	1
2 608 654 418	431	1	2 608 657 524	415	5	2 608 661 694	538	1	2 608 664 474	504	1
2 608 654 763	429	5	2 608 657 525	416	5	2 608 661 695	538	1	2 608 664 475	507	1
2 608 654 820	418	5	2 608 657 526	416	5	2 608 661 696	538	1	2 608 664 476	501	1
2 608 654 834	429	5	2 608 657 527	416	5	2 608 661 758	516	1	2 608 664 477	505	1
2 608 654 981	432	5	2 608 657 528	416	5	2 608 661 781	504	4	2 608 664 478	516	1
2 608 656 010	419	5	2 608 657 550	420	1	2 608 661 868	534	1	2 608 664 479	502	1
2 608 656 011	420	5	2 608 657 551	420	1	2 608 661 901	504	25	2 608 664 480	506	1
2 608 656 012	419	5	2 608 657 552	420	1	2 608 661 902	503	25	2 608 664 481	501	1
2 608 656 013	419	5	2 608 657 553	420	1	2 608 661 903	501	25	2 608 664 483	502	1
2 608 656 014	420	5	2 608 657 554	417	1	2 608 661 904	500	25	2 608 664 484	530	1
2 608 656 015	420	5	2 608 657 555	417	1	2 608 661 905	507	25	2 608 664 485	501	1
2 608 656 016	431	5	2 608 657 556	418	1	2 608 661 906	518	25	2 608 664 486	530	1
2 608 656 017	432	5	2 608 657 557	418	1	2 608 661 907	504	1	2 608 664 487	517	1
2 608 656 018	419	5	2 608 657 558	432	1	2 608 661 908	507	1	2 608 664 488	517	1
2 608 656 019	420	5	2 608 657 559	432	1	2 608 661 909	518	1	2 608 664 489	518	1
2 608 656 020	420	5	2 608 657 560	431	1	2 608 662 013	539	1	2 608 664 492	500	1
2 608 656 021	431	5	2 608 657 561	429	1	2 608 662 017	502	1	2 608 664 493	504	1
2 608 656 022	432	5	2 608 657 608	429	5	2 608 662 031	502	1	2 608 664 494	505	1
2 608 656 027	420	1	2 608 657 610	430	5	2 608 662 311	500	25	2 608 664 496	500	1
2 608 656 028	420	1	2 608 657 611	430	1	2 608 662 315	504	25	2 608 664 497	504	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 664 498	505	1	2 608 690 127	156	1	2 608 831 028	79	5	2 608 833 773	74	5
2 608 664 501	519	1	2 608 690 128	156	1	2 608 831 029	79	5	2 608 833 774	74	10
2 608 664 503	519	1	2 608 690 129	156	1	2 608 831 030	79	1	2 608 833 775	74	5
2 608 664 622	537	5	2 608 690 130	156	1	2 608 831 031	79	5	2 608 833 776	74	1
2 608 664 623	537	5	2 608 690 131	149	1	2 608 831 032	79	5	2 608 833 777	74	10
2 608 664 624	537	5	2 608 690 132	148	1	2 608 831 033	79	5	2 608 833 778	74	10
2 608 667 394	364	5	2 608 690 133	149	1	2 608 831 034	79	5	2 608 833 779	74	10
2 608 667 396	381	5	2 608 690 141	156	1	2 608 831 035	79	5	2 608 833 780	75	10
2 608 667 443	377	10	2 608 690 142	156	1	2 608 831 036	79	1	2 608 833 781	75	10
2 608 667 444	377	10	2 608 690 143	157	1	2 608 831 037	79	5	2 608 833 782	75	10
2 608 667 445	377	10	2 608 690 144	149	1	2 608 831 038	79	5	2 608 833 783	75	5
2 608 667 446	377	10	2 608 690 145	148	1	2 608 831 039	79	5	2 608 833 784	75	5
2 608 667 447	377	10	2 608 690 146	149	1	2 608 831 040	79	5	2 608 833 785	75	10
2 608 667 448	377	10	2 608 690 166	156	1	2 608 831 041	79	5	2 608 833 786	75	10
2 608 667 853	393	10	2 608 690 167	156	1	2 608 831 042	79	1	2 608 833 787	75	5
2 608 667 854	392	10	2 608 690 168	156	1	2 608 831 043	79	5	2 608 833 788	75	10
2 608 667 855	391	10	2 608 690 176	148	1	2 608 831 044	79	5	2 608 833 789	75	10
2 608 667 856	389	10	2 608 690 177	149	1	2 608 831 045	79	5	2 608 833 790	75	10
2 608 667 857	390	10	2 608 690 178	149	1	2 608 831 046	79	1	2 608 833 791	75	10
2 608 667 858	389	10	2 608 690 179	160	1	2 608 831 047	79	1	2 608 833 792	75	5
2 608 685 860	90	1	2 608 690 180	151	1	2 608 831 048	79	1	2 608 833 793	75	5
2 608 685 861	90	1	2 608 690 188	163	1	2 608 831 049	79	1	2 608 833 794	75	5
2 608 685 862	90	1	2 608 690 190	163	1	2 608 831 050	79	1	2 608 833 795	75	5
2 608 685 863	90	1	2 608 690 193	163	1	2 608 831 051	80	1	2 608 833 796	75	5
2 608 685 864	90	1	2 608 690 194	163	1	2 608 831 052	80	1	2 608 833 797	75	10
2 608 685 865	90	1	2 608 690 195	163	1	2 608 831 053	80	1	2 608 833 798	75	10
2 608 685 866	90	1	2 608 690 196	163	1	2 608 831 054	80	1	2 608 833 799	75	10
2 608 685 867	90	1	2 608 690 198	157	1	2 608 831 055	80	1	2 608 833 800	75	10
2 608 685 868	90	1	2 608 690 199	157	1	2 608 831 056	80	1	2 608 833 801	75	5
2 608 685 869	90	1	2 608 690 200	150	1	2 608 831 057	80	1	2 608 833 802	75	5
2 608 685 870	90	1	2 608 690 201	150	1	2 608 831 058	80	1	2 608 833 803	75	5
2 608 685 871	90	1	2 608 690 236	156	1	2 608 831 059	80	1	2 608 833 804	75	5
2 608 685 872	90	1	2 608 690 237	157	1	2 608 831 060	80	1	2 608 833 805	75	1
2 608 685 873	90	1	2 608 690 238	157	1	2 608 831 061	80	1	2 608 833 806	75	5
2 608 685 874	90	1	2 608 831 000	79	5	2 608 831 062	80	1	2 608 833 807	75	10
2 608 685 875	90	1	2 608 831 001	79	5	2 608 831 063	80	1	2 608 833 808	75	10
2 608 685 876	90	1	2 608 831 002	79	5	2 608 831 103	80	1	2 608 833 809	75	10
2 608 685 877	90	1	2 608 831 003	79	5	2 608 831 104	80	1	2 608 833 810	75	5
2 608 690 000	158	1	2 608 831 004	79	5	2 608 831 105	80	1	2 608 833 811	75	5
2 608 690 003	159	1	2 608 831 005	79	5	2 608 831 106	80	1	2 608 833 812	75	5
2 608 690 004	159	1	2 608 831 006	79	5	2 608 831 107	80	1	2 608 833 813	75	5
2 608 690 005	159	1	2 608 831 007	79	5	2 608 831 108	80	1	2 608 833 814	75	1
2 608 690 006	150	1	2 608 831 008	79	5	2 608 831 109	80	1	2 608 833 815	75	5
2 608 690 007	150	1	2 608 831 009	79	5	2 608 831 110	80	1	2 608 833 816	75	10
2 608 690 010	150	1	2 608 831 010	79	5	2 608 831 111	80	1	2 608 833 817	75	10
2 608 690 091	149	1	2 608 831 011	79	1	2 608 831 112	80	1	2 608 833 818	75	10
2 608 690 097	157	1	2 608 831 012	79	5	2 608 831 113	80	1	2 608 833 819	75	5
2 608 690 098	157	1	2 608 831 013	79	5	2 608 831 114	80	1	2 608 833 820	75	5
2 608 690 099	157	1	2 608 831 014	79	5	2 608 831 115	80	1	2 608 833 821	75	5
2 608 690 100	157	1	2 608 831 015	79	5	2 608 831 116	80	1	2 608 833 822	75	5
2 608 690 101	149	1	2 608 831 016	79	5	2 608 831 117	80	1	2 608 833 823	75	5
2 608 690 102	149	1	2 608 831 017	79	5	2 608 831 118	80	1	2 608 833 824	75	1
2 608 690 106	165	1	2 608 831 018	79	5	2 608 831 119	80	1	2 608 833 825	75	10
2 608 690 108	165	1	2 608 831 019	79	5	2 608 831 120	80	1	2 608 833 826	75	5
2 608 690 110	167	1	2 608 831 020	79	5	2 608 831 121	80	1	2 608 833 827	75	5
2 608 690 111	167	1	2 608 831 021	79	5	2 608 831 122	80	1	2 608 833 828	76	5
2 608 690 112	167	1	2 608 831 022	79	1	2 608 831 123	80	1	2 608 833 829	76	5
2 608 690 113	167	1	2 608 831 023	79	5	2 608 831 124	80	1	2 608 833 889	76	1
2 608 690 114	167	1	2 608 831 024	79	5	2 608 831 125	80	1	2 608 833 890	76	1
2 608 690 124	156	1	2 608 831 025	79	5	2 608 831 126	80	1	2 608 833 891	76	5
2 608 690 125	157	1	2 608 831 026	79	5	2 608 833 771	74	10	2 608 833 892	76	5
2 608 690 126	157	1	2 608 831 027	79	5	2 608 833 772	74	10	2 608 833 893	76	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 833 894	76	1	2 608 836 652	76	1	2 608 837 754	321	1	2 608 900 039	526	1
2 608 833 895	76	1	2 608 837 138	77	1	2 608 837 755	321	1	2 608 900 040	525	1
2 608 833 896	76	1	2 608 837 666	316	1	2 608 837 756	321	1	2 608 900 041	531	1
2 608 833 897	76	1	2 608 837 667	316	1	2 608 837 757	321	1	2 608 900 042	531	1
2 608 833 898	76	1	2 608 837 668	316	1	2 608 837 758	321	1	2 608 900 043	522	1
2 608 833 899	76	1	2 608 837 669	316	1	2 608 837 759	321	1	2 608 900 045	520	1
2 608 833 900	76	1	2 608 837 670	316	1	2 608 837 761	321	1	2 608 900 046	520	1
2 608 833 901	76	1	2 608 837 671	316	1	2 608 837 762	321	1	2 608 900 047	521	1
2 608 833 902	76	1	2 608 837 672	316	1	2 608 837 763	321	1	2 608 900 049	521	1
2 608 833 903	76	1	2 608 837 673	316	1	2 608 837 764	321	1	2 608 900 051	524	1
2 608 833 904	76	1	2 608 837 674	316	1	2 608 837 766	321	1	2 608 900 052	522	1
2 608 833 905	76	1	2 608 837 675	316	1	2 608 837 767	322	1	2 608 900 053	523	1
2 608 833 906	76	1	2 608 837 676	316	1	2 608 837 768	321	1	2 608 900 054	523	1
2 608 833 907	76	1	2 608 837 677	316	1	2 608 837 769	321	1	2 608 900 055	70	1
2 608 833 908	76	1	2 608 837 678	316	1	2 608 837 770	322	1	2 608 900 056	70	1
2 608 833 909	76	1	2 608 837 679	316	1	2 608 837 771	321	1	2 608 900 057	70	1
2 608 833 910	77	5	2 608 837 680	316	1	2 608 837 773	323	1	2 608 900 058	70	1
2 608 833 911	77	5	2 608 837 681	316	1	2 608 837 776	322	1	2 608 900 059	70	5
2 608 833 912	77	10	2 608 837 682	316	1	2 608 837 778	322	1	2 608 900 060	71	5
2 608 833 959	90	1	2 608 837 683	316	1	2 608 837 780	323	1	2 608 900 061	71	5
2 608 833 960	90	1	2 608 837 684	316	1	2 608 837 782	322	1	2 608 900 062	71	5
2 608 833 961	90	1	2 608 837 685	316	1	2 608 838 409	313	1	2 608 900 063	71	5
2 608 833 962	90	1	2 608 837 686	316	1	2 608 838 410	313	1	2 608 900 064	71	1
2 608 833 963	90	1	2 608 837 687	316	1	2 608 838 411	313	1	2 608 900 065	71	5
2 608 833 964	90	1	2 608 837 688	316	1	2 608 838 412	313	1	2 608 900 066	71	5
2 608 836 604	74	5	2 608 837 689	316	1	2 608 900 000	645	1	2 608 900 067	71	5
2 608 836 605	74	5	2 608 837 690	316	1	2 608 900 001	646	1	2 608 900 068	71	5
2 608 836 606	74	5	2 608 837 697	316	1	2 608 900 003	668	1	2 608 900 069	71	1
2 608 836 607	74	5	2 608 837 698	316	1	2 608 900 004	668	1	2 608 900 070	71	1
2 608 836 608	74	5	2 608 837 699	316	1	2 608 900 005	668	1	2 608 900 071	71	5
2 608 836 610	74	5	2 608 837 700	317	1	2 608 900 006	668	1	2 608 900 072	71	5
2 608 836 611	74	5	2 608 837 701	317	1	2 608 900 007	668	1	2 608 900 073	71	5
2 608 836 612	75	5	2 608 837 702	316	1	2 608 900 008	668	1	2 608 900 074	71	5
2 608 836 613	75	5	2 608 837 703	316	1	2 608 900 009	667	1	2 608 900 075	71	5
2 608 836 614	75	5	2 608 837 704	316	1	2 608 900 010	667	1	2 608 900 076	71	1
2 608 836 615	75	5	2 608 837 705	317	1	2 608 900 011	667	1	2 608 900 077	71	1
2 608 836 616	75	1	2 608 837 706	316	1	2 608 900 012	508	1	2 608 900 078	71	5
2 608 836 618	75	1	2 608 837 708	316	1	2 608 900 013	508	1	2 608 900 079	71	5
2 608 836 620	75	1	2 608 837 710	316	1	2 608 900 014	509	1	2 608 900 080	71	5
2 608 836 623	75	1	2 608 837 711	316	1	2 608 900 015	509	1	2 608 900 081	71	1
2 608 836 626	76	1	2 608 837 713	318	1	2 608 900 016	509	1	2 608 900 082	71	1
2 608 836 628	76	5	2 608 837 714	318	1	2 608 900 017	509	25	2 608 900 083	71	1
2 608 836 629	76	5	2 608 837 721	317	1	2 608 900 018	510	1	2 608 900 084	71	1
2 608 836 631	76	5	2 608 837 723	317	1	2 608 900 019	509	1	2 608 900 085	71	1
2 608 836 632	76	1	2 608 837 724	318	1	2 608 900 020	509	1	2 608 900 086	71	1
2 608 836 633	76	1	2 608 837 726	318	1	2 608 900 021	511	1	2 608 900 087	71	5
2 608 836 634	76	1	2 608 837 727	317	1	2 608 900 022	510	1	2 608 900 088	71	5
2 608 836 636	76	5	2 608 837 728	317	1	2 608 900 023	510	1	2 608 900 089	71	5
2 608 836 637	76	1	2 608 837 733	318	1	2 608 900 024	512	1	2 608 900 090	71	5
2 608 836 638	76	1	2 608 837 734	318	1	2 608 900 025	512	1	2 608 900 091	71	1
2 608 836 639	76	5	2 608 837 736	318	1	2 608 900 026	512	1	2 608 900 092	71	5
2 608 836 640	76	1	2 608 837 741	317	1	2 608 900 027	512	25	2 608 900 093	71	1
2 608 836 641	76	1	2 608 837 742	317	1	2 608 900 028	513	1	2 608 900 094	71	1
2 608 836 642	76	1	2 608 837 744	317	1	2 608 900 029	513	1	2 608 900 095	71	1
2 608 836 644	76	5	2 608 837 745	324	1	2 608 900 030	513	1	2 608 900 096	71	1
2 608 836 645	76	1	2 608 837 746	324	1	2 608 900 031	514	1	2 608 900 097	71	5
2 608 836 646	76	1	2 608 837 747	324	1	2 608 900 032	514	1	2 608 900 098	71	5
2 608 836 647	76	1	2 608 837 748	324	1	2 608 900 034	529	1	2 608 900 099	71	5
2 608 836 648	76	1	2 608 837 749	324	1	2 608 900 035	529	1	2 608 900 100	71	1
2 608 836 649	76	1	2 608 837 750	324	1	2 608 900 036	532	1	2 608 900 101	71	5
2 608 836 650	76	1	2 608 837 752	327	1	2 608 900 037	532	1	2 608 900 102	71	1
2 608 836 651	76	1	2 608 837 753	321	1	2 608 900 038	533	1	2 608 900 103	71	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 104	71	1	2 608 900 166	72	1	2 608 900 243	88	1	2 608 900 348	49	5
2 608 900 105	71	1	2 608 900 167	72	1	2 608 900 245	88	1	2 608 900 349	49	5
2 608 900 106	71	1	2 608 900 168	72	1	2 608 900 246	88	1	2 608 900 350	49	5
2 608 900 107	71	1	2 608 900 169	72	1	2 608 900 247	88	1	2 608 900 351	49	5
2 608 900 108	71	5	2 608 900 170	72	1	2 608 900 248	88	1	2 608 900 352	49	5
2 608 900 109	71	5	2 608 900 171	72	1	2 608 900 249	88	1	2 608 900 353	49	5
2 608 900 110	71	5	2 608 900 172	72	1	2 608 900 250	88	1	2 608 900 354	49	5
2 608 900 111	71	5	2 608 900 173	72	1	2 608 900 252	88	1	2 608 900 355	49	5
2 608 900 112	71	5	2 608 900 174	72	1	2 608 900 253	88	1	2 608 900 356	49	5
2 608 900 113	71	1	2 608 900 175	72	1	2 608 900 254	88	1	2 608 900 357	49	5
2 608 900 114	71	1	2 608 900 176	72	1	2 608 900 255	88	1	2 608 900 358	49	5
2 608 900 115	71	1	2 608 900 177	72	1	2 608 900 256	88	1	2 608 900 359	410	1
2 608 900 116	71	1	2 608 900 178	72	1	2 608 900 257	88	1	2 608 900 360	411	1
2 608 900 117	71	1	2 608 900 179	72	1	2 608 900 260	88	1	2 608 900 361	411	1
2 608 900 118	71	1	2 608 900 180	72	1	2 608 900 261	88	1	2 608 900 362	411	1
2 608 900 119	71	5	2 608 900 181	72	1	2 608 900 262	88	1	2 608 900 363	411	1
2 608 900 120	71	5	2 608 900 182	72	1	2 608 900 263	88	1	2 608 900 364	405	1
2 608 900 121	71	5	2 608 900 183	72	1	2 608 900 264	88	1	2 608 900 365	406	1
2 608 900 122	71	5	2 608 900 184	72	1	2 608 900 265	88	1	2 608 900 366	406	1
2 608 900 123	71	1	2 608 900 185	72	1	2 608 900 266	88	1	2 608 900 367	406	1
2 608 900 124	71	1	2 608 900 186	72	1	2 608 900 267	88	1	2 608 900 368	406	1
2 608 900 125	71	1	2 608 900 187	72	1	2 608 900 268	88	1	2 608 900 369	406	1
2 608 900 126	71	1	2 608 900 188	72	1	2 608 900 269	88	1	2 608 900 370	406	1
2 608 900 127	71	1	2 608 900 189	72	1	2 608 900 270	88	1	2 608 900 371	407	1
2 608 900 128	72	1	2 608 900 190	72	1	2 608 900 309	48	5	2 608 900 372	407	1
2 608 900 129	72	1	2 608 900 191	72	1	2 608 900 310	48	5	2 608 900 373	408	1
2 608 900 130	72	5	2 608 900 192	72	1	2 608 900 311	48	5	2 608 900 374	409	1
2 608 900 131	72	5	2 608 900 193	73	1	2 608 900 312	49	5	2 608 900 375	409	1
2 608 900 132	72	1	2 608 900 194	73	1	2 608 900 313	49	5	2 608 900 376	409	1
2 608 900 133	72	1	2 608 900 195	73	1	2 608 900 314	49	5	2 608 900 377	409	1
2 608 900 134	72	1	2 608 900 196	73	1	2 608 900 315	49	5	2 608 900 378	412	1
2 608 900 135	72	1	2 608 900 197	73	1	2 608 900 316	49	5	2 608 900 379	412	1
2 608 900 136	72	1	2 608 900 198	73	1	2 608 900 317	49	5	2 608 900 380	413	1
2 608 900 137	72	1	2 608 900 201	87	1	2 608 900 318	49	5	2 608 900 381	413	1
2 608 900 138	72	1	2 608 900 202	87	1	2 608 900 319	49	5	2 608 900 382	413	1
2 608 900 139	72	1	2 608 900 203	87	1	2 608 900 320	49	5	2 608 900 383	414	1
2 608 900 140	72	1	2 608 900 204	87	1	2 608 900 321	49	5	2 608 900 384	426	1
2 608 900 141	72	1	2 608 900 207	87	1	2 608 900 322	49	5	2 608 900 385	424	1
2 608 900 142	72	1	2 608 900 208	87	1	2 608 900 323	49	5	2 608 900 386	424	1
2 608 900 143	72	1	2 608 900 209	88	1	2 608 900 324	49	5	2 608 900 387	425	1
2 608 900 144	72	1	2 608 900 210	88	1	2 608 900 325	49	5	2 608 900 388	425	1
2 608 900 145	72	1	2 608 900 214	88	1	2 608 900 326	49	5	2 608 900 389	427	1
2 608 900 146	72	1	2 608 900 215	88	1	2 608 900 327	49	5	2 608 900 390	427	1
2 608 900 147	72	1	2 608 900 216	88	1	2 608 900 328	49	5	2 608 900 391	428	1
2 608 900 148	72	1	2 608 900 217	88	1	2 608 900 329	49	5	2 608 900 392	428	1
2 608 900 149	72	1	2 608 900 221	88	1	2 608 900 330	49	5	2 608 900 393	428	1
2 608 900 150	72	1	2 608 900 222	88	1	2 608 900 331	50	5	2 608 900 394	428	1
2 608 900 151	72	1	2 608 900 223	88	1	2 608 900 332	50	1	2 608 900 395	428	1
2 608 900 152	72	1	2 608 900 224	88	1	2 608 900 333	50	1	2 608 900 396	422	1
2 608 900 153	72	1	2 608 900 228	88	1	2 608 900 334	50	5	2 608 900 397	422	1
2 608 900 154	72	1	2 608 900 229	88	1	2 608 900 336	50	5	2 608 900 398	423	1
2 608 900 155	72	1	2 608 900 230	88	1	2 608 900 337	49	5	2 608 900 399	423	1
2 608 900 156	72	1	2 608 900 231	88	1	2 608 900 338	49	5	2 608 900 400	423	1
2 608 900 157	72	1	2 608 900 233	88	1	2 608 900 339	49	5	2 608 900 401	423	1
2 608 900 158	72	1	2 608 900 234	88	1	2 608 900 340	49	5	2 608 900 402	423	1
2 608 900 159	72	1	2 608 900 235	88	1	2 608 900 341	49	5	2 608 900 403	440	1
2 608 900 160	72	1	2 608 900 236	88	1	2 608 900 342	49	5	2 608 900 404	440	1
2 608 900 161	72	1	2 608 900 238	88	1	2 608 900 343	49	5	2 608 900 405	440	1
2 608 900 162	72	1	2 608 900 239	88	1	2 608 900 344	49	5	2 608 900 406	441	1
2 608 900 163	72	1	2 608 900 240	88	1	2 608 900 345	49	5	2 608 900 407	437	1
2 608 900 164	72	1	2 608 900 241	88	1	2 608 900 346	49	5	2 608 900 408	435	1
2 608 900 165	72	1	2 608 900 242	88	1	2 608 900 347	49	5	2 608 900 409	435	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 410	436	1	2 608 900 472	459	1	2 608 900 557	363	10	2 608 900 638	107	1
2 608 900 411	436	1	2 608 900 473	459	1	2 608 900 558	363	10	2 608 900 639	107	1
2 608 900 412	436	1	2 608 900 474	459	1	2 608 900 559	385	10	2 608 900 640	107	1
2 608 900 413	436	1	2 608 900 475	459	1	2 608 900 560	373	1	2 608 900 642	107	1
2 608 900 414	434	1	2 608 900 476	459	1	2 608 900 561	367	1	2 608 900 643	107	1
2 608 900 415	434	1	2 608 900 477	459	1	2 608 900 562	368	1	2 608 900 644	107	1
2 608 900 416	434	1	2 608 900 478	459	1	2 608 900 563	378	1	2 608 900 645	108	1
2 608 900 417	433	1	2 608 900 479	459	1	2 608 900 564	379	1	2 608 900 646	108	1
2 608 900 418	434	1	2 608 900 480	459	1	2 608 900 565	376	1	2 608 900 647	108	1
2 608 900 419	454	1	2 608 900 481	459	1	2 608 900 566	375	1	2 608 900 648	108	1
2 608 900 420	454	1	2 608 900 482	459	1	2 608 900 567	380	1	2 608 900 649	108	1
2 608 900 421	454	1	2 608 900 483	459	1	2 608 900 569	104	5	2 608 900 650	108	1
2 608 900 422	455	1	2 608 900 484	459	1	2 608 900 570	104	5	2 608 900 651	210	1
2 608 900 423	455	1	2 608 900 485	459	1	2 608 900 571	104	5	2 608 900 652	178	1
2 608 900 424	455	1	2 608 900 486	459	1	2 608 900 572	104	5	2 608 900 653	178	1
2 608 900 425	455	1	2 608 900 487	459	1	2 608 900 573	105	5	2 608 900 654	178	1
2 608 900 426	455	1	2 608 900 488	459	1	2 608 900 574	105	5	2 608 900 655	178	1
2 608 900 427	455	1	2 608 900 489	460	1	2 608 900 575	105	5	2 608 900 656	177	1
2 608 900 428	455	1	2 608 900 490	460	1	2 608 900 577	105	5	2 608 900 657	177	1
2 608 900 429	455	1	2 608 900 491	465	1	2 608 900 579	105	5	2 608 900 658	177	1
2 608 900 430	455	1	2 608 900 492	465	1	2 608 900 580	105	5	2 608 900 659	183	1
2 608 900 431	455	1	2 608 900 493	465	1	2 608 900 581	105	5	2 608 900 660	183	1
2 608 900 432	455	1	2 608 900 494	465	1	2 608 900 582	105	5	2 608 900 661	183	1
2 608 900 433	455	1	2 608 900 495	466	1	2 608 900 583	105	5	2 608 900 662	183	1
2 608 900 434	455	1	2 608 900 496	466	1	2 608 900 584	105	1	2 608 900 663	183	1
2 608 900 435	455	1	2 608 900 497	466	1	2 608 900 585	105	1	2 608 900 664	183	1
2 608 900 436	455	1	2 608 900 498	466	1	2 608 900 586	105	1	2 608 900 665	199	1
2 608 900 437	455	1	2 608 900 499	466	1	2 608 900 587	110	1	2 608 900 666	199	1
2 608 900 438	455	1	2 608 900 500	466	1	2 608 900 588	110	1	2 608 900 667	199	1
2 608 900 439	455	1	2 608 900 501	466	1	2 608 900 589	110	1	2 608 900 668	199	1
2 608 900 440	455	1	2 608 900 502	466	1	2 608 900 590	110	1	2 608 900 669	182	1
2 608 900 441	455	1	2 608 900 503	467, 473	5	2 608 900 591	111	1	2 608 900 670	182	1
2 608 900 442	455	1	2 608 900 526	457, 461, 471	1	2 608 900 592	111	1	2 608 900 671	543	5
2 608 900 443	455	1	2 608 900 527	457, 461, 471	1	2 608 900 593	111	1	2 608 900 672	543	5
2 608 900 444	455	1	2 608 900 528	457, 461, 472	5	2 608 900 594	111	1	2 608 900 673	543	5
2 608 900 445	456	1	2 608 900 529	457, 461, 472	5	2 608 900 595	111	1	2 608 900 674	543	5
2 608 900 446	456	1	2 608 900 530	457, 461, 472	5	2 608 900 596	111	1	2 608 900 675	543	5
2 608 900 447	456	1	2 608 900 531	235	1	2 608 900 597	111	1	2 608 900 676	543	5
2 608 900 448	456	1	2 608 900 532	234	1	2 608 900 598	111	1	2 608 900 677	544	5
2 608 900 449	455	1	2 608 900 533	234	1	2 608 900 599	111	1	2 608 900 678	544	5
2 608 900 450	455	1	2 608 900 535	235	1	2 608 900 600	107	5	2 608 900 679	544	5
2 608 900 451	458	1	2 608 900 536	235	1	2 608 900 602	107	1	2 608 900 680	544	1
2 608 900 452	458	1	2 608 900 537	236	1	2 608 900 604	107	5	2 608 900 681	544	1
2 608 900 453	458	1	2 608 900 541	355	1	2 608 900 605	107	5	2 608 900 682	544	1
2 608 900 454	459	1	2 608 900 542	360	1	2 608 900 606	107	5	2 608 900 683	544	1
2 608 900 455	459	1	2 608 900 543	356	10	2 608 900 607	107	5	2 608 900 684	544	1
2 608 900 456	459	1	2 608 900 544	356	10	2 608 900 609	107	5	2 608 900 685	544	1
2 608 900 457	459	1	2 608 900 545	356	1	2 608 900 610	107	5	2 608 900 686	544	1
2 608 900 458	459	1	2 608 900 546	356	1	2 608 900 611	107	5	2 608 900 687	544	1
2 608 900 459	459	1	2 608 900 547	357	10	2 608 900 612	107	5	2 608 900 688	544	1
2 608 900 460	459	1	2 608 900 548	357	10	2 608 900 615	107	5	2 608 900 689	544	5
2 608 900 461	459	1	2 608 900 549	385	10	2 608 900 616	107	5	2 608 900 690	544	5
2 608 900 462	459	1	2 608 900 550	362	10	2 608 900 618	107	5	2 608 900 691	544	5
2 608 900 463	459	1	2 608 900 551	362	10	2 608 900 619	107	5	2 608 900 692	544	5
2 608 900 464	459	1	2 608 900 552	362	1	2 608 900 620	107	5	2 608 900 693	544	5
2 608 900 465	459	1	2 608 900 553	362	1	2 608 900 621	107	5	2 608 900 694	544	5
2 608 900 466	459	1	2 608 900 554	363	10	2 608 900 625	107	5	2 608 900 695	544	5
2 608 900 467	459	1	2 608 900 555	363	10	2 608 900 626	107	5	2 608 900 696	544	5
2 608 900 468	459	1	2 608 900 556	363	1	2 608 900 627	107	5	2 608 900 697	544	5
2 608 900 469	459	1				2 608 900 630	107	5	2 608 900 698	544	1
2 608 900 470	459	1				2 608 900 631	107	5	2 608 900 699	544	1
2 608 900 471	459	1				2 608 900 637	107	1	2 608 900 700	544	1

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ	PART NUMBER	PAGE	MOQ
2 608 900 949	570	1	2 608 901 117	561	5	2 608 901 194	231	1	2 608 901 262	617	25
2 608 900 950	570	1	2 608 901 118	561	5	2 608 901 195	231	1	2 608 901 263	617	25
2 608 900 951	618	1	2 608 901 119	561	5	2 608 901 196	232	1	2 608 901 264	616	25
2 608 900 952	618	1	2 608 901 120	548	1	2 608 901 202	544	5	2 608 901 265	616	25
2 608 900 953	618	1	2 608 901 121	548	1	2 608 901 203	544	5	2 608 901 266	616	25
2 608 900 954	618	1	2 608 901 122	549	1	2 608 901 204	558	5	2 608 901 267	616	25
2 608 900 955	618	1	2 608 901 123	549	1	2 608 901 205	567	5	2 608 901 268	617	25
2 608 900 956	618	1	2 608 901 124	547	1	2 608 901 206	567	5	2 608 901 269	616	25
2 608 900 957	585	25	2 608 901 125	547	1	2 608 901 207	567	5	2 608 901 270	617	25
2 608 900 958	585	50	2 608 901 126	547	1	2 608 901 208	561	5	2 608 901 271	617	25
2 608 900 959	585	50	2 608 901 127	547	1	2 608 901 210	591	20	2 608 901 385	555	5
2 608 900 960	585	50	2 608 901 128	547	1	2 608 901 211	591	20	2 608 901 386	555	5
2 608 900 961	585	50	2 608 901 129	547	1	2 608 901 212	591	20	2 608 901 387	555	5
2 608 900 962	585	50	2 608 901 130	547	1	2 608 901 213	591	20	2 608 901 388	555	5
2 608 900 963	585	50	2 608 901 131	547	1	2 608 901 214	591	20	2 608 901 389	555	5
2 608 900 964	585	50	2 608 901 132	547	1	2 608 901 215	591	20	2 608 901 390	555	5
2 608 900 965	585	50	2 608 901 133	547	1	2 608 901 216	591	20	2 608 901 470	610	
2 608 900 966	585	50	2 608 901 134	547	1	2 608 901 217	591	20	2 608 901 471	610	
2 608 900 967	585	50	2 608 901 135	547	1	2 608 901 218	591	10	2 608 901 472	610	
2 608 900 968	588	1	2 608 901 136	547	1	2 608 901 219	591	10	2 608 901 473	610	
2 608 900 969	588	1	2 608 901 137	547	1	2 608 901 220	591	10	2 608 901 474	610	
2 608 900 970	588	1	2 608 901 138	547	1	2 608 901 221	591	10	2 608 901 475	610	
2 608 900 971	588	1	2 608 901 139	547	1	2 608 901 222	591	1	2 608 901 481	107	1
2 608 900 972	588	1	2 608 901 140	547	1	2 608 901 223	591	1	2 608 901 482	107	1
2 608 900 973	588	1	2 608 901 141	547	1	2 608 901 224	591	1	2 608 901 483	107	1
2 608 900 974	588	1	2 608 901 142	547	1	2 608 901 225	591	1	2 608 901 484	107	1
2 608 900 975	588	1	2 608 901 143	547	1	2 608 901 226	591	1	2 608 901 485	107	1
2 608 900 976	588	1	2 608 901 144	547	1	2 608 901 227	591	1	2 608 901 486	107	1
2 608 900 977	588	1	2 608 901 145	547	1	2 608 901 228	591	1	2 608 901 487	107	1
2 608 900 978	588	1	2 608 901 146	551	1	2 608 901 229	591	1	2 608 901 488	107	1
2 608 900 979	588	1	2 608 901 147	551	1	2 608 901 230	591	1	2 608 901 489	107	1
2 608 900 980	588	1	2 608 901 148	551	1	2 608 901 231	591	1	2 609 200 138	687	1
2 608 900 981	588	1	2 608 901 149	551	1	2 608 901 232	591	1	2 609 200 139	687	1
2 608 900 982	588	1	2 608 901 150	551	1	2 608 901 233	591	1	2 609 200 140	687	1
2 608 900 983	588	1	2 608 901 151	551	1	2 608 901 234	591	1	2 609 200 141	687	1
2 608 900 984	588	1	2 608 901 152	551	1	2 608 901 235	592	1	2 609 200 142	687	1
2 608 900 985	588	1	2 608 901 153	551	1	2 608 901 236	592	1	2 609 200 143	685	1
2 608 901 092	546	5	2 608 901 154	618	1	2 608 901 237	592	1	2 609 200 144	685	1
2 608 901 093	546	5	2 608 901 155	618	1	2 608 901 238	592	1	2 609 200 145	685	1
2 608 901 094	546	5	2 608 901 156	618	1	2 608 901 239	592	1	2 609 200 214	703	1
2 608 901 095	546	5	2 608 901 166	561	5	2 608 901 240	555	1	2 609 200 215	703	1
2 608 901 096	546	5	2 608 901 167	561	5	2 608 901 241	554	1	2 609 200 216	703	1
2 608 901 097	546	5	2 608 901 168	593	50	2 608 901 242	554	1	2 609 200 306	763	1
2 608 901 098	547	5	2 608 901 169	594	50	2 608 901 243	554	1	2 609 200 307	763	1
2 608 901 099	547	5	2 608 901 170	594	50	2 608 901 244	554	1	2 609 200 308	763	1
2 608 901 100	547	5	2 608 901 171	594	50	2 608 901 245	554	1	2 609 200 312	687	1
2 608 901 101	550	5	2 608 901 172	594	50	2 608 901 246	554	1	2 609 390 034	481	1
2 608 901 102	547	5	2 608 901 173	594	50	2 608 901 247	555	1	2 609 390 035	481	1
2 608 901 103	547	5	2 608 901 174	593	5	2 608 901 248	555	1	2 609 390 036	481	1
2 608 901 104	547	5	2 608 901 175	594	5	2 608 901 249	555	1	2 609 390 380	228	1
2 608 901 105	547	5	2 608 901 176	594	5	2 608 901 250	555	1	2 609 390 392	734	1
2 608 901 106	547	5	2 608 901 177	594	20	2 608 901 251	555	1	2 609 390 394	149	1
2 608 901 107	547	5	2 608 901 178	594	20	2 608 901 252	555	1	2 609 390 576	148	1
2 608 901 108	547	5	2 608 901 179	594	20	2 608 901 253	555	1	2 609 390 586	481	1
2 608 901 109	547	5	2 608 901 180	594	50	2 608 901 254	581	1	2 609 390 587	481	1
2 608 901 110	547	5	2 608 901 181	357	1	2 608 901 255	581	1	2 609 390 589	481	1
2 608 901 111	550	5	2 608 901 188	232	1	2 608 901 256	581	1	2 609 390 590	481	1
2 608 901 112	569	5	2 608 901 189	232	1	2 608 901 257	582	1	2 609 390 592	481	1
2 608 901 113	568	5	2 608 901 190	232	1	2 608 901 258	582	1	3 600 320 014	628	1
2 608 901 114	561	5	2 608 901 191	232	1	2 608 901 259	582	1	3 605 411 003	747	1
2 608 901 115	561	5	2 608 901 192	231	1	2 608 901 260	617	25	3 607 010 028	695	1
2 608 901 116	561	5	2 608 901 193	231	1	2 608 901 261	617	25	3 608 550 503	138	5

Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

PART NUMBER INDEX

PART NUMBER	PAGE	MOQ
3 608 550 504	138	5
3 608 550 505	138	5
3 608 604 001	555	1
3 608 610 000	556	1
3 608 641 002	343	1
3 608 641 013	343	1
3 609 201 038	637	1
F 00Y 145 188	95	1
F 00Y 145 189	95	1
F 00Y 145 190	95	1
F 00Y 145 191	95	1
F 00Y 145 192	95	1
F 00Y 145 193	95	1
F 00Y 145 194	95	1
F 00Y 145 195	95	1
F 00Y 145 196	95	1
F 00Y 145 197	95	1
F 00Y 145 198	95	1
F 00Y 145 199	95	1
F 00Y 145 200	95	1
F 00Y 145 201	95	1
F 00Y 145 202	95	1
F 00Y 145 203	96	5
F 00Y 145 204	96	1


Minimum order quantity. The minimum order quantity is a fixed quantity of packs.

BOSCH


Ordering and packaging control system.

The ordering and packaging control system makes it easier to order the right amount and find the packaging type at a glance.

Order quantities are rounded up to the minimum order quantity.



Order quantities must be a multiple of the minimum order quantity: 3, 6, 9, etc.



Example:

Step 1: The packaging type for each part number can be found on the product pages:

Part number	Packaging type	Pack quantity	Minimum order quantity 1	Barcode 3165140...
2 608 585 780	P1p	1	1	511421
2 608 585 781	P1p	1	1	511438

Step 2: An illustration of the corresponding packaging type and specifications about the type of suspension and form of the packaging can be found on the back cover.



P1p Watchbox with Euro hole
P2p Watchbox with other type of suspension

Step 3: What is the structure of a packaging type code?



1. There are six different material groups which are identified by the initial letter in the English packaging code:

- Packaging made of paper, cardboard or corrugated board (**C**ardboard)
- Plastic packaging (**P**lastic)
- Combined plastic / cardboard packaging (**P**lastic and **C**ardboard)
- Metal packaging (**M**etal)
- Unpacked product (**U**npacked)
- Wood packaging (**W**ood)

2. Each packaging has one of three different types of suspension:

- 0 without any type of suspension
- 1 with Euro hole
- 2 other type of suspension

3. In the six material groups, each form of packaging is identified by a lower case letter:

C Packaging made of paper, cardboard or corrugated board

- | | | |
|-----------------|-------------|----------------------|
| a Box | d Sleeve | h Tube |
| b Folded carton | e Hanger | k Carton with sleeve |
| c Pocket | f Paper bag | |

P Plastic packaging

- | | | |
|---------------------|------------------|------------|
| a Box | e Hanger | n Sleeve |
| b Bag | f Shrink-wrapped | p Watchbox |
| c Pouch | h Tube | |
| d Bag with tab card | k Cassette | |

PC Combined plastic / cardboard packaging

- | | |
|-------------------|-------------------------|
| a Blister | c Shrink-wrapped carton |
| b Folding blister | d Tight Pack |

M Metal packaging

- | | |
|------------|-----------|
| a Cassette | b Aerosol |
|------------|-----------|

U Unpacked product

No form specifications

W Wood packaging

- a Case

PACKAGING

That holds clear information.

PACKAGING MADE OF PAPER, CARDBOARD OR CORRUGATED BOARD (CARDBOARD)



C0a Box without any type of suspension

C1a Box with Euro hole

C2a Box with other type of suspension

C1b Folded carton with Euro hole



C1c Pocket with Euro hole

C1d Sleeve with Euro hole

C1e Hanger with Euro hole



C0h Tube without any type of suspension

C2h Tube with other type of suspension

C1k Carton with sleeve and Euro hole

PLASTIC PACKAGING (PLASTIC)



P0a Box without any type of suspension

P1a Box with Euro hole

P2a Box with other type of suspension



P0b Bag without any type of suspension

P1b Bag with Euro hole




P1c Pouch with Euro hole

P2c Pouch with other type of suspension



P1d Bag with tab card and Euro hole



P1e Hanger with Euro hole

P2e Hanger with other type of suspension



P0f Shrink-wrapped without any type of suspension

P1f Shrink-wrapped with Euro hole




P0h Tube without any type of suspension

P1h Tube with Euro hole



P1k Cassette with Euro hole



P0n Sleeve without any type of suspension



P1p Watchbox with Euro hole



P2p Watchbox with other type of suspension

COMBINED PLASTIC/CARDBOARD PACKAGING (PLASTIC AND CARDBOARD)



PC1a Blister with Euro hole



PC1b Folding blister with Euro hole



PC1c Shrink-wrapped carton with Euro hole



PC1d Tight Pack with Euro hole

METAL PACKAGING (METAL)



M1a Cassette with Euro hole

M0b Aerosol without any type of suspension

UNPACKED PRODUCT (UNPACKED)



U0 Without any type of suspension

WOOD PACKAGING (WOOD)



W0a Case without any type of suspension

TECHNICAL INFORMATION AND APPLICATIONS

MACHINES

EXPERT



Concrete Grinder



Drum Sander



Floor Sander



Multi delta sander



Orbital sander



Powerfile



Random Orbital Sander



Random Orbital Sander Dustbag



Hand Sanding



Petrol Saw



Marble Saw



Masonry Saw



Metal Saw



Jigsaw



Sabre Saw No blade



Sabre Saw



Sabre Saw Corded



Multicutter Cordless



Multicutter



Dustextractor



Hammer Drill



Impact Drill



Impact Screwdriver



Screwdriver




























Angle Grinder Big



Angle Grinder Small

MACHINES

	Hand-held circular saw		Plunge saw		Multi-router
	Table saw		Pull-push saw		Horizontal panel sizing saw
	Vertical panel sizing saw		Mitre saw		Mitre dry cutters
	Hand dry cutters		Router		Table router
	CNC router		Angle grinder		Petrol saw
	Joint cutter		Block saw		Hilti concrete grinder
	Eibenstock concrete grinder		Concrete grinder		GTR 30 CE
	GTR 30 CE/GTR 18 V-LI		Polisher		Table saw
	Tile cutting machine				

BENEFITS AND TECHNOLOGIES

EXPERT



Long Life



Protection



3-in-1



Diamond Technology



Surface Structure



No Dust



High speed



Carbide Technology



Particle Control




Tip Technology



High precision



Robust



Centering Geometry








































Prisma Technology

























































Vibration Control


BENEFITS

	For effortless cuts		Clean cut		Very clean cut
	Long lifetime		Very long lifetime		Clean cuts over the entire lifetime
	Quick cut		Fast work progress		Extra-high speed
	Precise drilling		3 times longer lifetime		Fast drilling
	Easy drilling		Heavy Duty		Tungsten carbide hinge & cantilever hinge cutter bits
	Powerful, rough cut		Effortless, fine cut		No sticking
	Deep cut		Very good surface quality		3 applications with one disc
	Test mark from Prüfungsgemeinschaft Mauerbohrer e.V.		Specially for plunge cutting		Round cut, fine
	Round cut, coarse		Straight cut, fine		Straight cut, coarse
	Tear-free cuts		Accurate angled cut		Angled cut, 90°
	Cutting with parallel guide		Flexible blade (bi-metal) for flush cut		Specially for curved cutting with sabre saw blades
	Material, thin and thick		Fine result		Coarse result
	Cleaning surfaces				

FEATURES

	microteQ		cleanteQ		proteQtion
	stabilteQ		ResisteQ		Vibration Control
	Dura Technology		microteQ		
	proteQtion		Silent		Precise
	Cylindrical shank with wings		Cylindrical shank		SDS-plus shank
	SDS-max shank		Hexagonal shank		activeteq
	Power Grip System - 100% power transfer		2-cutter		5-cutter
	Power-Change		SDS-plus		Segment design
	SDS-pro		Impact Control		Extremely break-resistant
	Prevents wear of the fastener		Tungsten carbide-tipped		Carbide-tipped (bar)
	Knife blade		Depth stop for segment saw blades with Ø 100 mm		Depth stop for segment saw blades with Ø 85 mm
	Basic depth stop		Expert depth stop		Fine grit
	Very fine grit		Medium grit		Coarse grit
	Extra coarse grit		RIFF grit (30)		3D diamond technology
	2x2 Tooth Geometry		Tooth spacing, reverse		Extraclean tooth strip
	Tooth spacing		Tooth spacing, progressive		No. of teeth per inch (TPI) and tooth spacing
	Ground, extra-sharp teeth		RIFF grit 30		For demolition and rescue work
	Length / width of plunge-cutting saw blade		Length / width of RIFF plunge-cutting saw blade		Length / width of Scrapers

FEATURES



Length/width of universal joint cutter



Diameter of round saw blade



Tooth spacing



Delta plate



Sharp blade



Flexible backing



Cleaning grooves



Pressure equalisation



Pointed combination block side



Flap sanding wheel with fleece



Expansion wheel



Cooling




Spanner



Torx®



Tri-Wing®



Diameter of segment saw blade



Diameter of RIFF segment saw blade



Tooth spacing



Sanding plate



Sharp blade



Very flexible backing



Cleaning corners



Side reinforcement



Wet application



Fleece sanding wheel



Crimped wire = Fine result



Waterproof



Internal square



Phillips



Diameter of RIFF grout and mortar remover



Blade thickness



Tooth spacing



Do not drill with impact



Velcro-type fastening system



Cleaning edges



Working on the inside of pipes



Round combination block side



Solvent-free



Flap sanding wheel



Knotted wire = Coarse result



Pozidriv®



Slotted screw



Security Torx®

MATERIALS

EXPERT



Aluminium



Autoclaved aerated concrete



Brick



Cast Iron




CFK, GFK



Chipboard




Concrete building block



Concrete




Construction wood




Drywall board



Drywall



Fiber cement board



Glass




Glue




Hard stone



Hard wood




HPL - high pressure laminate



Kitchen Countertop



Lime sand brick



Mortar



Multiplex boards



Non-ferrous materials




Paint on wood



Parquet



Plastic




Plastic coated boards




Plywood



Poroton building block



Pressure treated lumber




PVC - vinyl solid laminate flooring



Reinforced concrete



Rooftile




Rubber



Soft stone



Soft wood



Solid brick




Solid surface composite



Solid wood furniture boards




Stainless steel



Stainless steel sheets



Steel




Steel sheets



Tiles










































Wood with metal



WPC - wood with plastic composites

MATERIALS

	Concrete		Rebar		Natural stone
	Tiles		Masonry		Marble
	Granite		Aluminium		Hard and soft wood
	Stainless steel		Metal		Wood, hard and soft
	Brass & alloys		Sheet metals		Construction timber
	Softwood		Hardwood		Plasterboard on metal
	Construction timber with nails and concrete residues		Formwork boards		Chipboard (raw), acoustic panels
	Abrasive panel materials coated on one or two sides		Panel materials, veneered laminate, thin chipboards		Composite material
	Pressed laminated wood, plywood		Fibre materials, MDF, OSB, MDF composite panels		Wood core plywood
	Laminate flooring, parquet		High pressure laminate panels, suitable for Trespa®		Porous concrete
	Plastics, epoxy		Steel		Sandwich panels, laminated on one or two sides
	Fibre cement, suitable for Eternit®		Plasterboard		Suitable for Corian®
	Perspex		Glass		Plastic

SAFETY



Wear protective glasses



Wear ear protectors



Wear protective gloves



Wear dust mask



Wear protective shoes



Read enclosed Instruction Manual



Read Instruction Manual of Machine



Holesaw always to be used with guided pilot drill bit



Wet use not permitted (dry use only)



Not allowed for lateral grinding



Do not use damaged disc



Do not use damaged accessory



Do not use broken bits



Don't use bent drill bits (for drill bits \geq 300mm)



No drinking liquids



Do not use for flammable products



Live working prohibited



Wet application allowed



Wet and dry application allowed



No pressure on tip



Do not use on drill stand



Do not use with hammer-/impact-mode



Use drill rig



Place drill bit first on surface of workpiece, then start the drill

BOSCH CUSTOMER SERVICE

0344 7360106*

Monday – Friday 09.00am – 05.00pm

bosch-sales@uk.bosch.com

*Calls to 03 numbers cost same as 01/02 prefix calls and are included in inclusive minutes and discounts schemes in the same way.

This number connects you to the Bosch customer adviser team. It is there to answer your queries regarding technical matters and for quick and user friendly customer service. Outside office hours an answer phone will take your message.



THE BEST YOUR TOOL CAN GET.

Bosch Professional Accessories.



Robert Bosch Limited
Power Tools Division
Broadwater Park Denham
Uxbridge Middlesex UB9 5HJ
United Kingdom
www.bosch-pt.com



1619A00Z3L0001 - EN - Printed in Germany - Imprimé en Allemagne -
Subject to technical alterations. Liability for printing errors is not accepted. Valid from: 17.11.2021
Range Catalogue EXPERT (7X)
Printed at Elanders GmbH, Anton-Schmidt-Str. 15, 71332 Waiblingen, Germany.